

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization International Bureau





(43) International Publication Date 1 August 2002 (01.08.2002)

PCT

(10) International Publication Number WO 02/059377 A2

(51) International Patent Classification7:

C12Q 1/68

- (21) International Application Number: PCT/US02/02242
- (22) International Filing Date: 24 January 2002 (24.01.2002)
- (25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

60/263,965	24 January 2001 (24.01.2001)	US
60/265,928	2 February 2001 (02.02.2001)	US
09/829,472	9 April 2001 (09.04.2001)	US
60/282,698	9 April 2001 (09.04.2001)	US
60/288,590	4 May 2001 (04.05.2001)	US
60/294,443	29 May 2001 (29.05.2001)	US
	· · · · · · · · · · · · · · · · · · ·	

- (71) Applicant: EOS BIOTECHNOLOGY, INC. [US/US]; 225A Gateway Boulevard, South San Francisco, CA 94080-7019 (US).
- (72) Inventors: MACK, David, H.; 2076 Monterey Avenue, Menlo Park, CA 94025 (US). GISH, Kurt, C.; 40 Perego Terrace #2, San Francisco, CA 94131 (US). AFAR, Daniel; 435 Visitacion Avenue, Brisbane, CA 94005 (US).

- (74) Agents: BASTIAN, Kevin, L. et al.; Townsend and Townsend and Crew LLP, Two Embarcadero Center, 8th Floor, San Francisco, CA 94111-3834 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

 without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

059377 A2

(54) Title: METHODS OF DIAGNOSIS OF BREAST CANCER, COMPOSITIONS AND METHODS OF SCREENING FOR MODULATORS OF BREAST CANCER

(57) Abstract: Described herein are genes whose expression are up-regulated or down-regulated in breast cancer. Related methods and compositions that can be used for diagnosis and treatment of breast cancer are disclosed. Also described herein are methods that can be used to identify modulators of breast cancer.

METHODS OF DIAGNOSIS OF BREAST CANCER, COMPOSITIONS AND METHODS OF SCREENING FOR MODULATORS OF BREAST CANCER

5

10

CROSS-REFERENCES TO RELATED APPLICATIONS

This application claims priority to USSN 60/263,965, filed January 24, 2001; USSN 60/265,928, filed February 2, 2001; USSN 09/829,472 filed April 9, 2001; USSN 60/282,698, filed April 9, 2001; USSN 60/288,590, filed May 4, 2001; and USSN 60/294,443, filed May 29, 2001, all of which are incorporated herein by reference in their entirety.

FIELD OF THE INVENTION

The invention relates to the identification of nucleic acid and protein expression profiles and nucleic acids, products, and antibodies thereto that are involved in breast cancer; and to the use of such expression profiles and compositions in the diagnosis, prognosis and therapy of breast cancer. The invention further relates to methods for identifying and using agents and/or targets that inhibit breast cancer.

20

25

15

BACKGROUND OF THE INVENTION

Breast cancer is one of the most frequently diagnosed cancers and the second leading cause of female cancer death in North America and northern Europe, with lung cancer being the leading cause. Lifetime incidence of the disease in the United States is one-in-eight, with a 1-in-29 lifetime risk of dying from breast cancer. Early detection of breast cancer, using mammography, clinical breast examination, and self breast examination, has dramatically improved the treatment of the disease, although sensitivity is still major concern, as mammographic sensitivity has been estimated at only 60%–90%. Treatment of breast cancer consists largely of surgical lumpectomy or mastectomy, radiation therapy, anti-

hormone therapy, and/or chemotherapy. Although many breast cancer patients are effectively treated, the current therapies can all induce serious side effects which diminish quality of life. Deciding on a particular course of treatment is typically based on a variety of prognostic parameters and markers (Fitzgibbons et al., 2000, Arch. Pathol. Lab. Med. 124:966-978; Hamilton and Piccart, 2000, Ann. Oncol. 11:647-663), including genetic predispostion markers BRCA-1 and BRCA-2 (Robson, 2000, J. Clin. Oncol. 18:113sup-118sup).

Imaging of breast cancer for diagnosis has been problematic and limited. In addition, dissemination of tumor cells (metastases) to locoregional lymph nodes is an important prognostic factor; five year survival rates drop from 80 percent in patients with no lymph node metastases to 45 to 50 percent in those patients who do have lymph node metastases. A recent report showed that micrometastases can be detected from lymph nodes using reverse transcriptase-PCR methods based on the presence of mRNA for carcinoembryonic antigen, which has previously been shown to be present in the vast majority of breast cancers but not in normal tissues. Liefers et al., New England J. of Med. 339(4):223 (1998).

10

15

20

25

The identification of novel therapeutic targets and diagnostic markers is essential for improving the current treatment of breast cancer patients. Recent advances in molecular medicine have increased the interest in tumor-specific cell surface antigens that could serve as targets for various immunotherapeutic or small molecule strategies. Antigens suitable for immunotherapeutic strategies should be highly expressed in cancer tissues and ideally not expressed in normal adult tissues. Expression in tissues that are dispensable for life, however, may be tolerated. Examples of such antigens include Her2/neu and the B-cell antigen CD20. Humanized monclonal antibodies directed to Her2/neu (Herceptin®/trastuzumab) are currently in use for the treatment of metastatic breast cancer (Ross and Fletcher, 1998, Stem Cells 16:413-428). Similarly, anti-CD20 monoclonal antibodies (Rituxin®/rituximab) are used to effectively treat non-Hodgekin's lymphoma (Maloney et al., 1997, Blood 90:2188-2195; Leget and Czuczman, 1998, Curr. Opin. Oncol. 10:548-551).

Other potential immunotherapeutic targets have been identified for breast cancer. One such target is polymorphic epithelial mucin (MUC1). MUC1 is a transmembrane

protein, present at the apical surface of glandular epithelial cells. It is often overexpressed in breast cancer, and typically exhibits an altered glycosylation pattern, resulting in an antigenically distinct molecule, and is in early clinical trials as a vaccine target (Gilewski et al., 2000, Clin. Cancer Res. 6:1693-1701; Scholl et al., 2000, J. Immunother. 23:570-580). The tumor-expressed protein is often cleaved into the circulation, where it is detectable as the tumor marker, CA 15-3 (Bon et al., 1997, Clin. Chem. 43:585-593). However, many patients have tumors that express neither HER2 nor MUC-1; therefore, it is clear that other targets need to be identified to manage localized and metastatic disease. Many other genes have been reported to be overexpressed in breast cancer, such as EGFR (Sainsbury et al., 1987, Lancet 1(8547):1398-1402), c-erbB3 (Naidu et al., 1988, Br. J. Cancer 78:1385-1390), FGFR2 (Penault-Llorca et al., 1991, Int. J. Cancer 61:170-176), PKW (Preiherr et al., 2000, Anticancer Res. 20:2255-2264), MTA1 (Nawa et al., 2000, J. Cell Biochem. 79:202-212), breast cancer associated gene 1 (Kurt et al., 2000, Breast Cancer Res. Treat. 59:41-48). Although monoclonal antibodies to the protein products of some of these overexpressed genes have been reported (for review, see Green et al., 2000, Cancer Treat. Rev. 26:269-286), none are currently approved for breast cancer therapy in the US.

5

10

15

20

25

30

Disclosures of certain genes and ESTs described as being expressed in breast cancer are found in international patent applications WO-99/33869, WO-97/25426, WO-97/02280 and WO-00/55173, WO-98/45328 and WO-00/22130. Similarly, genes and ESTs described as being expressed in breast cancer are disclosed in US Patent Nos. 5,759,776 and 5,693,522. The utility of such genes is described in each of these publications, and their disclosures are incorporated herein in their entirety.

While industry and academia have identified novel sequences, there has not been an equal effort exerted to identify the function of these novel sequences. The elucidation of a role for novel proteins and compounds in disease states for identification of therapeutic targets and diagnostic markers is essential for improving the current treatment of breast cancer patients. Accordingly, provided herein are molecular targets for therapeutic intervention in breast and other cancers. Additionally, provided herein are methods that can be used in diagnosis and prognosis of breast cancer. Further provided are methods that can be used to screen candidate bioactive agents for the ability to modulate breast cancer.

SUMMARY OF THE INVENTION

The present invention therefore provides nucleotide sequences of genes that are up- and down-regulated in breast cancer cells. Such genes are useful for diagnostic purposes, and also as targets for screening for therapeutic compounds that modulate breast cancer, such as hormones or antibodies. Other aspects of the invention will become apparent to the skilled artisan by the following description of the invention.

5

10

15

20

25

In one aspect, the present invention provides a method of detecting a breast cancer-associated transcript in a cell from a patient, the method comprising contacting a biological sample from the patient with a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1-25.

In one embodiment, the present invention provides a method of determining the level of a breast cancer associated transcript in a cell from a patient.

In one embodiment, the present invention provides a method of detecting a breast cancer-associated transcript in a cell from a patient, the method comprising contacting a biological sample from the patient with a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1-25.

In one embodiment, the polynucleotide selectively hybridizes to a sequence at least 95% identical to a sequence as shown in Tables 1-25.

In one embodiment, the biological sample is a tissue sample. In another embodiment, the biological sample comprises isolated nucleic acids, e.g., mRNA.

In one embodiment, the polynucleotide is labeled, e.g., with a fluorescent label.

In one embodiment, the polynucleotide is immobilized on a solid surface.

In one embodiment, the patient is undergoing a therapeutic regimen to treat breast cancer. In another embodiment, the patient is suspected of having metastatic breast cancer.

In one embodiment, the patient is a human.

In one embodiment, the breast cancer associated transcript is mRNA.

In one embodiment, the method further comprises the step of amplifying nucleic acids before the step of contacting the biological sample with the polynucleotide.

In another aspect, the present invention provides a method of monitoring the efficacy of a therapeutic treatment of breast cancer, the method comprising the steps of: (i) providing a biological sample from a patient undergoing the therapeutic treatment; and (ii) determining the level of a breast cancer-associated transcript in the biological sample by contacting the biological sample with a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1-25, thereby monitoring the efficacy of the therapy. In a further embodiment, the patient has metastatic breast cancer. In a further embodiment, the patient has a drug resistant form of breast cancer.

5

10

15

20

25

In one embodiment, the method further comprises the step of: (iii) comparing the level of the breast cancer-associated transcript to a level of the breast cancer-associated transcript in a biological sample from the patient prior to, or earlier in, the therapeutic treatment.

Additionally, provided herein is a method of evaluating the effect of a candidate breast cancer drug comprising administering the drug to a patient and removing a cell sample from the patient. The expression profile of the cell is then determined. This method may further comprise comparing the expression profile to an expression profile of a healthy individual. In a preferred embodiment, said expression profile includes a gene of Tables 1-25.

In one aspect, the present invention provides an isolated nucleic acid molecule consisting of a polynucleotide sequence as shown in Tables 1-25.

In one embodiment, an expression vector or cell comprises the isolated nucleic acid.

In one aspect, the present invention provides an isolated polypeptide which is encoded by a nucleic acid molecule having polynucleotide sequence as shown in Tables 1-25.

In another aspect, the present invention provides an antibody that specifically binds to an isolated polypeptide which is encoded by a nucleic acid molecule having polynucleotide sequence as shown in Tables 1-25.

In one embodiment, the antibody is conjugated to an effector component, e.g., a fluorescent label, a radioisotope or a cytotoxic chemical.

In one embodiment, the antibody is an antibody fragment. In another embodiment, the antibody is humanized.

5 .

10

15

20

25

30

In one aspect, the present invention provides a method of detecting a breast cancer cell in a biological sample from a patient, the method comprising contacting the biological sample with an antibody as described herein.

In another aspect, the present invention provides a method of detecting antibodies specific to breast cancer in a patient, the method comprising contacting a biological sample from the patient with a polypeptide encoded by a nucleic acid comprising a sequence from Tables 1-25.

In another aspect, the present invention provides a method for identifying a compound that modulates a breast cancer-associated polypeptide, the method comprising the steps of: (i) contacting the compound with a breast cancer-associated polypeptide, the polypeptide encoded by a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1-25; and (ii) determining the functional effect of the compound upon the polypeptide.

In one embodiment, the functional effect is a physical effect, an enzymatic effect, or a chemical effect.

In one embodiment, the polypeptide is expressed in a eukaryotic host cell or cell membrane. In another embodiment, the polypeptide is recombinant.

In one embodiment, the functional effect is determined by measuring ligand binding to the polypeptide.

In another aspect, the present invention provides a method of inhibiting proliferation of a breast cancer-associated cell to treat breast cancer in a patient, the method comprising the step of administering to the subject a therapeutically effective amount of a compound identified as described herein.

In one embodiment, the compound is an antibody.

In another aspect, the present invention provides a drug screening assay comprising the steps of: (i) administering a test compound to a mammal having breast cancer

or to a cell sample isolated therefrom; (ii) comparing the level of gene expression of a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1-25 in a treated cell or mammal with the level of gene expression of the polynucleotide in a control cell sample or mammal, wherein a test compound that modulates the level of expression of the polynucleotide is a candidate for the treatment of breast cancer.

In one embodiment, the control is a mammal with breast cancer or a cell sample therefrom that has not been treated with the test compound. In another embodiment, the control is a normal cell or mammal.

5

10

15

20

25

30

In one embodiment, the test compound is administered in varying amounts or concentrations. In another embodiment, the test compound is administered for varying time periods. In another embodiment, the comparison can occur after addition or removal of the drug candidate.

In one embodiment, the levels of a plurality of polynucleotides that selectively hybridize to a sequence at least 80% identical to a sequence as shown in Tables 1-25 are individually compared to their respective levels in a control cell sample or mammal. In a preferred embodiment the plurality of polynucleotides is from three to ten.

In another aspect, the present invention provides a method for treating a mammal having breast cancer comprising administering a compound identified by the assay described herein.

In another aspect, the present invention provides a pharmaceutical composition for treating a mammal having breast cancer, the composition comprising a compound identified by the assay described herein and a physiologically acceptable excipient.

In one aspect, the present invention provides a method of screening drug candidates by providing a cell expressing a gene that is up- and down-regulated as in a breast cancer. In one embodiment, a gene is selected from Tables 1-25. The method further includes adding a drug candidate to the cell and determining the effect of the drug candidate on the expression of the expression profile gene.

In one embodiment, the method of screening drug candidates includes comparing the level of expression in the absence of the drug candidate to the level of

expression in the presence of the drug candidate, wherein the concentration of the drug candidate can vary when present, and wherein the comparison can occur after addition or removal of the drug candidate. In a preferred embodiment, the cell expresses at least two expression profile genes. The profile genes may show an increase or decrease.

5

10

15

20

25

30

Also provided is a method of evaluating the effect of a candidate breast cancer drug comprising administering the drug to a transgenic animal expressing or over-expressing the breast cancer modulatory protein, or an animal lacking the breast cancer modulatory protein, for example as a result of a gene knockout.

Moreover, provided herein is a biochip comprising one or more nucleic acid segments of Tables 1-25, wherein the biochip comprises fewer than 1000 nucleic acid probes. Preferably, at least two nucleic acid segments are included. More preferably, at least three nucleic acid segments are included.

Furthermore, a method of diagnosing a disorder associated with breast cancer is provided. The method comprises determining the expression of a gene of Tables 1-25, preferably a gene of Table 25, in a first tissue type of a first individual, and comparing the distribution to the expression of the gene from a second normal tissue type from the first individual or a second unaffected individual. A difference in the expression indicates that the first individual has a disorder associated with breast cancer.

In a further embodiment, the biochip also includes a polynucleotide sequence of a gene that is not up- and down-regulated in breast cancer.

In one embodiment a method for screening for a bioactive agent capable of interfering with the binding of a breast cancer modulating protein (breast cancer modulatory protein) or a fragment thereof and an antibody which binds to said breast cancer modulatory protein or fragment thereof. In a preferred embodiment, the method comprises combining a breast cancer modulatory protein or fragment thereof, a candidate bioactive agent and an antibody which binds to said breast cancer modulatory protein or fragment thereof. The method further includes determining the binding of said breast cancer modulatory protein or fragment thereof and said antibody. Wherein there is a change in binding, an agent is identified as an interfering agent. The interfering agent can be an agonist or an antagonist. Preferably, the agent inhibits breast cancer.

Also provided herein are methods of eliciting an immune response in an individual. In one embodiment a method provided herein comprises administering to an individual a composition comprising a breast cancer modulating protein, or a fragment thereof. In another embodiment, the protein is encoded by a nucleic acid selected from those of Tables 1-25.

5

10

15

20

25

30

Further provided herein are compositions capable of eliciting an immune response in an individual. In one embodiment, a composition provided herein comprises a breast cancer modulating protein, preferably encoded by a nucleic acid of Tables 1-25, more preferably of Table 25, or a fragment thereof, and a pharmaceutically acceptable carrier. In another embodiment, said composition comprises a nucleic acid comprising a sequence encoding a breast cancer modulating protein, preferably selected from the nucleic acids of Tables 1-25, and a pharmaceutically acceptable carrier.

Also provided are methods of neutralizing the effect of a breast cancer protein, or a fragment thereof, comprising contacting an agent specific for said protein with said protein in an amount sufficient to effect neutralization. In another embodiment, the protein is encoded by a nucleic acid selected from those of Tables 1-25.

In another aspect of the invention, a method of treating an individual for breast cancer is provided. In one embodiment, the method comprises administering to said individual an inhibitor of a breast cancer modulating protein. In another embodiment, the method comprises administering to a patient having breast cancer an antibody to a breast cancer modulating protein conjugated to a therapeutic moiety. Such a therapeutic moiety can be a cytotoxic agent or a radioisotope.

DETAILED DESCRIPTION OF THE INVENTION

In accordance with the objects outlined above, the present invention provides novel methods for diagnosis and prognosis evaluation for breast cancer (PC), including metastatic breast cancer, as well as methods for screening for compositions which modulate breast cancer. Also provided are methods for treating breast cancer.

Tables 1-24B provide unigene cluster identification numbers for the nucleotide sequence of genes that exhibit increased or decreased expression in breast cancer

samples. Tables 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 18, 19, 20, 21, and 22 list those genes that are up-regulated in breast cancer cells. Table 14 lists those genes that are highly upregulated in breast cancer cells. Table 1, 2, 3, 15, and 23 list genes that are down-regulated in breast cancer cells and Table 16, lists genes that are highly down-regulated in breast cancer genes. The Tables also provide an exemplar accession number that provides a nucleotide sequence that is part of the unigene cluster.

Definitions

5

10

15

20

The term "breast cancer protein" or "breast cancer polynucleotide" or "breast cancer-associated transcript" refers to nucleic acid and polypeptide polymorphic variants, alleles, mutants, and interspecies homologues that: (1) have a nucleotide sequence that has greater than about 60% nucleotide sequence identity, 65%, 70%, 75%, 80%, 85%, 90%, preferably 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98% or 99% or greater nucleotide sequence identity, preferably over a region of over a region of at least about 25, 50, 100, 200, 500, 1000, or more nucleotides, to a nucleotide sequence of or associated with a gene of Tables 1-25; (2) bind to antibodies, e.g., polyclonal antibodies, raised against an immunogen comprising an amino acid sequence encoded by a nucleotide sequence of or associated with a gene of Tables 1-25, and conservatively modified variants thereof; (3) specifically hybridize under stringent hybridization conditions to a nucleic acid sequence, or the complement thereof of Tables 1-25 and conservatively modified variants thereof or (4) have an amino acid sequence that has greater than about 60% amino acid sequence identity, 65%, 70%, 75%, 80%, 85%, 90%, preferably 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98% or 99% or greater amino sequence identity, preferably over a region of over a region of at least about 25, 50, 100, 200, 500, 1000, or more amino acid, to an amino acid sequence encoded by a nucleotide sequence of or associated with a gene of Tables 1-25. A polynucleotide or polypeptide sequence is typically from a mammal including, but not limited to, primate, e.g., human; rodent, e.g., rat, mouse, hamster, cow, pig, horse, sheep, or other mammal. A "breast cancer polypeptide" and a "breast cancer polynucleotide," include both naturally occurring or recombinant forms.

A "full length" breast cancer protein or nucleic acid refers to a breast cancer polypeptide or polynucleotide sequence, or a variant thereof, that contains all of the elements normally contained in one or more naturally occurring, wild type breast cancer polynucleotide or polypeptide sequences. The "full length" may be prior to, or after, various stages of post-translation processing or splicing, including alternative splicing.

"Biological sample" as used herein is a sample of biological tissue or fluid that contains nucleic acids or polypeptides, e.g., of a breast cancer protein, polynucleotide or transcript. Such samples include, but are not limited to, tissue isolated from primates, e.g., humans, or rodents, e.g., mice, and rats. Biological samples may also include sections of tissues such as biopsy and autopsy samples, frozen sections taken for histologic purposes, blood, plasma, serum, sputum, stool, tears, mucus, hair, skin, etc. Biological samples also include explants and primary and/or transformed cell cultures derived from patient tissues. A biological sample is typically obtained from a eukaryotic organism, most preferably a mammal such as a primate e.g., chimpanzee or human; cow; dog; cat; a rodent, e.g., guinea pig, rat, mouse; rabbit; or a bird; reptile; or fish.

10

15

20

25

30

"Providing a biological sample" means to obtain a biological sample for use in methods described in this invention. Most often, this will be done by removing a sample of cells from an animal, but can also be accomplished by using previously isolated cells (e.g., isolated by another person, at another time, and/or for another purpose), or by performing the methods of the invention *in vivo*. Archival tissues, having treatment or outcome history, will be particularly useful.

The terms "identical" or percent "identity," in the context of two or more nucleic acids or polypeptide sequences, refer to two or more sequences or subsequences that are the same or have a specified percentage of amino acid residues or nucleotides that are the same (i.e., about 60% identity, preferably 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or higher identity over a specified region, when compared and aligned for maximum correspondence over a comparison window or designated region) as measured using a BLAST or BLAST 2.0 sequence comparison algorithms with default parameters described below, or by manual alignment and visual inspection (see, e.g., NCBI web site http://www.ncbi.nlm.nih.gov/BLAST/ or the like). Such sequences are then said to

be "substantially identical." This definition also refers to, or may be applied to, the compliment of a test sequence. The definition also includes sequences that have deletions and/or additions, as well as those that have substitutions, as well as naturally occurring, e.g., polymorphic or allelic variants, and man-made variants. As described below, the preferred algorithms can account for gaps and the like. Preferably, identity exists over a region that is at least about 25 amino acids or nucleotides in length, or more preferably over a region that is 50-100 amino acids or nucleotides in length.

5

10

15

20

25

30

For sequence comparison, typically one sequence acts as a reference sequence, to which test sequences are compared. When using a sequence comparison algorithm, test and reference sequences are entered into a computer, subsequence coordinates are designated, if necessary, and sequence algorithm program parameters are designated. Preferably, default program parameters can be used, or alternative parameters can be designated. The sequence comparison algorithm then calculates the percent sequence identities for the test sequences relative to the reference sequence, based on the program parameters.

A "comparison window", as used herein, includes reference to a segment of one of the number of contiguous positions selected from the group consisting typically of from 20 to 600, usually about 50 to about 200, more usually about 100 to about 150 in which a sequence may be compared to a reference sequence of the same number of contiguous positions after the two sequences are optimally aligned. Methods of alignment of sequences for comparison are well-known in the art. Optimal alignment of sequences for comparison can be conducted, e.g., by the local homology algorithm of Smith & Waterman, Adv. Appl. Math. 2:482 (1981), by the homology alignment algorithm of Needleman & Wunsch, J. Mol. Biol. 48:443 (1970), by the search for similarity method of Pearson & Lipman, Proc. Nat'l. Acad. Sci. USA 85:2444 (1988), by computerized implementations of these algorithms (GAP, BESTFIT, FASTA, and TFASTA in the Wisconsin Genetics Software Package, Genetics Computer Group, 575 Science Dr., Madison, WI), or by manual alignment and visual inspection (see, e.g., Current Protocols in Molecular Biology (Ausubel et al., eds. 1995 supplement)).

Preferred examples of algorithms that are suitable for determining percent sequence identity and sequence similarity include the BLAST and BLAST 2.0 algorithms,

which are described in Altschul et al., Nuc. Acids Res. 25:3389-3402 (1977) and Altschul et al., J. Mol. Biol. 215:403-410 (1990). BLAST and BLAST 2.0 are used, with the parameters described herein, to determine percent sequence identity for the nucleic acids and proteins of the invention. Software for performing BLAST analyses is publicly available through the National Center for Biotechnology Information (http://www.ncbi.nlm.nih.gov/). This algorithm involves first identifying high scoring sequence pairs (HSPs) by identifying short words of length W in the query sequence, which either match or satisfy some positive-valued threshold score T when aligned with a word of the same length in a database sequence. T is referred to as the neighborhood word score threshold (Altschul et al., supra). These initial neighborhood word hits act as seeds for initiating searches to find longer HSPs containing them. The word hits are extended in both directions along each sequence for as far as the cumulative alignment score can be increased. Cumulative scores are calculated using, e.g., for nucleotide sequences, the parameters M (reward score for a pair of matching residues; always > 0) and N (penalty score for mismatching residues; always < 0). For amino acid sequences, a scoring matrix is used to calculate the cumulative score. Extension of the word hits in each direction are halted when: the cumulative alignment score falls off by the quantity X from its maximum achieved value; the cumulative score goes to zero or below, due to the accumulation of one or more negative-scoring residue alignments; or the end of either sequence is reached. The BLAST algorithm parameters W, T, and X determine the sensitivity and speed of the alignment. The BLASTN program (for nucleotide sequences) uses as defaults a wordlength (W) of 11, an expectation (E) of 10, M=5, N=-4 and a comparison of both strands. For amino acid sequences, the BLASTP program uses as defaults a wordlength of 3, and expectation (E) of 10, and the BLOSUM62 scoring matrix (see Henikoff & Henikoff, Proc. Natl. Acad. Sci. USA 89:10915 (1989)) alignments (B) of 50, expectation (E) of 10, M=5, N=-4, and a comparison of both strands.

5

10

15

20

25

30

The BLAST algorithm also performs a statistical analysis of the similarity between two sequences (see, e.g., Karlin & Altschul, Proc. Nat'l. Acad. Sci. USA 90:5873-5787 (1993)). One measure of similarity provided by the BLAST algorithm is the smallest sum probability (P(N)), which provides an indication of the probability by which a match between two nucleotide or amino acid sequences would occur by chance. For example, a

nucleic acid is considered similar to a reference sequence if the smallest sum probability in a comparison of the test nucleic acid to the reference nucleic acid is less than about 0.2, more preferably less than about 0.01, and most preferably less than about 0.001. Log values may be large negative numbers, e.g., 5, 10, 20, 30, 40, 40, 70, 90, 110, 150, 170, etc.

5

10

15

20

- 25

30

An indication that two nucleic acid sequences or polypeptides are substantially identical is that the polypeptide encoded by the first nucleic acid is immunologically cross reactive with the antibodies raised against the polypeptide encoded by the second nucleic acid, as described below. Thus, a polypeptide is typically substantially identical to a second polypeptide, e.g., where the two peptides differ only by conservative substitutions. Another indication that two nucleic acid sequences are substantially identical is that the two molecules or their complements hybridize to each other under stringent conditions, as described below. Yet another indication that two nucleic acid sequences are substantially identical is that the same primers can be used to amplify the sequences.

A "host cell" is a naturally occurring cell or a transformed cell that contains an expression vector and supports the replication or expression of the expression vector. Host cells may be cultured cells, explants, cells *in vivo*, and the like. Host cells may be prokaryotic cells such as *E. coli*, or eukaryotic cells such as yeast, insect, amphibian, or mammalian cells such as CHO, HeLa, and the like (see, e.g., the American Type Culture Collection catalog or web site, www.atcc.org).

The terms "isolated," "purified," or "biologically pure" refer to material that is substantially or essentially free from components that normally accompany it as found in its native state. Purity and homogeneity are typically determined using analytical chemistry techniques such as polyacrylamide gel electrophoresis or high performance liquid chromatography. A protein or nucleic acid that is the predominant species present in a preparation is substantially purified. In particular, an isolated nucleic acid is separated from some open reading frames that naturally flank the gene and encode proteins other than protein encoded by the gene. The term "purified" in some embodiments denotes that a nucleic acid or protein gives rise to essentially one band in an electrophoretic gel. Preferably, it means that the nucleic acid or protein is at least 85% pure, more preferably at least 95% pure, and most preferably at least 99% pure. "Purify" or "purification" in other embodiments means

removing at least one contaminant from the composition to be purified. In this sense, purification does not require that the purified compound be homogenous, e.g., 100% pure.

The terms "polypeptide," "peptide" and "protein" are used interchangeably herein to refer to a polymer of amino acid residues. The terms apply to amino acid polymers in which one or more amino acid residue is an artificial chemical mimetic of a corresponding naturally occurring amino acid, as well as to naturally occurring amino acid polymers, those containing modified residues, and non-naturally occurring amino acid polymer.

5

10

15

20

25

30

The term "amino acid" refers to naturally occurring and synthetic amino acids, as well as amino acid analogs and amino acid mimetics that function similarly to the naturally occurring amino acids. Naturally occurring amino acids are those encoded by the genetic code, as well as those amino acids that are later modified, e.g., hydroxyproline, γ-carboxyglutamate, and O-phosphoserine. Amino acid analogs refers to compounds that have the same basic chemical structure as a naturally occurring amino acid, e.g., an α carbon that is bound to a hydrogen, a carboxyl group, an amino group, and an R group, e.g., homoserine, norleucine, methionine sulfoxide, methionine methyl sulfonium. Such analogs may have modified R groups (e.g., norleucine) or modified peptide backbones, but retain the same basic chemical structure as a naturally occurring amino acid. Amino acid mimetics refers to chemical compounds that have a structure that is different from the general chemical structure of an amino acid, but that functions similarly to a naturally occurring amino acid.

Amino acids may be referred to herein by either their commonly known three letter symbols or by the one-letter symbols recommended by the IUPAC-IUB Biochemical Nomenclature Commission. Nucleotides, likewise, may be referred to by their commonly accepted single-letter codes.

"Conservatively modified variants" applies to both amino acid and nucleic acid sequences. With respect to particular nucleic acid sequences, conservatively modified variants refers to those nucleic acids which encode identical or essentially identical amino acid sequences, or where the nucleic acid does not encode an amino acid sequence, to essentially identical or associated, e.g., naturally contiguous, sequences. Because of the degeneracy of the genetic code, a large number of functionally identical nucleic acids encode most proteins. For instance, the codons GCA, GCC, GCG and GCU all encode the amino

acid alanine. Thus, at every position where an alanine is specified by a codon, the codon can be altered to another of the corresponding codons described without altering the encoded polypeptide. Such nucleic acid variations are "silent variations," which are one species of conservatively modified variations. Every nucleic acid sequence herein which encodes a polypeptide also describes silent variations of the nucleic acid. One of skill will recognize that in certain contexts each codon in a nucleic acid (except AUG, which is ordinarily the only codon for methionine, and TGG, which is ordinarily the only codon for tryptophan) can be modified to yield a functionally identical molecule. Accordingly, often silent variations of a nucleic acid which encodes a polypeptide is implicit in a described sequence with respect to the expression product, but not with respect to actual probe sequences.

5

10

15

20

As to amino acid sequences, one of skill will recognize that individual substitutions, deletions or additions to a nucleic acid, peptide, polypeptide, or protein sequence which alters, adds or deletes a single amino acid or a small percentage of amino acids in the encoded sequence is a "conservatively modified variant" where the alteration results in the substitution of an amino acid with a chemically similar amino acid.

Conservative substitution tables providing functionally similar amino acids are well known in the art. Such conservatively modified variants are in addition to and do not exclude polymorphic variants, interspecies homologs, and alleles of the invention typically conservative substitutions for one another: 1) Alanine (A), Glycine (G); 2) Aspartic acid (D), Glutamic acid (E); 3) Asparagine (N), Glutamine (Q); 4) Arginine (R), Lysine (K); 5) Isoleucine (I), Leucine (L), Methionine (M), Valine (V); 6) Phenylalanine (F), Tyrosine (Y), Tryptophan (W); 7) Serine (S), Threonine (T); and 8) Cysteine (C), Methionine (M) (see, e.g., Creighton, Proteins (1984)).

Macromolecular structures such as polypeptide structures can be described in terms of various levels of organization. For a general discussion of this organization, see, e.g., Alberts et al., Molecular Biology of the Cell (3rd ed., 1994) and Cantor & Schimmel, Biophysical Chemistry Part I: The Conformation of Biological Macromolecules (1980). "Primary structure" refers to the amino acid sequence of a particular peptide. "Secondary structure" refers to locally ordered, three dimensional structures within a polypeptide. These structures are commonly known as domains. Domains are portions of a polypeptide that

often form a compact unit of the polypeptide and are typically 25 to approximately 500 amino acids long. Typical domains are made up of sections of lesser organization such as stretches of β -sheet and α -helices. "Tertiary structure" refers to the complete three dimensional structure of a polypeptide monomer. "Quaternary structure" refers to the three dimensional structure formed, usually by the noncovalent association of independent tertiary units. Anisotropic terms are also known as energy terms.

5

10

15

20

25

30

"Nucleic acid" or "oligonucleotide" or "polynucleotide" or grammatical equivalents used herein means at least two nucleotides covalently linked together. Oligonucleotides are typically from about 5, 6, 7, 8, 9, 10, 12, 15, 25, 30, 40, 50 or more nucleotides in length, up to about 100 nucleotides in length. Nucleic acids and polynucleotides are a polymers of any length, including longer lengths, e.g., 200, 300, 500, 1000, 2000, 3000, 5000, 7000, 10,000, etc. A nucleic acid of the present invention will generally contain phosphodiester bonds, although in some cases, nucleic acid analogs are included that may have alternate backbones, comprising, e.g., phosphoramidate, phosphorothioate, phosphorodithioate, or O-methylphophoroamidite linkages (see Eckstein, Oligonucleotides and Analogues: A Practical Approach, Oxford University Press); and peptide nucleic acid backbones and linkages. Other analog nucleic acids include those with positive backbones; non-ionic backbones, and non-ribose backbones, including those described in U.S. Patent Nos. 5,235,033 and 5,034,506, and Chapters 6 and 7, ASC Symposium Series 580, Carbohydrate Modifications in Antisense Research, Sanghui & Cook, eds.. Nucleic acids containing one or more carbocyclic sugars are also included within one definition of nucleic acids. Modifications of the ribose-phosphate backbone may be done for a variety of reasons, e.g. to increase the stability and half-life of such molecules in physiological environments or as probes on a biochip. Mixtures of naturally occurring nucleic acids and analogs can be made; alternatively, mixtures of different nucleic acid analogs, and mixtures of naturally occurring nucleic acids and analogs may be made.

A variety of references disclose such nucleic acid analogs, including, for example, phosphoramidate (Beaucage et al., Tetrahedron 49(10):1925 (1993) and references therein; Letsinger, J. Org. Chem. 35:3800 (1970); Sprinzl et al., Eur. J. Biochem. 81:579 (1977); Letsinger et al., Nucl. Acids Res. 14:3487 (1986); Sawai et al, Chem. Lett. 805

(1984), Letsinger et al., J. Am. Chem. Soc. 110:4470 (1988); and Pauwels et al., Chemica Scripta 26:141 91986)), phosphorothioate (Mag et al., Nucleic Acids Res. 19:1437 (1991); and U.S. Patent No. 5,644,048), phosphorodithioate (Briu et al., J. Am. Chem. Soc. 111:2321 (1989), O-methylphophoroamidite linkages (see Eckstein, Oligonucleotides and Analogues: A Practical Approach, Oxford University Press), and peptide nucleic acid backbones and linkages (see Egholm, J. Am. Chem. Soc. 114:1895 (1992); Meier et al., Chem. Int. Ed. Engl. 31:1008 (1992); Nielsen, Nature, 365:566 (1993); Carlsson et al., Nature 380:207 (1996), all of which are incorporated by reference). Other analog nucleic acids include those with positive backbones (Denpcy et al., Proc. Natl. Acad. Sci. USA 92:6097 (1995); non-ionic backbones (U.S. Patent Nos. 5,386,023, 5,637,684, 5,602,240, 5,216,141 and 4,469,863; 10 Kiedrowshi et al., Angew. Chem. Intl. Ed. English 30:423 (1991); Letsinger et al., J. Am. Chem. Soc. 110:4470 (1988); Letsinger et al., Nucleoside & Nucleotide 13:1597 (1994); Chapters 2 and 3, ASC Symposium Series 580, "Carbohydrate Modifications in Antisense Research", Ed. Y.S. Sanghui and P. Dan Cook; Mesmaeker et al., Bioorganic & Medicinal Chem. Lett. 4:395 (1994); Jeffs et al., J. Biomolecular NMR 34:17 (1994); Tetrahedron Lett. 15 37:743 (1996)) and non-ribose backbones, including those described in U.S. Patent Nos. 5,235,033 and 5,034,506, and Chapters 6 and 7, ASC Symposium Series 580, "Carbohydrate Modifications in Antisense Research", Ed. Y.S. Sanghui and P. Dan Cook. Nucleic acids containing one or more carbocyclic sugars are also included within one definition of nucleic acids (see Jenkins et al., Chem. Soc. Rev. (1995) pp 169-176). Several nucleic acid analogs 20 are described in Rawls, C & E News June 2, 1997 page 35. All of these references are hereby expressly incorporated by reference.

Particularly preferred are peptide nucleic acids (PNA) which includes peptide nucleic acid analogs. These backbones are substantially non-ionic under neutral conditions, in contrast to the highly charged phosphodiester backbone of naturally occurring nucleic acids. This results in two advantages. First, the PNA backbone exhibits improved hybridization kinetics. PNAs have larger changes in the melting temperature (T_m) for mismatched versus perfectly matched basepairs. DNA and RNA typically exhibit a 2-4°C drop in T_m for an internal mismatch. With the non-ionic PNA backbone, the drop is closer to 7-9°C. Similarly, due to their non-ionic nature, hybridization of the bases attached to these backbones is

25

30

relatively insensitive to salt concentration. In addition, PNAs are not degraded by cellular enzymes, and thus can be more stable.

The nucleic acids may be single stranded or double stranded, as specified, or contain portions of both double stranded or single stranded sequence. As will be appreciated by those in the art, the depiction of a single strand also defines the sequence of the complementary strand; thus the sequences described herein also provide the complement of the sequence. The nucleic acid may be DNA, both genomic and cDNA, RNA or a hybrid, where the nucleic acid may contain combinations of deoxyribo- and ribo-nucleotides, and combinations of bases, including uracil, adenine, thymine, cytosine, guanine, inosine, xanthine hypoxanthine, isocytosine, isoguanine, etc. "Transcript" typically refers to a naturally occurring RNA, e.g., a pre-mRNA, hnRNA, or mRNA. As used herein, the term "nucleoside" includes nucleotides and nucleoside and nucleotide analogs, and modified nucleosides such as amino modified nucleosides. In addition, "nucleoside" includes non-naturally occurring analog structures. Thus, e.g. the individual units of a peptide nucleic acid, each containing a base, are referred to herein as a nucleoside.

10

15

25

30

A "label" or a "detectable moiety" is a composition detectable by spectroscopic, photochemical, biochemical, immunochemical, chemical, or other physical means. For example, useful labels include ³²P, fluorescent dyes, electron-dense reagents, enzymes (e.g., as commonly used in an ELISA), biotin, digoxigenin, or haptens and proteins or other entities which can be made detectable, e.g., by incorporating a radiolabel into the peptide or used to detect antibodies specifically reactive with the peptide. The labels may be incorporated into the breast cancer nucleic acids, proteins and antibodies at any position. Any method known in the art for conjugating the antibody to the label may be employed, including those methods described by Hunter et al., Nature, 144:945 (1962); David et al., Biochemistry, 13:1014 (1974); Pain et al., J. Immunol. Meth., 40:219 (1981); and Nygren, J. Histochem. and Cytochem., 30:407 (1982).

An "effector" or "effector moiety" or "effector component" is a molecule that is bound (or linked, or conjugated), either covalently, through a linker or a chemical bond, or noncovalently, through ionic, van der Waals, electrostatic, or hydrogen bonds, to an antibody. The "effector" can be a variety of molecules including, e.g., detection moieties including

radioactive compounds, fluorescent compounds, an enzyme or substrate, tags such as epitope tags, a toxin; activatable moieties, a chemotherapeutic agent; a lipase; an antibiotic; or a radioisotope emitting "hard" e.g., beta radiation.

A "labeled nucleic acid probe or oligonucleotide" is one that is bound, either covalently, through a linker or a chemical bond, or noncovalently, through ionic, van der Waals, electrostatic, or hydrogen bonds to a label such that the presence of the probe may be detected by detecting the presence of the label bound to the probe. Alternatively, method using high affinity interactions may achieve the same results where one of a pair of binding partners binds to the other, e.g., biotin, streptavidin.

10

15

20

5

As used herein a "nucleic acid probe or oligonucleotide" is defined as a nucleic acid capable of binding to a target nucleic acid of complementary sequence through one or more types of chemical bonds, usually through complementary base pairing, usually through hydrogen bond formation. As used herein, a probe may include natural (i.e., A, G, C, or T) or modified bases (7-deazaguanosine, inosine, etc.). In addition, the bases in a probe may be joined by a linkage other than a phosphodiester bond, so long as it does not functionally interfere with hybridization. Thus, e.g., probes may be peptide nucleic acids in which the constituent bases are joined by peptide bonds rather than phosphodiester linkages. It will be understood by one of skill in the art that probes may bind target sequences lacking complete complementarity with the probe sequence depending upon the stringency of the hybridization conditions. The probes are preferably directly labeled as with isotopes, chromophores, lumiphores, chromogens, or indirectly labeled such as with biotin to which a streptavidin complex may later bind. By assaying for the presence or absence of the probe, one can detect the presence or absence of the select sequence or subsequence. Diagnosis or prognosis may be based at the genomic level, or at the level of RNA or protein expression.

25

30

The term "recombinant" when used with reference, e.g., to a cell, or nucleic acid, protein, or vector, indicates that the cell, nucleic acid, protein or vector, has been modified by the introduction of a heterologous nucleic acid or protein or the alteration of a native nucleic acid or protein, or that the cell is derived from a cell so modified. Thus, e.g., recombinant cells express genes that are not found within the native (non-recombinant) form of the cell or express native genes that are otherwise abnormally expressed, under expressed

or not expressed at all. By the term "recombinant nucleic acid" herein is meant nucleic acid, originally formed *in vitro*, in general, by the manipulation of nucleic acid, e.g., using polymerases and endonucleases, in a form not normally found in nature. In this manner, operably linkage of different sequences is achieved. Thus an isolated nucleic acid, in a linear form, or an expression vector formed *in vitro* by ligating DNA molecules that are not normally joined, are both considered recombinant for the purposes of this invention. It is understood that once a recombinant nucleic acid is made and reintroduced into a host cell or organism, it will replicate non-recombinantly, i.e., using the *in vivo* cellular machinery of the host cell rather than *in vitro* manipulations; however, such nucleic acids, once produced recombinantly, although subsequently replicated non-recombinantly, are still considered recombinant for the purposes of the invention. Similarly, a "recombinant protein" is a protein made using recombinant techniques, i.e., through the expression of a recombinant nucleic acid as depicted above.

The term "heterologous" when used with reference to portions of a nucleic acid indicates that the nucleic acid comprises two or more subsequences that are not normally found in the same relationship to each other in nature. For instance, the nucleic acid is typically recombinantly produced, having two or more sequences, e.g., from unrelated genes arranged to make a new functional nucleic acid, e.g., a promoter from one source and a coding region from another source. Similarly, a heterologous protein will often refer to two or more subsequences that are not found in the same relationship to each other in nature (e.g., a fusion protein).

A "promoter" is defined as an array of nucleic acid control sequences that direct transcription of a nucleic acid. As used herein, a promoter includes necessary nucleic acid sequences near the start site of transcription, such as, in the case of a polymerase II type promoter, a TATA element. A promoter also optionally includes distal enhancer or repressor elements, which can be located as much as several thousand base pairs from the start site of transcription. A "constitutive" promoter is a promoter that is active under most environmental and developmental conditions. An "inducible" promoter is a promoter that is active under environmental or developmental regulation. The term "operably linked" refers to a functional linkage between a nucleic acid expression control sequence (such as a

promoter, or array of transcription factor binding sites) and a second nucleic acid sequence, wherein the expression control sequence directs transcription of the nucleic acid corresponding to the second sequence.

An "expression vector" is a nucleic acid construct, generated recombinantly or synthetically, with a series of specified nucleic acid elements that permit transcription of a particular nucleic acid in a host cell. The expression vector can be part of a plasmid, virus, or nucleic acid fragment. Typically, the expression vector includes a nucleic acid to be transcribed operably linked to a promoter.

The phrase "selectively (or specifically) hybridizes to" refers to the binding, duplexing, or hybridizing of a molecule only to a particular nucleotide sequence under stringent hybridization conditions when that sequence is present in a complex mixture (e.g., total cellular or library DNA or RNA).

10

15

20

25

30

The phrase "stringent hybridization conditions" refers to conditions under which a probe will hybridize to its target subsequence, typically in a complex mixture of nucleic acids, but to no other sequences. Stringent conditions are sequence-dependent and will be different in different circumstances. Longer sequences hybridize specifically at higher temperatures. An extensive guide to the hybridization of nucleic acids is found in Tijssen, Techniques in Biochemistry and Molecular Biology-Hybridization with Nucleic Probes, "Overview of principles of hybridization and the strategy of nucleic acid assays" (1993). Generally, stringent conditions are selected to be about 5-10°C lower than the thermal melting point (T_m) for the specific sequence at a defined ionic strength pH. The T_m is the temperature (under defined ionic strength, pH, and nucleic concentration) at which 50% of the probes complementary to the target hybridize to the target sequence at equilibrium (as the target sequences are present in excess, at T_m, 50% of the probes are occupied at equilibrium). Stringent conditions will be those in which the salt concentration is less than about 1.0 M sodium ion, typically about 0.01 to 1.0 M sodium ion concentration (or other salts) at pH 7.0 to 8.3 and the temperature is at least about 30°C for short probes (e.g., 10 to 50 nucleotides) and at least about 60°C for long probes (e.g., greater than 50 nucleotides). Stringent conditions may also be achieved with the addition of destabilizing agents such as formamide. For selective or specific hybridization, a positive signal is at least two times

background, preferably 10 times background hybridization. Exemplary stringent hybridization conditions can be as following: 50% formamide, 5x SSC, and 1% SDS, incubating at 42°C, or, 5x SSC, 1% SDS, incubating at 65°C, with wash in 0.2x SSC, and 0.1% SDS at 65°C. For PCR, a temperature of about 36°C is typical for low stringency amplification, although annealing temperatures may vary between about 32°C and 48°C depending on primer length. For high stringency PCR amplification, a temperature of about 62°C is typical, although high stringency annealing temperatures can range from about 50°C to about 65°C, depending on the primer length and specificity. Typical cycle conditions for both high and low stringency amplifications include a denaturation phase of 90°C - 95°C for 30 sec - 2 min., an annealing phase lasting 30 sec. - 2 min., and an extension phase of about 72°C for 1 - 2 min. Protocols and guidelines for low and high stringency amplification reactions are provided, e.g., in Innis et al. (1990) PCR Protocols, A Guide to Methods and Applications, Academic Press, Inc. N.Y.).

5

10

15

25

Nucleic acids that do not hybridize to each other under stringent conditions are still substantially identical if the polypeptides which they encode are substantially identical. This occurs, e.g., when a copy of a nucleic acid is created using the maximum codon degeneracy permitted by the genetic code. In such cases, the nucleic acids typically hybridize under moderately stringent hybridization conditions. Exemplary "moderately stringent hybridization conditions" include a hybridization in a buffer of 40% formamide, 1 M NaCl, 1% SDS at 37°C, and a wash in 1X SSC at 45°C. A positive hybridization is at least twice background. Those of ordinary skill will readily recognize that alternative hybridization and wash conditions can be utilized to provide conditions of similar stringency. Additional guidelines for determining hybridization parameters are provided in numerous reference, e.g., and Current Protocols in Molecular Biology, ed. Ausubel, et al.

The phrase "functional effects" in the context of assays for testing compounds that modulate activity of a breast cancer protein includes the determination of a parameter that is indirectly or directly under the influence of the breast cancer protein or nucleic acid, e.g., a functional, physical, or chemical effect, such as the ability to decrease breast cancer. It includes ligand binding activity; cell growth on soft agar; anchorage dependence; contact

inhibition and density limitation of growth; cellular proliferation; cellular transformation; growth factor or serum dependence; tumor specific marker levels; invasiveness into Matrigel; tumor growth and metastasis *in vivo*; mRNA and protein expression in cells undergoing metastasis, and other characteristics of breast cancer cells. "Functional effects" include *in vitro*, *in vivo*, and *ex vivo* activities.

5

10

15

20

25

30

By "determining the functional effect" is meant assaying for a compound that increases or decreases a parameter that is indirectly or directly under the influence of a breast cancer protein sequence, e.g., functional, enzymatic, physical and chemical effects. Such functional effects can be measured by any means known to those skilled in the art, e.g., changes in spectroscopic characteristics (e.g., fluorescence, absorbance, refractive index), hydrodynamic (e.g., shape), chromatographic, or solubility properties for the protein, measuring inducible markers or transcriptional activation of the breast cancer protein; measuring binding activity or binding assays, e.g. binding to antibodies or other ligands, and measuring cellular proliferation. Determination of the functional effect of a compound on breast cancer can also be performed using breast cancer assays known to those of skill in the art such as an in vitro assays, e.g., cell growth on soft agar; anchorage dependence; contact inhibition and density limitation of growth; cellular proliferation; cellular transformation; growth factor or serum dependence; tumor specific marker levels; invasiveness into Matrigel; tumor growth and metastasis in vivo; mRNA and protein expression in cells undergoing metastasis, and other characteristics of breast cancer cells. The functional effects can be evaluated by many means known to those skilled in the art, e.g., microscopy for quantitative or qualitative measures of alterations in morphological features, measurement of changes in RNA or protein levels for breast cancer-associated sequences, measurement of RNA stability, identification of downstream or reporter gene expression (CAT, luciferase, β-gal, GFP and the like), e.g., via chemiluminescence, fluorescence, colorimetric reactions, antibody binding, inducible markers, and ligand binding assays.

"Inhibitors", "activators", and "modulators" of breast cancer polynucleotide and polypeptide sequences are used to refer to activating, inhibitory, or modulating molecules or compounds identified using *in vitro* and *in vivo* assays of breast cancer polynucleotide and polypeptide sequences. Inhibitors are compounds that, e.g., bind to, partially or totally block

activity, decrease, prevent, delay activation, inactivate, desensitize, or down regulate the activity or expression of breast cancer proteins, e.g., antagonists. Antisense nucleic acids may seem to inhibit expression and subsequent function of the protein. "Activators" are compounds that increase, open, activate, facilitate, enhance activation, sensitize, agonize, or up regulate breast cancer protein activity. Inhibitors, activators, or modulators also include genetically modified versions of breast cancer proteins, e.g., versions with altered activity, as well as naturally occurring and synthetic ligands, antagonists, agonists, antibodies, small chemical molecules and the like. Such assays for inhibitors and activators include, e.g., expressing the breast cancer protein *in vitro*, in cells, or cell membranes, applying putative modulator compounds, and then determining the functional effects on activity, as described above. Activators and inhibitors of breast cancer can also be identified by incubating breast cancer cells with the test compound and determining increases or decreases in the expression of 1 or more breast cancer proteins, e.g., 1, 2, 3, 4, 5, 10, 15, 20, 25, 30, 40, 50 or more breast cancer proteins, such as breast cancer proteins encoded by the sequences set out in Tables 1-25.

Samples or assays comprising breast cancer proteins that are treated with a potential activator, inhibitor, or modulator are compared to control samples without the inhibitor, activator, or modulator to examine the extent of inhibition. Control samples (untreated with inhibitors) are assigned a relative protein activity value of 100%. Inhibition of a polypeptide is achieved when the activity value relative to the control is about 80%, preferably 50%, more preferably 25-0%. Activation of a breast cancer polypeptide is achieved when the activity value relative to the control (untreated with activators) is 110%, more preferably 150%, more preferably 200-500% (i.e., two to five fold higher relative to the control), more preferably 1000-3000% higher.

The phrase "changes in cell growth" refers to any change in cell growth and proliferation characteristics in vitro or in vivo, such as formation of foci, anchorage independence, semi-solid or soft agar growth, changes in contact inhibition and density limitation of growth, loss of growth factor or serum requirements, changes in cell morphology, gaining or losing immortalization, gaining or losing tumor specific markers, ability to form or suppress tumors when injected into suitable animal hosts, and/or

immortalization of the cell. See, e.g., Freshney, Culture of Animal Cells a Manual of Basic Technique pp. 231-241 (3rd ed. 1994).

5

10

15

20

25

30

"Tumor cell" refers to precancerous, cancerous, and normal cells in a tumor.

"Cancer cells," "transformed" cells or "transformation" in tissue culture, refers to spontaneous or induced phenotypic changes that do not necessarily involve the uptake of new genetic material. Although transformation can arise from infection with a transforming virus and incorporation of new genomic DNA, or uptake of exogenous DNA, it can also arise spontaneously or following exposure to a carcinogen, thereby mutating an endogenous gene. Transformation is associated with phenotypic changes, such as immortalization of cells, aberrant growth control, nonmorphological changes, and/or malignancy (see, Freshney, Culture of Animal Cells a Manual of Basic Technique (3rd ed. 1994)).

"Antibody" refers to a polypeptide comprising a framework region from an immunoglobulin gene or fragments thereof that specifically binds and recognizes an antigen. The recognized immunoglobulin genes include the kappa, lambda, alpha, gamma, delta, epsilon, and mu constant region genes, as well as the myriad immunoglobulin variable region genes. Light chains are classified as either kappa or lambda. Heavy chains are classified as gamma, mu, alpha, delta, or epsilon, which in turn define the immunoglobulin classes, IgG, IgM, IgA, IgD and IgE, respectively. Typically, the antigen-binding region of an antibody or its functional equivalent will be most critical in specificity and affinity of binding. See Paul, Fundamental Immunology.

An exemplary immunoglobulin (antibody) structural unit comprises a tetramer. Each tetramer is composed of two identical pairs of polypeptide chains, each pair having one "light" (about 25 kD) and one "heavy" chain (about 50-70 kD). The N-terminus of each chain defines a variable region of about 100 to 110 or more amino acids primarily responsible for antigen recognition. The terms variable light chain (V_L) and variable heavy chain (V_H) refer to these light and heavy chains respectively.

Antibodies exist, e.g., as intact immunoglobulins or as a number of well-characterized fragments produced by digestion with various peptidases. Thus, e.g., pepsin digests an antibody below the disulfide linkages in the hinge region to produce F(ab)'₂, a dimer of Fab which itself is a light chain joined to V_H-C_H1 by a disulfide bond. The F(ab)'₂

may be reduced under mild conditions to break the disulfide linkage in the hinge region, thereby converting the F(ab)'₂ dimer into an Fab' monomer. The Fab' monomer is essentially Fab with part of the hinge region (see Fundamental Immunology (Paul ed., 3d ed. 1993). While various antibody fragments are defined in terms of the digestion of an intact antibody, one of skill will appreciate that such fragments may be synthesized de novo either chemically or by using recombinant DNA methodology. Thus, the term antibody, as used herein, also includes antibody fragments either produced by the modification of whole antibodies, or those synthesized de novo using recombinant DNA methodologies (e.g., single chain Fv) or those identified using phage display libraries (see, e.g., McCafferty et al., Nature 348:552-554 (1990))

For preparation of antibodies, e.g., recombinant, monoclonal, or polyclonal antibodies, many technique known in the art can be used (see, e.g., Kohler & Milstein, Nature 256:495-497 (1975); Kozbor et al., Immunology Today 4:72 (1983); Cole et al., pp. 77-96 in Monoclonal Antibodies and Cancer Therapy (1985); Coligan, Current Protocols in Immunology (1991); Harlow & Lane, Antibodies, A Laboratory Manual (1988); and Goding, Monoclonal Antibodies: Principles and Practice (2d ed. 1986)). Techniques for the production of single chain antibodies (U.S. Patent 4,946,778) can be adapted to produce antibodies to polypeptides of this invention. Also, transgenic mice, or other organisms such as other mammals, may be used to express humanized antibodies. Alternatively, phage display technology can be used to identify antibodies and heteromeric Fab fragments that specifically bind to selected antigens (see, e.g., McCafferty et al., Nature 348:552-554 (1990); Marks et al., Biotechnology 10:779-783 (1992)).

A "chimeric antibody" is an antibody molecule in which (a) the constant region, or a portion thereof, is altered, replaced or exchanged so that the antigen binding site (variable region) is linked to a constant region of a different or altered class, effector function and/or species, or an entirely different molecule which confers new properties to the chimeric antibody, e.g., an enzyme, toxin, hormone, growth factor, drug, etc.; or (b) the variable region, or a portion thereof, is altered, replaced or exchanged with a variable region having a different or altered antigen specificity.

Identification of breast cancer-associated sequences

5

10

15

20

25

In one aspect, the expression levels of genes are determined in different patient samples for which diagnosis information is desired, to provide expression profiles. An expression profile of a particular sample is essentially a "fingerprint" of the state of the sample; while two states may have any particular gene similarly expressed, the evaluation of a number of genes simultaneously allows the generation of a gene expression profile that is characteristic of the state of the cell. That is, normal tissue (e.g., normal breast or other tissue) may be distinguished from cancerous or metastatic cancerous tissue of the breast, or breast cancer tissue or metastatic breast cancerous tissue can be compared with tissue samples of breast and other tissues from surviving cancer patients. By comparing expression profiles of tissue in known different breast cancer states, information regarding which genes are important (including both up- and down-regulation of genes) in each of these states is obtained.

The identification of sequences that are differentially expressed in breast cancer versus non-breast cancer tissue allows the use of this information in a number of ways. For example, a particular treatment regime may be evaluated: does a chemotherapeutic drug act to down-regulate breast cancer, and thus tumor growth or recurrence, in a particular patient. Similarly, diagnosis and treatment outcomes may be done or confirmed by comparing patient samples with the known expression profiles. Metastatic tissue can also be analyzed to determine the stage of breast cancer in the tissue. Furthermore, these gene expression profiles (or individual genes) allow screening of drug candidates with an eye to mimicking or altering a particular expression profile; e.g., screening can be done for drugs that suppress the breast cancer expression profile. This may be done by making biochips comprising sets of the important breast cancer genes, which can then be used in these screens. These methods can also be done on the protein basis; that is, protein expression levels of the breast cancer proteins can be evaluated for diagnostic purposes or to screen candidate agents. In addition, the breast cancer nucleic acid sequences can be administered for gene therapy purposes, including the administration of antisense nucleic acids, or the breast cancer proteins (including antibodies and other modulators thereof) administered as therapeutic drugs.

Thus the present invention provides nucleic acid and protein sequences that are differentially expressed in breast cancer, herein termed "breast cancer sequences." As outlined below, breast cancer sequences include those that are up-regulated (i.e., expressed at a higher level) in breast cancer, as well as those that are down-regulated (i.e., expressed at a lower level). In a preferred embodiment, the breast cancer sequences are from humans; however, as will be appreciated by those in the art, breast cancer sequences from other organisms may be useful in animal models of disease and drug evaluation; thus, other breast cancer sequences are provided, from vertebrates, including mammals, including rodents (rats, mice, hamsters, guinea pigs, etc.), primates, farm animals (including sheep, goats, pigs, cows, horses, etc.) and pets, e.g., (dogs, cats, etc.). Breast cancer sequences from other organisms may be obtained using the techniques outlined below.

5

10

15

25

30

Breast cancer sequences can include both nucleic acid and amino acid sequences. As will be appreciated by those in the art and is more fully outlined below, breast cancer nucleic acid sequences are useful in a variety of applications, including diagnostic applications, which will detect naturally occurring nucleic acids, as well as screening applications; e.g., biochips comprising nucleic acid probes or PCR microtiter plates with selected probes to the breast cancer sequences can be generated.

A breast cancer sequence can be initially identified by substantial nucleic acid and/or amino acid sequence homology to the breast cancer sequences outlined herein. Such homology can be based upon the overall nucleic acid or amino acid sequence, and is generally determined as outlined below, using either homology programs or hybridization conditions.

For identifying breast cancer-associated sequences, the breast cancer screen typically includes comparing genes identified in different tissues, e.g., normal and cancerous tissues, or tumor tissue samples from patients who have metastatic disease vs. non metastatic tissue. Other suitable tissue comparisons include comparing breast cancer samples with metastatic cancer samples from other cancers, such as lung, breast, gastrointestinal cancers, ovarian, etc. Samples of different stages of breast cancer, e.g., survivor tissue, drug resistant states, and tissue undergoing metastasis, are applied to biochips comprising nucleic acid probes. The samples are first microdissected, if applicable, and treated as is known in the art

for the preparation of mRNA. Suitable biochips are commercially available, e.g. from Affymetrix. Gene expression profiles as described herein are generated and the data analyzed.

In one embodiment, the genes showing changes in expression as between normal and disease states are compared to genes expressed in other normal tissues, preferably normal breast, but also including, and not limited to lung, heart, brain, liver, breast, kidney, muscle, colon, small intestine, large intestine, spleen, bone and placenta. In a preferred embodiment, those genes identified during the breast cancer screen that are expressed in any significant amount in other tissues are removed from the profile, although in some embodiments, this is not necessary. That is, when screening for drugs, it is usually preferable that the target be disease specific, to minimize possible side effects.

In a preferred embodiment, breast cancer sequences are those that are upregulated in breast cancer; that is, the expression of these genes is higher in the breast cancer tissue as compared to non-cancerous tissue. "Up-regulation" as used herein often means at least about a two-fold change, preferably at least about a three fold change, with at least about five-fold or higher being preferred. All unigene cluster identification numbers and accession numbers herein are for the GenBank sequence database and the sequences of the accession numbers are hereby expressly incorporated by reference. GenBank is known in the art, see, e.g., Benson, DA, et al., Nucleic Acids Research 26:1-7 (1998) and http://www.ncbi.nlm.nih.gov/. Sequences are also available in other databases, e.g.,

European Molecular Biology Laboratory (EMBL) and DNA Database of Japan (DDBJ).

U.S. Patent Application N. 09/687,576, with the same assignee as the present application, further discloses related sequences, compositions, and methods of diagnosis and treatment of breast cancer is hereby expressly incorporated by reference.

In another preferred embodiment, breast cancer sequences are those that are down-regulated in the breast cancer; that is, the expression of these genes is lower in breast cancer tissue as compared to non-cancerous tissue (see, e.g., Tables 1,2, 3, 15, 16 etc...). "Down-regulation" as used herein often means at least about a two-fold change, preferably at least about a three fold change, with at least about five-fold or higher being preferred.

5

10

15

20

25

Informatics

5

. 10

15

20

25

30

The ability to identify genes that are over or under expressed in breast cancer can additionally provide high-resolution, high-sensitivity datasets which can be used in the areas of diagnostics, therapeutics, drug development, pharmacogenetics, protein structure, biosensor development, and other related areas. For example, the expression profiles can be used in diagnostic or prognostic evaluation of patients with breast cancer. Or as another example, subcellular toxicological information can be generated to better direct drug structure and activity correlation (see Anderson, Pharmaceutical Proteomics: Targets, Mechanism, and Function, paper presented at the IBC Proteomics conference, Coronado, CA (June 11-12, 1998)). Subcellular toxicological information can also be utilized in a biological sensor device to predict the likely toxicological effect of chemical exposures and likely tolerable exposure thresholds (see U.S. Patent No. 5,811,231). Similar advantages accrue from datasets relevant to other biomolecules and bioactive agents (e.g., nucleic acids, saccharides, lipids, drugs, and the like).

Thus, in another embodiment, the present invention provides a database that includes at least one set of assay data. The data contained in the database is acquired, e.g., using array analysis either singly or in a library format. The database can be in substantially any form in which data can be maintained and transmitted, but is preferably an electronic database. The electronic database of the invention can be maintained on any electronic device allowing for the storage of and access to the database, such as a personal computer, but is preferably distributed on a wide area network, such as the World Wide Web.

The focus of the present section on databases that include peptide sequence data is for clarity of illustration only. It will be apparent to those of skill in the art that similar databases can be assembled for any assay data acquired using an assay of the invention.

The compositions and methods for identifying and/or quantitating the relative and/or absolute abundance of a variety of molecular and macromolecular species from a biological sample undergoing breast cancer, i.e., the identification of breast cancer-associated sequences described herein, provide an abundance of information, which can be correlated with pathological conditions, predisposition to disease, drug testing, therapeutic monitoring,

gene-disease causal linkages, identification of correlates of immunity and physiological status, among others. Although the data generated from the assays of the invention is suited for manual review and analysis, in a preferred embodiment, prior data processing using high-speed computers is utilized.

5

10

15

25

30

An array of methods for indexing and retrieving biomolecular information is known in the art. For example, U.S. Patents 6,023,659 and 5,966,712 disclose a relational database system for storing biomolecular sequence information in a manner that allows sequences to be catalogued and searched according to one or more protein function hierarchies. U.S. Patent 5,953,727 discloses a relational database having sequence records containing information in a format that allows a collection of partial-length DNA sequences to be catalogued and searched according to association with one or more sequencing projects for obtaining full-length sequences from the collection of partial length sequences. U.S. Patent 5,706,498 discloses a gene database retrieval system for making a retrieval of a gene sequence similar to a sequence data item in a gene database based on the degree of similarity between a key sequence and a target sequence. U.S. Patent 5,538,897 discloses a method using mass spectroscopy fragmentation patterns of peptides to identify amino acid sequences in computer databases by comparison of predicted mass spectra with experimentally-derived mass spectra using a closeness-of-fit measure. U.S. Patent 5,926,818 discloses a multidimensional database comprising a functionality for multi-dimensional data analysis described as on-line analytical processing (OLAP), which entails the consolidation of projected and actual data according to more than one consolidation path or dimension. U.S. Patent 5.295.261 reports a hybrid database structure in which the fields of each database record are divided into two classes, navigational and informational data, with navigational fields stored in a hierarchical topological map which can be viewed as a tree structure or as the merger of two or more such tree structures.

See also Mount et al., Bioinformatics (2001); Biological Sequence Analysis:

Probabilistic Models of Proteins and Nucleic Acids (Durbin et al., eds., 1999);

Bioinformatics: A Practical Guide to the Analysis of Genes and Proteins (Baxevanis & Oeullette eds., 1998)); Rashidi & Buehler, Bioinformatics: Basic Applications in Biological Science and Medicine (1999); Introduction to Computational Molecular Biology (Setubal et

al., eds 1997); Bioinformatics: Methods and Protocols (Misener & Krawetz, eds, 2000); Bioinformatics: Sequence, Structure, and Databanks: A Practical Approach (Higgins & Taylor, eds., 2000); Brown, Bioinformatics: A Biologist's Guide to Biocomputing and the Internet (2001); Han & Kamber, Data Mining: Concepts and Techniques (2000); and Waterman, Introduction to Computational Biology: Maps, Sequences, and Genomes (1995).

5

10

15

20

25

The present invention provides a computer database comprising a computer and software for storing in computer-retrievable form assay data records cross-tabulated, e.g., with data specifying the source of the target-containing sample from which each sequence specificity record was obtained.

In an exemplary embodiment, at least one of the sources of target-containing sample is from a control tissue sample known to be free of pathological disorders. In a variation, at least one of the sources is a known pathological tissue specimen, e.g., a neoplastic lesion or another tissue specimen to be analyzed for breast cancer. In another variation, the assay records cross-tabulate one or more of the following parameters for each target species in a sample: (1) a unique identification code, which can include, e.g., a target molecular structure and/or characteristic separation coordinate (e.g., electrophoretic coordinates); (2) sample source; and (3) absolute and/or relative quantity of the target species present in the sample.

The invention also provides for the storage and retrieval of a collection of target data in a computer data storage apparatus, which can include magnetic disks, optical disks, magneto-optical disks, DRAM, SRAM, SGRAM, SDRAM, RDRAM, DDR RAM, magnetic bubble memory devices, and other data storage devices, including CPU registers and on-CPU data storage arrays. Typically, the target data records are stored as a bit pattern in an array of magnetic domains on a magnetizable medium or as an array of charge states or transistor gate states, such as an array of cells in a DRAM device (e.g., each cell comprised of a transistor and a charge storage area, which may be on the transistor). In one embodiment, the invention provides such storage devices, and computer systems built therewith, comprising a bit pattern encoding a protein expression fingerprint record comprising unique identifiers for at least 10 target data records cross-tabulated with target source.

When the target is a peptide or nucleic acid, the invention preferably provides a method for identifying related peptide or nucleic acid sequences, comprising performing a computerized comparison between a peptide or nucleic acid sequence assay record stored in or retrieved from a computer storage device or database and at least one other sequence. The comparison can include a sequence analysis or comparison algorithm or computer program embodiment thereof (e.g., FASTA, TFASTA, GAP, BESTFIT) and/or the comparison may be of the relative amount of a peptide or nucleic acid sequence in a pool of sequences determined from a polypeptide or nucleic acid sample of a specimen.

5

10

15

20

25

30

The invention also preferably provides a magnetic disk, such as an IBM-compatible (DOS, Windows, Windows95/98/2000, Windows NT, OS/2) or other format (e.g., Linux, SunOS, Solaris, AIX, SCO Unix, VMS, MV, Macintosh, etc.) floppy diskette or hard (fixed, Winchester) disk drive, comprising a bit pattern encoding data from an assay of the invention in a file format suitable for retrieval and processing in a computerized sequence analysis, comparison, or relative quantitation method.

The invention also provides a network, comprising a plurality of computing devices linked via a data link, such as an Ethernet cable (coax or 10BaseT), telephone line, ISDN line, wireless network, optical fiber, or other suitable signal transmission medium, whereby at least one network device (e.g., computer, disk array, etc.) comprises a pattern of magnetic domains (e.g., magnetic disk) and/or charge domains (e.g., an array of DRAM cells) composing a bit pattern encoding data acquired from an assay of the invention.

The invention also provides a method for transmitting assay data that includes generating an electronic signal on an electronic communications device, such as a modem, ISDN terminal adapter, DSL, cable modem, ATM switch, or the like, wherein the signal includes (in native or encrypted format) a bit pattern encoding data from an assay or a database comprising a plurality of assay results obtained by the method of the invention.

In a preferred embodiment, the invention provides a computer system for comparing a query target to a database containing an array of data structures, such as an assay result obtained by the method of the invention, and ranking database targets based on the degree of identity and gap weight to the target data. A central processor is preferably initialized to load and execute the computer program for alignment and/or comparison of the

assay results. Data for a query target is entered into the central processor via an I/O device. Execution of the computer program results in the central processor retrieving the assay data from the data file, which comprises a binary description of an assay result.

The target data or record and the computer program can be transferred to secondary memory, which is typically random access memory (e.g., DRAM, SRAM, SGRAM, or SDRAM). Targets are ranked according to the degree of correspondence between a selected assay characteristic (e.g., binding to a selected affinity moiety) and the same characteristic of the query target and results are output via an I/O device. For example, a central processor can be a conventional computer (e.g., Intel Pentium, PowerPC, Alpha, PA-8000, SPARC, MIPS 4400, MIPS 10000, VAX, etc.); a program can be a commercial or public domain molecular biology software package (e.g., UWGCG Sequence Analysis Software, Darwin); a data file can be an optical or magnetic disk, a data server, a memory device (e.g., DRAM, SRAM, SGRAM, SDRAM, EPROM, bubble memory, flash memory, etc.); an I/O device can be a terminal comprising a video display and a keyboard, a modem, an ISDN terminal adapter, an Ethernet port, a punched card reader, a magnetic strip reader, or other suitable I/O device.

The invention also preferably provides the use of a computer system, such as that described above, which comprises: (1) a computer; (2) a stored bit pattern encoding a collection of peptide sequence specificity records obtained by the methods of the invention, which may be stored in the computer; (3) a comparison target, such as a query target; and (4) a program for alignment and comparison, typically with rank-ordering of comparison results on the basis of computed similarity values.

Characteristics of breast cancer-associated proteins

5

10

15

20

25

30

Breast cancer proteins of the present invention may be classified as secreted proteins, transmembrane proteins or intracellular proteins. In one embodiment, the breast cancer protein is an intracellular protein. Intracellular proteins may be found in the cytoplasm and/or in the nucleus. Intracellular proteins are involved in all aspects of cellular function and replication (including, e.g., signaling pathways); aberrant expression of such proteins often results in unregulated or disregulated cellular processes (see, e.g., Molecular

Biology of the Cell (Alberts, ed., 3rd ed., 1994). For example, many intracellular proteins have enzymatic activity such as protein kinase activity, protein phosphatase activity, protease activity, nucleotide cyclase activity, polymerase activity and the like. Intracellular proteins also serve as docking proteins that are involved in organizing complexes of proteins, or targeting proteins to various subcellular localizations, and are involved in maintaining the structural integrity of organelles.

5

10

15

20

25

30

An increasingly appreciated concept in characterizing proteins is the presence in the proteins of one or more motifs for which defined functions have been attributed. In addition to the highly conserved sequences found in the enzymatic domain of proteins, highly conserved sequences have been identified in proteins that are involved in protein-protein interaction. For example, Src-homology-2 (SH2) domains bind tyrosine-phosphorylated targets in a sequence dependent manner. PTB domains, which are distinct from SH2 domains, also bind tyrosine phosphorylated targets. SH3 domains bind to proline-rich targets. In addition, PH domains, tetratricopeptide repeats and WD domains to name only a few, have been shown to mediate protein-protein interactions. Some of these may also be involved in binding to phospholipids or other second messengers. As will be appreciated by one of ordinary skill in the art, these motifs can be identified on the basis of primary sequence; thus, an analysis of the sequence of proteins may provide insight into both the enzymatic potential of the molecule and/or molecules with which the protein may associate. One useful database is Pfam (protein families), which is a large collection of multiple sequence alignments and hidden Markov models covering many common protein domains. Versions are available via the internet from Washington University in St. Louis, the Sanger Center in England, and the Karolinska Institute in Sweden (see, e.g., Bateman et al., Nuc. Acids Res. 28:263-266 (2000); Sonnhammer et al., Proteins 28:405-420 (1997); Bateman et al., Nuc. Acids Res. 27:260-262 (1999); and Sonnhammer et al., Nuc. Acids Res. 26:320-322-(1998)).

In another embodiment, the breast cancer sequences are transmembrane proteins. Transmembrane proteins are molecules that span a phospholipid bilayer of a cell. They may have an intracellular domain, an extracellular domain, or both. The intracellular domains of such proteins may have a number of functions including those already described

for intracellular proteins. For example, the intracellular domain may have enzymatic activity and/or may serve as a binding site for additional proteins. Frequently the intracellular domain of transmembrane proteins serves both roles. For example certain receptor tyrosine kinases have both protein kinase activity and SH2 domains. In addition, autophosphorylation of tyrosines on the receptor molecule itself, creates binding sites for additional SH2 domain containing proteins.

5

10

15

20

25

30

Transmembrane proteins may contain from one to many transmembrane domains. For example, receptor tyrosine kinases, certain cytokine receptors, receptor guanylyl cyclases and receptor serine/threonine protein kinases contain a single transmembrane domain. However, various other proteins including channels and adenylyl cyclases contain numerous transmembrane domains. Many important cell surface receptors such as G protein coupled receptors (GPCRs) are classified as "seven transmembrane domain" proteins, as they contain 7 membrane spanning regions. Characteristics of transmembrane domains include approximately 20 consecutive hydrophobic amino acids that may be followed by charged amino acids. Therefore, upon analysis of the amino acid sequence of a particular protein, the localization and number of transmembrane domains within the protein may be predicted (see, e.g. PSORT web site http://psort.nibb.ac.jp/). Important transmembrane protein receptors include, but are not limited to the insulin receptor, insulin-like growth factor receptor, human growth hormone receptor, glucose transporters, transferrin receptor, epidermal growth factor receptor, low density lipoprotein receptor, epidermal growth factor receptor, leptin receptor, interleukin receptors, e.g. IL-1 receptor, IL-2 receptor,

The extracellular domains of transmembrane proteins are diverse; however, conserved motifs are found repeatedly among various extracellular domains. Conserved structure and/or functions have been ascribed to different extracellular motifs. Many extracellular domains are involved in binding to other molecules. In one aspect, extracellular domains are found on receptors. Factors that bind the receptor domain include circulating ligands, which may be peptides, proteins, or small molecules such as adenosine and the like. For example, growth factors such as EGF, FGF and PDGF are circulating growth factors that bind to their cognate receptors to initiate a variety of cellular responses. Other factors include

cytokines, mitogenic factors, neurotrophic factors and the like. Extracellular domains also bind to cell-associated molecules. In this respect, they mediate cell-cell interactions. Cell-associated ligands can be tethered to the cell, e.g., via a glycosylphosphatidylinositol (GPI) anchor, or may themselves be transmembrane proteins. Extracellular domains also associate with the extracellular matrix and contribute to the maintenance of the cell structure.

Breast cancer proteins that are transmembrane are particularly preferred in the present invention as they are readily accessible targets for immunotherapeutics, as are described herein. In addition, as outlined below, transmembrane proteins can be also useful in imaging modalities. Antibodies may be used to label such readily accessible proteins in situ. Alternatively, antibodies can also label intracellular proteins, in which case samples are typically permeablized to provide access to intracellular proteins.

It will also be appreciated by those in the art that a transmembrane protein can be made soluble by removing transmembrane sequences, e.g., through recombinant methods. Furthermore, transmembrane proteins that have been made soluble can be made to be secreted through recombinant means by adding an appropriate signal sequence.

In another embodiment, the breast cancer proteins are secreted proteins; the secretion of which can be either constitutive or regulated. These proteins have a signal peptide or signal sequence that targets the molecule to the secretory pathway. Secreted proteins are involved in numerous physiological events; by virtue of their circulating nature, they serve to transmit signals to various other cell types. The secreted protein may function in an autocrine manner (acting on the cell that secreted the factor), a paracrine manner (acting on cells in close proximity to the cell that secreted the factor) or an endocrine manner (acting on cells at a distance). Thus secreted molecules find use in modulating or altering numerous aspects of physiology. Breast cancer proteins that are secreted proteins are particularly preferred in the present invention as they serve as good targets for diagnostic markers, e.g., for blood, plasma, serum, or stool tests.

Use of breast cancer nucleic acids

5

10

15

20

25

30

As described above, breast cancer sequence is initially identified by substantial nucleic acid and/or amino acid sequence homology or linkage to the breast cancer

sequences outlined herein. Such homology can be based upon the overall nucleic acid or amino acid sequence, and is generally determined as outlined below, using either homology programs or hybridization conditions. Typically, linked sequences on a mRNA are found on the same molecule.

5

10

15

20

25

30

The breast cancer nucleic acid sequences of the invention, e.g., the sequences in Tables 1-25, can be fragments of larger genes, i.e., they are nucleic acid segments. "Genes" in this context includes coding regions, non-coding regions, and mixtures of coding and non-coding regions. Accordingly, as will be appreciated by those in the art, using the sequences provided herein, extended sequences, in either direction, of the breast cancer genes can be obtained, using techniques well known in the art for cloning either longer sequences or the full length sequences; see Ausubel, et al., supra. Much can be done by informatics and many sequences can be clustered to include multiple sequences corresponding to a single gene, e.g., systems such as UniGene (see, http://www.ncbi.nlm.nih.gov/UniGene/).

Once the breast cancer nucleic acid is identified, it can be cloned and, if necessary, its constituent parts recombined to form the entire breast cancer nucleic acid coding regions or the entire mRNA sequence. Once isolated from its natural source, e.g., contained within a plasmid or other vector or excised therefrom as a linear nucleic acid segment, the recombinant breast cancer nucleic acid can be further-used as a probe to identify and isolate other breast cancer nucleic acids, e.g., extended coding regions. It can also be used as a "precursor" nucleic acid to make modified or variant breast cancer nucleic acids and proteins.

The breast cancer nucleic acids of the present invention are used in several ways. In a first embodiment, nucleic acid probes to the breast cancer nucleic acids are made and attached to biochips to be used in screening and diagnostic methods, as outlined below, or for administration, e.g., for gene therapy, vaccine, and/or antisense applications.

Alternatively, the breast cancer nucleic acids that include coding regions of breast cancer proteins can be put into expression vectors for the expression of breast cancer proteins, again for screening purposes or for administration to a patient.

In a preferred embodiment, nucleic acid probes to breast cancer nucleic acids (both the nucleic acid sequences outlined in the figures and/or the complements thereof) are

made. The nucleic acid probes attached to the biochip are designed to be substantially complementary to the breast cancer nucleic acids, *i.e.* the target sequence (either the target sequence of the sample or to other probe sequences, e.g., in sandwich assays), such that hybridization of the target sequence and the probes of the present invention occurs. As outlined below, this complementarity need not be perfect; there may be any number of base pair mismatches which will interfere with hybridization between the target sequence and the single stranded nucleic acids of the present invention. However, if the number of mutations is so great that no hybridization can occur under even the least stringent of hybridization conditions, the sequence is not a complementary target sequence. Thus, by "substantially complementary" herein is meant that the probes are sufficiently complementary to the target sequences to hybridize under normal reaction conditions, particularly high stringency conditions, as outlined herein.

5

10

15

20

25

30

A nucleic acid probe is generally single stranded but can be partially single and partially double stranded. The strandedness of the probe is dictated by the structure, composition, and properties of the target sequence. In general, the nucleic acid probes range from about 8 to about 100 bases long, with from about 10 to about 80 bases being preferred, and from about 30 to about 50 bases being particularly preferred. That is, generally whole genes are not used. In some embodiments, much longer nucleic acids can be used, up to hundreds of bases.

In a preferred embodiment, more than one probe per sequence is used, with either overlapping probes or probes to different sections of the target being used. That is, two, three, four or more probes, with three being preferred, are used to build in a redundancy for a particular target. The probes can be overlapping (i.e., have some sequence in common), or separate. In some cases, PCR primers may be used to amplify signal for higher sensitivity.

As will be appreciated by those in the art, nucleic acids can be attached or immobilized to a solid support in a wide variety of ways. By "immobilized" and grammatical equivalents herein is meant the association or binding between the nucleic acid probe and the solid support is sufficient to be stable under the conditions of binding, washing, analysis, and removal as outlined below. The binding can typically be covalent or non-covalent. By "non-covalent binding" and grammatical equivalents herein is meant one or more of electrostatic,

hydrophilic, and hydrophobic interactions. Included in non-covalent binding is the covalent attachment of a molecule, such as, streptavidin to the support and the non-covalent binding of the biotinylated probe to the streptavidin. By "covalent binding" and grammatical equivalents herein is meant that the two moieties, the solid support and the probe, are attached by at least one bond, including sigma bonds, pi bonds and coordination bonds. Covalent bonds can be formed directly between the probe and the solid support or can be formed by a cross linker or by inclusion of a specific reactive group on either the solid support or the probe or both molecules. Immobilization may also involve a combination of covalent and non-covalent interactions.

In general, the probes are attached to the biochip in a wide variety of ways, as will be appreciated by those in the art. As described herein, the nucleic acids can either be synthesized first, with subsequent attachment to the biochip, or can be directly synthesized on the biochip.

10

15

20

25

The biochip comprises a suitable solid substrate. By "substrate" or "solid support" or other grammatical equivalents herein is meant a material that can be modified to contain discrete individual sites appropriate for the attachment or association of the nucleic acid probes and is amenable to at least one detection method. As will be appreciated by those in the art, the number of possible substrates are very large, and include, but are not limited to, glass and modified or functionalized glass, plastics (including acrylics, polystyrene and copolymers of styrene and other materials, polypropylene, polyethylene, polybutylene, polyurethanes, TeflonJ, etc.), polysaccharides, nylon or nitrocellulose, resins, silica or silicabased materials including silicon and modified silicon, carbon, metals, inorganic glasses, plastics, etc. In general, the substrates allow optical detection and do not appreciably fluoresce. A preferred substrate is described in copending application entitled Reusable Low Fluorescent Plastic Biochip, U.S. Application Serial No. 09/270,214, filed March 15, 1999, herein incorporated by reference in its entirety.

Generally the substrate is planar, although as will be appreciated by those in the art, other configurations of substrates may be used as well. For example, the probes may be placed on the inside surface of a tube, for flow-through sample analysis to minimize

sample volume. Similarly, the substrate may be flexible, such as a flexible foam, including closed cell foams made of particular plastics.

5

10

15

20

25

30

In a preferred embodiment, the surface of the biochip and the probe may be derivatized with chemical functional groups for subsequent attachment of the two. Thus, e.g., the biochip is derivatized with a chemical functional group including, but not limited to, amino groups, carboxy groups, oxo groups and thiol groups, with amino groups being particularly preferred. Using these functional groups, the probes can be attached using functional groups on the probes. For example, nucleic acids containing amino groups can be attached to surfaces comprising amino groups, e.g. using linkers as are known in the art; e.g., homo-or hetero-bifunctional linkers as are well known (see 1994 Pierce Chemical Company catalog, technical section on cross-linkers, pages 155-200). In addition, in some cases, additional linkers, such as alkyl groups (including substituted and heteroalkyl groups) may be used.

In this embodiment, oligonucleotides are synthesized as is known in the art, and then attached to the surface of the solid support. As will be appreciated by those skilled in the art, either the 5' or 3' terminus may be attached to the solid support, or attachment may be via an internal nucleoside.

In another embodiment, the immobilization to the solid support may be very strong, yet non-covalent. For example, biotinylated oligonucleotides can be made, which bind to surfaces covalently coated with streptavidin, resulting in attachment.

Alternatively, the oligonucleotides may be synthesized on the surface, as is known in the art. For example, photoactivation techniques utilizing photopolymerization compounds and techniques are used. In a preferred embodiment, the nucleic acids can be synthesized in situ, using well known photolithographic techniques, such as those described in WO 95/25116; WO 95/35505; U.S. Patent Nos. 5,700,637 and 5,445,934; and references cited within, all of which are expressly incorporated by reference; these methods of attachment form the basis of the Affimetrix GeneChipTM technology.

Often, amplification-based assays are performed to measure the expression level of breast cancer-associated sequences. These assays are typically performed in conjunction with reverse transcription. In such assays, a breast cancer-associated nucleic acid

sequence acts as a template in an amplification reaction (e.g., Polymerase Chain Reaction, or PCR). In a quantitative amplification, the amount of amplification product will be proportional to the amount of template in the original sample. Comparison to appropriate controls provides a measure of the amount of breast cancer-associated RNA. Methods of quantitative amplification are well known to those of skill in the art. Detailed protocols for quantitative PCR are provided, e.g., in Innis et al., PCR Protocols, A Guide to Methods and Applications (1990).

In some embodiments, a TaqMan based assay is used to measure expression. TaqMan based assays use a fluorogenic oligonucleotide probe that contains a 5' fluorescent dye and a 3' quenching agent. The probe hybridizes to a PCR product, but cannot itself be extended due to a blocking agent at the 3' end. When the PCR product is amplified in subsequent cycles, the 5' nuclease activity of the polymerase, e.g., AmpliTaq, results in the cleavage of the TaqMan probe. This cleavage separates the 5' fluorescent dye and the 3' quenching agent, thereby resulting in an increase in fluorescence as a function of amplification (see, e.g., literature provided by Perkin-Elmer, e.g., www2.perkin-elmer.com).

Other suitable amplification methods include, but are not limited to, ligase chain reaction (LCR) (see Wu & Wallace, Genomics 4:560 (1989), Landegren et al., Science 241:1077 (1988), and Barringer et al., Gene 89:117 (1990)), transcription amplification (Kwoh et al., Proc. Natl. Acad. Sci. USA 86:1173 (1989)), self-sustained sequence replication (Guatelli et al., Proc. Nat. Acad. Sci. USA 87:1874 (1990)), dot PCR, and linker adapter PCR, etc.

Expression of breast cancer proteins from nucleic acids

5

10

15

20

In a preferred embodiment, breast cancer nucleic acids, e.g., encoding breast cancer proteins are used to make a variety of expression vectors to express breast cancer 25 proteins which can then be used in screening assays, as described below. Expression vectors and recombinant DNA technology are well known to those of skill in the art (see, e.g., Ausubel, supra, and Gene Expression Systems (Fernandez & Hoeffler, eds, 1999)) and are used to express proteins. The expression vectors may be either self-replicating 30

extrachromosomal vectors or vectors which integrate into a host genome. Generally, these

expression vectors include transcriptional and translational regulatory nucleic acid operably linked to the nucleic acid encoding the breast cancer protein. The term "control sequences" refers to DNA sequences used for the expression of an operably linked coding sequence in a particular host organism. Control sequences that are suitable for prokaryotes, e.g., include a promoter, optionally an operator sequence, and a ribosome binding site. Eukaryotic cells are known to utilize promoters, polyadenylation signals, and enhancers.

5

10

15

20 -

25

Nucleic acid is "operably linked" when it is placed into a functional relationship with another nucleic acid sequence. For example, DNA for a presequence or secretory leader is operably linked to DNA for a polypeptide if it is expressed as a preprotein that participates in the secretion of the polypeptide; a promoter or enhancer is operably linked to a coding sequence if it affects the transcription of the sequence; or a ribosome binding site is operably linked to a coding sequence if it is positioned so as to facilitate translation.

Generally, "operably linked" means that the DNA sequences being linked are contiguous, and, in the case of a secretory leader, contiguous and in reading phase. However, enhancers do not have to be contiguous. Linking is typically accomplished by ligation at convenient restriction sites. If such sites do not exist, synthetic oligonucleotide adaptors or linkers are used in accordance with conventional practice. Transcriptional and translational regulatory nucleic acid will generally be appropriate to the host cell used to express the breast cancer protein. Numerous types of appropriate expression vectors, and suitable regulatory sequences are known in the art for a variety of host cells.

In general, transcriptional and translational regulatory sequences may include, but are not limited to, promoter sequences, ribosomal binding sites, transcriptional start and stop sequences, translational start and stop sequences, and enhancer or activator sequences. In a preferred embodiment, the regulatory sequences include a promoter and transcriptional start and stop sequences.

Promoter sequences encode either constitutive or inducible promoters. The promoters may be either naturally occurring promoters or hybrid promoters. Hybrid promoters, which combine elements of more than one promoter, are also known in the art, and are useful in the present invention.

In addition, an expression vector may comprise additional elements. For example, the expression vector may have two replication systems, thus allowing it to be maintained in two organisms, e.g. in mammalian or insect cells for expression and in a procaryotic host for cloning and amplification. Furthermore, for integrating expression vectors, the expression vector contains at least one sequence homologous to the host cell genome, and preferably two homologous sequences which flank the expression construct. The integrating vector may be directed to a specific locus in the host cell by selecting the appropriate homologous sequence for inclusion in the vector. Constructs for integrating vectors are well known in the art (e.g., Fernandez & Hoeffler, *supra*).

5

10

15

20

25

30

In addition, in a preferred embodiment, the expression vector contains a selectable marker gene to allow the selection of transformed host cells. Selection genes are well known in the art and will vary with the host cell used.

The breast cancer proteins of the present invention are produced by culturing a host cell transformed with an expression vector containing nucleic acid encoding a breast cancer protein, under the appropriate conditions to induce or cause expression of the breast cancer protein. Conditions appropriate for breast cancer protein expression will vary with the choice of the expression vector and the host cell, and will be easily ascertained by one skilled in the art through routine experimentation or optimization. For example, the use of constitutive promoters in the expression vector will require optimizing the growth and proliferation of the host cell, while the use of an inducible promoter requires the appropriate growth conditions for induction. In addition, in some embodiments, the timing of the harvest is important. For example, the baculoviral systems used in insect cell expression are lytic viruses, and thus harvest time selection can be crucial for product yield.

Appropriate host cells include yeast, bacteria, archaebacteria, fungi, and insect and animal cells, including mammalian cells. Of particular interest are *Saccharomyces* cerevisiae and other yeasts, *E. coli, Bacillus subtilis*, Sf9 cells, C129 cells, 293 cells, *Neurospora*, BHK, CHO, COS, HeLa cells, HUVEC (human umbilical vein endothelial cells), THP1 cells (a macrophage cell line) and various other human cells and cell lines.

In a preferred embodiment, the breast cancer proteins are expressed in mammalian cells. Mammalian expression systems are also known in the art, and include

retroviral and adenoviral systems. One expression vector system is a retroviral vector system such as is generally described in PCT/US97/01019 and PCT/US97/01048, both of which are hereby expressly incorporated by reference. Of particular use as mammalian promoters are the promoters from mammalian viral genes, since the viral genes are often highly expressed and have a broad host range. Examples include the SV40 early promoter, mouse mammary tumor virus LTR promoter, adenovirus major late promoter, herpes simplex virus promoter, and the CMV promoter (see, e.g., Fernandez & Hoeffler, supra). Typically, transcription termination and polyadenylation sequences recognized by mammalian cells are regulatory regions located 3' to the translation stop codon and thus, together with the promoter elements, flank the coding sequence. Examples of transcription terminator and polyadenlyation signals include those derived form SV40.

5

10

15

25

30

The methods of introducing exogenous nucleic acid into mammalian hosts, as well as other hosts, is well known in the art, and will vary with the host cell used.

Techniques include dextran-mediated transfection, calcium phosphate precipitation, polybrene mediated transfection, protoplast fusion, electroporation, viral infection, encapsulation of the polynucleotide(s) in liposomes, and direct microinjection of the DNA into nuclei.

In a preferred embodiment, breast cancer proteins are expressed in bacterial systems. Bacterial expression systems are well known in the art. Promoters from bacteriophage may also be used and are known in the art. In addition, synthetic promoters and hybrid promoters are also useful; e.g., the tac promoter is a hybrid of the trp and lac promoter sequences. Furthermore, a bacterial promoter can include naturally occurring promoters of non-bacterial origin that have the ability to bind bacterial RNA polymerase and initiate transcription. In addition to a functioning promoter sequence, an efficient ribosome binding site is desirable. The expression vector may also include a signal peptide sequence that provides for secretion of the breast cancer protein in bacteria. The protein is either secreted into the growth media (gram-positive bacteria) or into the periplasmic space, located between the inner and outer membrane of the cell (gram-negative bacteria). The bacterial expression vector may also include a selectable marker gene to allow for the selection of bacterial strains that have been transformed. Suitable selection genes include genes which

render the bacteria resistant to drugs such as ampicillin, chloramphenicol, erythromycin, kanamycin, neomycin and tetracycline. Selectable markers also include biosynthetic genes, such as those in the histidine, tryptophan and leucine biosynthetic pathways. These components are assembled into expression vectors. Expression vectors for bacteria are well known in the art, and include vectors for *Bacillus subtilis*, *E. coli*, *Streptococcus cremoris*, and *Streptococcus lividans*, among others (e.g., Fernandez & Hoeffler, *supra*). The bacterial expression vectors are transformed into bacterial host cells using techniques well known in the art, such as calcium chloride treatment, electroporation, and others.

5

15

20

In one embodiment, breast cancer proteins are produced in insect cells.

Expression vectors for the transformation of insect cells, and in particular, baculovirus-based expression vectors, are well known in the art.

In a preferred embodiment, breast cancer protein is produced in yeast cells. Yeast expression systems are well known in the art, and include expression vectors for Saccharomyces cerevisiae, Candida albicans and C. maltosa, Hansenula polymorpha, Kluyveromyces fragilis and K. lactis, Pichia guillerimondii and P. pastoris, Schizosaccharomyces pombe, and Yarrowia lipolytica.

The breast cancer protein may also be made as a fusion protein, using techniques well known in the art. Thus, e.g., for the creation of monoclonal antibodies, if the desired epitope is small, the breast cancer protein may be fused to a carrier protein to form an immunogen. Alternatively, the breast cancer protein may be made as a fusion protein to increase expression, or for other reasons. For example, when the breast cancer protein is a breast cancer peptide, the nucleic acid encoding the peptide may be linked to other nucleic acid for expression purposes.

In a preferred embodiment, the breast cancer protein is purified or isolated
25 after expression. Breast cancer proteins may be isolated or purified in a variety of ways
known to those skilled in the art depending on what other components are present in the
sample. Standard purification methods include electrophoretic, molecular, immunological
and chromatographic techniques, including ion exchange, hydrophobic, affinity, and reversephase HPLC chromatography, and chromatofocusing. For example, the breast cancer protein
30 may be purified using a standard anti-breast cancer protein antibody column. Ultrafiltration

and diafiltration techniques, in conjunction with protein concentration, are also useful. For general guidance in suitable purification techniques, see Scopes, *Protein Purification* (1982). The degree of purification necessary will vary depending on the use of the breast cancer protein. In some instances no purification will be necessary.

Once expressed and purified if necessary, the breast cancer proteins and nucleic acids are useful in a number of applications. They may be used as immunoselection reagents, as vaccine reagents, as screening agents, etc.

Variants of breast cancer proteins

5

10

15

20

25

30

In one embodiment, the breast cancer proteins are derivative or variant breast cancer proteins as compared to the wild-type sequence. That is, as outlined more fully below, the derivative breast cancer peptide will often contain at least one amino acid substitution, deletion or insertion, with amino acid substitutions being particularly preferred. The amino acid substitution, insertion or deletion may occur at any residue within the breast cancer peptide.

Also included within one embodiment of breast cancer proteins of the present invention are amino acid sequence variants. These variants typically fall into one or more of three classes: substitutional, insertional or deletional variants. These variants ordinarily are prepared by site specific mutagenesis of nucleotides in the DNA encoding the breast cancer protein, using cassette or PCR mutagenesis or other techniques well known in the art, to produce DNA encoding the variant, and thereafter expressing the DNA in recombinant cell culture as outlined above. However, variant breast cancer protein fragments having up to about 100-150 residues may be prepared by in vitro synthesis using established techniques. Amino acid sequence variants are characterized by the predetermined nature of the variation, a feature that sets them apart from naturally occurring allelic or interspecies variation of the breast cancer protein amino acid sequence. The variants typically exhibit the same qualitative biological activity as the naturally occurring analogue, although variants can also be selected which have modified characteristics as will be more fully outlined below.

While the site or region for introducing an amino acid sequence variation is predetermined, the mutation per se need not be predetermined. For example, in order to

optimize the performance of a mutation at a given site, random mutagenesis may be conducted at the target codon or region and the expressed breast cancer variants screened for the optimal combination of desired activity. Techniques for making substitution mutations at predetermined sites in DNA having a known sequence are well known, e.g., M13 primer mutagenesis and PCR mutagenesis. Screening of the mutants is done using assays of breast cancer protein activities.

5

10

15

20

25

30

Amino acid substitutions are typically of single residues; insertions usually will be on the order of from about 1 to 20 amino acids, although considerably larger insertions may be tolerated. Deletions range from about 1 to about 20 residues, although in some cases deletions may be much larger.

Substitutions, deletions, insertions or any combination thereof may be used to arrive at a final derivative. Generally these changes are done on a few amino acids to minimize the alteration of the molecule. However, larger changes may be tolerated in certain circumstances. When small alterations in the characteristics of the breast cancer protein are desired, substitutions are generally made in accordance with the amino acid substitution relationships provided in the definition section.

The variants typically exhibit the same qualitative biological activity and will elicit the same immune response as the naturally-occurring analog, although variants also are selected to modify the characteristics of the breast cancer proteins as needed. Alternatively, the variant may be designed such that the biological activity of the breast cancer protein is altered. For example, glycosylation sites may be altered or removed.

Substantial changes in function or immunological identity are made by selecting substitutions that are less conservative than those described above. For example, substitutions may be made which more significantly affect: the structure of the polypeptide backbone in the area of the alteration, for example the alpha-helical or beta-sheet structure; the charge or hydrophobicity of the molecule at the target site; or the bulk of the side chain. The substitutions which in general are expected to produce the greatest changes in the polypeptide's properties are those in which (a) a hydrophilic residue, e.g. seryl or threonyl is substituted for (or by) a hydrophobic residue, e.g. leucyl, isoleucyl, phenylalanyl, valyl or alanyl; (b) a cysteine or proline is substituted for (or by) any other residue; (c) a residue

having an electropositive side chain, e.g. lysyl, arginyl, or histidyl, is substituted for (or by) an electronegative residue, e.g. glutamyl or aspartyl; or (d) a residue having a bulky side chain, e.g. phenylalanine, is substituted for (or by) one not having a side chain, e.g. glycine.

5

10

15

20

25

Covalent modifications of breast cancer polypeptides are included within the scope of this invention. One type of covalent modification includes reacting targeted amino acid residues of a breast cancer polypeptide with an organic derivatizing agent that is capable of reacting with selected side chains or the N-or C-terminal residues of a breast cancer polypeptide. Derivatization with bifunctional agents is useful, for instance, for crosslinking breast cancer polypeptides to a water-insoluble support matrix or surface for use in the method for purifying anti-breast cancer polypeptide antibodies or screening assays, as is more fully described below. Commonly used crosslinking agents include, e.g., 1,1-bis(diazoacetyl)-2-phenylethane, glutaraldehyde, N-hydroxysuccinimide esters, e.g., esters with 4-azidosalicylic acid, homobifunctional imidoesters, including disuccinimidyl esters such as 3,3'-dithiobis(succinimidylpropionate), bifunctional maleimides such as bis-N-maleimido-1,8-octane and agents such as methyl-3-((p-azidophenyl)dithio)propioimidate.

Other modifications include deamidation of glutaminyl and asparaginyl residues to the corresponding glutamyl and aspartyl residues, respectively, hydroxylation of proline and lysine, phosphorylation of hydroxyl groups of seryl, threonyl or tyrosyl residues, methylation of the amino groups of the lysine, arginine, and histidine side chains (Creighton, *Proteins: Structure and Molecular Properties*, pp. 79-86 (1983)), acetylation of the N-terminal amine, and amidation of any C-terminal carboxyl group.

Another type of covalent modification of the breast cancer polypeptide included within the scope of this invention comprises altering the native glycosylation pattern of the polypeptide. "Altering the native glycosylation pattern" is intended for purposes herein to mean deleting one or more carbohydrate moieties found in native sequence breast cancer polypeptide, and/or adding one or more glycosylation sites that are not present in the native sequence breast cancer polypeptide. Glycosylation patterns can be altered in many ways. For example the use of different cell types to express breast cancer-associated sequences can result in different glycosylation patterns.

Addition of glycosylation sites to breast cancer polypeptides may also be accomplished by altering the amino acid sequence thereof. The alteration may be made, e.g., by the addition of, or substitution by, one or more serine or threonine residues to the native sequence breast cancer polypeptide (for O-linked glycosylation sites). The breast cancer amino acid sequence may optionally be altered through changes at the DNA level, particularly by mutating the DNA encoding the breast cancer polypeptide at preselected bases such that codons are generated that will translate into the desired amino acids.

5

10

15

20

25

30

Another means of increasing the number of carbohydrate moieties on the breast cancer polypeptide is by chemical or enzymatic coupling of glycosides to the polypeptide. Such methods are described in the art, e.g., in WO 87/05330, and in Aplin & Wriston, CRC Crit. Rev. Biochem., pp. 259-306 (1981).

Removal of carbohydrate moieties present on the breast cancer polypeptide may be accomplished chemically or enzymatically or by mutational substitution of codons encoding for amino acid residues that serve as targets for glycosylation. Chemical deglycosylation techniques are known in the art and described, for instance, by Hakimuddin, et al., Arch. Biochem. Biophys., 259:52 (1987) and by Edge et al., Anal. Biochem., 118:131 (1981). Enzymatic cleavage of carbohydrate moieties on polypeptides can be achieved by the use of a variety of endo-and exo-glycosidases as described by Thotakura et al., Meth. Enzymol., 138:350 (1987).

Another type of covalent modification of breast cancer comprises linking the breast cancer polypeptide to one of a variety of nonproteinaceous polymers, e.g., polyethylene glycol, polypropylene glycol, or polyoxyalkylenes, in the manner set forth in U.S. Patent Nos. 4,640,835; 4,496,689; 4,301,144; 4,670,417; 4,791,192 or 4,179,337.

Breast cancer polypeptides of the present invention may also be modified in a way to form chimeric molecules comprising a breast cancer polypeptide fused to another, heterologous polypeptide or amino acid sequence. In one embodiment, such a chimeric molecule comprises a fusion of a breast cancer polypeptide with a tag polypeptide which provides an epitope to which an anti-tag antibody can selectively bind. The epitope tag is generally placed at the amino-or carboxyl-terminus of the breast cancer polypeptide. The presence of such epitope-tagged forms of a breast cancer polypeptide can be detected using

10

15

20

25

30

an antibody against the tag polypeptide. Also, provision of the epitope tag enables the breast cancer polypeptide to be readily purified by affinity purification using an anti-tag antibody or another type of affinity matrix that binds to the epitope tag. In an alternative embodiment, the chimeric molecule may comprise a fusion of a breast cancer polypeptide with an immunoglobulin or a particular region of an immunoglobulin. For a bivalent form of the chimeric molecule, such a fusion could be to the Fc region of an IgG molecule.

Various tag polypeptides and their respective antibodies are well known in the art. Examples include poly-histidine (poly-his) or poly-histidine-glycine (poly-his-gly) tags; HIS6 and metal chelation tags, the flu HA tag polypeptide and its antibody 12CA5 (Field et al., Mol. Cell. Biol. 8:2159-2165 (1988)); the c-myc tag and the 8F9, 3C7, 6E10, G4, B7 and 9E10 antibodies thereto (Evan et al., Molecular and Cellular Biology 5:3610-3616 (1985)); and the Herpes Simplex virus glycoprotein D (gD) tag and its antibody (Paborsky et al., Protein Engineering 3(6):547-553 (1990)). Other tag polypeptides include the Flag-peptide (Hopp et al., BioTechnology 6:1204-1210 (1988)); the KT3 epitope peptide (Martin et al., Science 255:192-194 (1992)); tubulin epitope peptide (Skinner et al., J. Biol. Chem. 266:15163-15166 (1991)); and the T7 gene 10 protein peptide tag (Lutz-Freyermuth et al., Proc. Natl. Acad. Sci. USA 87:6393-6397 (1990)).

Also included are other breast cancer proteins of the breast cancer family, and breast cancer proteins from other organisms, which are cloned and expressed as outlined below. Thus, probe or degenerate polymerase chain reaction (PCR) primer sequences may be used to find other related breast cancer proteins from humans or other organisms. As will be appreciated by those in the art, particularly useful probe and/or PCR primer sequences include the unique areas of the breast cancer nucleic acid sequence. As is generally known in the art, preferred PCR primers are from about 15 to about 35 nucleotides in length, with from about 20 to about 30 being preferred, and may contain inosine as needed. The conditions for the PCR reaction are well known in the art (e.g., Innis, PCR Protocols, *supra*).

Antibodies to breast cancer proteins

In a preferred embodiment, when the breast cancer protein is to be used to generate antibodies, e.g., for immunotherapy or immunodiagnosis, the breast cancer protein

should share at least one epitope or determinant with the full length protein. By "epitope" or "determinant" herein is typically meant a portion of a protein which will generate and/or bind an antibody or T-cell receptor in the context of MHC. Thus, in most instances, antibodies made to a smaller breast cancer protein will be able to bind to the full-length protein, particularly linear epitopes. In a preferred embodiment, the epitope is unique; that is, antibodies generated to a unique epitope show little or no cross-reactivity.

Methods of preparing polyclonal antibodies are known to the skilled artisan (e.g., Coligan, supra; and Harlow & Lane, supra). Polyclonal antibodies can be raised in a mammal, e.g., by one or more injections of an immunizing agent and, if desired, an adjuvant. Typically, the immunizing agent and/or adjuvant will be injected in the mammal by multiple subcutaneous or intraperitoneal injections. The immunizing agent may include a protein encoded by a nucleic acid of the figures or fragment thereof or a fusion protein thereof. It may be useful to conjugate the immunizing agent to a protein known to be immunogenic in the mammal being immunized. Examples of such immunogenic proteins include but are not limited to keyhole limpet hemocyanin, serum albumin, bovine thyroglobulin, and soybean trypsin inhibitor. Examples of adjuvants which may be employed include Freund's complete adjuvant and MPL-TDM adjuvant (monophosphoryl Lipid A, synthetic trehalose dicorynomycolate). The immunization protocol may be selected by one skilled in the art without undue experimentation.

The antibodies may, alternatively, be monoclonal antibodies. Monoclonal antibodies may be prepared using hybridoma methods, such as those described by Kohler & Milstein, *Nature* 256:495 (1975). In a hybridoma method, a mouse, hamster, or other appropriate host animal, is typically immunized with an immunizing agent to elicit lymphocytes that produce or are capable of producing antibodies that will specifically bind to the immunizing agent. Alternatively, the lymphocytes may be immunized in vitro. The immunizing agent will typically include a polypeptide encoded by a nucleic acid of Tables 1-25 or fragment thereof, or a fusion protein thereof. Generally, either peripheral blood lymphocytes ("PBLs") are used if cells of human origin are desired, or spleen cells or lymph node cells are used if non-human mammalian sources are desired. The lymphocytes are then fused with an immortalized cell line using a suitable fusing agent, such as polyethylene

glycol, to form a hybridoma cell (Goding, Monoclonal Antibodies: Principles and Practice, pp. 59-103 (1986)). Immortalized cell lines are usually transformed mammalian cells, particularly myeloma cells of rodent, bovine and human origin. Usually, rat or mouse myeloma cell lines are employed. The hybridoma cells may be cultured in a suitable culture medium that preferably contains one or more substances that inhibit the growth or survival of the unfused, immortalized cells. For example, if the parental cells lack the enzyme hypoxanthine guanine phosphoribosyl transferase (HGPRT or HPRT), the culture medium for the hybridomas typically will include hypoxanthine, aminopterin, and thymidine ("HAT medium"), which substances prevent the growth of HGPRT-deficient cells.

5

10

15

20

25

30

In one embodiment, the antibodies are bispecific antibodies. Bispecific antibodies are monoclonal, preferably human or humanized, antibodies that have binding specificities for at least two different antigens or that have binding specificities for two epitopes on the same antigen. In one embodiment, one of the binding specificities is for a protein encoded by a nucleic acid Tables 1-25 or a fragment thereof, the other one is for any other antigen, and preferably for a cell-surface protein or receptor or receptor subunit, preferably one that is tumor specific. Alternatively, tetramer-type technology may create multivalent reagents.

In a preferred embodiment, the antibodies to breast cancer protein are capable of reducing or eliminating a biological function of a breast cancer protein, as is described below. That is, the addition of anti-breast cancer protein antibodies (either polyclonal or preferably monoclonal) to breast cancer tissue (or cells containing breast cancer) may reduce or eliminate the breast cancer. Generally, at least a 25% decrease in activity, growth, size or the like is preferred, with at least about 50% being particularly preferred and about a 95-100% decrease being especially preferred.

In a preferred embodiment the antibodies to the breast cancer proteins are humanized antibodies (e.g., Xenerex Biosciences, Mederex, Inc., Abgenix, Inc., Protein Design Labs,Inc.) Humanized forms of non-human (e.g., murine) antibodies are chimeric molecules of immunoglobulins, immunoglobulin chains or fragments thereof (such as Fv, Fab, Fab', F(ab')2 or other antigen-binding subsequences of antibodies) which contain minimal sequence derived from non-human immunoglobulin. Humanized antibodies include

10

15

20

25

30

human immunoglobulins (recipient antibody) in which residues from a complementary determining region (CDR) of the recipient are replaced by residues from a CDR of a nonhuman species (donor antibody) such as mouse, rat or rabbit having the desired specificity, affinity and capacity. In some instances, Fv framework residues of the human immunoglobulin are replaced by corresponding non-human residues. Humanized antibodies may also comprise residues which are found neither in the recipient antibody nor in the imported CDR or framework sequences. In general, a humanized antibody will comprise substantially all of at least one, and typically two, variable domains, in which all or substantially all of the CDR regions correspond to those of a non-human immunoglobulin and all or substantially all of the framework (FR) regions are those of a human immunoglobulin consensus sequence. The humanized antibody optimally also will comprise at least a portion of an immunoglobulin constant region (Fc), typically that of a human immunoglobulin (Jones et al., Nature 321:522-525 (1986); Riechmann et al., Nature 332:323-329 (1988); and Presta, Curr. Op. Struct. Biol. 2:593-596 (1992)). Humanization can be essentially performed following the method of Winter and co-workers (Jones et al., Nature 321:522-525 (1986); Riechmann et al., Nature 332:323-327 (1988); Verhoeyen et al., Science 239:1534-1536 (1988)), by substituting rodent CDRs or CDR sequences for the corresponding sequences of a human antibody. Accordingly, such humanized antibodies are chimeric antibodies (U.S. Patent No. 4,816,567), wherein substantially less than an intact human variable domain has been substituted by the corresponding sequence from a nonhuman species.

Human antibodies can also be produced using various techniques known in the art, including phage display libraries (Hoogenboom & Winter, J. Mol. Biol. 227:381 (1991); Marks et al., J. Mol. Biol. 222:581 (1991)). The techniques of Cole et al. and Boerner et al. are also available for the preparation of human monoclonal antibodies (Cole et al., Monoclonal Antibodies and Cancer Therapy, p. 77 (1985) and Boerner et al., J. Immunol. 147(1):86-95 (1991)). Similarly, human antibodies can be made by introducing of human immunoglobulin loci into transgenic animals, e.g., mice in which the endogenous immunoglobulin genes have been partially or completely inactivated. Upon challenge, human antibody production is observed, which closely resembles that seen in humans in all

10

15

20

25

30

respects, including gene rearrangement, assembly, and antibody repertoire. This approach is described, e.g., in U.S. Patent Nos. 5,545,807; 5,545,806; 5,569,825; 5,625,126; 5,633,425; 5,661,016, and in the following scientific publications: Marks et al., Bio/Technology 10:779-783 (1992); Lonberg et al., Nature 368:856-859 (1994); Morrison, Nature 368:812-13 (1994); Fishwild et al., Nature Biotechnology 14:845-51 (1996); Neuberger, Nature Biotechnology 14:826 (1996); Lonberg & Huszar, Intern. Rev. Immunol. 13:65-93 (1995).

By immunotherapy is meant treatment of breast cancer with an antibody raised against breast cancer proteins. As used herein, immunotherapy can be passive or active. Passive immunotherapy as defined herein is the passive transfer of antibody to a recipient (patient). Active immunization is the induction of antibody and/or T-cell responses in a recipient (patient). Induction of an immune response is the result of providing the recipient with an antigen to which antibodies are raised. As appreciated by one of ordinary skill in the art, the antigen may be provided by injecting a polypeptide against which antibodies are desired to be raised into a recipient, or contacting the recipient with a nucleic acid capable of expressing the antigen and under conditions for expression of the antigen, leading to an immune response.

In a preferred embodiment the breast cancer proteins against which antibodies are raised are secreted proteins as described above. Without being bound by theory, antibodies used for treatment, bind and prevent the secreted protein from binding to its receptor, thereby inactivating the secreted breast cancer protein.

In another preferred embodiment, the breast cancer protein to which antibodies are raised is a transmembrane protein. Without being bound by theory, antibodies used for treatment, bind the extracellular domain of the breast cancer protein and prevent it from binding to other proteins, such as circulating ligands or cell-associated molecules. The antibody may cause down-regulation of the transmembrane breast cancer protein. As will be appreciated by one of ordinary skill in the art, the antibody may be a competitive, non-competitive or uncompetitive inhibitor of protein binding to the extracellular domain of the breast cancer protein. The antibody is also an antagonist of the breast cancer protein. Further, the antibody prevents activation of the transmembrane breast cancer protein. In one aspect, when the antibody prevents the binding of other molecules to the breast cancer

10

15

20

25

30

protein, the antibody prevents growth of the cell. The antibody may also be used to target or sensitize the cell to cytotoxic agents, including, but not limited to TNF-α, TNF-β, IL-1, INF-γ and IL-2, or chemotherapeutic agents including 5FU, vinblastine, actinomycin D, cisplatin, methotrexate, and the like. In some instances the antibody belongs to a sub-type that activates serum complement when complexed with the transmembrane protein thereby mediating cytotoxicity or antigen-dependent cytotoxicity (ADCC). Thus, breast cancer is treated by administering to a patient antibodies directed against the transmembrane breast cancer protein. Antibody-labeling may activate a co-toxin, localize a toxin payload, or otherwise provide means to locally ablate cells.

In another preferred embodiment, the antibody is conjugated to an effector moiety. The effector moiety can be any number of molecules, including labelling moieties such as radioactive labels or fluorescent labels, or can be a therapeutic moiety. In one aspect the therapeutic moiety is a small molecule that modulates the activity of the breast cancer protein. In another aspect the therapeutic moiety modulates the activity of molecules associated with or in close proximity to the breast cancer protein. The therapeutic moiety may inhibit enzymatic activity such as protease or collagenase or protein kinase activity associated with breast cancer.

In a preferred embodiment, the therapeutic moiety can also be a cytotoxic agent. In this method, targeting the cytotoxic agent to breast cancer tissue or cells, results in a reduction in the number of afflicted cells, thereby reducing symptoms associated with breast cancer. Cytotoxic agents are numerous and varied and include, but are not limited to, cytotoxic drugs or toxins or active fragments of such toxins. Suitable toxins and their corresponding fragments include diphtheria A chain, exotoxin A chain, ricin A chain, abrin A chain, curcin, crotin, phenomycin, enomycin and the like. Cytotoxic agents also include radiochemicals made by conjugating radioisotopes to antibodies raised against breast cancer proteins, or binding of a radionuclide to a chelating agent that has been covalently attached to the antibody. Targeting the therapeutic moiety to transmembrane breast cancer proteins not only serves to increase the local concentration of therapeutic moiety in the breast cancer afflicted area, but also serves to reduce deleterious side effects that may be associated with the therapeutic moiety.

10

15

20

25

30

In another preferred embodiment, the breast cancer protein against which the antibodies are raised is an intracellular protein. In this case, the antibody may be conjugated to a protein which facilitates entry into the cell. In one case, the antibody enters the cell by endocytosis. In another embodiment, a nucleic acid encoding the antibody is administered to the individual or cell. Moreover, wherein the breast cancer protein can be targeted within a cell, i.e., the nucleus, an antibody thereto contains a signal for that target localization, i.e., a nuclear localization signal.

The breast cancer antibodies of the invention specifically bind to breast cancer proteins. By "specifically bind" herein is meant that the antibodies bind to the protein with a K_d of at least about 0.1 mM, more usually at least about 1 μ M, preferably at least about 0.1 μ M or better, and most preferably, 0.01 μ M or better. Selectivity of binding is also important.

Detection of breast cancer sequence for diagnostic and therapeutic applications

In one aspect, the RNA expression levels of genes are determined for different cellular states in the breast cancer phenotype. Expression levels of genes in normal tissue (i.e., not undergoing breast cancer) and in breast cancer tissue (and in some cases, for varying severities of breast cancer that relate to prognosis, as outlined below) are evaluated to provide expression profiles. An expression profile of a particular cell state or point of development is essentially a "fingerprint" of the state. While two states may have any particular gene similarly expressed, the evaluation of a number of genes simultaneously allows the generation of a gene expression profile that is reflective of the state of the cell. By comparing expression profiles of cells in different states, information regarding which genes are important (including both up- and down-regulation of genes) in each of these states is obtained. Then, diagnosis may be performed or confirmed to determine whether a tissue sample has the gene expression profile of normal or cancerous tissue. This will provide for molecular diagnosis of related conditions.

"Differential expression," or grammatical equivalents as used herein, refers to qualitative or quantitative differences in the temporal and/or cellular gene expression patterns within and among cells and tissue. Thus, a differentially expressed gene can

qualitatively have its expression altered, including an activation or inactivation, in, e.g., normal versus breast cancer tissue. Genes may be turned on or turned off in a particular state, relative to another state thus permitting comparison of two or more states. A qualitatively regulated gene will exhibit an expression pattern within a state or cell type which is detectable by standard techniques. Some genes will be expressed in one state or cell type, but not in both. Alternatively, the difference in expression may be quantitative, e.g., in that expression is increased or decreased; i.e., gene expression is either upregulated, resulting in an increased amount of transcript, or downregulated, resulting in a decreased amount of transcript. The degree to which expression differs need only be large enough to quantify via standard characterization techniques as outlined below, such as by use of Affymetrix GeneChip™ expression arrays, Lockhart, Nature Biotechnology 14:1675-1680 (1996), hereby expressly incorporated by reference. Other techniques include, but are not limited to, quantitative reverse transcriptase PCR, northern analysis and RNase protection. As outlined above, preferably the change in expression (i.e., upregulation or downregulation) is at least about 50%, more preferably at least about 100%, more preferably at least about 150%, more preferably at least about 200%, with from 300 to at least 1000% being especially preferred.

Evaluation may be at the gene transcript, or the protein level. The amount of gene expression may be monitored using nucleic acid probes to the DNA or RNA equivalent of the gene transcript, and the quantification of gene expression levels, or, alternatively, the final gene product itself (protein) can be monitored, e.g., with antibodies to the breast cancer protein and standard immunoassays (ELISAs, etc.) or other techniques, including mass spectroscopy assays, 2D gel electrophoresis assays, etc. Proteins corresponding to breast cancer genes, i.e., those identified as being important in a breast cancer phenotype, can be evaluated in a breast cancer diagnostic test.

25

20

5

10

15

In a preferred embodiment, gene expression monitoring is performed simultaneously on a number of genes. Multiple protein expression monitoring can be performed as well. Similarly, these assays may be performed on an individual basis as well.

In this embodiment, the breast cancer nucleic acid probes are attached to biochips as outlined herein for the detection and quantification of breast cancer sequences in

a particular cell. The assays are further described below in the example. PCR techniques can be used to provide greater sensitivity.

5

10

15

20

25

30

In a preferred embodiment nucleic acids encoding the breast cancer protein are detected. Although DNA or RNA encoding the breast cancer protein may be detected, of particular interest are methods wherein an mRNA encoding a breast cancer protein is detected. Probes to detect mRNA can be a nucleotide/deoxynucleotide probe that is complementary to and hybridizes with the mRNA and includes, but is not limited to, oligonucleotides, cDNA or RNA. Probes also should contain a detectable label, as defined herein. In one method the mRNA is detected after immobilizing the nucleic acid to be examined on a solid support such as nylon membranes and hybridizing the probe with the sample. Following washing to remove the non-specifically bound probe, the label is detected. In another method detection of the mRNA is performed in situ. In this method permeabilized cells or tissue samples are contacted with a detectably labeled nucleic acid probe for sufficient time to allow the probe to hybridize with the target mRNA. Following washing to remove the non-specifically bound probe, the label is detected. For example a digoxygenin labeled riboprobe (RNA probe) that is complementary to the mRNA encoding a breast cancer protein is detected by binding the digoxygenin with an anti-digoxygenin secondary antibody and developed with nitro blue tetrazolium and 5-bromo-4-chloro-3indoyl phosphate.

In a preferred embodiment, various proteins from the three classes of proteins as described herein (secreted, transmembrane or intracellular proteins) are used in diagnostic assays. The breast cancer proteins, antibodies, nucleic acids, modified proteins and cells containing breast cancer sequences are used in diagnostic assays. This can be performed on an individual gene or corresponding polypeptide level. In a preferred embodiment, the expression profiles are used, preferably in conjunction with high throughput screening techniques to allow monitoring for expression profile genes and/or corresponding polypeptides.

As described and defined herein, breast cancer proteins, including intracellular, transmembrane or secreted proteins, find use as markers of breast cancer.

Detection of these proteins in putative breast cancer tissue allows for detection or diagnosis

of breast cancer. In one embodiment, antibodies are used to detect breast cancer proteins. A preferred method separates proteins from a sample by electrophoresis on a gel (typically a denaturing and reducing protein gel, but may be another type of gel, including isoelectric focusing gels and the like). Following separation of proteins, the breast cancer protein is detected, e.g., by immunoblotting with antibodies raised against the breast cancer protein. Methods of immunoblotting are well known to those of ordinary skill in the art.

5

10

15

30

In another preferred method, antibodies to the breast cancer protein find use in in situ imaging techniques, e.g., in histology (e.g., Methods in Cell Biology: Antibodies in Cell Biology, volume 37 (Asai, ed. 1993)). In this method cells are contacted with from one to many antibodies to the breast cancer protein(s). Following washing to remove non-specific antibody binding, the presence of the antibody or antibodies is detected. In one embodiment the antibody is detected by incubating with a secondary antibody that contains a detectable label. In another method the primary antibody to the breast cancer protein(s) contains a detectable label, e.g. an enzyme marker that can act on a substrate. In another preferred embodiment each one of multiple primary antibodies contains a distinct and detectable label. This method finds particular use in simultaneous screening for a plurality of breast cancer proteins. As will be appreciated by one of ordinary skill in the art, many other histological imaging techniques are also provided by the invention.

In a preferred embodiment the label is detected in a fluorometer which has the ability to detect and distinguish emissions of different wavelengths. In addition, a fluorescence activated cell sorter (FACS) can be used in the method.

In another preferred embodiment, antibodies find use in diagnosing breast cancer from blood, serum, plasma, stool, and other samples. Such samples, therefore, are useful as samples to be probed or tested for the presence of breast cancer proteins.

Antibodies can be used to detect a breast cancer protein by previously described immunoassay techniques including ELISA, immunoblotting (western blotting), immunoprecipitation, BIACORE technology and the like. Conversely, the presence of antibodies may indicate an immune response against an endogenous breast cancer protein.

In a preferred embodiment, *in situ* hybridization of labeled breast cancer nucleic acid probes to tissue arrays is done. For example, arrays of tissue samples, including

breast cancer tissue and/or normal tissue, are made. In situ hybridization (see, e.g., Ausubel, supra) is then performed. When comparing the fingerprints between an individual and a standard, the skilled artisan can make a diagnosis, a prognosis, or a prediction based on the findings. It is further understood that the genes which indicate the diagnosis may differ from those which indicate the prognosis and molecular profiling of the condition of the cells may lead to distinctions between responsive or refractory conditions or may be predictive of outcomes.

In a preferred embodiment, the breast cancer proteins, antibodies, nucleic acids, modified proteins and cells containing breast cancer sequences are used in prognosis assays. As above, gene expression profiles can be generated that correlate to breast cancer, in terms of long term prognosis. Again, this may be done on either a protein or gene level, with the use of genes being preferred. As above, breast cancer probes may be attached to biochips for the detection and quantification of breast cancer sequences in a tissue or patient. The assays proceed as outlined above for diagnosis. PCR method may provide more sensitive and accurate quantification.

Assays for therapeutic compounds

5

10

15

20

25

30

In a preferred embodiment members of the proteins, nucleic acids, and antibodies as described herein are used in drug screening assays. The breast cancer proteins, antibodies, nucleic acids, modified proteins and cells containing breast cancer sequences are used in drug screening assays or by evaluating the effect of drug candidates on a "gene expression profile" or expression profile of polypeptides. In a preferred embodiment, the expression profiles are used, preferably in conjunction with high throughput screening techniques to allow monitoring for expression profile genes after treatment with a candidate agent (e.g., Zlokarnik, et al., Science 279:84-8 (1998); Heid, Genome Res 6:986-94, 1996).

In a preferred embodiment, the breast cancer proteins, antibodies, nucleic acids, modified proteins and cells containing the native or modified breast cancer proteins are used in screening assays. That is, the present invention provides novel methods for screening for compositions which modulate the breast cancer phenotype or an identified physiological function of a breast cancer protein. As above, this can be done on an individual gene level or

by evaluating the effect of drug candidates on a "gene expression profile". In a preferred embodiment, the expression profiles are used, preferably in conjunction with high throughput screening techniques to allow monitoring for expression profile genes after treatment with a candidate agent, see Zlokarnik, *supra*.

5

10

15

20

25

Having identified the differentially expressed genes herein, a variety of assays may be executed. In a preferred embodiment, assays may be run on an individual gene or protein level. That is, having identified a particular gene as up regulated in breast cancer, test compounds can be screened for the ability to modulate gene expression or for binding to the breast cancer protein. "Modulation" thus includes both an increase and a decrease in gene expression. The preferred amount of modulation will depend on the original change of the gene expression in normal versus tissue undergoing breast cancer, with changes of at least 10%, preferably 50%, more preferably 100-300%, and in some embodiments 300-1000% or greater. Thus, if a gene exhibits a 4-fold increase in breast cancer tissue compared to normal tissue, a decrease of about four-fold is often desired; similarly, a 10-fold decrease in breast cancer tissue compared to normal tissue often provides a target value of a 10-fold increase in expression to be induced by the test compound.

The amount of gene expression may be monitored using nucleic acid probes and the quantification of gene expression levels, or, alternatively, the gene product itself can be monitored, e.g., through the use of antibodies to the breast cancer protein and standard immunoassays. Proteomics and separation techniques may also allow quantification of expression.

In a preferred embodiment, gene expression or protein monitoring of a number of entities, i.e., an expression profile, is monitored simultaneously. Such profiles will typically involve a plurality of those entities described herein..

In this embodiment, the breast cancer nucleic acid probes are attached to biochips as outlined herein for the detection and quantification of breast cancer sequences in a particular cell. Alternatively, PCR may be used. Thus, a series, e.g., of microtiter plate, may be used with dispensed primers in desired wells. A PCR reaction can then be performed and analyzed for each well.

Expression monitoring can be performed to identify compounds that modify the expression of one or more breast cancer-associated sequences, e.g., a polynucleotide sequence set out in Table 17. Generally, in a preferred embodiment, a test modulator is added to the cells prior to analysis. Moreover, screens are also provided to identify agents that modulate breast cancer, modulate breast cancer proteins, bind to a breast cancer protein, or interfere with the binding of a breast cancer protein and an antibody or other binding partner.

5

10

15

25

30

The term "test compound" or "drug candidate" or "modulator" or grammatical equivalents as used herein describes any molecule, e.g., protein, oligopeptide, small organic molecule, polysaccharide, polynucleotide, etc., to be tested for the capacity to directly or indirectly alter the breast cancer phenotype or the expression of a breast cancer sequence, e.g., a nucleic acid or protein sequence. In preferred embodiments, modulators alter expression profiles, or expression profile nucleic acids or proteins provided herein. In one embodiment, the modulator suppresses a breast cancer phenotype, e.g. to a normal tissue fingerprint. In another embodiment, a modulator induced a breast cancer phenotype. Generally, a plurality of assay mixtures are run in parallel with different agent concentrations to obtain a differential response to the various concentrations. Typically, one of these concentrations serves as a negative control, i.e., at zero concentration or below the level of detection.

Drug candidates encompass numerous chemical classes, though typically they are organic molecules, preferably small organic compounds having a molecular weight of more than 100 and less than about 2,500 daltons. Preferred small molecules are less than 2000, or less than 1500 or less than 1000 or less than 500 D. Candidate agents comprise functional groups necessary for structural interaction with proteins, particularly hydrogen bonding, and typically include at least an amine, carbonyl, hydroxyl or carboxyl group, preferably at least two of the functional chemical groups. The candidate agents often comprise cyclical carbon or heterocyclic structures and/or aromatic or polyaromatic structures substituted with one or more of the above functional groups. Candidate agents are also found among biomolecules including peptides, saccharides, fatty acids, steroids, purines, pyrimidines, derivatives, structural analogs or combinations thereof. Particularly preferred are peptides.

In one aspect, a modulator will neutralize the effect of a breast cancer protein. By "neutralize" is meant that activity of a protein is inhibited or blocked and the consequent effect on the cell.

In certain embodiments, combinatorial libraries of potential modulators will be screened for an ability to bind to a breast cancer polypeptide or to modulate activity. Conventionally, new chemical entities with useful properties are generated by identifying a chemical compound (called a "lead compound") with some desirable property or activity, e.g., inhibiting activity, creating variants of the lead compound, and evaluating the property and activity of those variant compounds. Often, high throughput screening (HTS) methods are employed for such an analysis.

5

10

15

20

25

30

In one preferred embodiment, high throughput screening methods involve providing a library containing a large number of potential therapeutic compounds (candidate compounds). Such "combinatorial chemical libraries" are then screened in one or more assays to identify those library members (particular chemical species or subclasses) that display a desired characteristic activity. The compounds thus identified can serve as conventional "lead compounds" or can themselves be used as potential or actual therapeutics.

A combinatorial chemical library is a collection of diverse chemical compounds generated by either chemical synthesis or biological synthesis by combining a number of chemical "building blocks" such as reagents. For example, a linear combinatorial chemical library, such as a polypeptide (e.g., mutein) library, is formed by combining a set of chemical building blocks called amino acids in every possible way for a given compound length (i.e., the number of amino acids in a polypeptide compound). Millions of chemical compounds can be synthesized through such combinatorial mixing of chemical building blocks (Gallop et al., J. Med. Chem. 37(9):1233-1251 (1994)).

Preparation and screening of combinatorial chemical libraries is well known to those of skill in the art. Such combinatorial chemical libraries include, but are not limited to, peptide libraries (see, e.g., U.S. Patent No. 5,010,175, Furka, Pept. Prot. Res. 37:487-493 (1991), Houghton et al., Nature, 354:84-88 (1991)), peptoids (PCT Publication No WO 91/19735), encoded peptides (PCT Publication WO 93/20242), random bio-oligomers (PCT Publication WO 92/00091), benzodiazepines (U.S. Pat. No. 5,288,514), diversomers such as

hydantoins, benzodiazepines and dipeptides (Hobbs et al., Proc. Nat. Acad. Sci. USA 90:6909-6913 (1993)), vinylogous polypeptides (Hagihara et al., J. Amer. Chem. Soc. 114:6568 (1992)), nonpeptidal peptidomimetics with a Beta-D-Glucose scaffolding (Hirschmann et al., J. Amer. Chem. Soc. 114:9217-9218 (1992)), analogous organic syntheses of small compound libraries (Chen et al., J. Amer. Chem. Soc. 116:2661 (1994)), oligocarbamates (Cho, et al., Science 261:1303 (1993)), and/or peptidyl phosphonates (Campbell et al., J. Org. Chem. 59:658 (1994)). See, generally, Gordon et al., J. Med. Chem. 37:1385 (1994), nucleic acid libraries (see, e.g., Strategene, Corp.), peptide nucleic acid libraries (see, e.g., U.S. Patent 5,539,083), antibody libraries (see, e.g., Vaughn et al., Nature Biotechnology 14(3):309-314 (1996), and PCT/US96/10287), carbohydrate libraries (see, e.g., Liang et al., Science 274:1520-1522 (1996), and U.S. Patent No. 5,593,853), and small organic molecule libraries (see, e.g., benzodiazepines, Baum, C&EN, Jan 18, page 33 (1993); isoprenoids, U.S. Patent No. 5,569,588; thiazolidinones and metathiazanones, U.S. Patent No. 5,549,974; pyrrolidines, U.S. Patent Nos. 5,525,735 and 5,519,134; morpholino compounds, U.S. Patent No. 5,506,337; benzodiazepines, U.S. Patent No. 5,288,514; and the like).

5

10

15

20

25

Devices for the preparation of combinatorial libraries are commercially available (see, e.g., 357 MPS, 390 MPS, Advanced Chem Tech, Louisville KY, Symphony, Rainin, Woburn, MA, 433A Applied Biosystems, Foster City, CA, 9050 Plus, Millipore, Bedford, MA).

A number of well known robotic systems have also been developed for solution phase chemistries. These systems include automated workstations like the automated synthesis apparatus developed by Takeda Chemical Industries, LTD. (Osaka, Japan) and many robotic systems utilizing robotic arms (Zymate II, Zymark Corporation, Hopkinton, Mass.; Orca, Hewlett-Packard, Palo Alto, Calif.), which mimic the manual synthetic operations performed by a chemist. Any of the above devices are suitable for use with the present invention. The nature and implementation of modifications to these devices (if any) so that they can operate as discussed herein will be apparent to persons skilled in the relevant art. In addition, numerous combinatorial libraries are themselves commercially available (see, e.g., ComGenex, Princeton, N.J., Asinex, Moscow, Ru, Tripos, Inc., St. Louis,

MO, ChemStar, Ltd, Moscow, RU, 3D Pharmaceuticals, Exton, PA, Martek Biosciences, Columbia, MD, etc.).

The assays to identify modulators are amenable to high throughput screening. Preferred assays thus detect enhancement or inhibition of breast cancer gene transcription, inhibition or enhancement of polypeptide expression, and inhibition or enhancement of polypeptide activity.

5

10

15

20

25

High throughput assays for the presence, absence, quantification, or other properties of particular nucleic acids or protein products are well known to those of skill in the art. Similarly, binding assays and reporter gene assays are similarly well known. Thus, e.g., U.S. Patent No. 5,559,410 discloses high throughput screening methods for proteins, U.S. Patent No. 5,585,639 discloses high throughput screening methods for nucleic acid binding (i.e., in arrays), while U.S. Patent Nos. 5,576,220 and 5,541,061 disclose high throughput methods of screening for ligand/antibody binding.

In addition, high throughput screening systems are commercially available (see, e.g., Zymark Corp., Hopkinton, MA; Air Technical Industries, Mentor, OH; Beckman Instruments, Inc. Fullerton, CA; Precision Systems, Inc., Natick, MA, etc.). These systems typically automate entire procedures, including all sample and reagent pipetting, liquid dispensing, timed incubations, and final readings of the microplate in detector(s) appropriate for the assay. These configurable systems provide high throughput and rapid start up as well as a high degree of flexibility and customization. The manufacturers of such systems provide detailed protocols for various high throughput systems. Thus, e.g., Zymark Corp. provides technical bulletins describing screening systems for detecting the modulation of gene transcription, ligand binding, and the like.

In one embodiment, modulators are proteins, often naturally occurring proteins or fragments of naturally occurring proteins. Thus, e.g., cellular extracts containing proteins, or random or directed digests of proteinaceous cellular extracts, may be used. In this way libraries of proteins may be made for screening in the methods of the invention. Particularly preferred in this embodiment are libraries of bacterial, fungal, viral, and mammalian proteins, with the latter being preferred, and human proteins being especially

preferred. Particularly useful test compound will be directed to the class of proteins to which the target belongs, e.g., substrates for enzymes or ligands and receptors.

In a preferred embodiment, modulators are peptides of from about 5 to about 30 amino acids, with from about 5 to about 20 amino acids being preferred, and from about 7 to about 15 being particularly preferred. The peptides may be digests of naturally occurring proteins as is outlined above, random peptides, or "biased" random peptides. By "randomized" or grammatical equivalents herein is meant that each nucleic acid and peptide consists of essentially random nucleotides and amino acids, respectively. Since generally these random peptides (or nucleic acids, discussed below) are chemically synthesized, they may incorporate any nucleotide or amino acid at any position. The synthetic process can be designed to generate randomized proteins or nucleic acids, to allow the formation of all or most of the possible combinations over the length of the sequence, thus forming a library of randomized candidate bioactive proteinaceous agents.

5

10

15

20

In one embodiment, the library is fully randomized, with no sequence preferences or constants at any position. In a preferred embodiment, the library is biased. That is, some positions within the sequence are either held constant, or are selected from a limited number of possibilities. For example, in a preferred embodiment, the nucleotides or amino acid residues are randomized within a defined class, e.g., of hydrophobic amino acids, hydrophilic residues, sterically biased (either small or large) residues, towards the creation of nucleic acid binding domains, the creation of cysteines, for cross-linking, prolines for SH-3 domains, serines, threonines, tyrosines or histidines for phosphorylation sites, etc., or to purines, etc.

Modulators of breast cancer can also be nucleic acids, as defined above.

As described above generally for proteins, nucleic acid modulating agents may

be naturally occurring nucleic acids, random nucleic acids, or "biased" random nucleic acids.

For example, digests of procaryotic or eucaryotic genomes may be used as is outlined above for proteins.

In a preferred embodiment, the candidate compounds are organic chemical moieties, a wide variety of which are available in the literature.

After the candidate agent has been added and the cells allowed to incubate for some period of time, the sample containing a target sequence to be analyzed is added to the biochip. If required, the target sequence is prepared using known techniques. For example, the sample may be treated to lyse the cells, using known lysis buffers, electroporation, etc., with purification and/or amplification such as PCR performed as appropriate. For example, an *in vitro* transcription with labels covalently attached to the nucleotides is performed. Generally, the nucleic acids are labeled with biotin-FITC or PE, or with cy3 or cy5.

5

10

15

20

25

In a preferred embodiment, the target sequence is labeled with, e.g., a fluorescent, a chemiluminescent, a chemical, or a radioactive signal, to provide a means of detecting the target sequence's specific binding to a probe. The label also can be an enzyme, such as, alkaline phosphatase or horseradish peroxidase, which when provided with an appropriate substrate produces a product that can be detected. Alternatively, the label can be a labeled compound or small molecule, such as an enzyme inhibitor, that binds but is not catalyzed or altered by the enzyme. The label also can be a moiety or compound, such as, an epitope tag or biotin which specifically binds to streptavidin. For the example of biotin, the streptavidin is labeled as described above, thereby, providing a detectable signal for the bound target sequence. Unbound labeled streptavidin is typically removed prior to analysis.

As will be appreciated by those in the art, these assays can be direct hybridization assays or can comprise "sandwich assays", which include the use of multiple probes, as is generally outlined in U.S. Patent Nos. 5,681,702, 5,597,909, 5,545,730, 5,594,117, 5,591,584, 5,571,670, 5,580,731, 5,571,670, 5,591,584, 5,624,802, 5,635,352, 5,594,118, 5,359,100, 5,124,246 and 5,681,697, all of which are hereby incorporated by reference. In this embodiment, in general, the target nucleic acid is prepared as outlined above, and then added to the biochip comprising a plurality of nucleic acid probes, under conditions that allow the formation of a hybridization complex.

A variety of hybridization conditions may be used in the present invention, including high, moderate and low stringency conditions as outlined above. The assays are generally run under stringency conditions which allows formation of the label probe hybridization complex only in the presence of target. Stringency can be controlled by altering a step parameter that is a thermodynamic variable, including, but not limited to,

temperature, formamide concentration, salt concentration, chaotropic salt concentration pH, organic solvent concentration, etc.

These parameters may also be used to control non-specific binding, as is generally outlined in U.S. Patent No. 5,681,697. Thus it may be desirable to perform certain steps at higher stringency conditions to reduce non-specific binding.

5

10

15

20

25

30

The reactions outlined herein may be accomplished in a variety of ways. Components of the reaction may be added simultaneously, or sequentially, in different orders, with preferred embodiments outlined below. In addition, the reaction may include a variety of other reagents. These include salts, buffers, neutral proteins, e.g. albumin, detergents, etc. which may be used to facilitate optimal hybridization and detection, and/or reduce non-specific or background interactions. Reagents that otherwise improve the efficiency of the assay, such as protease inhibitors, nuclease inhibitors, anti-microbial agents, etc., may also be used as appropriate, depending on the sample preparation methods and purity of the target.

The assay data are analyzed to determine the expression levels, and changes in expression levels as between states, of individual genes, forming a gene expression profile.

Screens are performed to identify modulators of the breast cancer phenotype. In one embodiment, screening is performed to identify modulators that can induce or suppress a particular expression profile, thus preferably generating the associated phenotype. In another embodiment, e.g., for diagnostic applications, having identified differentially expressed genes important in a particular state, screens can be performed to identify modulators that alter expression of individual genes. In an another embodiment, screening is performed to identify modulators that alter a biological function of the expression product of a differentially expressed gene. Again, having identified the importance of a gene in a particular state, screens are performed to identify agents that bind and/or modulate the biological activity of the gene product.

In addition screens can be done for genes that are induced in response to a candidate agent. After identifying a modulator based upon its ability to suppress a breast cancer expression pattern leading to a normal expression pattern, or to modulate a single breast cancer gene expression profile so as to mimic the expression of the gene from normal tissue, a screen as described above can be performed to identify genes that are specifically

modulated in response to the agent. Comparing expression profiles between normal tissue and agent treated breast cancer tissue reveals genes that are not expressed in normal tissue or breast cancer tissue, but are expressed in agent treated tissue. These agent-specific sequences can be identified and used by methods described herein for breast cancer genes or proteins. In particular these sequences and the proteins they encode find use in marking or identifying agent treated cells. In addition, antibodies can be raised against the agent induced proteins and used to target novel therapeutics to the treated breast cancer tissue sample.

5

10

15

20

25

30

Thus, in one embodiment, a test compound is administered to a population of breast cancer cells, that have an associated breast cancer expression profile. By "administration" or "contacting" herein is meant that the candidate agent is added to the cells in such a manner as to allow the agent to act upon the cell, whether by uptake and intracellular action, or by action at the cell surface. In some embodiments, nucleic acid encoding a proteinaceous candidate agent (i.e., a peptide) may be put into a viral construct such as an adenoviral or retroviral construct, and added to the cell, such that expression of the peptide agent is accomplished, e.g., PCT US97/01019. Regulatable gene therapy systems can also be used.

Once the test compound has been administered to the cells, the cells can be washed if desired and are allowed to incubate under preferably physiological conditions for some period of time. The cells are then harvested and a new gene expression profile is generated, as outlined herein.

Thus, e.g., breast cancer tissue may be screened for agents that modulate, e.g., induce or suppress the breast cancer phenotype. A change in at least one gene, preferably many, of the expression profile indicates that the agent has an effect on breast cancer activity. By defining such a signature for the breast cancer phenotype, screens for new drugs that alter the phenotype can be devised. With this approach, the drug target need not be known and need not be represented in the original expression screening platform, nor does the level of transcript for the target protein need to change.

In a preferred embodiment, as outlined above, screens may be done on individual genes and gene products (proteins). That is, having identified a particular differentially expressed gene as important in a particular state, screening of modulators of

either the expression of the gene or the gene product itself can be done. The gene products of differentially expressed genes are sometimes referred to herein as "breast cancer proteins" or a "breast cancer modulatory protein". The breast cancer modulatory protein may be a fragment, or alternatively, be the full length protein to the fragment encoded by the nucleic acids of the Tables. Preferably, the breast cancer modulatory protein is a fragment. In a preferred embodiment, the breast cancer amino acid sequence which is used to determine sequence identity or similarity is encoded by a nucleic acid of Table 25. In another embodiment, the sequences are naturally occurring allelic variants of a protein encoded by a nucleic acid of Table 25. In another embodiment, the sequences are sequence variants as further described herein.

Preferably, the breast cancer modulatory protein is a fragment of approximately 14 to 24 amino acids long. More preferably the fragment is a soluble fragment. Preferably, the fragment includes a non-transmembrane region. In a preferred embodiment, the fragment has an N-terminal Cys to aid in solubility. In one embodiment, the C-terminus of the fragment is kept as a free acid and the N-terminus is a free amine to aid in coupling, i.e., to cysteine.

10

15

20

25

In one embodiment the breast cancer proteins are conjugated to an immunogenic agent as discussed herein. In one embodiment the breast cancer protein is conjugated to BSA.

Measurements of breast cancer polypeptide activity, or of breast cancer or the breast cancer phenotype can be performed using a variety of assays. For example, the effects of the test compounds upon the function of the breast cancer polypeptides can be measured by examining parameters described above. A suitable physiological change that affects activity can be used to assess the influence of a test compound on the polypeptides of this invention. When the functional consequences are determined using intact cells or animals, one can also measure a variety of effects such as, in the case of breast cancer associated with tumors, tumor growth, tumor metastasis, neovascularization, hormone release, transcriptional changes to both known and uncharacterized genetic markers (e.g., northern blots), changes in cell metabolism such as cell growth or pH changes, and changes in intracellular second

messengers such as cGMP. In the assays of the invention, mammalian breast cancer polypeptide is typically used, e.g., mouse, preferably human.

Assays to identify compounds with modulating activity can be performed *in vitro*. For example, a breast cancer polypeptide is first contacted with a potential modulator and incubated for a suitable amount of time, e.g., from 0.5 to 48 hours. In one embodiment, the breast cancer polypeptide levels are determined *in vitro* by measuring the level of protein or mRNA. The level of protein is measured using immunoassays such as western blotting, ELISA and the like with an antibody that selectively binds to the breast cancer polypeptide or a fragment thereof. For measurement of mRNA, amplification, e.g., using PCR, LCR, or hybridization assays, e.g., northern hybridization, RNAse protection, dot blotting, are preferred. The level of protein or mRNA is detected using directly or indirectly labeled detection agents, e.g., fluorescently or radioactively labeled nucleic acids, radioactively or enzymatically labeled antibodies, and the like, as described herein.

10

15

20

- 25

Alternatively, a reporter gene system can be devised using the breast cancer protein promoter operably linked to a reporter gene such as luciferase, green fluorescent protein, CAT, or β -gal. The reporter construct is typically transfected into a cell. After treatment with a potential modulator, the amount of reporter gene transcription, translation, or activity is measured according to standard techniques known to those of skill in the art.

In a preferred embodiment, as outlined above, screens may be done on individual genes and gene products (proteins). That is, having identified a particular differentially expressed gene as important in a particular state, screening of modulators of the expression of the gene or the gene product itself can be done. The gene products of differentially expressed genes are sometimes referred to herein as "breast cancer proteins." The breast cancer protein may be a fragment, or alternatively, be the full length protein to a fragment shown herein.

In one embodiment, screening for modulators of expression of specific genes is performed. Typically, the expression of only one or a few genes are evaluated. In another embodiment, screens are designed to first find compounds that bind to differentially expressed proteins. These compounds are then evaluated for the ability to modulate

differentially expressed activity. Moreover, once initial candidate compounds are identified, variants can be further screened to better evaluate structure activity relationships.

In a preferred embodiment, binding assays are done. In general, purified or isolated gene product is used; that is, the gene products of one or more differentially expressed nucleic acids are made. For example, antibodies are generated to the protein gene products, and standard immunoassays are run to determine the amount of protein present. Alternatively, cells comprising the breast cancer proteins can be used in the assays.

5

10

15

20

25

30

Thus, in a preferred embodiment, the methods comprise combining a breast cancer protein and a candidate compound, and determining the binding of the compound to the breast cancer protein. Preferred embodiments utilize the human breast cancer protein, although other mammalian proteins may also be used, e.g. for the development of animal models of human disease. In some embodiments, as outlined herein, variant or derivative breast cancer proteins may be used.

Generally, in a preferred embodiment of the methods herein, the breast cancer protein or the candidate agent is non-diffusably bound to an insoluble support having isolated sample receiving areas (e.g. a microtiter plate, an array, etc.). The insoluble supports may be made of any composition to which the compositions can be bound, is readily separated from soluble material, and is otherwise compatible with the overall method of screening. The surface of such supports may be solid or porous and of any convenient shape. Examples of suitable insoluble supports include microtiter plates, arrays, membranes and beads. These are typically made of glass, plastic (e.g., polystyrene), polysaccharides, nylon or nitrocellulose, teflonTM, etc. Microtiter plates and arrays are especially convenient because a large number of assays can be carried out simultaneously, using small amounts of reagents and samples. The particular manner of binding of the composition is not crucial so long as it is compatible with the reagents and overall methods of the invention, maintains the activity of the composition and is nondiffusable. Preferred methods of binding include the use of antibodies (which do not sterically block either the ligand binding site or activation sequence when the protein is bound to the support), direct binding to "sticky" or ionic supports, chemical crosslinking, the synthesis of the protein or agent on the surface, etc. Following binding of the protein or agent, excess unbound material is removed by washing. The sample receiving

areas may then be blocked through incubation with bovine serum albumin (BSA), casein or other innocuous protein or other moiety.

In a preferred embodiment, the breast cancer protein is bound to the support, and a test compound is added to the assay. Alternatively, the candidate agent is bound to the support and the breast cancer protein is added. Novel binding agents include specific antibodies, non-natural binding agents identified in screens of chemical libraries, peptide analogs, etc. Of particular interest are screening assays for agents that have a low toxicity for human cells. A wide variety of assays may be used for this purpose, including labeled in vitro protein-protein binding assays, electrophoretic mobility shift assays, immunoassays for protein binding, functional assays (phosphorylation assays, etc.) and the like.

5

10

15

20

25

30

The determination of the binding of the test modulating compound to the breast cancer protein may be done in a number of ways. In a preferred embodiment, the compound is labeled, and binding determined directly, e.g., by attaching all or a portion of the breast cancer protein to a solid support, adding a labeled candidate agent (e.g., a fluorescent label), washing off excess reagent, and determining whether the label is present on the solid support. Various blocking and washing steps may be utilized as appropriate.

In some embodiments, only one of the components is labeled, e.g., the proteins (or proteinaceous candidate compounds) can be labeled. Alternatively, more than one component can be labeled with different labels, e.g., ¹²⁵I for the proteins and a fluorophor for the compound. Proximity reagents, e.g., quenching or energy transfer reagents are also useful.

In one embodiment, the binding of the test compound is determined by competitive binding assay. The competitor is a binding moiety known to bind to the target molecule (i.e., a breast cancer protein), such as an antibody, peptide, binding partner, ligand, etc. Under certain circumstances, there may be competitive binding between the compound and the binding moiety, with the binding moiety displacing the compound. In one embodiment, the test compound is labeled. Either the compound, or the competitor, or both, is added first to the protein for a time sufficient to allow binding, if present. Incubations may be performed at a temperature which facilitates optimal activity, typically between 4 and 40°C. Incubation periods are typically optimized, e.g., to facilitate rapid high throughput

screening. Typically between 0.1 and 1 hour will be sufficient. Excess reagent is generally removed or washed away. The second component is then added, and the presence or absence of the labeled component is followed, to indicate binding.

In a preferred embodiment, the competitor is added first, followed by the test compound. Displacement of the competitor is an indication that the test compound is binding to the breast cancer protein and thus is capable of binding to, and potentially modulating, the activity of the breast cancer protein. In this embodiment, either component can be labeled. Thus, e.g., if the competitor is labeled, the presence of label in the wash solution indicates displacement by the agent. Alternatively, if the test compound is labeled, the presence of the label on the support indicates displacement.

5

10

15

20

25

In an alternative embodiment, the test compound is added first, with incubation and washing, followed by the competitor. The absence of binding by the competitor may indicate that the test compound is bound to the breast cancer protein with a higher affinity. Thus, if the test compound is labeled, the presence of the label on the support, coupled with a lack of competitor binding, may indicate that the test compound is capable of binding to the breast cancer protein.

In a preferred embodiment, the methods comprise differential screening to identity agents that are capable of modulating the activity of the breast cancer proteins. In this embodiment, the methods comprise combining a breast cancer protein and a competitor in a first sample. A second sample comprises a test compound, a breast cancer protein, and a competitor. The binding of the competitor is determined for both samples, and a change, or difference in binding between the two samples indicates the presence of an agent capable of binding to the breast cancer protein and potentially modulating its activity. That is, if the binding of the competitor is different in the second sample relative to the first sample, the agent is capable of binding to the breast cancer protein.

Alternatively, differential screening is used to identify drug candidates that bind to the native breast cancer protein, but cannot bind to modified breast cancer proteins. The structure of the breast cancer protein may be modeled, and used in rational drug design to synthesize agents that interact with that site. Drug candidates that affect the activity of a

breast cancer protein are also identified by screening drugs for the ability to either enhance or reduce the activity of the protein.

Positive controls and negative controls may be used in the assays. Preferably control and test samples are performed in at least triplicate to obtain statistically significant results. Incubation of all samples is for a time sufficient for the binding of the agent to the protein. Following incubation, samples are washed free of non-specifically bound material and the amount of bound, generally labeled agent determined. For example, where a radiolabel is employed, the samples may be counted in a scintillation counter to determine the amount of bound compound.

5

10

15

20

25

30

A variety of other reagents may be included in the screening assays. These include reagents like salts, neutral proteins, e.g. albumin, detergents, etc. which may be used to facilitate optimal protein-protein binding and/or reduce non-specific or background interactions. Also reagents that otherwise improve the efficiency of the assay, such as protease inhibitors, nuclease inhibitors, anti-microbial agents, etc., may be used. The mixture of components may be added in an order that provides for the requisite binding.

In a preferred embodiment, the invention provides methods for screening for a compound capable of modulating the activity of a breast cancer protein. The methods comprise adding a test compound, as defined above, to a cell comprising breast cancer proteins. Preferred cell types include almost any cell. The cells contain a recombinant nucleic acid that encodes a breast cancer protein. In a preferred embodiment, a library of candidate agents are tested on a plurality of cells.

In one aspect, the assays are evaluated in the presence or absence or previous or subsequent exposure of physiological signals, e.g. hormones, antibodies, peptides, antigens, cytokines, growth factors, action potentials, pharmacological agents including chemotherapeutics, radiation, carcinogenics, or other cells (i.e. cell-cell contacts). In another example, the determinations are determined at different stages of the cell cycle process.

In this way, compounds that modulate breast cancer agents are identified. Compounds with pharmacological activity are able to enhance or interfere with the activity of the breast cancer protein. Once identified, similar structures are evaluated to identify critical structural feature of the compound.

In one embodiment, a method of inhibiting breast cancer cell division is provided. The method comprises administration of a breast cancer inhibitor. In another embodiment, a method of inhibiting breast cancer is provided. The method comprises administration of a breast cancer inhibitor. In a further embodiment, methods of treating cells or individuals with breast cancer are provided. The method comprises administration of a breast cancer inhibitor.

In one embodiment, a breast cancer inhibitor is an antibody as discussed above. In another embodiment, the breast cancer inhibitor is an antisense molecule.

A variety of cell growth, proliferation, and metastasis assays are known to those of skill in the art, as described below.

Soft agar growth or colony formation in suspension

15

20

25

30

Normal cells require a solid substrate to attach and grow. When the cells are transformed, they lose this phenotype and grow detached from the substrate. For example, transformed cells can grow in stirred suspension culture or suspended in semi-solid media, such as semi-solid or soft agar. The transformed cells, when transfected with tumor suppressor genes, regenerate normal phenotype and require a solid substrate to attach and grow. Soft agar growth or colony formation in suspension assays can be used to identify modulators of breast cancer sequences, which when expressed in host cells, inhibit abnormal cellular proliferation and transformation. A therapeutic compound would reduce or eliminate the host cells' ability to grow in stirred suspension culture or suspended in semi-solid media, such as semi-solid or soft.

Techniques for soft agar growth or colony formation in suspension assays are described in Freshney, *Culture of Animal Cells a Manual of Basic Technique* (3rd ed., 1994), herein incorporated by reference. *See also*, the methods section of Garkavtsev *et al.* (1996), *supra*, herein incorporated by reference.

Contact inhibition and density limitation of growth

Normal cells typically grow in a flat and organized pattern in a petri dish until they touch other cells. When the cells touch one another, they are contact inhibited and stop growing. When cells are transformed, however, the cells are not contact inhibited and continue to grow to high densities in disorganized foci. Thus, the transformed cells grow to a

higher saturation density than normal cells. This can be detected morphologically by the formation of a disoriented monolayer of cells or rounded cells in foci within the regular pattern of normal surrounding cells. Alternatively, labeling index with (³H)-thymidine at saturation density can be used to measure density limitation of growth. *See* Freshney (1994), *supra*. The transformed cells, when transfected with tumor suppressor genes, regenerate a normal phenotype and become contact inhibited and would grow to a lower density.

In this assay, labeling index with (³H)-thymidine at saturation density is a preferred method of measuring density limitation of growth. Transformed host cells are transfected with a breast cancer-associated sequence and are grown for 24 hours at saturation density in non-limiting medium conditions. The percentage of cells labeling with (³H)-thymidine is determined autoradiographically. *See*, Freshney (1994), *supra*.

Growth factor or serum dependence

5

10

15

25

30

Transformed cells have a lower serum dependence than their normal counterparts (see, e.g., Temin, J. Natl. Cancer Insti. 37:167-175 (1966); Eagle et al., J. Exp. Med. 131:836-879 (1970)); Freshney, supra. This is in part due to release of various growth factors by the transformed cells. Growth factor or serum dependence of transformed host cells can be compared with that of control.

Tumor specific markers levels

Tumor cells release an increased amount of certain factors (hereinafter "tumor specific markers") than their normal counterparts. For example, plasminogen activator (PA) is released from human glioma at a higher level than from normal brain cells (see, e.g., Gullino, Angiogenesis, tumor vascularization, and potential interference with tumor growth. in Biological Responses in Cancer, pp. 178-184 (Mihich (ed.) 1985)). Similarly, Tumor angiogenesis factor (TAF) is released at a higher level in tumor cells than their normal counterparts. See, e.g., Folkman, Angiogenesis and Cancer, Sem Cancer Biol. (1992)).

Various techniques which measure the release of these factors are described in Freshney (1994), supra. Also, see, Unkless et al., J. Biol. Chem. 249:4295-4305 (1974); Strickland & Beers, J. Biol. Chem. 251:5694-5702 (1976); Whur et al., Br. J. Cancer 42:305-

312 (1980); Gullino, Angiogenesis, tumor vascularization, and potential interference with tumor growth. in Biological Responses in Cancer, pp. 178-184 (Mihich (ed.) 1985); Freshney Anticancer Res. 5:111-130 (1985).

Invasiveness into Matrigel

5

10

15

20

25

30

The degree of invasiveness into Matrigel or some other extracellular matrix constituent can be used as an assay to identify compounds that modulate breast cancer-associated sequences. Tumor cells exhibit a good correlation between malignancy and invasiveness of cells into Matrigel or some other extracellular matrix constituent. In this assay, tumorigenic cells are typically used as host cells. Expression of a tumor suppressor gene in these host cells would decrease invasiveness of the host cells.

Techniques described in Freshney (1994), *supra*, can be used. Briefly, the level of invasion of host cells can be measured by using filters coated with Matrigel or some other extracellular matrix constituent. Penetration into the gel, or through to the distal side of the filter, is rated as invasiveness, and rated histologically by number of cells and distance moved, or by prelabeling the cells with ¹²⁵I and counting the radioactivity on the distal side of the filter or bottom of the dish. *See, e.g.*, Freshney (1984), *supra*.

Tumor growth in vivo

Effects of breast cancer-associated sequences on cell growth can be tested in transgenic or immune-suppressed mice. Knock-out transgenic mice can be made, in which the breast cancer gene is disrupted or in which a breast cancer gene is inserted. Knock-out transgenic mice can be made by insertion of a marker gene or other heterologous gene into the endogenous breast cancer gene site in the mouse genome via homologous recombination. Such mice can also be made by substituting the endogenous breast cancer gene with a mutated version of the breast cancer gene, or by mutating the endogenous breast cancer gene, e.g., by exposure to carcinogens.

A DNA construct is introduced into the nuclei of embryonic stem cells. Cells containing the newly engineered genetic lesion are injected into a host mouse embryo, which is re-implanted into a recipient female. Some of these embryos develop into chimeric mice

that possess germ cells partially derived from the mutant cell line. Therefore, by breeding the chimeric mice it is possible to obtain a new line of mice containing the introduced genetic lesion (see, e.g., Capecchi et al., Science 244:1288 (1989)). Chimeric targeted mice can be derived according to Hogan et al., Manipulating the Mouse Embryo: A Laboratory Manual, Cold Spring Harbor Laboratory (1988) and Teratocarcinomas and Embryonic Stem Cells: A Practical Approach, Robertson, ed., IRL Press, Washington, D.C., (1987).

Alternatively, various immune-suppressed or immune-deficient host animals can be used. For example, genetically athymic "nude" mouse (see, e.g., Giovanella et al., J. Natl. Cancer Inst. 52:921 (1974)), a SCID mouse, a thymectomized mouse, or an irradiated mouse (see, e.g., Bradley et al., Br. J. Cancer 38:263 (1978); Selby et al., Br. J. Cancer 41:52 (1980)) can be used as a host. Transplantable tumor cells (typically about 10⁶ cells) injected into isogenic hosts will produce invasive tumors in a high proportions of cases, while normal cells of similar origin will not. In hosts which developed invasive tumors, cells expressing a breast cancer-associated sequences are injected subcutaneously. After a suitable length of time, preferably 4-8 weeks, tumor growth is measured (e.g., by volume or by its two largest dimensions) and compared to the control. Tumors that have statistically significant reduction (using, e.g., Student's T test) are said to have inhibited growth.

Polynucleotide modulators of breast cancer

10

15

20

25

30

Antisense Polynucleotides

In certain embodiments, the activity of a breast cancer-associated protein is down-regulated, or entirely inhibited, by the use of antisense polynucleotide, *i.e.*, a nucleic acid complementary to, and which can preferably hybridize specifically to, a coding mRNA nucleic acid sequence, e.g., a breast cancer protein mRNA, or a subsequence thereof. Binding of the antisense polynucleotide to the mRNA reduces the translation and/or stability of the mRNA.

In the context of this invention, antisense polynucleotides can comprise naturally-occurring nucleotides, or synthetic species formed from naturally-occurring subunits or their close homologs. Antisense polynucleotides may also have altered sugar moieties or inter-sugar linkages. Exemplary among these are the phosphorothicate and other

sulfur containing species which are known for use in the art. Analogs are comprehended by this invention so long as they function effectively to hybridize with the breast cancer protein mRNA. See, e.g., Isis Pharmaceuticals, Carlsbad, CA; Sequitor, Inc., Natick, MA.

Such antisense polynucleotides can readily be synthesized using recombinant means, or can be synthesized *in vitro*. Equipment for such synthesis is sold by several vendors, including Applied Biosystems. The preparation of other oligonucleotides such as phosphorothioates and alkylated derivatives is also well known to those of skill in the art.

Antisense molecules as used herein include antisense or sense oligonucleotides. Sense oligonucleotides can, e.g., be employed to block transcription by binding to the anti-sense strand. The antisense and sense oligonucleotide comprise a single-stranded nucleic acid sequence (either RNA or DNA) capable of binding to target mRNA (sense) or DNA (antisense) sequences for breast cancer molecules. A preferred antisense molecule is for a breast cancer sequences in Tables 1-25, or for a ligand or activator thereof. Antisense or sense oligonucleotides, according to the present invention, comprise a fragment generally at least about 14 nucleotides, preferably from about 14 to 30 nucleotides. The ability to derive an antisense or a sense oligonucleotide, based upon a cDNA sequence encoding a given protein is described in, e.g., Stein & Cohen (Cancer Res. 48:2659 (1988 and van der Krol et al. (BioTechniques 6:958 (1988)).

20 Ribozymes

5

10

15

25

30

In addition to antisense polynucleotides, ribozymes can be used to target and inhibit transcription of breast cancer-associated nucleotide sequences. A ribozyme is an RNA molecule that catalytically cleaves other RNA molecules. Different kinds of ribozymes have been described, including group I ribozymes, hammerhead ribozymes, hairpin ribozymes, RNase P, and axhead ribozymes (see, e.g., Castanotto et al., Adv. in Pharmacology 25: 289-317 (1994) for a general review of the properties of different ribozymes).

The general features of hairpin ribozymes are described, e.g., in Hampel *et al.*, *Nucl. Acids Res.* 18:299-304 (1990); European Patent Publication No. 0 360 257; U.S. Patent No. 5,254,678. Methods of preparing are well known to those of skill in the art (*see, e.g.*,

WO 94/26877; Ojwang et al., Proc. Natl. Acad. Sci. USA 90:6340-6344 (1993); Yamada et al., Human Gene Therapy 1:39-45 (1994); Leavitt et al., Proc. Natl. Acad. Sci. USA 92:699-703 (1995); Leavitt et al., Human Gene Therapy 5:1151-120 (1994); and Yamada et al., Virology 205: 121-126 (1994)).

5

10

15

- 20

25

Polynucleotide modulators of breast cancer may be introduced into a cell containing the target nucleotide sequence by formation of a conjugate with a ligand binding molecule, as described in WO 91/04753. Suitable ligand binding molecules include, but are not limited to, cell surface receptors, growth factors, other cytokines, or other ligands that bind to cell surface receptors. Preferably, conjugation of the ligand binding molecule does not substantially interfere with the ability of the ligand binding molecule to bind to its corresponding molecule or receptor, or block entry of the sense or antisense oligonucleotide or its conjugated version into the cell. Alternatively, a polynucleotide modulator of breast cancer may be introduced into a cell containing the target nucleic acid sequence, e.g., by formation of an polynucleotide-lipid complex, as described in WO 90/10448. It is understood that the use of antisense molecules or knock out and knock in models may also be used in screening assays as discussed above, in addition to methods of treatment.

Thus, in one embodiment, methods of modulating breast cancer in cells or organisms are provided. In one embodiment, the methods comprise administering to a cell an anti-breast cancer antibody that reduces or eliminates the biological activity of an endogenous breast cancer protein. Alternatively, the methods comprise administering to a cell or organism a recombinant nucleic acid encoding a breast cancer protein. This may be accomplished in any number of ways. In a preferred embodiment, e.g. when the breast cancer sequence is down-regulated in breast cancer, such state may be reversed by increasing the amount of breast cancer gene product in the cell. This can be accomplished, e.g., by overexpressing the endogenous breast cancer gene or administering a gene encoding the breast cancer sequence, using known gene-therapy techniques, e.g.. In a preferred embodiment, the gene therapy techniques include the incorporation of the exogenous gene using enhanced homologous recombination (EHR), e.g. as described in PCT/US93/03868, hereby incorporated by reference in its entirety. Alternatively, e.g. when the breast cancer

sequence is up-regulated in breast cancer, the activity of the endogenous breast cancer gene is decreased, e.g. by the administration of a breast cancer antisense nucleic acid.

In one embodiment, the breast cancer proteins of the present invention may be used to generate polyclonal and monoclonal antibodies to breast cancer proteins. Similarly, the breast cancer proteins can be coupled, using standard technology, to affinity chromatography columns. These columns may then be used to purify breast cancer antibodies useful for production, diagnostic, or therapeutic purposes. In a preferred embodiment, the antibodies are generated to epitopes unique to a breast cancer protein; that is, the antibodies show little or no cross-reactivity to other proteins. The breast cancer antibodies may be coupled to standard affinity chromatography columns and used to purify breast cancer proteins. The antibodies may also be used as blocking polypeptides, as outlined above, since they will specifically bind to the breast cancer protein.

Methods of identifying variant breast cancer-associated sequences

5

10

15

20

25

30

Without being bound by theory, expression of various breast cancer sequences is correlated with breast cancer. Accordingly, disorders based on mutant or variant breast cancer genes may be determined. In one embodiment, the invention provides methods for identifying cells containing variant breast cancer genes, e.g., determining all or part of the sequence of at least one endogenous breast cancer genes in a cell. This may be accomplished using any number of sequencing techniques. In a preferred embodiment, the invention provides methods of identifying the breast cancer genotype of an individual, e.g., determining all or part of the sequence of at least one breast cancer gene of the individual. This is generally done in at least one tissue of the individual, and may include the evaluation of a number of tissues or different samples of the same tissue. The method may include comparing the sequence of the sequenced breast cancer gene to a known breast cancer gene, i.e., a wild-type gene.

The sequence of all or part of the breast cancer gene can then be compared to the sequence of a known breast cancer gene to determine if any differences exist. This can be done using any number of known homology programs, such as Bestfit, etc. In a preferred embodiment, the presence of a difference in the sequence between the breast cancer gene of

the patient and the known breast cancer gene correlates with a disease state or a propensity for a disease state, as outlined herein.

In a preferred embodiment, the breast cancer genes are used as probes to determine the number of copies of the breast cancer gene in the genome.

In another preferred embodiment, the breast cancer genes are used as probes to determine the chromosomal localization of the breast cancer genes. Information such as chromosomal localization finds use in providing a diagnosis or prognosis in particular when chromosomal abnormalities such as translocations, and the like are identified in the breast cancer gene locus.

10

15

20

25

30

5

Administration of pharmaceutical and vaccine compositions

In one embodiment, a therapeutically effective dose of a breast cancer protein or modulator thereof, is administered to a patient. By "therapeutically effective dose" herein is meant a dose that produces effects for which it is administered. The exact dose will depend on the purpose of the treatment, and will be ascertainable by one skilled in the art using known techniques (e.g., Ansel et al., Pharmaceutical Dosage Forms and Drug Delivery; Lieberman, Pharmaceutical Dosage Forms (vols. 1-3, 1992), Dekker, ISBN 0824770846, 082476918X, 0824712692, 0824716981; Lloyd, The Art, Science and Technology of Pharmaceutical Compounding (1999); and Pickar, Dosage Calculations (1999)). As is known in the art, adjustments for breast cancer degradation, systemic versus localized delivery, and rate of new protease synthesis, as well as the age, body weight, general health, sex, diet, time of administration, drug interaction and the severity of the condition may be necessary, and will be ascertainable with routine experimentation by those skilled in the art. U.S. Patent Application N. 09/687,576, further discloses the use of compositions and methods of diagnosis and treatment in breast cancer is hereby expressly incorporated by reference.

A "patient" for the purposes of the present invention includes both humans and other animals, particularly mammals. Thus the methods are applicable to both human therapy and veterinary applications. In the preferred embodiment the patient is a mammal, preferably a primate, and in the most preferred embodiment the patient is human.

The administration of the breast cancer proteins and modulators thereof of the present invention can be done in a variety of ways as discussed above, including, but not limited to, orally, subcutaneously, intravenously, intranasally, transdermally, intraperitoneally, intramuscularly, intrapulmonary, vaginally, rectally, or intraocularly. In some instances, e.g., in the treatment of wounds and inflammation, the breast cancer proteins and modulators may be directly applied as a solution or spray.

5

10

15

20

25

The pharmaceutical compositions of the present invention comprise a breast cancer protein in a form suitable for administration to a patient. In the preferred embodiment, the pharmaceutical compositions are in a water soluble form, such as being present as pharmaceutically acceptable salts, which is meant to include both acid and base addition salts. "Pharmaceutically acceptable acid addition salt" refers to those salts that retain the biological effectiveness of the free bases and that are not biologically or otherwise undesirable, formed with inorganic acids such as hydrochloric acid, hydrobromic acid, sulfuric acid, nitric acid, phosphoric acid and the like, and organic acids such as acetic acid, propionic acid, glycolic acid, pyruvic acid, oxalic acid, maleic acid, malonic acid, succinic acid, fumaric acid, tartaric acid, citric acid, benzoic acid, cinnamic acid, mandelic acid, methanesulfonic acid, ethanesulfonic acid, p-toluenesulfonic acid, salicylic acid and the like. "Pharmaceutically acceptable base addition salts" include those derived from inorganic bases such as sodium, potassium, lithium, ammonium, calcium, magnesium, iron, zinc, copper, manganese, aluminum salts and the like. Particularly preferred are the ammonium, potassium, sodium, calcium, and magnesium salts. Salts derived from pharmaceutically acceptable organic non-toxic bases include salts of primary, secondary, and tertiary amines, substituted amines including naturally occurring substituted amines, cyclic amines and basic ion exchange resins, such as isopropylamine, trimethylamine, diethylamine, triethylamine, tripropylamine, and ethanolamine.

The pharmaceutical compositions may also include one or more of the following: carrier proteins such as serum albumin; buffers; fillers such as microcrystalline cellulose, lactose, corn and other starches; binding agents; sweeteners and other flavoring agents; coloring agents; and polyethylene glycol.

The pharmaceutical compositions can be administered in a variety of unit dosage forms depending upon the method of administration. For example, unit dosage forms suitable for oral administration include, but are not limited to, powder, tablets, pills, capsules and lozenges. It is recognized that breast cancer protein modulators (e.g., antibodies, antisense constructs, ribozymes, small organic molecules, etc.) when administered orally, should be protected from digestion. This is typically accomplished either by complexing the molecule(s) with a composition to render it resistant to acidic and enzymatic hydrolysis, or by packaging the molecule(s) in an appropriately resistant carrier, such as a liposome or a protection barrier. Means of protecting agents from digestion are well known in the art.

5

10

15

25

30

The compositions for administration will commonly comprise a breast cancer protein modulator dissolved in a pharmaceutically acceptable carrier, preferably an aqueous carrier. A variety of aqueous carriers can be used, e.g., buffered saline and the like. These solutions are sterile and generally free of undesirable matter. These compositions may be sterilized by conventional, well known sterilization techniques. The compositions may contain pharmaceutically acceptable auxiliary substances as required to approximate physiological conditions such as pH adjusting and buffering agents, toxicity adjusting agents and the like, e.g., sodium acetate, sodium chloride, potassium chloride, calcium chloride, sodium lactate and the like. The concentration of active agent in these formulations can vary widely, and will be selected primarily based on fluid volumes, viscosities, body weight and the like in accordance with the particular mode of administration selected and the patient's needs (e.g., Remington's Pharmaceutical Science (15th ed., 1980) and Goodman & Gillman, The Pharmacologial Basis of Therapeutics (Hardman et al., eds., 1996)).

Thus, a typical pharmaceutical composition for intravenous administration would be about 0.1 to 10 mg per patient per day. Dosages from 0.1 up to about 100 mg per patient per day may be used, particularly when the drug is administered to a secluded site and not into the blood stream, such as into a body cavity or into a lumen of an organ. Substantially higher dosages are possible in topical administration. Actual methods for preparing parenterally administrable compositions will be known or apparent to those skilled in the art, e.g., Remington's Pharmaceutical Science and Goodman and Gillman, The Pharmacologial Basis of Therapeutics, supra.

The compositions containing modulators of breast cancer proteins can be administered for therapeutic or prophylactic treatments. In therapeutic applications, compositions are administered to a patient suffering from a disease (e.g., a cancer) in an amount sufficient to cure or at least partially arrest the disease and its complications. An amount adequate to accomplish this is defined as a "therapeutically effective dose." Amounts effective for this use will depend upon the severity of the disease and the general state of the patient's health. Single or multiple administrations of the compositions may be administered depending on the dosage and frequency as required and tolerated by the patient. In any event, the composition should provide a sufficient quantity of the agents of this invention to effectively treat the patient. An amount of modulator that is capable of preventing or slowing the development of cancer in a mammal is referred to as a "prophylactically effective dose." The particular dose required for a prophylactic treatment will depend upon the medical condition and history of the mammal, the particular cancer being prevented, as well as other factors such as age, weight, gender, administration route, efficiency, etc. Such prophylactic treatments may be used, e.g., in a mammal who has previously had cancer to prevent a recurrence of the cancer, or in a mammal who is suspected of having a significant likelihood of developing cancer.

5

10

15

20

25

30

It will be appreciated that the present breast cancer protein-modulating compounds can be administered alone or in combination with additional breast cancer modulating compounds or with other therapeutic agent, e.g., other anti-cancer agents or treatments.

In numerous embodiments, one or more nucleic acids, e.g., polynucleotides comprising nucleic acid sequences set forth in Tables 1-25, such as antisense polynucleotides or ribozymes, will be introduced into cells, in vitro or in vivo. The present invention provides methods, reagents, vectors, and cells useful for expression of breast cancer-associated polypeptides and nucleic acids using in vitro (cell-free), ex vivo or in vivo (cell or organism-based) recombinant expression systems.

The particular procedure used to introduce the nucleic acids into a host cell for expression of a protein or nucleic acid is application specific. Many procedures for introducing foreign nucleotide sequences into host cells may be used. These include the use

of calcium phosphate transfection, spheroplasts, electroporation, liposomes, microinjection, plasma vectors, viral vectors and any of the other well known methods for introducing cloned genomic DNA, cDNA, synthetic DNA or other foreign genetic material into a host cell (see, e.g., Berger & Kimmel, Guide to Molecular Cloning Techniques, Methods in Enzymology volume 152 (Berger), Ausubel et al., eds., Current Protocols (supplemented through 1999), and Sambrook et al., Molecular Cloning - A Laboratory Manual (2nd ed., Vol. 1-3, 1989.

5

10

15

20

25

30

In a preferred embodiment, breast cancer proteins and modulators are administered as therapeutic agents, and can be formulated as outlined above. Similarly, breast cancer genes (including both the full-length sequence, partial sequences, or regulatory sequences of the breast cancer coding regions) can be administered in a gene therapy application. These breast cancer genes can include antisense applications, either as gene therapy (i.e. for incorporation into the genome) or as antisense compositions, as will be appreciated by those in the art.

Breast cancer polypeptides and polynucleotides can also be administered as vaccine compositions to stimulate HTL, CTL and antibody responses.. Such vaccine compositions can include, e.g., lipidated peptides (see, e.g., Vitiello, A. et al., J. Clin. Invest. 95:341 (1995)), peptide compositions encapsulated in poly(DL-lactide-co-glycolide) ("PLG") microspheres (see, e.g., Eldridge, et al., Molec. Immunol. 28:287-294, (1991); Alonso et al., Vaccine 12:299-306 (1994); Jones et al., Vaccine 13:675-681 (1995)), peptide compositions contained in immune stimulating complexes (ISCOMS) (see, e.g., Takahashi et al., Nature 344:873-875 (1990); Hu et al., Clin Exp Immunol. 113:235-243 (1998)), multiple antigen peptide systems (MAPs) (see, e.g., Tam, Proc. Natl. Acad. Sci. U.S.A. 85:5409-5413 (1988); Tam, J. Immunol. Methods 196:17-32 (1996)), peptides formulated as multivalent peptides; peptides for use in ballistic delivery systems, typically crystallized peptides, viral delivery vectors (Perkus, et al., In: Concepts in vaccine development (Kaufmann, ed., p. 379, 1996); Chakrabarti, et al., Nature 320:535 (1986); Hu et al., Nature 320:537 (1986); Kieny, et al., AIDS Bio/Technology 4:790 (1986); Top et al., J. Infect. Dis. 124:148 (1971); Chanda et al., Virology 175:535 (1990)), particles of viral or synthetic origin (see, e.g., Kofler et al., J. Immunol. Methods. 192:25 (1996); Eldridge et al., Sem. Hematol. 30:16 (1993); Falo et al., Nature Med. 7:649 (1995)), adjuvants (Warren et al., Annu. Rev. Immunol. 4:369 (1986);

Gupta et al., Vaccine 11:293 (1993)), liposomes (Reddy et al., J. Immunol. 148:1585 (1992); Rock, Immunol. Today 17:131 (1996)), or, naked or particle absorbed cDNA (Ulmer, et al., Science 259:1745 (1993); Robinson et al., Vaccine 11:957 (1993); Shiver et al., In: Concepts in vaccine development (Kaufmann, ed., p. 423, 1996); Cease & Berzofsky, Annu. Rev. Immunol. 12:923 (1994) and Eldridge et al., Sem. Hematol. 30:16 (1993)). Toxin-targeted delivery technologies, also known as receptor mediated targeting, such as those of Avant Immunotherapeutics, Inc. (Needham, Massachusetts) may also be used.

Vaccine compositions often include adjuvants. Many adjuvants contain a substance designed to protect the antigen from rapid catabolism, such as aluminum hydroxide or mineral oil, and a stimulator of immune responses, such as lipid A, *Bortadella pertussis* or *Mycobacterium tuberculosis* derived proteins. Certain adjuvants are commercially available as, e.g., Freund's Incomplete Adjuvant and Complete Adjuvant (Difco Laboratories, Detroit, MI); Merck Adjuvant 65 (Merck and Company, Inc., Rahway, NI); AS-2 (SmithKline Beecham, Philadelphia, PA); aluminum salts such as aluminum hydroxide gel (alum) or aluminum phosphate; salts of calcium, iron or zinc; an insoluble suspension of acylated tyrosine; acylated sugars; cationically or anionically derivatized polysaccharides; polyphosphazenes; biodegradable microspheres; monophosphoryl lipid A and quil A. Cytokines, such as GM-CSF, interleukin-2, -7, -12, and other like growth factors, may also be used as adjuvants.

10

15

20.

25

30

Vaccines can be administered as nucleic acid compositions wherein DNA or RNA encoding one or more of the polypeptides, or a fragment thereof, is administered to a patient. This approach is described, for instance, in Wolff et. al., Science 247:1465 (1990) as well as U.S. Patent Nos. 5,580,859; 5,589,466; 5,804,566; 5,739,118; 5,736,524; 5,679,647; WO 98/04720; and in more detail below. Examples of DNA-based delivery technologies include "naked DNA", facilitated (bupivicaine, polymers, peptide-mediated) delivery, cationic lipid complexes, and particle-mediated ("gene gun") or pressure-mediated delivery (see, e.g., U.S. Patent No. 5,922,687).

For therapeutic or prophylactic immunization purposes, the peptides of the invention can be expressed by viral or bacterial vectors. Examples of expression vectors include attenuated viral hosts, such as vaccinia or fowlpox. This approach involves the use of

vaccinia virus, e.g., as a vector to express nucleotide sequences that encode breast cancer polypeptides or polypeptide fragments. Upon introduction into a host, the recombinant vaccinia virus expresses the immunogenic peptide, and thereby elicits an immune response. Vaccinia vectors and methods useful in immunization protocols are described in, e.g., U.S. Patent No. 4,722,848. Another vector is BCG (Bacille Calmette Guerin). BCG vectors are described in Stover et al., Nature 351:456-460 (1991). A wide variety of other vectors useful for therapeutic administration or immunization e.g. adeno and adeno-associated virus vectors, retroviral vectors, Salmonella typhi vectors, detoxified anthrax toxin vectors, and the like, will be apparent to those skilled in the art from the description herein (see, e.g., Shata et al., Mol Med Today 6:66-71 (2000); Shedlock et al., J Leukoc Biol 68:793-806 (2000); Hipp et al., In Vivo 14:571-85 (2000)).

Methods for the use of genes as DNA vaccines are well known, and include placing a breast cancer gene or portion of a breast cancer gene under the control of a regulatable promoter or a tissue-specific promoter for expression in a breast cancer patient. The breast cancer gene used for DNA vaccines can encode full-length breast cancer proteins, but more preferably encodes portions of the breast cancer proteins including peptides derived from the breast cancer protein. In one embodiment, a patient is immunized with a DNA vaccine comprising a plurality of nucleotide sequences derived from a breast cancer gene. For example, breast cancer-associated genes or sequence encoding subfragments of a breast cancer protein are introduced into expression vectors and tested for their immunogenicity in the context of Class I MHC and an ability to generate cytotoxic T cell responses. This procedure provides for production of cytotoxic T cell responses against cells which present antigen, including intracellular epitopes.

15

20

25

30

In a preferred embodiment, the DNA vaccines include a gene encoding an adjuvant molecule with the DNA vaccine. Such adjuvant molecules include cytokines that increase the immunogenic response to the breast cancer polypeptide encoded by the DNA vaccine. Additional or alternative adjuvants are available.

In another preferred embodiment breast cancer genes find use in generating animal models of breast cancer. When the breast cancer gene identified is repressed or diminished in cancer tissue, gene therapy technology, e.g., wherein antisense RNA directed

to the breast cancer gene will also diminish or repress expression of the gene. Animal models of breast cancer find use in screening for modulators of a breast cancer-associated sequence or modulators of breast cancer. Similarly, transgenic animal technology including gene knockout technology, e.g. as a result of homologous recombination with an appropriate gene targeting vector, will result in the absence or increased expression of the breast cancer protein. When desired, tissue-specific expression or knockout of the breast cancer protein may be necessary.

It is also possible that the breast cancer protein is overexpressed in breast cancer. As such, transgenic animals can be generated that overexpress the breast cancer protein. Depending on the desired expression level, promoters of various strengths can be employed to express the transgene. Also, the number of copies of the integrated transgene can be determined and compared for a determination of the expression level of the transgene. Animals generated by such methods find use as animal models of breast cancer and are additionally useful in screening for modulators to treat breast cancer.

15

20

25.

10

5

Kits for Use in Diagnostic and/or Prognostic Applications

For use in diagnostic, research, and therapeutic applications suggested above, kits are also provided by the invention. In the diagnostic and research applications such kits may include any or all of the following: assay reagents, buffers, breast cancer-specific nucleic acids or antibodies, hybridization probes and/or primers, antisense polynucleotides, ribozymes, dominant negative breast cancer polypeptides or polynucleotides, small molecules inhibitors of breast cancer-associated sequences *etc*. A therapeutic product may include sterile saline or another pharmaceutically acceptable emulsion and suspension base.

In addition, the kits may include instructional materials containing directions (i.e., protocols) for the practice of the methods of this invention. While the instructional materials typically comprise written or printed materials they are not limited to such. Any medium capable of storing such instructions and communicating them to an end user is contemplated by this invention. Such media include, but are not limited to electronic storage media (e.g., magnetic discs, tapes, cartridges, chips), optical media (e.g., CD ROM), and the

like. Such media may include addresses to internet sites that provide such instructional materials.

The present invention also provides for kits for screening for modulators of breast cancer-associated sequences. Such kits can be prepared from readily available materials and reagents. For example, such kits can comprise one or more of the following materials: a breast cancer-associated polypeptide or polynucleotide, reaction tubes, and instructions for testing breast cancer-associated activity. Optionally, the kit contains biologically active breast cancer protein. A wide variety of kits and components can be prepared according to the present invention, depending upon the intended user of the kit and the particular needs of the user. Diagnosis would typically involve evaluation of a plurality of genes or products. The genes will be selected based on correlations with important parameters in disease which may be identified in historical or outcome data.

15 EXAMPLES

10

20

25

30

Example 1: Tissue Preparation, Labeling Chips, and Fingerprints

Purifying total RNA from tissue sample using TRIzol Reagent.

The sample weight is first estimated. The tissue samples are homogenized in 1 ml of TRIzol per 50 mg of tissue using a homogenizer (e.g., Polytron 3100). The size of the generator/probe used depends upon the sample amount. A generator that is too large for the amount of tissue to be homogenized will cause a loss of sample and lower RNA yield. A larger generator (e.g., 20 mm) is suitable for tissue samples weighing more than 0.6 g. Fill tubes should not be overfilled. If the working volume is greater than 2 ml and no greater than 10 ml, a 15 ml polypropylene tube (Falcon 2059) is suitable for homogenization.

Tissues should be kept frozen until homogenized. The TRIzol is added directly to the frozen tissue before homogenization. Following homogenization, the insoluble material is removed from the homogenate by centrifugation at 7500 x g for 15 min. in a Sorvall superspeed or 12,000 x g for 10 min. in an Eppendorf centrifuge at 4°C. The cleared

homogenate is then transferred to a new tube(s). Samples may be frozen and stored at -60 to -70°C for at least one month or else continue with the purification.

The next process is phase separation. The homogenized samples are incubated for 5 minutes at room temperature. Then, 0.2 ml of chloroform per 1ml of TRIzol reagent is added to the homogenization mixture. The tubes are securely capped and shaken vigorously by hand (do not vortex) for 15 seconds. The samples are then incubated at room temp. for 2-3 minutes and next centrifuged at 6500 rpm in a Sorvall superspeed for 30 min. at 4oC.

5

10

20

25

The next process is RNA Precipitation. The aqueous phase is transferred to a fresh tube. The organic phase can be saved if isolation of DNA or protein is desired. Then 0.5 ml of isopropyl alcohol is added per 1ml of TRIzol reagent used in the original homogenization. Then, the tubes are securely capped and inverted to mix. The samples are then incubated at room temp. for 10 minutes an centrifuged at 6500 rpm in Sorvall for 20 min. at 4°C.

The RNA is then washed. The supernatant is poured off and the pellet washed with cold 75% ethanol. 1 ml of 75% ethanol is used per 1 ml of the TRIzol reagent used in the initial homogenization. The tubes are capped securely and inverted several times to loosen pellet without vortexing. They are next centrifuged at <8000 rpm (<7500 x g) for 5 minutes at 4°C.

The RNA wash is decanted. The pellet is carefully transferred to an Eppendorf tube (sliding down the tube into the new tube by use of a pipet tip to help guide it in if necessary). Tube(s) sizes for precipitating the RNA depending on the working volumes. Larger tubes may take too long to dry. Dry pellet. The RNA is then resuspended in an appropriate volume (e.g., 2 -5 ug/ul) of DEPC H₂0. The absorbance is then measured.

The poly A+ mRNA may next be purified from total RNA by other methods such as Qiagen's RNeasy kit. The poly A + mRNA is purified from total RNA by adding the oligotex suspension which has been heated to 37°C and mixing prior to adding to RNA.

The Elution Buffer is incubated at 70°C. If there is precipitate in the buffer, warm up the 2 x Binding Buffer at 65°C. The the total RNA is mixed with DEPC-treated water, 2 x Binding

Buffer, and Oligotex according to Table 2 on page 16 of the Oligotex Handbook and next incubated for 3 minutes at 65°C and 10 minutes at room temperature.

The preparation is centrifuged for 2 minutes at 14,000 to 18,000 g, preferably, at a "soft setting," The supernatant is removed without disturbing Oligotex pellet. A little bit of solution can be left behind to reduce the loss of Oligotex. The supernatant is saved until satisfactory binding and elution of poly A⁺ mRNA has been found.

Then, the preparation is gently resuspended in Wash Buffer OW2 and pipetted onto the spin column and centrifuged at full speed (soft setting if possible) for 1 minute.

Next, the spin column is transferred to a new collection tube and gently resuspended in Wash Buffer OW2 and centrifuged as described herein.

5

10

15

20

25

Then, the spin column is transferred to a new tube and eluted with 20 to 100 ul of preheated (70°C) Elution Buffer. The Oligotex resin is gently resuspended by pipetting up and down. The centrifugation is repeated as above and the elution repeated with fresh elution buffer or first eluate to keep the elution volume low.

The absorbance is next read to determine the yield, using diluted Elution Buffer as the blank.

Before proceeding with cDNA synthesis, the mRNA is precipitated before proceeding with cDNA synthesis, as components leftover or in the Elution Buffer from the Oligotex purification procedure will inhibit downstream enzymatic reactions of the mRNA. 0.4 vol. of 7.5 M NH4OAc + 2.5 vol. of cold 100% ethanol is added and the preparation precipitated at -20°C 1 hour to overnight (or 20-30 min. at -70°C), and centrifuged at 14,000-16,000 x g for 30 minutes at 4°C. Next, the pellet is washed with 0.5 ml of 80% ethanol (-20°C) and then centrifuged at 14,000-16,000 x g for 5 minutes at room temperature. The 80% ethanol wash is then repeated. The last bit of ethanol from the pellet is then dried without use of a speed vacuum and the pellet is then resuspended in DEPC H₂0 at 1ug/ul concentration.

Alternatively the RNA may be purified using other methods (e.g., Qiagen's RNeasy kit).

No more than 100 ug is added to the RNeasy column. The sample volume is adjusted to 100 ul with RNase-free water. 350 ul Buffer RLT and then 250 ul ethanol (100%) are added to the sample. The preparation is then mixed by pipetting and applied to an RNeasy mini spin column for centrifugation (15 sec at >10,000 rpm). If yield is low, reapply the flowthrough to the column and centrifuge again.

Then, transfer column to a new 2 ml collection tube and add 500 ul Buffer RPE and centrifuge for 15 sec at >10,000 rpm. The flowthrough is discarded. 500 ul Buffer RPE and is then added and the preparation is centriuged for 15 sec at >10,000 rpm. The flowthrough is discarded. and the column membrane dried by centrifuging for 2 min at maximum speed. The column is transferred to a new 1.5-ml collection tube. 30-50 ul of RNase-free water is applied directly onto column membrane. The column is then centrifuged for 1 min at >10,000 rpm and the elution step repeated.

The absorbance is then read to determine yield. If necessary, the material may be ethanol precipitated with ammonium acetate and 2.5X volume 100% ethanol.

15

20 ·

10

5

First Strand cDNA Synthesis

The first strand can be make using using Gibco's "SuperScript Choice System for cDNA Synthesis" kit. The starting material is 5 ug of total RNA or 1 ug of polyA+ mRNAl. For total RNA, 2 ul of SuperScript RT is used; for polyA+ mRNA, 1 ul of SuperScript RT is used. The final volume of first strand synthesis mix is 20 ul. The RNA should be in a volume no greater than 10 ul. The RNA is incubated with 1 ul of 100 pmol T7-T24 oligo for 10 min at 70°C followed by addition on ice of 7 ul of: 4ul 5X 1st Strand Buffer, 2 ul of 0.1M DTT, and 1 ul of 10mM dNTP mix. The preparation is then incubated at 37°C for 2 min before addition of the SuperScript RT followed by incubation at 37°C for 1

25 hour.

30

Second Strand Synthesis

For the second strand synthesis, place 1st strand reactions on ice and add: 91 ul DEPC H₂0; 30 ul 5X 2nd Strand Buffer; 3 ul 10mM dNTP mix; 1 ul 10 U/ul E.coli DNA Ligase; 4 ul 10·U/ul E.coli DNA Polymerase; and 1 ul 2 U/ul RNase H. Mix and incubate 2

hours at 16°C. Add 2 ul T4 DNA Polymerase. Incubate 5 min at 16°C. Add 10 ul of 0.5M EDTA.

Cleaning up cDNA

The cDNA is purified using Phenol:Chloroform:Isoamyl Alcohol (25:24:1) and Phase-Lock gel tubes. The PLG tubes are centrifuged for 30 sec at maximum speed. The cDNA mix is then transferred to PLG tube. An equal volume of phenol:chloroform:isamyl alcohol is then added, the preparation shaken vigorously (no vortexing), and centrifuged for 5 minutes at maximum speed. The top aqueous solution is transferred to a new tube and ethanol precipitated by adding 7.5X 5M NH4OAc and 2.5X volume of 100% ethanol. Next, it is centrifuged immediately at room temperature for 20 min, maximum speed. The supernatant is removed, and the pellet washed with 2X with cold 80% ethanol. As much ethanol wash as possible should be removed before air drying the pellet; and resuspending it in 3 ul RNase-free water.

15

20

25

30

10

5

In vitro Transcription (IVT) and labeling with biotin

In vitro Transcription (IVT) and labeling with biotin is performed as follows: Pipet 1.5 ul of cDNA into a thin-wall PCR tube. Make NTP labeling mix by combining 2 ul T7 10xATP (75 mM) (Ambion); 2 ul T7 10xGTP (75 mM) (Ambion); 1.5 ul T7 10xCTP (75 mM) (Ambion); 1.5 ul T7 10xUTP (75 mM) (Ambion); 3.75 ul 10 mM Bio-11-UTP (Boehringer-Mannheim/Roche or Enzo); 3.75 ul 10 mM Bio-16-CTP (Enzo); 2 ul 10x T7 transcription buffer (Ambion); and 2 ul 10x T7 enzyme mix (Ambion). The final volume is 20 ul. Incubate 6 hours at 37°C in a PCR machine. The RNA can be furthered cleaned. Clean-up follows the previous instructions for RNeasy columns or Qiagen's RNeasy protocol handbook. The cRNA often needs to be ethanol precipitated by resuspension in a volume compatible with the fragmentation step.

Fragmentation is performed as follows. 15 ug of labeled RNA is usually fragmented. Try to minimize the fragmentation reaction volume; a 10 ul volume is recommended but 20 ul is all right. Do not go higher than 20 ul because the magnesium in the fragmentation buffer contributes to precipitation in the hybridization buffer. Fragment

RNA by incubation at 94 C for 35 minutes in 1 x Fragmentation buffer (5 x Fragmentation buffer is 200 mM Tris-acetate, pH 8.1; 500 mM KOAc; 150 mM MgOAc). The labeled RNA transcript can be analyzed before and after fragmentation. Samples can be heated to 65°C for 15 minutes and electrophoresed on 1% agarose/TBE gels to get an approximate idea of the transcript size range

For hybridization, 200 ul (10 ug cRNA) of a hybridization mix is put on the chip. If multiple hybridizations are to be done (such as cycling through a 5 chip set), then it is recommended that an initial hybridization mix of 300 ul or more be made. The hybridization mix is: fragment labeled RNA (50 ng/ul final conc.); 50 pM 948-b control oligo; 1.5 pM BioB; 5 pM BioC; 25 pM BioD; 100 pM CRE; 0.1 mg/ml herring sperm DNA; 0.5 mg/ml acetylated BSA; and 300 ul with 1xMES hyb buffer.

The hybridization reaction is conducted with non-biotinylated IVT (purified by RNeasy columns) (see example 1 for steps from tissue to IVT): The following mixture is prepared:

15 IVT antisense RNA; 4 μg: μl
Random Hexamers (1 μg/μl): 4 μl
H₂O: μl
14 μl

5

10

25

Incubate the above 14 µl mixture at 70°C for 10 min.; then put on ice.

The Reverse transcription procedure uses the following mixture:

0.1 M DTT: 3 μl
50X dNTP mix: 0.6 μl
H₂O: 2.4 μl
Cy3 or Cy5 dUTP (1mM): 3 μl
SS RT II (BRL): 1 μl

The above solution is added to the hybridization reaction and incubated for 30 min., 42° C. Then, 1 μ l SSII is added and incubated for another hour before being placed on ice.

The 50X dNTP mix contains 25mM of cold dATP, dCTP, and dGTP, 10mM of dTTP and is made by adding 25 μ l each of 100mM dATP, dCTP, and dGTP; 10 μ l of 100mM dTTP to 15 μ l H₂O.]

RNA degradation is performed as follows. Add 86 µl H₂O, 1.5 µl 1M NaOH/2 mM EDTA and incubate at 65°C, 10 min.. For U-Con 30, 500 µl TE/sample spin at 7000 g for 10 min, save flow through for purification. For Qiagen purification, suspend u-con recovered material in 500 µl buffer PB and proceed using Qiagen protocol. For DNAse digestion, add 1 ul of 1/100 dilution of DNAse/30 ul Rx and incubate at 37°C for 15 min. Incubate at 5 min 95°C to denature the DNAse.

10

15

5

Sample preparation

For sample preparation, add Cot-1 DNA, 10 µl; 50X dNTPs, 1 µl; 20X SSC, 2.3 µl; Na pyro phosphate, 7.5 µl; 10 mg/ml Herring sperm DNA; 1 ul of 1/10 dilution to 21.8 final vol. Dry in speed vac. Resuspend in 15 µl H₂0. Add 0.38 µl 10% SDS. Heat 95°C, 2 min and slow cool at room temp. for 20 min. Put on slide and hybridize overnight at 64°C. Washing after the hybridization: 3X SSC/0.03% SDS: 2 min., 37.5 ml 20X SSC+0.75ml 10% SDS in 250ml H₂O; 1X SSC: 5 min., 12.5 ml 20X SSC in 250ml H₂O; 0.2X SSC: 5 min., 2.5 ml 20X SSC in 250ml H₂O. Dry slides and scan at appropriate PMT's and channels.

TABLE 1: Figure 1 from BRCA 001 US

Table 1 shows genes, (incorporated in their entirety here and throughout the application where primekeys are provided), downregulated in tumor tissue compared to normal breast tissue.

10	Pkev:	11	niano Eos probo	oot identifier number				
	ExAcon: Exer			ique Eos probeset identifier number emplar Accession number, Genbank accession number igene number				
15	Unigene R1:		Unigene gene title Ratio of normal breast tissue to tumor					
			tano or normal product doorse to tamor					
	Pkey	ExAcon	HeisenelD	UnigeneTitle	R1			
	rkcy	LANCOI	Olingenein	Ongeneriae				
20	100472	D90084	Hs.1023	pyruvate dehydrogenase (lipoamide) alpha	5			
	100499	T51986	Hs.283108	hemoglobin, gamma G	10			
	100545	M55405		gb:Homo sapiens mucin (MUC-3) mRNA, part	5			
		BE142019		Homo sapiens cDNA FLJ11572 fis, clone HE	10			
0.5		X52078		transcription factor 3 (E2A immunoglobul	5			
25		BE259039		Ewing sarcoma breakpoint region 1	5			
		X16841	Hs.167988	neural cell adhesion molecule 1	5			
		A03758		NM_000477*:Homo sapiens albumin (ALB), m	10			
		L27065		gb:Human neurofibromatosis 2 (NF2) mRNA,	5			
30		M60832		collagen, type VIII, alpha 2	5 10			
30		BE379727	Hs.83213	fatty acid binding protein 4, adipocyte	5			
		AJ250562 M90424	Hs.82749 Hs.2099	transmembrane 4 superfamily member 2 lipocalin 1 (protein migrating faster th	5			
		NM_00167		activating transcription factor 3	10			
		NM_00673		FBJ murine osteosarcoma viral oncogene h	10			
35		X03350	Hs.4	alcohol dehydrogenase 1B (class I), beta	10			
-		M21305		gb:Human alpha satellite and satellite 3	10			
		N98569	Hs.76422	phospholipase A2, group IIA (platelets,	10			
		M27826		endogenous retroviral protease	10			
	101634	AV650262		GRO2 oncogene	5			
40	101736	M74447	Hs.502	transporter 2, ATP-binding cassette, sub	10			
	102208	U22961		gb:Human mRNA clone with similarity to L	10			
	102297	NM_00150	4 Hs.198252	G protein-coupled receptor 9	5			
		U48251	Hs.75871	•	10			
4.5		U89337		tenascin XB	10			
45		U60115	Hs.239069	four and a half LIM domains 1	5			
		AA313538	4 11- 70404	gb:EST185419 Colon carcinoma (HCC) cell	10			
		NM_00674		retinol-binding protein 4, interstitial	10			
		AA829286 X98085	Hs.54433	serum amyloid A1 tenascin R (restrictin, Janusin)	5			
50		AA081995		gb:zn26d06.r1 Stratagene neuroepithelium	10			
50		AA126129		gb:zm78c07.r1 Stratagene neuroepithelium	. 5			
		AA137107		Homo sapiens, clone MGC:16638, mRNA, com	10			
		AA326216		hypothetical protein MGC1136	5			
		AB041036			5			
55		R50727	Hs.336970		10			
		AA422123		gb:zv26h12.r1 Soares_NhHMPu_S1 Homo sapi	5			
		AL353957		hypothetical protein DKFZp434P0531	10			
		F06638		Homo sapiens clone 24734 mRNA sequence	10			
		AA426189		gb:zw11e09.r1 Soares_NhHMPu_S1 Homo sapi	5			
60		N73185	Hs.94285	EST	10			
		N91071	Hs.109650		10			
		N99542	Hs.572	orosomucoid 1	5 10			
	104532	Al498763	ns.203013	hypothetical protein FLJ12748	10			

		R24024 Y11312		Homo sapiens cDNA FLJ14673 fis, clone NT phosphoinositide-3-kinase, class 2, beta	5 5
		AW969769	Hs.105201		5
		AA009764	Hs.190380		10
5		AA017245	Hs.32794		10
•		AA019300		ESTs, Moderately similar to 154374 gene	10
		AI039243	Hs.278585		5
	105005	Al298208	Hs.28805	ESTs	10
		AA130390	Hs.25549	hypothetical protein FLJ20898	10
10		R61532		hypothetical protein FLJ22938	5
		AW970043	Hs.238039	hypothetical protein FLJ11090	5
		AA221036	11. 400440	gb:zr03f12.r1 Stratagene NT2 neuronal pr	10
		AA421973		ESTs, Weakly similar to T25731 hypotheti	5 5
15		BE242857 N79885	Hs.27021 Hs.6382	hypothetical protein FLJ11159 ESTs, Highly similar to T00391 hypotheti	10
IJ		AL359624		KIAA1453 protein	5
		AI803651	Hs.191608		10
		AW976171		hypothetical protein FLJ22233	5
		A1085846		KIAA1808 protein	10
20		AL042069		DKFZP434N061 protein	10
	106451	AW235928	Hs.313182	ESTs	10
	106491	AA135688	Hs.10083	Homo sapiens, clone IMAGE:4139786, mRNA,	10
	106700	AA906434	Hs.3776	zinc finger protein 216	5
0.5		AW054886	Hs.25682	Homo sapiens mRNA for KIAA1863 protein,	10
25		AI458623		gb:tk04g09.x1 NCI_CGAP_Lu24 Homo saptens	5
		AI983730	Hs.26530	serum deprivation response (phosphatidyl	5 5
		AI347578		hypothetical protein MGC2605	5
		AF128847 AJ223811	Hs.30127	indolethylamine N-methyltransferase hypothetical protein	5
30		A1446183	Hs.9572	ESTs, Highly similar to CYA5_HUMAN ADENY	5
50		AB006532	Hs.31442		10
		AI005036	Hs.334305		10
		AF127026	Hs.5394	myosin IA	10
	107242	AB020672	Hs.175411	KIAA0865 protein	10
35	107331	AI905985	Hs.111805		10
		U51704		ESTs, Moderately similar to ALU8_HUMAN A	5
		W26652	Hs.6163	PTEN induced putative kinase 1	5
		W28516	Hs.19210		10 10
40		AL042425		hypthetical protein PRO2389	5
40		AI092790 W38002	ns.334/03	hypothetical protein FLJ14529 Empirically selected from AFFX single pr	10
		N53167	Hs.47623		10
		W96141.	Hs.220687		10
		AA017462	Hs.269244		10
45		BE621721		hypothetical protein FLJ12387 similar to	10
		AA025060	Hs.61246		10
		BE271708	Hs.95110		10
		AA025836	Hs.191637		5
~~		AL049176	Hs.82223		10
50		AA043675	Hs.62633	ESTs	10 5
		AA093668	Hs.28578		10
		AA012881 AA059473	Hs.72531 Hs.66783	hypothetical protein FLJ11838 EST	10
		AA677927	Hs.144269		5
55		AA070500	110,141200	gb:zm70h03.s1 Stratagene neuroepithelium	5
33		AA071193		gb:zf79b12.s1 Soares_pineal_gland_N3HPG	10
		NM_006770	Hs.67726	macrophage receptor with collagenous str	5
	108392	AA075124		gb:zm86a01.s1 Stratagene ovarian cancer	10
		AA079079		gb:zm97c09.s1 Stratagene colon HT29 (937	10
60		AA085383		gb:zn13g03.s1 Stratagene hNT neuron (937	10
	108497	AA074897	11 40000	gb:zm85a05.r1 Stratagene ovarian cancer	10
	108604	AA934589	Hs.49696	ESTs	5 5
		AF117646		Cas-Br-M (murine) ectropic retroviral tr	10
65	108/00	AA121820 AA126583	Hs.74569 Hs.158725	KIAA0842 protein	10
U.S	100730	Al273692	Hs.110470		10
	109027	AI028376	Hs.73232		10

	109389	AA101325	Hs.86154	hypothetical protein FLJ12457	10
		F01449	Hs.26954	Homo sapiens mRNA; cDNA DKFZp762G123 (fr	5
		R40604		ESTs, Weakly similar to MCAT_HUMAN MITOC	10
5		A1094674	Hs.30524	ring finger protein 24	10 10
3		H46749 . W22165	Hs.31540 Hs.22586	ESTs ESTs	5
		AW294162		UDP-N-acetyl-alpha-D-galactosamine:polyp	10
		H51276	Hs.13526		10
		H52576		gb:yl85e08.r1 Soares_pineal_gland_N3HPG	5
10	110540	H72639	Hs.167608		5
		H60593	Hs.124990	ESTs	10
		AL044174		patched (Drosophila) homolog	10
		AI753316	Hs.26034	ESTs	5
15		N66616	MS.138629	H.sapiens mRNA for subtelomeric repeat s	5 10
13		AI798376 AJ224864	Hs.9688	gb:tr34b07.x1 NCI_CGAP_Ov23 Homo saplens leukocyte membrane antigen	5
		AA641636	Hs.37477	ESTs, Weakly similar to T46908 hypotheti	5
		R00144	Hs.189771		10
		Al168511		gb:ow90h09.s1 Soares_fetal_liver_spleen_	10
20		R16733 -	Hs.20499	ESTs	10
		R26065		gb:yh39d03.s1 Soares placenta Nb2HP Homo	5
		AA593731		ESTs, Moderately similar to ALU5_HUMAN A	10
		R42333	Hs.302292		10 10
25		AL117490 NM_006668	Hs.47225 Hs.25121	Ras-associated protein Rap1 cytochrome P450, subfamily 46 (cholestar	10
رع.		R51889	Hs.24990	ESTs	5
		R31094	Hs.24378	ESTs	10
	112588	R77302		gb:yl75h08.s1 Soares placenta Nb2HP Homo	10
		BE618629	Hs.268809		5
30		T98628	Hs.191290		5
		AI057205	Hs.14584	ESTs EST	5 10
		AA581428 T16837	Hs.5021 Hs.4241	ESTS	5
		T51588	,110.7271	gb:yb27e06.s1 Stratagene fetal spleen (9	10
35		T54659	Hs.301755	Homo saplens cDNA FLJ11465 fis, clone HE	5
	113203	AA743563	Hs.10305		5
		AW207424	Hs.332594		10
		N92359		ESTs, Moderately similar to A48752 B-cel	10
40		R16763 AA913635	Hs.268679	Homo sapiens cDNA FLJ20812 fis, clone AD	5 10
40		R06874		ESTs, Moderately similar to ALU1_HUMAN A	5
		AI791905	Hs.95549	hypothetical protein	10
		AI244311	Hs.26912	ESTs	10
		W07586	Hs.8045	ESTs	3
45		W86195	0=0.	gb:zh54e05.s1 Soares_fetal_liver_spleen_	. 10
		Z39319 AB018263	Hs.27347	EST	10 5
٠.		AA745978	Hs.28273	tumor necrosis factor receptor superfamil	5
		AA020736		gb:ze63b11.s1 Soares retina N2b4HR Homo	5
50		AA034378		endogenous retroviral protease	5 5 5 5
	114576	AA065096		gb:zm50a02.s1 Stratagene fibroblast (937	5
		AA081507		gb:zn05b10.r1 Stratagene hNT neuron (937	5
		AA234826	Hs.87386	EST	5 5
55		AA234462 AK000725	Hs.87350 Hs.50579	ESTs hypothetical protein FLJ20718	3
55		AF173081		Vertebrate LIN7 homolog 1, Tax interacti	. 5
		AB020649	Hs.74569	KIAA0842 protein	5
		AA398841	Hs.39850	hypothetical protein FLJ20517	10
		AI478427	Hs.43125	esophageal cancer related gene 4 protein	10
60		AL133916		hypothetical protein FLJ20093	10
		AA463902 AW968703	Hs.13522 Hs.30085	ESTs, Weakly similar to I38022 hypotheti hypothetical protein FLJ23186	5 5
		AW410377	Hs.41502	hypothetical protein FLJ21276	5
		AW194253	Hs.68607	ESTs	10
65	116659	BE314852		Homo sapiens done 23763 unknown mRNA, p	5
		F10528	Hs.70001	ESTs, Moderately similar to JC6169 nucle	5
	117058	AW801806		gb:IL5-UM0070-110400-062-g07 UM0070 Homo	5

	117151	AI803656	Hs.42373	ESTs	5
		N20468	110.72010	gb:yx39b10.s1 Soares melanocyte 2NbHM Ho	10
		Al472863	Hs.43387	ESTs	5
		N34417	Hs.44584		3
5	117624	N26627	Hs.82364	ESTs, Weakly similar to JC4124 pregnancy	5
		N40551		Homo sapiens Ets-1 binding protein (E1B)	10
		N49285	Hs.182391		10
		AW263476	Hs.44268	myelin gene expression factor 2	10
10		BE222341	Hs.279472		5 3
10		N53145	He occo	gb:yv55f09.s1 Soares fetal liver spleen	10
		AW955696 Al078236	Hs.90960 Hs.49688		5
		N70907	Hs.230619		· 10
		AL122040		Homo sapiens mRNA; cDNA DKFZp434G1972 (f	3
15		AA993527		hypothetical protein FLJ23403	5
		Al160570		pregnancy specific beta-1-glycoprotein 6	3
		AF142419	Hs.15020	homolog of mouse quaking QKI (KH domain	5
		AA514422	Hs.221849		5
00		AK002001	Hs.51305		10
20		T77892	11- 00040	gb:yd20f04.s1 Soares fetal liver spleen	5 5
		T81824	Hs.90949	EST Empirically collected from AEEV abada as	10
		W38051 AL049798	Hs.80552	Empirically selected from AFFX single pr dermatopontin	3
		AF086332	Hs.58314		10
25		AF088061	Hs.159690		5
		AF086429	Hs.58429		5
		AW803308	Hs.62954	ferritin, heavy polypeptide 1	5
	119961	U34249	Hs.337461	Human putative zinc finger protein (ZNFB	5
		AL042725		gb:DKFZp434B1822_r1 434 (synonym: htes3)	10
30		AW136934	Hs.97162	ESTs	5
		AA907743	Hs.142373		5
		AA401695	Hs.97334		5 5
		AA405763 AA421452		Homo sapiens cDNA FLJ20470 fis, clone KA ESTs, Weakly similar to KIAA0926 protein	5
35		AK000229	Hs.98017		10
55		AA447555	Hs.99116		10
		AA458945	Hs.95898	ESTs	10
		AW135093		ESTs, Highly similar to G100_HUMAN 110 K	5
4.0		AA609122		Homo sapiens mRNA; cDNA DKFZp434D2472 (f	5
40		AI024595	Hs.97508	•	5
		AA621529		gb:af47a02.s1 Soares_total_fetus_Nb2HF8_	10
		H62570		gb:yr44a01.r1 Soares fetal liver spieen	5 5
		H83465 AK001527	He 163053	gb:ys91a11.s1 Soares retina N2b5HR Homo hypothetical protein FLJ10665	5
45		NM_014312		cortic at thymocyte receptor (X. laevis	10
		T98199	Hs.48403		10
		BE299567		ESTs, Moderately similar to ALU8_HUMAN A	5
	125284	NM_002666	Hs.103253	pertilpin	. 10
		BE256206	Hs.17775		5
50		AA485421		ESTs, Weakly similar to ALU7_HUMAN ALU S	10
		NM_002250	Hs.10082	potassium intermediate/small conductance	10
		R44214	Hs.101189	hypothetical protein PRO2543	5 5
		C16161 AA193106	Un 190917	chromosome 11 open reading frame 23	10
55		H39537	Hs.75309	eukaryotic translation elongation factor	10
33	128903	AW150717		STAT induced STAT inhibitor 3	10
		N62889		Homo sapiens cDNA FLJ12965 fis, clone NT	10
	129001	AA443323	Hs.107812	BPOZ protein	5
		AA056483		Human Chromosome 16 BAC clone CIT987SK-A	5
60		NM_013403	Hs.108665		10
		AL117472		SH3-domain protein 5 (ponsin)	5
		A1146494		ESTs, Weakly similar to IRX2_HUMAN IROQU	3 5
		U40714 AA530892		tyrosyl-IRNA synthetase dual specificity phosphatase 1	5
65		BE617015	Hs.11006		10
05		AF110141	Hs.288908	WAS protein family, member 2	10
		NM_003877		STAT induced STAT inhibitor-2	5

	400074	Vocano	U- 440000	Millahand factor		c
		X06828		von Willebrand factor		5
		AW245805		daudin 5 (transmembrane protein deleted		10
		W37944	Hs.4007	Sarcolemmal-associated protein		5
5		BE061069		KIAA0467 protein		10
3		AF020038	Hs.11223			10 10
		BE222078	Hs.113069			
		BE622468		ESTs, Weakly similar to 138022 hypotheti		5
		Al304966	Hs.12035			5 10
10		AK001676	Hs.12457		•	
10		AK000956	Hs.13209			5
		A1338993	Hs.134535			5
		AJ251760		guanine nucleotide binding protein (G pr		5 5
		NM_000399	Hs.1395	early growth response 2 (Krox-20 (Drosop		5
1.5		NM_001158		amine oxidase, copper containing 2 (reti		5
15		M62402		Insulin-like growth factor binding prote		10
		AA452006	Hs.333199			5
		W80711		Homo sapiens mRNA for KIAA1727 protein,		5
		D88435		cyclin G associated kinase		10
20		A1241084	HS.104303	nonselective sodium potassium/proton exc		5
20		AA435746	U- 002400	gb:zt79e03.s1 Soares_testis_NHT Homo sap		5 10
		V00517		hemoglobin, gamma G		10
		NM_001928		D component of complement (adipsin)		5
		X72308		small inducible cytokine A7 (monocyte ch		10
25		BE222978	Hs.15760			
25		AW390834	Hs.75874	pregnancy-associated plasma protein A		5 10
		BE270472		HSPC015 protein		10
		AL110226	Hs.16441			5
		AI652143		hypothetical protein FLJ13111		3
30		AI769067 AA993269	Hs.17872	ESTs, Weakly similar to T28770 hypotheti		10
30						10
		NM_006691 AA232075	Hs.17917 Hs.18259	extracellular link domain-containing 1 XPA binding protein 1; putative ATP(GTP)		5
		AF263462	Hs.18376			10
		N41322	Hs.18441	KIAA1319 protein ESTs		5
35		M81349	Hs.1955	serum amyloid A4, constitutive		10
55		BE048821	Hs.20144	small inducible cytokine subfamily A (Cy		10
		AB040935	Hs.23954	cerebral cell adhesion molecule		10
		AA360419		Inositol(myo)-1(or 4)-monophosphatase 1		10
		X03350	Hs.4	alcohol dehydrogenase 1B (dass I), beta		10
40		AW939251	Hs.25647	v-fos FBJ murine osteosarcoma viral onco		10
40		AK000393	Hs.25817	BTB (POZ) domain containing 2		5
		AF110908		TNF receptor-associated factor 3		5
		H83294		Wnt inhibitory factor-1		5
		BE394648	Hs.27414			5
45		AW966881	Hs.41639	programmed cell death 2		10
15		BE559681	Hs.30736			5
		AA829286		serum amyloid A1	. •	10
		AA443966	Hs.31595			10
		H69342	Hs.26320	TRABID protein	•	10
50		AA021258	Hs.32753	ESTs		5
		BE244961		FE65-LIKE 2		5
		AJ000263		keratin, hair, basic, 6 (monllethrix)		10
		AW294659	Hs.34054	Homo sapiens cDNA: FLJ22488 fis, clone H		5
	131927	AJ003112	Hs.34780	doublecortex; lissencephaly, X-linked (d		5
55 .		AK000010		hypothetical protein FLJ20003		10
	132115	H81604		KIAA0798 gene product		5
	132177	X80818		glutamate receptor, metabotropic 4		5
	132296	AA467752	Hs.195161			5
		AW118072	Hs.89981	diacylglycerol kinase, zeta (104kD)		10
60	132477	S68874		prostaglandin E receptor 3 (subtype EP3)		5
	132675	Al291496	Hs.5476	Homo sapiens, clone IMAGE:3530123, mRNA,		10
	132796	NM_006283		transforming, acidic coiled-coil contain		10
	132898	W28548	Hs.224829	ESTs		10
	132905	NM_004235	Hs.7934	Kruppel-like factor 4 (gut)		10
65	132953	BE175645	Hs.321264	LBP protein 32		5
	133116	BE563966	Hs.6529	ESTs, Weakly similar to 178885 serine/th		5
	133120	NM_003278	Hs.65424	tetranectin (plasminogen-binding protein		10

					_
		AF052138	Hs.6580	Homo sapiens cDNA: FLJ23227 fis, clone C	5
		AA668224	Hs.6634	Homo saplens cDNA: FLJ22547 fis, done H	5
		AW956781	Hs.293937		5
_		NM_002776	Hs.69423	kallikrein 10 (KLK10) (PRSSL1) (nes1)	5
5		AA207059		gb:zq80h09.s1 Stratagene hNT neuron (937	5
		AF017987	Hs.7306	secreted frizzled-related protein 1	5
	133552	H21497	Hs.7471	BBP-like protein 1	5
	133702	L02321	Hs.75652	glutathione S-transferase M5	5
	133719	H26904	Hs.75736	apolipoprotein D	5
10	133731	N71725	Hs.272572	hemoglobin, alpha 2	10
	133789	T85626	Hs.76239	hypothetical protein FLJ20608	5
	134007	AF072441	Hs.7840	calcineurin binding protein 1	10
		D86062	Hs.182423	ES1 (zebrafish) protein, human homolog o	10
		Al372588	Hs.8022	TU3A protein	10
15		AA081846	Hs.7921	Homo sapiens mRNA; cDNA DKFZp566E183 (fr	10
		BE243319	Hs.79672	KIAA0652 gene product	5
		AW905827	Hs.81454	ketohexokinase (fructokinase)	10
		BE549343	Hs.82208	acyl-Coenzyme A dehydrogenase, very long	5
		AF207664	Hs.8230	a disintegrin-like and metalloprotease (5
20			Hs.83450		5
20	134449			laminin, alpha 3 (nicein (150kD), kalini	10
		Al190413	Hs.8373	ESTS	10
		M64936	11- 050070	gb:Homo sapiens retinoic acid-inducible	10
		NM_002757		mitogen-activated protein kinase kinase	
25		M26315	Hs.85258	CD8 antigen, alpha polypeptide (p32)	10
25		BE244323	Hs.85951	exportin, tRNA (nuclear export receptor	5
		U73394		killer cell immunoglobulin-like receptor	5
,		AL008583		dynein, axonemal, light polypeptide 4	5
		D10216	Hs.89394	POU domain, class 1, transcription facto	5
20		NM_000078	Hs.89538	cholesteryl ester transfer protein, plas	10
30		T29618	Hs.89640	TEK tyrosine kinase, endothelial (venous	10
		T87521	Hs.261457		5
	134963	NM_003394	Hs.91985	wingless-type MMTV integration site fami	10
	134969	H22570	Hs.172572	hypothetical protein FLJ20093	5
	135001	AA302517	Hs.92732	KIAA1444 protein	5
35	135066	X04430	Hs.93913	Interleukin 6 (Interferon, beta 2)	10
	135173	AL036557	Hs.95910	putative lymphocyte G0/G1 switch gene	10
	135197	U76456	Hs.190787	tissue inhibitor of metalloproteinase 4	5
	135219	AB002361	Hs.96633	KIAA0363 protein	5
	135250	U83171	Hs.97203	small inducible cytokine subfamily A (Cy	5
40		AA416829	Hs.191597		5
		AA905406	Hs.9905	ESTs, Weakly similar to unnamed protein	3
		X55019	Hs.99975	cholinergic receptor, nicotinic, delta p	10
		X03350	Hs.4	alcohol dehydrogenase 1B (class I), beta	5 -
		H39537	Hs.75309	eukaryotic translation elongation factor	5
45 .		AW245805		claudin 5 (transmembrane protein deleted	5
		M62402		insulin-like growth factor binding prote	5
		NM_006691	Hs.17917	extracellular link domain-containing 1	10
		NM_003278	Hs.65424	tetranectin (plasminogen-binding protein	3
		AF017987	Hs.7306	secreted frizzied-related protein 1	5
50					. 5
50		N71725			5
		AF207664	Hs.8230	a disintegrin-like and metalloprotease (10
		X04430	Hs.93913	interleukin 6 (interferon, beta 2)	
		AL036557	Hs.95910	putative lymphocyte G0/G1 switch gene	5
55		AK001852	Hs.274151		5
55		AW580227	Hs.47860	neurotrophic tyrosine kinase, receptor, type 2	10
		AW377752	Hs.83341	AXL receptor tyrosine kinase	5
		BE208364	Hs.29283	ESTs, Weakly similar to LKHU proteoglycan link	5
		AA563892	Hs.306000		10
CO	449826	U85642	Hs.138506		5
60		RC_H15814_9 YEL024w/RIP		Human apM1 mRNA for GS3109 (novel adipose specific col EST - YEL024w/RIP1	lagen 3

TABLE 1A

Table 1 A shows the accession numbers for those pkeys lacking unigeneID's for Table 1. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

Pkey:
CAT number:
Accession:

Unique Eos probeset identifier number

Gene cluster number Genbank accession numbers

15

13			
	Pkey	CAT Number	Accessions
20	108446 108497	112224_1 110079_2	AA085383 AA126091 AA074174 AA075373 AA079120 AA070831 AA075978 AA075372 AA128503 AA074897 AA113914 AA054871 AA079329 AA071309 AA084710 AA129030 AA075042 AA074794 AA071453 AA078803 AA148628 AA122204 AA074159 AA126185 AA079117 AA127089 AA070912 AA079280 AA131372 AA078833 AA071087 AA076131 AA071047 AA079401 AA083070 AA102076 AA115163 AA074198 AA134725 AA113889 AA121103 AA075041 AA085148 AA071310 AA101144 AA079659 AA078931 AA079209 AA070928 AA068994 AA069817 AA076187 AA069053
25			AA131489 AA071308 AA063317 AA070156 AA071430 AA076056 AA075684 AA070053 AA126283 AA126078 AA075895 AA079208 AA074583 AA071086 AA079623 AA070627 AA078802 AA076622 AA065051 AA079143 AA071110 AA079434 AA148748 AA079230 AA085188 AA074485 AA070580 AA076151 AA083166 AA085118 AA079450 AA085044 AA120938 AA079200 AA100188 AA081472 AA122355 AA129031 AA085362 AA069220 AA070940 AA075968 AA074563 AA084027 AA115929
30	124215 117058 110455	1597154_1 1219924_1 46874_1	H62570 H59063 AW801806 H90434 BE086530 H52576 AF085971 H52172
	111168	38585_1	AI798376 S46400 AW811617 AW811616 W00557 BE142245 AW858232 AW861851 AW858362 AA232351 AA218567 AA055556 AW858231 AW857541 AW814172 H66214 AW814398 AF134164 AA243093 AA173345 AA199942 AA223384 AA227092 AA227080 T12379 AA092174 T61139 AA149776 AA699829 AW879188 AW813567 AW813538 AI267168
35			AA157718 AA157719 AA100472 AA100774 AA130756 AA157705 AA157730 AA157715 AA053524 AW849581 AW854566 C05254 AW882836 T92637 AW812621 AA206583 AA209204 BE156909 AA226824 Al829309 AW991957 N66951 AA527374 H66215 AA045564 Al694265 H60808 AA149726 AW195620 BE081333 BE073424 AW817662 AW817705 AW817703 AW817659 BE081531 H59570
40	111498 104340 103747 134496	411008_1 46289_10 117944_1 46501_1	A1168511 A1022712 AA700366 R07371 R07324 AA426189 F15201 AA081995 AA101099 M64936 A1025512 AI382987 BE061777 AA089966 BE169930 T41176 AW594624 BE502415 AA121893 AI269283 T40311
	A1684569 A	A257011	AI079277 AI241318 BE327710 AW975215 AW896268 AA884990 BE327514
45	103750 105239	118365_1 34624_1	AA126129 AA126033 AA082561 AA221036 R87170 BE537068 BE544757 C18935 AW812058 T92565 AA227415 AA233942 AA223237 AA668403 AA601627 AW869639 BE061833 BE000620 AW961170 AW847519 AA308542 AW821833 AW945688 C04699 AA205504 AA377241 AW821667 AA055720 AW817981 AW856468 AA155719 AA179928 T03007 AW754298 AA227407 AA113928 AA307904 C16859
50	120379	34624_3	AL042725 BE063316 AW975610 AA457591 BE062092 AI655202 AA714296 AI267264 AI075321 AA223286 AA071122 AA227849 AA216700 AI696002 AA101867 AA099426 AA135997 AL041698 T02815 T51824 AA207189 T59230 T51868 AA663341 BE165757 AW818104 AW392886 AA584918 AA099408 AW856396 AW861859 AA053045
55	114624 106851 108392 100545	111686_1 322947_1 113549_1 22955_11	AA081507 AA070071 AA070840 AA084362 AI458623 AA639708 AA485409 R22065 AA485570 AA075124 AA075208 M55405 AW752552
	100654	tigr_HT2969	A03758 A05977 A15293 D17029 D17107 D17171 L00132 L00133 M12523 M13075 M13076 M92816 U22961 V00494 V00495 X51363 X51364 X51365
60	100702 102208	tigr_HT3413 6735_9	L27065 U22961 AA203623 AA503337 AI174733 AI192802 C06092 AA035357 AI190619 AI199244 AI828450 AA602296 AI378195 AI209170 AI186653 AI127795 AI183846 H77389 AI589465 AA629390 H94306 AI018388 R68584 AA027196 AI745413 AI685092 AI093426 AI623873 AI074570 N50096 AA047486 N25060 AA327614 AI042512 AI383957 AA156873 AI333101

N70806 AI141254 AI383191 AI401237 AI080709 AI093400 W84549 T90806 R00012 W01413 AA630557 AI378348 AI559265 AA877103 W84464 AA625146 R68379 AI133207 AI132980 AI133214 AI064826 AI061615 AI133473 AI174852 AI133404 Al133272 V00494 M12523 M12523 Al207526 Al133120 Al064802 Al174993 Al114729 Al061645 Al064716 Al064959 H77388 T85706 AF075298 Al110799 D17107 NM_000477 AF190168 R50724 Al248416 Al207432 Al133684 Al133345 Al174710 AI133290 AI133304 AI174948 AI207484 AI110717 AF074624 AI114515 AF063516 AI110642 AI114559 AI114498 AI114759 5 Al207568 Al064960 Al174753 Al114666 R69184 R00011 Al064997 T60501 Al207701 T71735 AA385318 H73569 T60496 H94399 Al133158 T74675 AA484750 T73413 T55909 R50261 T72061 N80533 T51189 T74936 Al207490 Al132925 Al064701 AI174748 AI114663 AI133104 AI132999 AI133100 AI064925 AI064979 AI133063 AA343347 T69091 AA233989 T39772 AI444620 T52290 D16931 T40012 T48403 T58926 T69195 AI133061 T50850 AI400677 AI091136 AA334608 T57411 Z20979 N56507 T87485 AI133622 AA343370 T40075 T69671 T53849 T74820 AF075316 AI110818 T40121 T57381 AI114468 10 AA332728 T51362 Al114589 R06691 Al110629 AF063503 Al140543 AA334661 AA332720 AA343262 T73513 T86549 Al114840 T57284 T39981 T61407 T72757 T51749 T56630 AA343125 T72126 R94135 T83028 T39972 T39896 Al174786 Al132926 R09237 Al064838 Al133660 T60398 T88753 T55930 T92126 Al444602 T60996 Al114792 H93911 Al133106 R10779 Al065020 T90925 T50889 D17029 Al133703 AA333805 Al133040 Al133017 Al064857 Al110730 AF074637 Al207567 H71080 T73217 AA343950 Al174743 AA334224 AA334281 R06692 T64739 T40163 T60628 T81661 T73179 R01842 AA501730 T39931 T39662 T40136 AA334904 T71425 H77784 R00874 Al065049 T84512 T55918 Al207595 T39951 15 AA005016 T60361 T69176 T73356 T58795 T61233 T39955 T60612 AI114676 AI064778 AA035710 W52763 AI114786 T83564 AA341859 T81684 T55769 AI114710 T51776 AA343213 AI114714 T58102 AI110809 R28984 AI174854 AA305675 AA343592 T53836 T46869 T64721 T55508 W05241 T54019 T57945 T60513 T48364 AF075308 W86731 T82851 T48269 H54053 T73211 Al114590 T48317 T55965 T74857 R84226 T56552 T52231 T74946 T76976 R02576 T95666 Al203974
Al189471 AA005147 Al478102 Al207662 Al192792 Al768421 Al064737 AW051713 AA936693 Al133117 Al766232 Al913646
T83962 Al065112 Al207689 Al174684 Al207702 T81475 Al133325 Al032512 AA701169 Al936354 Al114720 Al433289 20 AA046980 AI823482 AI114536 AA860651 AW242644 R07469 AW300438 AI133416 AW271670 AI991363 T78943 AI823481 AA845518 AA719124 AA883454 T68850 T69115 Al935509 Al150977 T62890 T71374 T68294 Al174774 T67411 T68318 25 AI064689 T56624 T69010 T68982 T68302 AI332829 T72908 AI064819 AI205880 T62895 T69430 T95111 AA025050 T73330 MUS2657 T71984 T69118 W92684 AI114860 T62093 T61797 AI52233 T73322 H92981 T55018 T61811 T57232 AI336158 T61821 T69457 T62900 T62912 T72917 T46885 AI702448 T57212 T57203 R94581 T71311 T61819 T89358 T67708 T70918 T59166 AI187111 T64308 T62071 T69427 AI114750 T60430 R09734 T69033 T69141 T69453 T67908 R16809 T69384 Al207729 T55839 T90273 T73339 AW194909 T75486 T71850 T71305 T71287 T53877 T73452 T68852 N75290 Al312890 30 T67751 Al174983 T51679 T54851 H69880 N73734 AA443453 T73466 H69672 N53869 T68447 D11809 D12412 T64300 T28321 T55864 genbank_AA621529 AA621529 123941 118049 genbank_N53145 N53145 AA313538 U88895 U88902 102800 14782_20 35 AA422123 i atAA422123_i 104106 111738 genbank_R26065 R26065 genbank_T51588 T51588 113149 113958 genbank_W86195 W86195 108335 genbank_AA070500 AA070500 40 108351 genbank_AA071193 AA071193 genbank_AA079079 genbank_H83465 AA079079 108441 124276 H83465 101447 entrez_M21305 M21305 N20468 genbank_N20468 117226 45 AA207059,AA207241 133379 genbank_AA207059 119366 T77892 genbank_T77892 119528 NOT_FOUND_entrez_W38051 W38051 112588 genbank_R77302 R77302 114449 genbank_AA020736 AA020736 50 genbank_AA065096 AA065096 114576 107459 W38002_s_at W38002_s genbank_AA435746 AA435746 130339

PCT/US02/02242 WO 02/059377

TABLE 2: Figure 2 from BRCA 001 US

Table 2 shows genes downregulated in tumor tissue compared to normal breast tissue. 5

Pkey: ExAccn:

Unique Eos probeset identifier number Exemplar Accession number, Genbank accession number Unigene number Unigene gene title Ratio of normal breast tissue to tumor

UnigenelD: Unigene Title: R1: 10

15	Pkey	ExAcen	UnigenelD	Unigene Tittle	R1
	100499	T51986	Hs.283108	hemoglobin, gamma G	10
	100549	BE142019	Hs.222056	Homo saplens cDNA FLJ11572 fis, done HE	10
		A03758		NM_000477*:Homo sapiens albumin (ALB), m	10
20	100971	BE379727	Hs.83213	fatty acid binding protein 4, adipocyte	10
	101184	NM_001674	Hs.460	activating transcription factor 3	10
		NM_006732	Hs.75678	FBJ murine osteosarcoma viral oncogene h	10
		X03350	Hs.4	alcohol dehydrogenase 1B (class I), beta	10
	101447	M21305		gb:Human alpha satellite and satellite 3	10
25	101461	N98569	Hs.76422	phospholipase A2, group IIA (platelets,	10
	101511	M27826	Hs.267319	endogenous retroviral protease	10
	101736	M74447	Hs.502	transporter 2, ATP-binding cassette, sub-famil	10
	102208	U22961		gb:Human mRNA clone with similarity to L	10
	102450	U48251	Hs.75871	protein kinase C binding protein 1	10
30	102800	AA313538		gb:EST185419 Colon carcinoma (HCC) cell	10
		NM_006744	Hs.76461	retinol-binding protein 4, interstitial	10
	102990	AA829286	Hs.332053	serum amyloid A1	10
	103747	AA081995		gb:zn26d06.r1 Stratagene neuroepithelium	10
~ ~		AA137107	Hs.326391	Homo sapiens, clone MGC:16638, mRNA, com	10
35		R50727	Hs.336970	ESTs	10
		AL353957	Hs.284181	hypothetical protein DKFZp434P0531	10
	104250		Hs.12440	Homo sapiens clone 24734 mRNA sequence	10
		N73185	Hs.94285	EST	10
40		N91071	Hs.109650	ESTS	10
40		AI498763	Hs.203013	hypothetical protein FLJ12748	10
		AA009764	Hs.190380	ESTs	10
		AA017245	Hs.32794	ESTs	10
		AA019300	Hs.125070	ESTs, Moderately similar to I54374 gene	10 10
45		AI298208 AA130390	Hs.28805 Hs.25549	ESTs hypothetical protein FLJ20898	10
73		AA221036	П3.23343	gb:zr03f12.r1 Stratagene NT2 neuronal pr	10
		N79885	Hs.6382	ESTs, Highly similar to T00391 hypotheti	10
		AI803651	Hs.191608	ESTs	10
		AI085846	Hs.25522	KIAA1808 protein	10
50		AL042069	Hs.119021	DKFZP434N061 protein	10
50		AW235928	Hs.313182	ESTs	10
		AA135688	Hs.10083	Homo sapiens, clone IMAGE:4139786, mRNA,	10
		AW054886	Hs.25682	Homo sapiens mRNA for KIAA1863 protein,	10
		AB006532	Hs.31442	RecQ protein-like 4	10
55		AI005036	Hs.334305	GS1999full	10
-		AF127026	Hs.5394	myosin IA	10
		AB020672	Hs.175411	KIAA0865 protein	10
	107331	AI905985	Hs.111805	ESTs	10
	107447	W28516	Hs.19210	hypothetical protein MGC11308	10
60	107451	AL042425	Hs.283976	hypthetical protein PRO2389	10
-	107872	BE271708	Hs.95110	ESTs, Wealty similar to A55943 1-phospha	10
	108351	AA071193		gbzf79b12.s1 Soares_pineal_gland_N3HPG	10
		F01449	Hs.26954	Homo sapiens mRNA; cDNA DKFZp762G123 (fr	10
	110433	AW294162	Hs.301062	UDP-N-acetyl-alpha-D-galactosamine:polyp	10
65	110976	AL044174	Hs.159526	patched (Drosophila) homolog	5

111651 R16733		111168	AI798376		gb:tr34b07.x1 NCI_CGAP_Ov23 Homo sapiens	10
114484 AA034378	•	111651	R16733	Hs.20499		10
125284 NM_002666		111803	AA593731	Hs.325823	ESTs, Moderately similar to ALU5_HUMAN A	
128850 AA 193106	_	114484	AA034378	Hs.267319	endogenous retroviral protease	
128903 AW150717	5	125284	NM_002666	Hs.103253	perilipin	10
129346		128850	AA193106	Hs.180817	chromosome 11 open reading frame 23	5
10		128903	AW150717	Hs.296176	STAT induced STAT inhibitor 3	10
10		129346	AF110141	Hs.288908	WAS protein family, member 2	
129554 BE222078 Hs.113069 Hs.274313 Insulin-like growth factor binding prote 10 130430 MS2402 Hs.283108 Hs		129381	AW245805	Hs.110903	claudin 5 (transmembrane protein deleted	10
130885 M62402	10	129516	AF020038	Hs.11223	isocitrate dehydrogenase 1 (NADP+), solu	
130243 D88435 Hs.153227 cyclin G associated kinase 10 130400 V00517 Hs.283108 hemoglobin, gamma G 10 130400 V00517 Hs.283108 hemoglobin, gamma G 10 130583 BEZ70472 Hs.279900 HSPC015 protein 10 130583 AL110226 Hs.16441 DKFZP434H204 protein 10 130683 AA93269 Hs.17872 Homo saplens, clone IMAGE:3875012, mRNA 10 130683 NM_006691 Hs.17917 extracellular link domain-containing 1 10 130788 N70196 Hs.18376 KIAA1319 protein 10 130788 N70196 Hs.18376 KIAA1319 protein 10 130788 N81349 Hs.1955 serum amyloid A4, constitutive 10 130840 BE048821 Hs.20144 small inducible cytokine subfamily A (Cy 10 131184 AB040935 Hs.23954 cerebral cell adhesion molecule 10 131282 X03350 Hs.4 alcohol dehydrogenase 1B (class I), beta 10 131753 AA829286 Hs.332053 programmad cell death 2 serum amyloid A1 10 131785 H69342 Hs.26320 TRABID protein 10 132426 AW118072 Hs.89981 diacylglycerol kinase, zela (104kD) 10 132675 Al291496 Hs.5476 Homo saplens, clone IMAGE:3530123, mRNA, 10 13288 W28548 Hs.224829 ESTs 10 133407 AF017987 Hs.7306 secreted frizzled-related protein 1 10 13405 D86062 Hs.182423 Hs.75736 apoliporotein 1 10 13405 D86062 Hs.82423 Hs.75736 adicineurin binding protein 1 10 134111 AA081846 Hs.7921 Hs.7840 calcineurin binding protein 1 10 134111 AA081846 Hs.7921 Hs.7850 M26315 Hs.82538 hs.8022 TUJA protein Micogen-binding protein 1 10 13450 M26315 Hs.85258 Hs.8202 TUJA protein 1 10 13450 M26315 Hs.85258 Hs.8203 adisintegin-like and metalloprotease (10 134450 M64936 Hs.82430 Hs.91985 wingless-type MMTV integration site famil 10 13450 M26315 Hs.85258 Cholesteryl ester transfer protein, plas 5 134758 NM_000379 Hs.89538 Hs.91985 wingless-type MMTV integration site famil 10 14067 McM002757 Hs.250870 mitogen-activated protein 1 10 13469 McM0330 Hs.91985 wingless-type MMTV integration site famil 10 14067 McM002757 Hs.250870 mitogen-activated protein potein, plas 5 134758 NM_000394 Hs.91985 wingless-type MMTV integration site famil 10 14067 McM002757 Hs.250870 mitogen-activated protein plas 5 134758 NM_000394 Hs.91985 mitogen-activated protein plas		129554	BE222078	Hs.113069	ESTs	
15 130436 NM_001928 Hs.155597 D component of complement (adipsin) 10 1305363 BE270472 Hs.279900 HSPC015 protein 10 130539 AL110226 Hs.16441 DKFZP434H204 protein 10 130683 AA993269 Hs.17872 Homo saplens, clone IMAGE:3875012, mRNA 10 130689 AA046747 Hs.17917 extracellular link domain-containing 1 10 130788 M81349 Hs.1955 serum amyloid A4, constitutive 10 130788 M81349 Hs.1955 serum amyloid A4, constitutive 10 13184 AB040935 Hs.23954 erebral cell adhesion molecule 10 131828 X03350 Hs.4 alcohol dehydrogenase 1B (class I), beta 10 131783 AA829286 Hs.332053 serum amyloid A1 10 131783 AA829286 Hs.332053 Is.278658 learn may may be serum amyloid A1 10 131828 AJ000263 Hs.278658 learn may be serum amyloid A1 10 131828 AJ000263 Hs.278658 learn may be serum amyloid A1 10 132675 Al291496 Hs.5476 Hs.5476 liases, zeta (104kD) 10 132675 Al291496 Hs.5476 Hs.5476 liases, zeta (104kD) 10 133719 H26904 Hs.7830 serum amyloid A1 10 13405 D86062 Hs.182423 FST3 serum amyloid A1 10 13405 D86062 Hs.182423 FST3 serum amyloid A1 10 13405 D86062 Hs.8230 alienterin binding protein 1 10 13405 D86062 Hs.8230 alienterin binding protein 1 10 13405 D86062 Hs.8230 alienterin binding protein 1 10 13405 D86062 Hs.82508 rs.82528 cholesteryl ester transfer protein, plas wingless-type MMTV integration site fami 10 13405 D86062 Hs.82508 rolesteryl ester transfer protein, plas wingless-type MMTV integration site fami 10 13406 X04430 Hs.93913 interleukin 6 (interferon, beta 2) neurotropic typosine kinase, receptor, type 2 10		130085	M62402	Hs.274313		
15 130436 NM_001928 Hs.155597 D component of complement (adipsin) 10 130533 BEZ70472 Hs.279900 Hs.PC015 protein 10 130533 BEZ70472 Hs.279900 Hs.PC015 protein 10 130633 AA993269 Hs.17872 Homo saplens, done iMAGE:3875012, mRNA 10 130689 NM_006691 Hs.17917 extracellular link domain-containing 1 10 13078 Ms1349 Hs.1955 serum amyloid A4, constitutive 10 13078 Ms1349 Hs.1955 serum amyloid A4, constitutive 10 13078 Ms1349 Hs.2954 extracellular link domain-containing 1 10 extracellular link domain-containing 1 10 13078 Ms1349 Hs.1955 serum amyloid A4, constitutive 10 131384 AB040935 Hs.23954 eacher led ladnesion molecule 10 131484 AB040935 Hs.23954 eacher led ladnesion molecule 10 131328 AW939251 Hs.25647 v-fos FBJ murine osteosarcoma viral onco 10 131828 AU00263 Hs.278658 keratin, hair, basic, 6 (monilethrix) 10 132675 Al291496 Hs.5476 Homo saplens, clone IMAGE:3530123, mRNA, 10 13288 W28548 Hs.224829 ESTs 10 132905 NM_004235 Hs.7334 ESTs 10 133407 AF017987 Hs.7306 secreted frizzled-related protein 1 10 13407 AF017987 Hs.7536 policy relation site fami 10 13408 NM_00334 Hs.91985 hs.8923 cholesteryl ester transfer protein, plas wingless-type MMTV integration site fami 10 13408 NM_00334 Hs.91985 wingless-type MMTV integration site fami 10 10 13506 X04430 Hs.93913 Interdukin 6 (interferon, beta 2) neurorophic fyrosine klnase, receptor, type 2 10					•	
130563 BE270472						
130589 AL110226	15					
130683 AA993269						
130689 NM_006691						
20						
130718 N70196			_			
130798 M81349	20					
130840 BE048821						
131184 AB040935 Hs.23954 cerebral cell adhesion molecule 10						
25 131282 X03350 Hs.4 alcohol dehydrogenase 1B (class I), beta 10 131328 AW939251 Hs.25647 v-fos FBJ murine osteosarcoma viral onco 10 programmed cell death 2 10 131753 AA829286 Hs.332053 serum amyloid A1 10 131765 H69342 Hs.26320 TRABID protein 10 131828 AJ000263 Hs.278658 keratin, hair, basic, 6 (monilethrix) 10 132426 AW118072 Hs.89981 diacylglycerol kinase, zeta (104kD) 10 132898 W28548 Hs.224829 EST5 132905 NM_004235 Hs.7934 Kruppel-like factor 4 (gut) 10 133407 AF017987 Hs.65424 tetranectin (plasminogen-binding protein 10 133407 AF017987 Hs.7306 secreted frizzled-related protein 1 10 13407 AF017987 Hs.7840 calcineurin binding protein 1 10 13407 AF072441 Hs.7840 EST (zebrafish) protein, human homolog o 10 134111 AJ372588 Hs.8022 TUJA protein 1 10 134177 BE243319 Hs.79672 KIAA0652 gene product 1 134496 M64936 Hs.8230 disintegrin-like and metalloprotease (gb-homo sapiens retinoic acid-inducible 10 134550 M26315 Hs.85258 CD8 antigen, alpha polypeptide (p32) 5 134758 NM_000394 Hs.93913 interleukin 6 (interferon, beta 2) 10 10 10 13506 X04430 Hs.93913 interleukin 6 (interferon, beta 2) 10 10 10 10 13506 X04430 Hs.93913 interleukin 6 (interferon, beta 2) 10 10 10 10 10 10 10 10 10 10 10 10 10						
131328 AW939251	25					
131543 AW966881	23					
131753 AA829286 Hs.332053 serum amyloid A1 10 131785 H69342 Hs.26320 TRABID protein 10 10 131828 AJ000263 Hs.278658 keratin, hair, basic, 6 (monilethrix) 10 132675 Al291496 Hs.89981 diacylglycerol kinase, zeta (104kD) 10 132675 Al291496 Hs.5476 Homo saplens, done IMAGE:3530123, mRNA, 10 132898 W28548 Hs.224829 ESTs 10 132905 NM_004235 Hs.7934 Kruppel-like factor 4 (gut) 10 133407 AF017987 Hs.7306 secreted frizzled-related protein 10 133407 AF072441 Hs.7840 actioneurin binding protein 10 134007 AF072441 Hs.7840 actioneurin binding protein 10 134055 D86062 Hs.182423 ES1 (zebrafish) protein, human homolog o 10 134111 AJ372588 Hs.8022 TU3A protein 5 134177 BE243319 Hs.79672 Hcmo saplens mRNA; cDNA DKFZp566E183 (fr 5 134177 BE243319 Hs.79672 Hcmo saplens mRNA; cDNA DKFZp566E183 (fr 5 134589 AF2076664 Hs.8230 adisintegrin-like and metalloprotease (10 134550 Mc64936 Hs.8250870 mitogen-activated protein kinase kinase 10 134550 Mc6315 Hs.85258 CD8 antigen, alpha polypeptide (p32) 5 134758 NM_0003394 Hs.93913 Interleukin 6 (interferon, beta 2) 10 10 10 10 10 10 10 1						
131785 169342 Hs.26320 TRABID protein 10 131828 AJ000263 Hs.278658 keratin, hair, basic, 6 (monilethrix) 10 132675 Al291496 Hs.5476 Homo saplens, done IMAGE:3530123, mRNA, 10 132898 W28548 Hs.224829 ESTs 10 10 132905 NM_004235 Hs.7934 Kruppel-like factor 4 (gut) 10 133407 AF017987 Hs.7306 secreted frizzled-related protein 1 10 133407 AF017987 Hs.7306 secreted frizzled-related protein 1 10 134007 AF072441 Hs.7840 calcineurin binding protein 1 10 134007 AF072441 Hs.7840 calcineurin binding protein 1 10 134055 D86062 Hs.182423 ES1 (zebrafish) protein, human homolog 0 10 134111 AJ372588 Hs.8022 TU3A protein 5 134177 BE243319 Hs.79572 Homo saplens mRNA; cDNA DKFZp566E183 (fr 134177 BE243319 Hs.79572 Homo saplens mRNA; cDNA DKFZp566E183 (fr 134369 AF207664 Hs.8230 a disintegrin-like and metalloprotease (
131828 AJ000263						
132426 AW118072	20					
132675 Al291496	30					-
132898 W28548						
132905 NM_004235						
133120 NM_003278						
133407 AF017987 Hs.7306 secreted frizzled-related protein 1 10 133719 H26904 Hs.75736 apolipoprotein D 10 134007 AF072441 Hs.7840 calcineurin binding protein 1 10 134055 D86062 Hs.182423 ES1 (zebrafish) protein, human homolog o 10 134111 A372588 Hs.8022 TU3A protein 5 134117 AA081846 Hs.7921 Homo saptens mRNA; cDNA DKFZp566E183 (fr 5 134177 BE243319 Hs.79672 KIAA0652 gene product 10 134369 AF207664 Hs.8230 disintegrin-like and metalloprotease (35					
133719 H26904 Hs.75736 apolipoprotein D 10 134007 AF072441 Hs.7840 calcineurin binding protein 1 10 134055 D86062 Hs.182423 ES1 (zebrafish) protein, human homolog o 10 134111 AJ372588 Hs.8022 TU3A protein 134117 AA081846 Hs.7921 Homo sapiens mRNA; cDNA DKFZp566E183 (fr 5 134177 BE243319 Hs.79672 KIAA0652 gene product 10 134369 AF207664 Hs.8230 adisintegrin-like and metalloprotease (10 134496 M64936 Use of the second o	55					
134007 AF072441						
134055 D86062 Hs. 182423 ES1 (zebrafish) protein, human homolog o 10						
40 134111 Al372588 Hs.8022 TU3A protein 5 134117 AA081846 Hs.7921 Homo sapiens mRNA; cDNA DKFZp566E183 (fr 5 134177 BE243319 Hs.79572 KIAA0652 gene product 10 134369 AF207664 Hs.8230 a disintegrin-like and metalloprotease (10 134496 M64936 Use Hs.250870 Hs.250870 Hs.250870 Hs.85258 CD8 antigen, alpha polypeptide (p32) 5 134550 M26315 Hs.85528 CD8 antigen, alpha polypeptide (p32) 5 134758 NM_0003394 Hs.91985 wingless-type MMTV integration site fami 10 135066 X04430 Hs.93913 Interleukin 6 (interferon, beta 2) 10 50 408790 AW580227 Hs.47860 neurotrophic tyrosine khase, receptor, type 2						
134117 AA081846 Hs.7921 Homo saplens mRNA; cDNA DKFZp566E183 (fr 5 134177 BE243319 Hs.79672 KIAA0652 gene product 10 134369 AF207664 Hs.8230 a disintegrin-like and metalloprotease (10 gb:Homo saplens retinoic acid-inducible 10 mitogen-activated protein kinase kinase 10 134550 M26315 Hs.85258 CD8 antigen, alpha polypeptide (p32) 5 134758 NM_000394 Hs.91985 wingless-type MMTV integration site faml 10 135066 X04430 Hs.93913 Interleuxin 6 (interferon, beta 2) 10 10 10 10 10 10 10 10 10 10 10 10 10	40					
134177 BE243319						
134369 AF207664						
45 134496 M64936 gb:Homo sapiens retinolc acid-inducible 10 134510 NM_002757 Hs.250870 mitogen-activated protein kinase kinase 10 134550 M26315 Hs.85258 CD8 antigen, alpha polypeptide (p32) 5 134758 NM_000394 Hs.91985 wingless-type MMTV integration site fami 10 135066 X04430 Hs.93913 interleukin 6 (interferon, beta 2) 10 408790 AW580227 Hs.47860 neurotrophic tyrosine kinase, receptor, type 2 10						
45						10
134550 M26315 Hs.85258 CD8 antigen, alpha polypeptide (p32) 5 134768 NM_000078 Hs.85538 cholesteryl ester transfer protein, plas 5 134963 NM_003394 Hs.91985 wingless-type MMTV integration site farmi 10 135066 X04430 Hs.93913 Interleukin 6 (interferon, beta 2) 10 408790 AWy580227 Hs.47860 neurotrophic tyrosine kinase, receptor, type 2 10	45			Hs.250870		10
134758 NM_000078 Hs.89538 cholesteryl ester transfer protein, plas 5 134963 NM_003394 Hs.91985 wingless-type MMTV integration site fami 10 135066 X04430 Hs.93913 Interleukin 6 (interferon, beta 2) 10 50 408790 AW580227 Hs.47860 neurotrophic tyrosine kinase, receptor, type 2 10				Hs.85258		5
134963 NM_003394 Hs.91985 wingless-type MMTV integration site fami 10 Interleukin 6 (interferon, beta 2) 10 10 10 10 10 10 10 10 10 10 10 10 10						5
135066 X04430 Hs.93913 Interleukin 6 (interferon, beta 2) 10 408790 AW580227 Hs.47860 neurotrophic tyrosine kinase, receptor, type 2 10						10
50 408790 AW580227 Hs.47860 neurotrophic tyrosine kinase, receptor, type 2 10					Interleukin 6 (interferon, beta 2)	10
446674 AA563892 Hs.306000 solute carrier family 4 (anion exchanger), memb 10	50	408790	AW580227	Hs.47860	neurotrophic tyrosine kinase, receptor, type 2	
		446674	AA563892	Hs.306000	solute carrier family 4 (anion exchanger), memb	10

TABLE 2A

Table 2A shows the accession numbers for those pkeys lacking unigeneID's for Table 2. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10		
	Pkey:	Unique Eos probeset identifier number
	CAT number:	Gene cluster number
	Accession:	Genbank accession numbers

15			
	Pkey	CAT number	r Accessions
20	111168	38585_1	AI798376 S46400 AW811617 AW811616 W00557 BE142245 AW858232 AW861851 AW858362 AA232351 AA218567 AA055556 AW858231 AW857541 AW814172 H66214 AW814398 AF134164 AA243093 AA173345 AA199942 AA223384 AA227092 AA227080 T12379 AA092174 T61139 AA149776 AA699829 AW879188 AW813567 AW813538 AI267168 AA157718 AA157719 AA100472 AA100774 AA130756 AA157705 AA157730 AA157715 AA053524 AW849581 AW854566 C05254 AW882836 T92637 AW812621 AA206583 AA209204 BE156909 AA226824 AI829309 AW991957 N66951 AA527374 H66215 AA045564 AI694265 H60808 AA149726 AW195620 BE081333 BE073424 AW817662 AW817705 AW817703 AW817659 BE081531 H59570
25	103747 134496	117944_1 46501_1	AA081995 AA101099 M64936 Al025512 Al382987 BE061777 AA089966 BE169930 T41176 AW594624 BE502415 AA121893 Al269283 T40311 Al684569 AA257011 Al079277 Al241318 BE327710 AW975215 AW896268 AA884990 BE327514
30	105239	34624_1	AA221036 R87170 BE537068 BE544757 C18935 AW812058 T92565 AA227415 AA233942 AA223237 AA668403 AA601627 AW869639 BE061833 BE000620 AW961170 AW847519 AA308542 AW821833 AW945688 C04699 AA205504 AA377241 AW821667 AA055720 AW817981 AW856468 AA155719 AA179928 T03007 AW754298 AA227407 AA113928 AA307904 C16859
	100654	tigr_HT2969	C10039 A03758 A06977 A15293 D17029 D17107 D17171 L00132 L00133 M12523 M13075 M13076 M92816 U22961 V00494 V00495 X51363 X51364 X51365
35	102208	6735_9	U22961 AA203623 AA503337 AI174733 AI192802 C06092 AA035357 AI190619 AI199244 AI828450 AA602296 AI378195 AI209170 AI186653 AI127795 AI183846 H77389 AI589465 AA629390 H94306 AI018388 R68584 AA027196 AI745413 AI685092 AI093426 AI623873 AI074570 N50096 AA047486 N25060 AA327614 AI042512 AI383957 AA156873 AI333101 N70806 AI141254 AI383191 AI401237 AI080709 AI093400 W84549 T90806 R00012 W01413 AA630557 AI378348 AI559265 AA877103 W84464 AA625146 R68379 AI133207 AI132980 AI133214 AI064826 AI061615 AI133473 AI174852 AI133404
40			Al133272 V00494 M12523 M12523 Al207526 Al133120 Al064802 Al174993 Al114729 Al061645 Al064716 Al064959 H77388 T85706 AF075298 Al110799 D17107 NM_000477 AF190168 R50724 Al248416 Al207432 Al133684 Al133345 Al174710 Al133290 Al133304 Al174948 Al207484 Al110717 AF074624 Al114515 AF063516 Al110642 Al114559 Al114498 Al114759 Al207568 Al064960 Al174753 Al114666 R69184 R00011 Al064997 T60501 Al207701 T771735 AA385318 H73569 T60496 H94399 Al133158 T74675 AA484750 T73413 T55909 R50261 T72061 N80533 T51189 T74936 Al207490 Al132925 Al064701
45			Al174748 Al114663 Al133104 Al132999 Al133100 Al064925 Al064979 Al133063 AA343347 T69091 AA233989 T39772 Al444620 T52290 D16931 T40012 T48403 T58926 T69195 Al133061 T50850 Al400677 Al091136 AA334608 T57411 Z20979 N56507 T87485 Al133622 AA343370 T40075 T69671 T53849 T74820 AF075316 Al110818 T40121 T57381 Al114468 AA332728 T51382 Al114589 R06691 Al110829 AF083503 Al140543 AA334661 AA332720 AA343262 T73513 T86549 Al114840 T57284 T39981 T61407 T72757 T51749 T56630 AA343125 T72126 R94135 T83028 T39972 T39896 Al174786
50			Al132926 R09237 Al064838 Al133660 T60398 T88753 T55930 T92126 Al444602 T60996 Al114792 H93911 Al133106 R10779 Al065020 T90925 T50889 D17029 Al133703 AA333805 Al133040 Al133017 Al064857 Al110730 AF074637 Al207567 H71080 T73217 AA343950 Al174743 AA334224 AA334281 R06692 T64739 T40163 T60628 T81661 T73179 R01842 AA501730 T39931 T39662 T40136 AA334904 T71425 H77784 R00874 Al065049 T84512 T55918 Al207595 T39951 AA005016 T60361 T69176 T73356 T58795 T61233 T39955 T60612 Al114676 Al064778 AA035710 W52763 Al114786 T83564 AA341859 T81684 T55769 Al114710 T51776 AA343213 Al114714 T58102 Al110809 R28984 Al174854 AA305675
55			AA343592 T53836 T46869 T64721 T55508 W05241 T54019 T57945 T60513 T48364 AF075308 W86731 T82851 T48269 H54053 T73211 AI114590 T48317 T55965 T74857 R84226 T56552 T52231 T74946 T76976 R02576 T95666 AI203974 AI189471 AA005147 AI478102 AI207662 AI192792 AI768421 AI064737 AW051713 AA936693 AI133117 AI766232 AI913646 T83962 AI065112 AI207689 AI174684 AI207702 T81475 AI133325 AI032512 AA701169 AI936354 AI114720 AI433289
60			AA046980 AI823482 AI114536 AA860651 AW242644 R07469 AW300438 AI133416 AW271670 AI991363 T78943 AI823481 AA845518 AA719124 AA883454 T68850 T69115 AI935509 AI150977 T62890 T71374 T68294 AI174774 T67411 T68318 AI064689 T56624 T69010 T68982 T68302 AI332829 T72908 AI064819 AI205880 T62895 T69430 T95111 AA025050 T73330 W52657 T71984 T69118 W92684 AI114860 T62093 T61797 AI522333 T73322 H92981 T56018 T61811 T57232 AI336158

PCT/US02/02242 WO 02/059377

5

102800 108351 101447

TABLE 3: Figure 3 from BRCA 001 US

Table 3 shows genes downregulated in tumor tissue compared to normal breast tissue.

5	

	Pkey:	Unique Eos probeset identifier number
	ExAcon:	Exemplar Accession number, Genbank accession number
10	UnigenelD:	Unigene number
	Unigene Title:	Unigene gene title
	D4·	Patio of normal broast fissue to tumor

15					
10	Pkey	ExAcon	UnigeneiD	UnigeneTitle	R1
	101336	NM_006732 U22961	Hs.75678	FBJ murine osteosarcoma viral oncogene h ob:Human mRNA clone with similarity to L	10.0 10.0
20	102990	AA829286 AI798376	Hs.332053	•	10.0
	111803	AA593731		ESTs, Moderately similar to ALU5_HUMAN A	10.0
2.5	130085 130840	BE048821	Hs.274313 Hs.20144	small inducible cytoldne subfamily A (Cy	10.0 10.0
25		AW966881 NM_003278	Hs.41639 Hs.65424	programmed cell death 2 tetranectin (plasminogen-binding protein	10.0 10.0
	134758	NM_000078	Hs.89538	cholesteryl ester transfer protein, plas	10.0

TABLE 3A

Table 3A shows the accession numbers for those pkeys lacking unigeneID's for Table 3. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10	Pkey: CAT number: Accession:	Unique Eos probeset identifier number Gene cluster number Genbank accession numbers

			·
15	Pkey	CAT number	Accessions
	111168	38585_1	AI798376 \$46400 AW811617 AW811616 W00557 BE142245 AW858232 AW861851 AW858362 AA232351 AA218567 AA055556 AW858231 AW857541 AW814172 H66214 AW814398 AF134164 AA243093 AA173345 AA199942 AA223384 AA227092 AA227080 T12379 AA092174 T61139 AA149776 AA699829 AW879188 AW813567 AW813538 AI267168 AA157718
20			AA157719 AA100472 AA100774 AA130756 AA157705 AA157730 AA157715 AA053524 AW849581 AW854566 C05254 AW882836 T92637 AW812621 AA206583 AA209204 BE156909 AA226824 AI829309 AW991957 N66951 AA527374 H66215 AA045564 AI694265 H60808 AA149726 AW195620 BE081333 BE073424 AW817662 AW817705 AW817703 AW817659 BE081531 H59570
25	102204	36735_9	U22961 AA203623 AA503337 AI174733 AI192802 C06092 AA035357 AI190619 AI199244 AI828450 AA602295 AI378195 AI209170 AI186653 AI127795 AI183846 H77389 AI589465 AA629390 H94306 AI018388 R66584 AA027196 AI745413 AI685092 AI093426 AI623873 AI074570 N50096 AA047486 N25060 AA327614 AI042512 AI383957 AA156873 AI333101 N70806 AI141254 AI383191 AI401237 AI080709 AI093400 W84549 T90806 R00012 W01413 AA630557 AI378348 AI559265 AA877103 W84464 AA625146 R68379 AI133207 AI132980 AI133214 AI064826 AI061615 AI133473 AI174852 AI133404 AI133272 V00494 M12523
30			M12523 A1207526 A1133120 A1064802 A1174993 A1114729 A1061645 A1064716 A1064959 H77388 T85706 AF075298 A1110799 D17107 NM_000477 AF190168 R50724 A1248416 A1207432 A1133684 A1133345 A1174710 A1133290 A1133304 A1174948 A1207484 A1110717 AF074624 A1114515 AF063516 A1110642 A1114559 A1114498 A1114759 A1207568 A1064960 A1174753 A114666 R69184 R00011 A1064997 T60501 A1207701 T71735 AA385318 H73569 T60496 H94399 A1133158 T74675 AA484750 T73413 T55999 R50261 T72061 N80533 T51189 T74936 A1207490 A1132925 A1064016 A1174748 A1114663 A1133104 A1132999 A116263 A1064016 A116263 A1064017 A18603
35			Al133100 Al064925 Al064979 Al133063 AA343347 T69091 AA233989 T39772 Al444620 T52290 D16931 T40012 T48403 T58926 T69195 Al133061 T50850 Al400677 Al091136 AA334608 T57411 Z20979 N56507 T87485 Al133622 AA343370 T40075 T69671 T53849 T74820 AF075316 Al110818 T40121 T57381 Al114468 AA332728 T51362 Al114589 R06691 Al110629 AF063503 Al140543 AA334661 AA332720 AA343262 T73513 T86549 Al114840 T57284 T39981 T61407 T72757 T51749 T56630 AA343125 T72126 R94135 T83028 T39972 T39886 Al174786 Al132926 R09237 Al064838 Al133660 T60398 T88753
40			T55930 T92126 Al444602 T60996 Al114792 H93911 Al133106 R10779 Al065020 T90925 T50889 D17029 Al133703 AA333805 Al133040 Al133017 Al064857 Al110730 AF074637 Al207567 H71080 T73217 AA343950 Al174743 AA334224 AA334281 R06692 T64739 T40163 T60628 T81661 T73179 R01842 AA501730 T39931 T39662 T40136 AA334904 T71425 H77784 R00874 Al065049 T84512 T55918 Al207595 T39951 AA005016 T60361 T69176 T73356 T58795 T61233 T39955 T60612 Al114676 Al064778 AA033710 W52763 Al114766 T83564 AA341859 T81684 T55796 Al114710 T51776 AA343213 Al114714 T58102
45			AI110809 R28984 AI174854 AA305675 AA343592 T53836 T46869 T64721 T55508 W05241 T54019 T57945 T60513 T48364 AF075308 W86731 T82851 T48269 H54053 T73211 AI114590 T48317 T55965 T74857 R84226 T56552 T52231 T74946 T76976 R02576 T95666 AI203974 AI189471 AA005147 AI478102 AI207662 AI192792 AI768421 AI064737 AW051713 AA936693 AI133117 AI766232 AI913646 T83962 AI065112 AI207689 AI174684 AI207702 T81475 AI133325 AI032512 AA701169 AI936354 AI114720 AI433289 AA046980 AI823482 AI114536 AA860651 AW242644 R07469 AW300438 AI133416 AW271670 AI991363
50	٠.	**	T78943 Al823481 AA845518 AA719124 AA883454 T68850 T69115 Al935509 Al150977 T62890 T71374 T68294 Al174774 T67411 T68318 Al064689 T56624 T69010 T68982 T68302 Al332829 T72908 Al064819 Al205880 T62895 T69430 T95111 AA025050 T73330 W52657 T71984 T69118 W92684 Al114860 T62093 T61797 Al522333 T73322 H92981 T56018 T61811 T57232 Al336158 T61821 T69457 T62900 T62912 T72917 T46885 Al702448 T57212 T57203 R94581 T71311 T61819 T89358 T67708 T70918 T59166 Al187111 T64308 T62071 T69427 Al114750 T60430 R09734 T69033 T69141 T69453 T67908 R16809
55			T69394 AI207729 T55839 T90273 T73339 AW194909 T75486 T71850 T71305 T71287 T53877 T73452 T68852 N75290 AI312890 T67751 AI174983 T51679 T54851 H69880 N73734 AA443453 T73466 H69672 N53869 T68447 D11809 D12412 T64300 T28321 T55864

TABLE 4: Figure 4 from BRCA 001 US

5 Table 4 shows genes upregulated in tumor tissue compared to normal breast tissue.

10	Pkey: ExAcon: Unigene Unigene R1:	ID: Title:	Exemplar Account Unigene numb Unigene gene		
15	Pkey	ExAccn	UnigenelD	Unigene Title	R1
•	100113	NM 0013	269Hs.84746	chromosome condensation 1	2.3
		X02308	Hs.82962	thymidylate synthetase	2.9
		D12485	Hs.11951	ectonucleotide pyrophosphatase/phosphodiesterase 1	1.9
20			9 Hs.2471	KIAA0020 gene product	1.9
		D13666		osteoblast specific factor 2 (fasciclin l-like) (periostin)	7.5
		H60720		KIAA0101 gene product	9.2
		W44671		gene predicted from cDNA with a complete coding sequence	1.6
			34 Hs.217493		2.0
25	100265	D38521	Hs.112396	KIAA0077 protein	1.5
	100271	BE16008	1 Hs.256290	S100 calcium-binding protein A11 (calgizzarin)	13.5
			12 Hs.154797	KIAA0090 protein	5.1
		D50920		KIAA0130 gene product	1.9
••	100335	AW2475	29 Hs.6793	platelet-activating factor acetylhydrolase, isoform lb, gamma subunit (29kD)	2.7
30				carbamoyl-phosphate synthetase 2, aspartate transcarbamylase, and dihydroorotase	2.0
				KIAA0175 gene product	2.6 3.2
		D84145	Hs.39913		3.2 1.5
			24 Hs.75790		2.0
25		D86978		KIAA0225 protein	2.9
3 5		M65028		heterogeneous nuclear ribonucleoprotein A/B	1.9
		L05424		desmoplakin (DPI, DPII) CD44 antigen (homing function and Indian blood group system)	5.7
		L05424		CD44 antigen (homing function and Indian blood group system)	9.0
		L05424		CD44 antigen (homing function and Indian blood group system)	7.6
40			35 Hs.740	PTK2 protein tyrosine kinase 2	53.2
-10				ribosomal protein L24	1.8
			6 Hs.1657	estrogen receptor 1	1.6
	100783	AF07884	7 Hs.191356	general transcription factor IIH, polypeptide 2 (44kD subunit)	5.9
	100850	AA83647	2 Hs.297939	cathepsin B	1.7
45	100892	BE24529	4 Hs.180789	S164 protein	1.7
	100945	AF00222	25 Hs.180686	ubiquitin protein ligase E3A (human papilloma virus E6-associated protein, Angelman syndrome)	1.5
			34 Hs.79172		6.3
	100988	AK00040	5 Hs.76480	ubiquitin-like 4	11.4
	100999	H38765	Hs.80706	diaphorase (NADH/NADPH) (cytochrome b-5 reductase)	1.6
50		J05070	Hs.151738	matrix metalloproteinase 9 (gelatinase B, 92kD gelatinase, 92kD type IV collagenase)	8.2
		J05614		gb:Human proliferating cell nuclear antigen (PCNA) gene, promoter region.	5.0
		N99692	Hs.75227	Empirically selected from AFFX single probeset	2.6
		L06419	Hs.75093	procollagen-lysine, 2-oxoglutarate 5-dioxygenase (lysine hydroxylase, Ehlers-Danlos syndrome ty	16.9
<i></i>			262Hs.37044	peripherin	2.0
55				core-binding factor, beta subunit cyclin-dependent kinase inhibitor 3 (CDK2-associated dual specificity phosphatase)	1.8
			36 Hs.84113 37 Hs.82916	chaperonin containing TCP1, subunit 6A (zeta 1)	1.7
			66 Hs.78802	glycogen synthase kinase 3 beta	1.9
		L18964	Hs.1904	protein kinase C, lota	1.5
60	101249	J04088		topoisomerase (DNA) II alpha (170kD)	5.2
00		J04088		topoisomerase (DNA) II alpha (170kD)	3.4
	101352	Al49429		COX17 (yeast) homolog, cytochrome c oxidase assembly protein	6.3
	101396	BE2679	31 Hs.78996	proliferating cell nuclear antigen	4.2
		M21259		gb:Human Alu repeats in the region 5' to the small nuclear rib	1.9
65			546Hs.1846	tumor protein p53 (Li-Fraumeni syndrome)	1.6

	101478	NM_002890)Hs.758	RAS p21 protein activator (GTPase activating protein) 1	2.5
	101483	M24486	Hs.76768	procollagen-proline, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxylase), alpha polypeptide I	5.5
	101540	J04977	Hs.84981	X-ray repair complementing defective repair in Chinese hamster cells 5 (double-strand-break rejoi	ning 2.1
_	101573	AW248421	Hs.250758	proteasome (prosome, macropain) 26S subunit, ATPase, 3	1.6
5	101580	NM_012151	Hs.83363	coagulation factor VIII-associated (intronic transcript)	5.7
	101592	AF064853	Hs.91299	guanine nucleotide binding protein (G protein), beta polypeptide 2	1.8
	101592	AF064853	Hs.91299	guanine nucleotide binding protein (G pr	5.6
	101621	BE391804	Hs.62661	guanylate binding protein 1, interferon-inducible, 67kD	2.4
	101702	AW504089	Hs.179574	protein phosphatase 2 (formerly 2A), regulatory subunit B (PR 52), alpha isoform	1.3
10	101734	M74099	Hs.147049	cut (Drosophila)-like 1 (CCAAT displacement protein)	2.1
		M80244	Hs.184601	solute carrier family 7 (cationic amino acid transporter, y+system), member 5	5.0
				carboxypeptidase B1 (tissue)	14.4
		AA306495		phosphoglucomutase 1	5.2
		AW409747		stress-Induced-phosphoprotein 1 (Hsp70/Hsp90-organizing protein)	8.6
15				S100 calcium-binding protein A7 (psoriasin 1)	8.9
	101810	NM 000318	Hs 180612	peroxisomal membrane protein 3 (35kD, Zellweger syndrome)	3.2
				nuclear autoantigenic sperm protein (histone-binding)	1.6
				glycoprotein hormones, alpha polypeptide	31.3
		AF182645		IK cytokine, down-regulator of HLA II	1.8
20 -			Hs.80120	UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminyltransferase 1 (GalNAc-1	
20		AI904232		prohibitin	8.4
				protein tyrosine kinase 9	1.3
				CDC20 (cell division cycle 20, S. cerevisiae, homolog)	2.0
			Hs.75117	Interteukin enhancer binding factor 2, 45kD	1.6
25					1.3
23			Hs.75117	heat shock protein 75	1.4
					1.8
		NM_001809		centromere protein A (17kD)	4.6
				death associated protein 3	4.3
20		AW950852			6.7
30		AA829978			
			Hs.65436		4.3
				heterochromatin-like protein 1	1.9
				karyopherin alpha 2 (RAG cohort 1, importin alpha 1)	4.4
25	102302	AA306342	HS.69171	protein kinase C-like 2	2.7
35	102330	BE298063	Hs.77254	chromobox homolog 1 (Drosophila HP1 beta)	1.5
		BE378432			2.3
			Hs.87539		2.0
•	102349	AU077055		baculoviral IAP repeat-containing 2	3.2
40				hepatocyte nuclear factor 3, alpha	2.0
40				PTK7 protein tyrosine kinase 7	6.2
				deoxyguanosine kinase	1.5
				discoidin domain receptor family, member 1	6.9
	102465	NM_001359	Hs.81548	2,4-dienoyl CoA reductase 1, mitochondrial	1.8
			Hs.61828	amyloid beta precursor protein-binding protein 1, 59kD	1.5
45	102489	AL080116	Hs.74420	origin recognition complex, subunit 3 (yeast homolog)-like	3.3
	102494	Al188137	Hs.75193	COP9 homolog	2.1
	102501	AF217197	Hs.74562	siah binding protein 1; FBP interacting repressor; pyrimidine tract binding splicing	3.2
	102522	BE250944	Hs.183556	solute carrier family 1 (neutral amino acid transporter), member 5	2.8
	102532	AF040253	Hs.70186	suppressor of Ty (S.cerevisiae) 5 homolog	5.7
50	102564	U59423	Hs.79067	MAD (mothers against decapentaplegic, Drosophila) homolog 1	2.3
	102568			RAB31, member RAS oncogene family	5.3
	102580			CDP-diacylglycerol synthase (phosphatidate cytidylytransferase) 1	2.1
	102581	AU077228			1.6
			Hs.32675		2.1
55	102617	AW161453	Hs.198767	COP9 (constitutive photomorphogenic, Arabidopsis, homolog) subunit 5	1.8
		AL037672			5.8
				zinc finger protein 184 (Kruppel-like)	1.3
				karyopherin (importin) bela 2	1.8
		BE262989			2.3
60		NM_007019			4.3
JU		U96132		hydroxyacyl-Coenzyme A dehydrogenase, type II	6.0
		BE540274		forkhead box M1	4.2
	102030	01107705R	Hs 5/1090	BRCA1 associated RING domain 1	1.9
	102704	T97490		small inducible cytokine subfamily A (Cys-Cys), member 19	2.3
65	102700	13/43U AB01//R0		nth (E.coli endonuclease III)-like 1	1.2
65	102730	MDU 1440U	Ha 20044	pyridoxal (pyridoxine, vitamin B6) kinase	6.4
	102801	BE252241	He 22074	high-mobility group (conhistone chamosomal) protein 17-like 3	1.6
	111/2/17	1.120112.36629	113.6.30//4	nanenaminy ordina diaminana chiamiana diamina	

		BE244588		chaperonin containing TCP1, subunit 2 (beta)	5.6
		AA262170		adaptor-related protein complex 3, sigma 1 subunit	2.0
	102844	AV653790	Hs.324275	WW domain-containing protein 1	1.3
_				plasminogen activator, urokinase	4.4
5		BE440142		signal recognition particle 19kD	1.9
	102935	BE561850	Hs.80506	small nuclear ribonucleoprotein polypeptide A'	2.4
	102968	AU076611	Hs.154672	methylene tetrahydrofolate dehydrogenase (NAD+ dependent), methenyltetrahydrofolate cy	cionydrolase2.7
				non-metastatic cells 1, protein (NM23A) expressed in	3.1
• •	102985	U95742	Hs.2707	G1 to S phase transition 1	5.2
10				multifunctional polypeptide similar to SAICAR synthetase and AIR carboxylase	1.6
	103038	AA926960	Hs.334883	CDC28 protein kinase 1	2.5
				matrix metalloproteinase 11 (MMP11; stromelysin 3)	4.5
		AU077231	Hs.82932	cyclin D1 (PRAD1: parathyroid adenomatosis 1)	. 3.1
		D31152	Hs.179729	collagen, type X, alpha 1 (Schmid metaphyseal chondrodysplasia)	2.4
15				famesyl-diphosphate famesyltransferase 1	3.5
				ribosomal protein S18	9.9
		NM_001777	Hs.82685	CD47 antigen (Rh-related antigen, integrin-associated signal transducer)	1.3
	103181	X69636	Hs.334731	Homo saplens, clone IMAGE:3448306, mRNA, partial cds	2.0
20	103185	NM_006825	Hs.74368	transmembrane protein (63kD), endoplasmic reticulum/Golgi intermediate compartment	1.6
20		AA401039		protein phosphatase 4 (formerly X), catalytic subunit	2.5
		NM_004766		coatomer protein complex, subunit beta 2 (beta prime)	2.2
		NM_004939		DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 1	6.3
			Hs.77367	monokine induced by gamma Interferon	8.8 3.0
25		BE275607	HS.1/08	chaperonin containing TCP1, subunit 3 (gamma)	3.0 1.8
25 .				tumor necrosis factor receptor superfamily, member 4	5.6
		A1369285		death-associated protein	1.9
		NM_001545	MS.90/8	immature colon carcinoma transcript 1	2.5
		A1803447	MS.77490	small nuclear ribonucleoprotein polypeptide G	1.6
30		X89059	U- 222270	gb:H.sapiens mRNA for unknown protein expressed in macrophage	1.8
30		VD44E3	D3.323310	coated vesicle membrane protein pyrroline-5-carboxylate synthetase (glutamate gamma-semialdehyde synthetase)	2.3
			NS. 1 14300	gb:H.sapiens dbi/acbp gene exon 1 & 2.	4.0
		X94563 BE564090	Un 20746	translocase of inner mitochondrial membrane 17 (yeast) homolog A	1.3
				myeloid/lymphoid or mixed-lineage leukemia 3	5.6
35		AL031224		transcription factor AP-2 beta (activating enhancer-binding protein 2 beta)	5.1
<i></i>	103303	ALU31224	115.33 102 11c 190069	proteasome (prosome, macropain) subunit, beta type, 8 (large multifunctional protease 7)	9.7
	103547	NM 006218	He 85701	phosphoinositide-3-kinase, catalytic, alpha polypeptide	2.0
		NM_000346		SRY (sex determining region Y)-box 9 (campomelic dysplasia, autosomal sex-reversal)	1.3
				polymerase (RNA) II (DNA directed) polypeptide K (7.0kD)	2.0
40				membrane component, chromosome 11, surface marker 1	2.3
-10				growth factor receptor-bound protein 2	1,3
		AL135301		hypothetical protein FLJ10849	1.8
	103754	AI015709	Hs. 172089	Homo sapiens mRNA; cDNA DKFZp586i2022 (from done DKFZp586i2022)	1.3
•				hypothetical 43.2 Kd protein	7.5
45			Hs.7367	Homo sapiens BTB domain protein (BDPL) mRNA, partial cds	1.2
		AA080912		gb:zn04d03.r1 Stratagene hNT neuron (937233) Homo sapiens cDNA clone 5' similar	1.5
			Hs.181271	CGI-120 protein	1.5
				hypothetical protein FLJ10330	1.5
	103886	AK001278	Hs.105737	hypothetical protein FLJ10416 similar to constitutive photomorphogenic protein 1	6.5
50	104052	NM_002407	Hs.97644	mammaglobin 2	2.9
	104079	AA251242	Hs.103238	ESTs	1.4
		AA478984		PRO0659 protein	5.6
				protocadherin alpha 9	1.6
	104275	A1751970	Hs.101067	GCN5 (general control of amino-add synthesis, yeast, homolog)-like 2	5.4
55	104325	BE379766	Hs.150675	polymerase (RNA) II (DNA directed) polypeptide K (7.0kD)	6.3
		AA324597	Hs.21851	Homo sapiens cDNA FLJ12900 fis, clone NT2RP2004321	1.6
	104423		Hs.1432	protein kinase C substrate 80K-H	5.2
	104482	AB037762	Hs.44268	myelin gene expression factor 2	1.2
CO	104532	A1498763	Hs.203013	hypothetical protein FLJ12748	2.1
60				DKFZP434F1735 protein	1.2
	104667	Al239923	Hs.30098	ESTs	1.3
	104757	AI694413	ms.332649	olfactory receptor, family 2, subfamily 1, member 6	2.3 1.3
	104804	AI858702	IIS.316U3	ESTs, Weakly similar to N-WASP [H.sapiens]	2.3
65	104806	AB023175	ПS.∠2982	KIAA0958 protein	2.3 10.9
65		AW052006		PRP4/STK/WD splicing factor	5.6
	104846	A1250789	DS.32470	ESTs 3. phosphoinositide dependent protein kinase. 1	12.3

	104867	AA278898	Hs.225979	hypothetical protein similar to small G proteins, especially RAP-2A	2.0
		T78044	Hs.28893	Homo sapiens mRNA; cDNA DKFZp564O2364 (from clone DKFZp564O2364)	1.3
	104898	AW015318	Hs.23165	ESTs	17.7
	104909	AW408164	Hs.249184	transcription factor 19 (SC1)	5.0
5				NS1-associated protein 1	1.7
	104919	AA026880	Hs.25252	prolactin receptor	1.4
		AF043467			2.2
	104973	NM_015310	DHs.6763	KIAA0942 protein	5.0
		Y12059		bromodomain-containing 4	1.4
10		AL136877			2.4
		AL136877		SMC4 (structural maintenance of chromoso	2.3
		AI199268			l cds 7.2
		AA937934			1.3
				mitochondrial GTP binding protein	3.5
15		BE379584	Hs.34789	dolichyl-diphosphooligosaccharide-protein glycosyltransferase	5.5
		AF098158		chromosome 20 open reading frame 1	3.3
		AI050715		E2F transcription factor 5, p130-blnding	2.2
		AA127818		gb:zl12a02.s1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:501674 3'	6.8
		AA907305	Hs.36475	ESTs	2.5
20		AB037716		KIAA1295 protein	2.2
_ •				speckle-type POZ protein	3.8
		AA151342			9.5
		AA147884		Homo sapiens cDNA FLJ14388 fis, clone HEMBA1002716	5.6
		H58589	Hs.35156	Homo sapiens cDNA FLJ11027 fis, clone PLACE1004114	2.2
25		Z78407	Hs.27023	vesicle transport-related protein	2.2
		BE387350		KIAA1160 protein	1.6
		AW975433		ESTs	6.3
				nudix (nucleoside diphosphate linked molety X)-type motif 5	2.1
	105141	AA164687	Hs.177576	mannosyl (alpha-1,3-)-glycoprotein beta-1,4-N-acetylglucosaminyltransferase, isoenzyme A	2.7
30	105158	AW976357	Hs.234545	hypothetical protein NUF2R	1.9
J U				S164 protein	1.7
		AA191512			4.8
		AA071276		KIAA0859 protein	1.9
		AA263143			2.8
35		N99673	Hs.3585	ESTs, Weakly similar to AF126743 1 DNAJ domain-containing protein MCJ [H.sapiens]	1.9
		AA700122		sentrin-specific protease	8.0
				KIAA0779 protein	1.8
		NM_01601		CGI-68 protein	8.2
				hypothetical protein FLJ21918	5.0
40		AW887701			2.5
				hypothetical protein FLJ10326	2.2
				membrane protein CH1	2.3
				interleukin enhancer binding factor 3, 90kD	5.4
				Npw38-binding protein NpwBP	1.6
45				RNA binding motif protein 8A	1.6
		AA252395	. 10.000 10	gb:zs12g10.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:685026 3', mRNA sequence	œ. 5.0
			Hs.226318	CCR4-NOT transcription complex, subunit 7	1.6
				hypothetical protein FLJ20364	1.3
		AB023179		KIAA0962 protein	3.4
50		AA262640			9.3
•				hypothetical protein FLJ14299	1.4
				hypothetical protein FLJ20452	10.9
				splicing factor 3b, subunit 1, 155kD	2.9
	105608	AI808201	Hs 287863	hypothetical protein FLJ12475	1.7
55	105610	AA280072	Hs.99872	fetal Atzheimer antigen	1.4
-		AK000892		glucocorticoid modulatory element binding protein 1	1.7
				casein kinase 1, gamma 2	5.5
				hypothetical protein FLJ20059	9.4
		AW499988			2.0
60		R26944	Hs.180777	Homo sapiens mRNA; cDNA DKFZp564M0264 (from clone DKFZp564M0264)	1.7
50		BE246502		sema domain, immunoglobulin domain (Ig), transmembrane domain (TM) and short	2.6
		AW151952		hypothetical protein FLJ20739	1.5
		AI123118		The second secon	1.3
				synovial sarcoma, translocated to X chromosome	1.6
65				transcriptional unit N143	2.2
55				E3 ubiquitin ligase SMURF2	1.3
		Al262106			2.4

	105858	AF151066	Hs.281428		2.9
	105875	AK001708	Hs.32271	MANAGER CONTRACTOR OF THE PROPERTY OF THE PROP	1.4
		AF016371		peptidyl prolyl isomerase H (cyclophilin H)	5.2
		AW194426		ESTs	1.7
5	106011	AW081202	Hs 12284	Homo sapiens, clone IMAGE:2989556, mRNA, partial cds	2.8
_	106017	AA477956	Hs 26268	FSTs	1.4
				downstream neighbor of SON	1.4
	100070	A A 4304ED	He 40077	ESTS, Moderately similar to ALU8_HUMAN ALU SUBFAMILY SX SEQUENCE CONTAMINATION	1.6
					5.8
10				Trypodicuous protest i co i 1001	1.6
10	100140	AB000024	MS.1491Z	KIAA0286 protein Homo sapiens, Similar to RIKEN cDNA 5430429M05 gene, clone MGC:13155, mRNA, complete cd	
	1002/1	AA251393	HS.289002	HOMO Sapteris, Similar to Kinen Colon September Serie, clone Micro. 19100, mileta, complete co	1.3
		AB03//42	HS.24336	Marior piotos	3.6
	106300	Y10043	Hs.19114		5.4
				Edita, victidy distinct to 10 to to 10 to company the property that the property of the proper	
15		AK001404		cyan bz	5.7
				Ballaticilibratio / Superiamily monitor =	6.3
	106381	AB040916	Hs.24106	NAME (100) PROCESS	6.5
	106389	AW748420	Hs.6236		2.2
	106457	AF119256	Hs.27801	zinc finger protein 278	2.7
20	106470	D63078	Hs.186180	I TOTAL DESCRIPTION OF THE PROPERTY OF THE PRO	2.3
		AA454036	Hs.8832	ESTs	1.6
		AA243837			1.6
	106589	AK000933	Hs 28661	Homo saplens cDNA FLJ10071 fis, clone HEMBA1001702	2.4
		AA458882		fibulin 1	7.9
25					7.7
23	100024	A1 040054	He 22370	Homo sapiens mRNA; cDNA DKFZp564O0122 (from clone DKFZp564O0122)	1.8
	100000	AL043331	He 19/16/	ESTs, Moderately similar to S65657 alpha-1C-adrenergic receptor splice form 2 [H.sapiens]	1.3
				hypothetical protein FLJ12549	4.5
	400747	AAC00257	115, 10400Z	ilypolicuodi protoliri Lorizo io	1.3
20				THE CYCLE AND GLACIES COORDINATE AND A SHARE AND A SHA	1.6
30		BE388094		Lors	5.7
	106/95	AF1/448/	HS.293753	DOI-Z-T-CIALLO OTATIAN INITIO PROTON INC	16.2
	106829	AW959893	Hs.27099	Hypothesical protein i Enzozoo dirimin to a de o misserani 3 protein -	1.5
•	106831	BE564871	Hs.29463	ochium, El -mana protost, o (oboot) fassementes	2.2
				taratozo pocat	
35		AF151031	Hs.300631	ii) pod iododi protodi	1.3
					16.8
	106886	W79171	Hs.9567		1.5
				Bansonphon radio bristal	2.2
	106920	AK001838	Hs.296323		3.3
40		AK000511		hypothetical protein DKFZp434L1435 similar to valyl tRNA synthetase	6.8
	106973	BE156256	Hs.11923	hypothetical protein	6.6
		AL043152		KIAA0203 gene product	4.8
		AW631480		ESTs	6.0
	107004	AA146872	Hs.300700	hypothetical protein FLJ20727	1.3
45	107029	AF264750	Hs 288971	myeloid/lymphoid or mixed-lineage leukemia 3	1.8
		AW385224		ectonucleotide pyrophosphatase/phosphodiesterase 5 (putative function)	1.7
		AK000733		GTPase activating protein	2.5
. :	107125	AK000512	He 69388	hypothetical protein FLJ20505	1.7
	107126	AV661958	He 8207	GK001 protein	4.6
50	407426	AV661958	Ha 9207	GK001 protein	3.3
50		AK001455			2.0
				Don't dylaronia diabat region gano z	6.3
		AW378065			33.5
		AW391927		(W411200 promit	5.2
F F		BE122762	MS.20000	Edia	6.1
55		W15477	Hs.64639	guorna puoraganistra protessi	17.4
		AW888411			7.4
	107243	BE219716	Hs.34727		
				House receptor of representative companies	1.8
		D60341	Hs.21198		6.6
60		BE379594		ESTs, Moderately similar to ALU7_HUMAN ALU SUBFAMILY SQ SEQUENCE CONTAMINATION	2.5
		N95657	Hs.6820	Coto, mocorator, current as 1 cot _cr = matter cot =	2.5
	107298	N95657	Hs.6820	ESTs, Moderately similar to YOJ1_CAEEL H	1.7
	107299	BE277457	Hs.30661	hypothetical protein MGC4606	3.2
	107316	T63174	Hs.193700	Homo sapiens mRNA; cDNA DKFZp58610324 (from clone DKFZp58610324)	2.0
65	107354	NM_00629	9Hs.96448	zinc finger protein 193	5.0
	107392	AW299900	Hs.267632	TATA element modulatory factor 1	1.2
				kinesin family member 4Å	1.6

	107529	BE515065	Hs.296585		3.0
	107554	AA001386	Hs.59844	ESTs	1.3
	107681	RE379594	Hs 49136	ESTs, Moderately similar to ALU7_HUMAN ALU SUBFAMILY SQ SEQUENCE CONTAMINATION	2.2
	107772	AA018587	He 303055	ESTs, Weakly similar to ALU1_HUMAN ALU SUBFAMILY J SEQUENCE CONTAMINATION	2.1
5	107772	AMD 10001	Lie 475B4	potassium voltage-gated channel, delayed-rectifier, subfamily S, member 3	8.4
J	107901		Hs.335952	bornociati tormão dans ariamini anales comentantes de minimos a	2.5
	107901		Hs.335952	Notice and	1.6
		L42012	HS.333992	1012017 42	2.2
	10/922	BE 103800	HS.01400	ig deponding toopist = int	6.7
10	10/9/4	AW956103	HS.61/12		
10				SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily b, member	1 1 i i
			Hs.59847	2010	1.3
				1 Don only product	7.1
	108296		Hs.161623	2010	2.5
	108496	AA083069	Hs.339659		3.5
15	108607	BE300380	Hs.69476	Tiotile achieve and that an interest the man and the m	3.4
	108621	AA101809	Hs.182685		1.6
	108634	AW022410	Hs.69507		1.7
	108647	BE546947	Hs.44276		9.8
	108695	AB029000	Hs.70823		7.2
20				hypothetical protein FLJ20516	1.3
_ •			Hs.9071	progesterone membrane binding protein	2.7
				DKFZP564O0463 protein	1.8
			Hs.178904		1.5
		H06720		endosulfine alpha	2.1
25				CHOOCH AT O CIPTO	5.3
23		AK001431			4.0
	100054	AA440754	Un 105155		5.6
	400000	AA4E4700	Un 474090	homeo box (expressed in ES cells) 1	1.6
					6.2
30			Hs.23467	nypodicaca pickani Le i coco	1.7
30			Hs.72134	Turation process	1.4
			Hs.72127	ESTs gb:zo35d07.s1 Stratagene colon (937204) Homo sapiens cDNA clone 3' similar to contains Atu rep	
		AA157811	11- 70546		2.9
			Hs.72545	2010	1.6
25			Hs.52184	hypothologic protoxi i como i e,	3.2
35				in positional product the reverse	1.7
	109124	AKUUU0684	HS.16366/	nypoulousus promit i doubt i d	2.6
			Hs.59757	Zalo laigor protos zor	2.9
			Hs.73625		2.0
40			Hs.58169	right oxproduct in duried her in redeme her a rep	5.3
40	109213	NM_01660	3Hs.82035	potential fidelogy biototic events of error mine biototic	
			Hs.189998	2010	5.7
					5.3
		N99673	Hs.3585	ESTs, Weakly similar to AF126743 1 DNAJ domain-containing protein MCJ [H.sapiens]	1.4
	109273	AA375752	Hs.82719		2.9
45	109313	AF153201	Hs.86276	C2H2 (Kruppel-type) zinc finger protein	1.3
	109341	AA213506	Hs.115099	EST	2.9
	109391	AL096858	Hs.184245	KIAA0929 protein Msx2 interacting nuclear target (MINT) homolog	1.5
	109420	H83603	Hs.40408	homeo box C9	2.2
	109426	N30531	Hs.42215	protein phosphatase 1, regulatory subunit 6	3.0
50	109429	Al160029	Hs.61438	ESTs	1.9
	109445	AA232103	Hs.189915	ESTS	1.8
	109450	AB032969	Hs.173042	KIAA1143 protein	3.7
	109468	NM_01531	0Hs.6763	KIAA0942 protein	3.2
	109478	AW074143	Hs.87134	ESTs	2.0
55	109570	L40027	Hs.118890	glycogen synthase kinase 3 alpha	2.1
• •		F02614	Hs.27319		1.4
		R71264	Hs.16798		1.3
		H11938	Hs.21907		2.0
	110056	AA503041	Hs.279009	matrix Gla protein .	2.5
60	110085	AARORRAO	Hs.29956	KIAA0460 protein	1.7
50		T07353	Hs.7948	ESTs	2.9
	110110	R51853	Hs 226420	ESTs, Weakly similar to ALU1_HUMAN ALU SUBFAMILY J SEQUENCE CONTAMINATION	1.7
	110123	NIM 01/67	1Hs.17667	SH3-domain binding protein 4	4.2
	1402/0	AI668594		ESTs, Weakly similar to CP4Y_HUMAN CYTOCHROME P450 4A11 PRECURSOR [H.sapiens]	4.2
65	110240	N41744	Hs.19978		1.3
UJ			Hs.32406	ESTs, Weakly similar to 138022 hypothetical protein (H.sapiens)	2.2
	110209	H28428		bunotherical protein El 119080	21

		AI288666	Hs.16621	DKFZP434I116 protein	6.2
		H55748		gb:yq94a01.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:203400 3'	6.1
		H55915		hypothetical protein FLJ11016	6.1
		H57330	Hs.37430	EST	6.3
5	110568	AK001160	Hs.5999	hypothetical protein FLJ10298	1.3
	110699	T97586	Hs.18090	ESTs .	1.8
	110705	AB007902	Hs.32168	KIAA0442 protein	1.6
	110742	AW190338	Hs.28029	hypothetical protein MGC11256	7.6
	110761	AL138077	Hs.16157	hypothetical protein FLJ12707	2.5
10	110762	BE044245	Hs.30011	hypothetical protein MGC2963	9.3
	110765	AK000322	Hs.18457	hypothetical protein FLJ20315	5.5
	110769	BE000831	Hs.23837	Homo sapiens cDNA FLJ11812 fis, clone HEMBA1006364	2.1
	110799	Al089660	Hs.323401	dpy-30-like protein	1.5
	110805	T25829	Hs.24048	FK506 binding protein precursor	6.6
15	110813	AA767373	Hs.35669	ESTs, Moderately similar to ALU1_HUMAN ALU SUBFAMILY J SEQUENCE CONTAMINATION	5.7
		R33261	Hs.6614	ESTs, Weakly similar to A43932 mucin 2 precursor, intestinal [H.sapiens]	3.4
		N31598	Hs.12727	hypothetical protein FLJ21610	1.7
		AI740792		methylcrotonoyl-Coenzyme A carboxylase 2 (beta)	1.7
		BE612992		hypothetical protein FLJ10607 similar to glucosamine-phosphate N-acetyltransferase	4.7
20		AA992380		gb:ot37g06.s1 Soares_testis_NHT Homo sapiens cDNA done 3' similar to contains element	2.3
	110885	BE384447	Hs.16034	hypothetical protein MGC13186	3.5
		AL117430		DKFZP434D156 protein	2.2
		BE092285		hypothetical protein FLJ13187	2.6
		H04360	Hs.24283	ESTs, Moderately similar to reduced expression in cancer [H.sapiens]	1.9
25		NM_005864		signal transduction protein (SH3 containing)	6.7
23		AK002180		DKFZP564O123 protein	2.0
		AK002100	He 2//28/	ADP-ribosyltransferase (NAD+; poly(ADP-ribose) polymerase)-like 2	1.3
	110001	ANNE 13287	He 90120	UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminyltransferase 1 (GalNAc-T	
		N63823	Uc 260115	ESTs, Moderately similar to Z195_HUMAN ZINC FINGER PROTEIN 195 [H.sapiens]	3.6
30				hypothetical protein	2.1
50		N46180			2.3
				Homo sapiens cDNA FLJ13289 fis, clone OVARC1001170	3.7
		R67419		Homo sapiens cDNA FLJ12900 fis, clone NT2RP2004321	7.5
		AL050166		Homo saplens mRNA; cDNA DKFZp586D1122 (from clone DKFZp586D1122)	7.1
35		AK000136		asporin (LRR class 1)	6.7
33				Homo sapiens cDNA FLJ20738 fis, clone HEP08257	3.3
			HS.243901	Homo sapiens cDNA FLJ20738 fis, clone HE	
		N67603	HS.272130	ESTs, Weakly similar to S65824 reverse transcriptase homolog [H.saplens]	3.6
	111216	AW139408	Hs.152940	ESIS	1.5
40				KIAA1361 protein	2.6
40				KIAA1866 protein	4.6
		N90956		hypothetical protein FLJ22087	7.9
		AA778711		eukaryotic translation initiation factor 1A	6.9
			Hs.74313	KIAA1265 protein	5.0
4.5		Al523913			3.8
45		T99755	Hs.334728		1.2
				LIS1-interacting protein NUDE1, rat homolog	5.1
	111352	H58589	Hs.35156	Homo sapiens cDNA FLJ11027 fis, clone PLACE1004114	2.2
	111370	Al478658	Hs.94631		2.8
:	111384	N94606	Hs.288969	HSCARG protein	2.2
50	111389	AK000987	Hs.169111	oxidation resistance 1	2.1
	111391	NM_00389	6Hs.225939	sialyltransferase 9 (CMP-NeuAc:lactosylceramide alpha-2,3-sialyltransferase; GM3 synthase)	5.1
		W46342	Hs.325081	Homo sapiens, done IMAGE:3659680, mRNA, partial cds	8.4
	111452	R02354	Hs.15999		2.7
		Al051194	Hs.227978	EST ·	6.5
55		W90638	Hs.20321	ESTs, Moderately similar to ZRF1_HUMAN ZUOTIN RELATED FACTOR-1 (M-PHASE	1.4
	111585	R10720	Hs.20670	EST	1.6
	111627	R52656	Hs.21691		1.6
		AB037834		Homo sapiens mRNA for KIAA1413 protein, partial cds	2.4
		BE298665		Homo sapiens mRNA; cDNA DKFZp564D016 (from clone DKFZp564D016)	10.6
60		AW083791			6.6
50		NM_01531		KIAA0942 protein	5.1
	112134	R41823	Hs.7413	ESTs; calsyntenin-2	2.8
				KIAA1077 prolein	14.6
		R46071	He 301E02	Homo sapiens, done IMAGE:3638994, mRNA, partial cds	9.0
65	112300	NM 01624	いいいりいけん	A kinase (PRKA) anchor protein 11	1.4
UJ	112450	AW007227	Ue 28570	Homo sapiens cDNA: FLJ21086 fis, done CAS03272	1.4
		AI742756			3.2
	LIZDUD	(UI 741 UU	113.40013	LUIS	4.4

		R68425	Hs.13809	hypothetical protein FLJ10648	2.0	
		AK001635			1.8	
		AK000004			6.6	
-		T10258	Hs.5037		1.5	
5		AW970826		The state of the s	3.2	
		R61388	Hs.6724		6.0	
		Z44718	Hs.102548		6.4	
	112978	AK000272	Hs.7099		1.2	
	112995	AA737033	Hs.7155	do to the document and an artificial transfer framework	5.6	
10	112996	BE276112	Hs.7165	zinc finger protein 259	2.0	
	113047	Al571940	Hs.7549		1.9	
	113049	AW965190	Hs.7560		2.4	
	113089	T40707	Hs.270862	ESTs	1.3	
	113196	T57317		gb:yb51a03.s1 Stratagene fetal spleen (937205) Homo sapiens cDNA clone IMAGE:74668 3',	1.7	
15		T63857		gb:yc16e01.s1 Stratagene lung (937210) Homo sapiens cDNA clone 3', mRNA sequence	2.8	
			Hs.11449	DKFZP564O123 protein	1.3	
	113277	AW971049	Hs.11774	protein (peptidyl-prolyl cis/trans isomerase) NIMA-interacting, 4 (parvulin)	3.2	
			Hs.179808		1.2	
		AI467908			5.9	
20		H59588	Hs.15233		2.0	
			Hs.142442		3.6	
					1.3	
		T97307	115.700170		4.4	
			Hs.184411		1.3	
25		AW499665		SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily a, member		
23			Hs.10590		13.4	
		AL359588			1.7	
	110700	VIDEOUSE	Un 425570		1.3	
	113/91	W44735	Hs.9286		3.3	
30	113000	BE207480			3.1	
50				The state of the s	3.2	
		H13325		My Process Process - Market Control - Ma	2.3	
			Hs.6059	Trype and dear protection and the control of the co	11.3	
		T26483		To the state of th	2.7	
35		W57902	Hs.90744		6.1	
33		AL079314		Albanian braining and a factor of the second	6.6	
		AW959486			1.9	
		AW953484		hypothetical protein FLJ22041 similar to FK506 binding proteins	1.2	
		W87544	Hs.268828			
40					5.4	
40				.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	9.4	
			Hs.7910	the same of the sa	1.8	
				fucose-1-phosphate guanylyltransferase	1.5	
	114226	AB028968	Hs.7989	KIAA1045 protein	1.8	
				Homo sapiens, Similar to zinc finger protein 136 (clone pHZ-20), clone MGC:10647, mRNA, compl	ete cos	2.3
45		AL117518			1.4	
				KIAA0306 protein	15.8	
				fatty acid desaturase 2	1.9	
	114309	AA332453	Hs.20824	CGI-85 protein	2.4	
	114392	AA249590	Hs.100748	ESTs, Weakly similar to A28996 proline-rich protein M14 precursor - mouse [M.musculus]	1.8	
50	114407	BE539976		Homo sapiens mRNA; cDNA DKFZp434B0425 (from clone DKFZp434B0425)	1.2	
	114455	H37908	Hs.271616	ESTs, Weakly similar to ALU8_HUMAN ALU SUBFAMILY SX SEQUENCE	5.5	
	114463	AL120247	Hs.40109	KIAA0872 protein	5.2	
	114464	Al091713	Hs.106597	Homo sapiens, Similar to RIKEN cDNA 1110012M11 gene, clone IMAGE:3688605, mRNA, partial	cds 1.2	
	114471	4028074	Hs 104613	RP42 homolog	1.8	
55	114480	BE066778	Hs.151678	UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminyltransferase 6 (GalNAc-T	6) 13.4	
-	114671	AA766268	Hs.266273	hypothetical protein FLJ13346	1.9	
	114698	AA476966	Hs.110857	polymerase (RNA) III (DNA directed) polypeptide K (12.3 kDa)	3.5	
	114730	A1373544	Hs.331328	intermediate filament protein syncollin	3.8	
	114767	AI859865	Hs.154443	minichromosome maintenance deficient (S. cerevisiae) 4	1.6	
60	114774	AV656017	Hs.184325	CGI-76 protein	3.1	
	114798	AA159181	Hs.54900	serologically defined colon cancer antigen 1	3.5	
	114860	AL157545	Hs.42179	bromodomain and PHD finger containing, 3	4.3	
	11/1805	AA236177	Hs.76591	KIAA0887 protein	7.1	_
	114000	BE539101	Hs.5324	hypothetical protein	1.3	•
65	11/011	AA236672		gb:zt29f02_s1 Soares ovary tumor NbHOT Homo sapiens cDNA done IMAGE:723771 3', mRNA s		1.5
55			Hs.188717		2.0	
			Hs.58384		2.9	

	114965	A1733881	Hs.72472	BMP-R1B	2.3
	115023	AF102546	Hs.63931	dachshund (Drosophila) homolog	1.3
	115038	AA252360	Hs.87968	toll-like receptor 9	1.6
	115061	AI751438	Hs.41271	Homo sapiens mRNA full length insert cDNA clone EUROIMAGE 1913076	11.8
5	115062	AA253314	Hs.154103	LIM protein (similar to rat protein kina	1.5
		Al670847		hypothetical protein	1.5
	115121	Al634549	Hs.88155	ESTs	2.8
	115206	AW183695	Hs.186572	ESTs	2.5
	115221	AW365434	Hs.79741	hypothetical protein FLJ10116	1.5
10	115239	BE251328	Hs.73291	hypothetical protein FLJ 10881	1.3
	115242	Al368236	Hs.283732	ESTs, Moderately similar to ALU1_HUMAN ALU SUBFAMILY J SEQUENCE	1.4
				hypothetical protein FLJ11301	1.5
	115285	AW972872	Hs.293736	ESTs .	2.4
	115291	BE545072	Hs.122579	hypothetical protein FLJ10461	6.2
15			Hs.89113		6.6
		AA314349		tumor antigen SLP-8p	7.4
	115471	AK001376	Hs.59346	hypothetical protein FLJ10514	1.4
	115479	AW301608	Hs.278188	ESTs, Moderately similar to I54374 gene NF2 protein [H.sapiens]	4.0
••				eukaryotic translation initiation factor 4E binding protein 1	16.3
20		Y14443	Hs.88219	zinc finger protein 200	5.0
			Hs.71414	transcription factor (SMIF gene)	2.5
			Hs.61082		6.1
				HSPC039 protein	2.9 5.3
25			Hs.67896	7-60 protein	4.7
25		N36110		solute carrier family 2 (facilitated glucose transporter), member 10	10.6
	115652	BE093589	Hs.38178	hypothetical protein FLJ23468	12.7
				Homo sapiens, clone MGC:16063, mRNA, complete cds	2.0
		Al138785			3.0
20		AA953006		ESTs	1.7
30		AA625132		hypothetical protein FLJ21615 cadherin, EGF LAG seven-pass G-type receptor 3, flamingo (Drosophila) homolog	6.8
		AF231023			1.7
		BE395161		proteasome (prosome, macropain) subunit, beta type, 2	2.6
		AI950339		ESTs DKFZP434B168 protein	2.1
25		NM_015434 AI732742		ESTs	2.1
35			Hs.42761		1.3
				hypothetical protein MGC5370	4.4
			Hs.52081		7.2
		N55669		mitochondrial ribosomal protein L13	1.2
40			Hs.46679		5.5
-10				KIAA1332 protein	. 9.8
				Down syndrome critical region gene 5	1.4
		AL359053		Homo sapiens mRNA full length insert cDNA clone EUROIMAGE 2005735	2.4
		AA770688		H2A histone family, member L	1.8
45		BE243834	Hs.50441	CGI-04 protein	1.4
		N35719	Hs.44749	ESTs, Moderately similar to T00358 hypothetical protein KIAA0884 [H.sapiens]	1.2
			Hs.72402		2.1
			Hs.47144		1.7
	116246	AF265555	Hs.250646	baculoviral IAP repeat-containing 6	1.7
50	116262	A1936442	Hs.59838	hypothetical protein FLJ10808	1.7
	116298	AI955411	Hs.94109	Homo sapiens cDNA FLJ13634 fis, done PLACE1011133	1.9
	116318	AF097645	Hs.58570	deleted in cancer 1; RNA helicase HDB/DICE1	4.9
		A1472106		Homo sapiens cDNA FLJ11663 fis, clone HEMBA1004631	1.4
		AL133033		KIAA1025 protein	1.9
55	116339	AK000290		dipeptidyl peptidase 8	1.5
	116350	AA497129	Hs.184771	nuclear factor I/C (CCAAT-binding transcription factor)	1.9
		Al149586	Hs.38125	interferon-induced protein 75, 52kD	1.9
	116365	N50174	Hs.46765	ESTs	6.1
	116368	N90466	Hs.71109	KIAA1229 protein	1.6
60	116417	AW499664	HS.12484	Human done 23826 mRNA sequence	7.4
	116436	AA161411	HS.58668	chromosome 21 open reading frame 57	2.1 1.5
	116462	AF218313	Hs.236828	putative helicase RUVBL	2.1
	1164/0	Al272141	Hs.83484	SRY (sex determining region Y)-box 4	1.2
65	1164/0	A1272141	Hs.83484	SRY (sex determining region Y)-box 4 phosphoinositide-3-kinase, regulatory subunit, polypeptide 1 (p85 alpha)	1.5
65	1100/0	AA312572 AK001043	113.024 I	integrin-linked kinase-associated serine/threonine phosphatase 2C	2.7
		YRODRA	He 211563	R-cell CLI //wmhoma 7A	2.3

				hypothetical protein MGC10765	1.4	
	116705	AW074819	Hs.12313	hypothetical protein FLJ14566	3.4	
	116732	AW152225	Hs.165909	ESTs, Weakly similar to 138022 hypothetical protein [H.sapiens]	2.9	
-		AW068115		biglycan	8.3	
5		H73608	Hs.290830		1.7	
	117034	U72209	Hs.180324	YY1-associated factor 2	3.4	
	117132	Al393666	Hs.42315	p10-binding protein	5.2	
	117247	N21032		gb:yx46f06.s1 Soares melanocyte 2NbHM Homo sapiens cDNA done IMAGE:264803 3', mRNA s	equence.	5.5
	117276	N71183	Hs.121806	Homo sapiens cDNA FLJ11971 fis, clone HEMBB1001208	1.5	
10	117284	AK001701	Hs.183779	Homo sapiens cDNA FLJ10590 fis, clone NT2RP2004392, weakly similar to MNN4 PROTEIN	2.0	
	117367	Al041793	Hs.42502	ESTs	2.0	
	117368	A1878942	Hs.90336	ATPase, H+ transporting, lysosomal (vacuolar proton pump), member J	2.1	
		AF150275			2.7	
		N32536	Hs.42645		1.4	
15		AF123050		diubiquitin	3.4	
		N34895	Hs.44648		3.4	•
				CGI-12 protein	3.0	
				zinc finger protein 281	1.9	
				chromosome 11 open reading frame 24	1.8	
20				hutvrate-induced transcript 1	5.7	
				hypothetical protein MGC5370	5.9	
				hypothetical protein FLJ13912	1.7	
				hypothetical protein FLJ20048	1.7	
				KIAA1785 protein	5.4	
25		N54321	Hs.47790		5.2	
23		AA453902			2.6	
					2.5	
		AL157545		cytochrome c oxidase subunit VIc bromodomain and PHD finger containing, 3	4.1	1
				rapa-2 (rapa gene)	1.2	
30		N22617			1.5	
30				Homo sapiens cDNA FLJ11835 fis, clone HEMBA1006595	7.4	
		Al949952			2.5	
		A1458020			1.2	
				ESTs, Moderately similar to ZN91_HUMAN ZINC FINGER PROTEIN 91 [H.sapiens]	2.1	
35				KIAA1287 protein	5.2	
33		AA199686	11- 000000	gb:zq75g09.r1 Stratagene hNT neuron (937233) Homo sapiens cDNA clone IMAGE:647488 5'		
	118925	N92293	HS.200832	ESTs, Moderately similar to ALUS_HUMAN ALU SUBFAMILY SX SEQUENCE CONTAMINATION	11.4	
				ESTs, Moderately similar to ALU8_HUMAN ALU SUBFAMILY SX SEQUENCE CONTAMINATION	4.0	
					4.8	
40				KIAA1710 protein	1.7	
40		AW453069		activity-dependent neuroprotective protein	2.2	
		AW453069		activity-dependent neuroprotective prote	1.6	
		BE539706		· · · · · · · · · · · · · · · · · · ·	-1.4	
		N57568	Hs.48028		25.1	
	119298	NM_00124	1Hs.155478	cyclin T2	1.6	• .
45				ESTs, Weakly similar to A47582 B-cell growth factor precursor [H.sapiens]	1.3	
		T65004	Hs.163561		8.4	
				nucleolar protein NOP5/NOP58	6.7	
		A1624342			2.4	
	119486	AI796730	Hs.55513		2.1	
50	119513	W37933		Empirically selected from AFFX single probeset	1.9	
	119601	AK000155	Hs.91684	Homo sapiens mRNA; cDNA DKFZp6671103 (from clone DKFZp6671103)	3.7	
	119602	AW675298	Hs.233694	hypothetical protein FLJ11350	3.0	
		AA243837			1.4	
	119682	W61019	Hs.57811	ESTs	1.2	
55	119774	AB032977	Hs.6298	KIAA1151 protein	1.8	
				hypothetical protein	3.1	
	119789	BE393948	Hs.50915	kalilkrein 5 (KLK5; KLK-L2; stratum comeum tryptic enzyme)	9.2	
		AJ223810			3.6	
		AA130970			2.5	
60		AA081218			2.7	
	119905	AW449064	Hs.119571	collagen, type III, alpha 1 (Ehlers-Danlos syndrome type IV, autosomal dominant)	2.6	
	119966	AA703129	Hs.58963	ESTS	2.7	
		W57554		lymphoid nuclear protein (LAF-4) mRNA	1.2	
		H26735		Homo sapiens clone PP1498 unknown mRNA	45.7	
65				uncharacterized bone marrow protein BM033	1.2	
33				fibroblast growth factor 12B	38.9	
		AW131940			9.6	
	1/02/03	AU 13 1340		LUIS	J.U	

	120274	AA177051			4.6
		AA190577		gb:zp52g02.s1 Stratagene HeLa cell s3 937216 Homo sapiens cDNA cione 3', mRNA sequence	2.0
	120296	AW995911	Hs.299883	hypothetical protein FLJ23399	1.8
	120297	AA191384	Hs.104072	ESTs, Weakly similar to Z195_HUMAN ZINC FINGER PROTEIN 195 [H.sapiens]	15.2
5		AA195517			5.5
-		AA195651			6.4
	120327	AK000292	Hs.278732	hypothetical protein FLJ20285	16.1
				eukaryotic translation elongation factor 1 alpha 1	2.9
					5.7
10		AA210722			4.5
				hypothetical protein	16.8
				ESTs, Weakly similar to I38022 hypothetical protein [H.saplens]	5.0
					28.1
		AA219305		pamore parategie recepto.	12.4
15		AA228026			4.0
13					9.7
					32.6
		AA232874		in posicional protein art apro tactar	3.1
	120300	A141067096	Un 225572	ESTs, Moderately similar to ALU7_HUMAN ALU SUBFAMILY SQ SEQUENCE CONTAMINATION	
20	120305	A4424006	Un 70306	eukaryotic translation initiation factor 4E	12.5
20	120000	AM 104000	Un 06437		7.2
	120404	ADUZOZOU	H5.90441	Tab V To To process	11.4
					1.9
			MS.10970		19.4
25		A1950087	11- 000000	go:wquocuz.x1 NCI_CGAP_No12 nomo sapiens culva cione 3, Ilixiva sequence	5.4
25		AA251973		20.0	10.4
		AA253170	HS.964/3	EST THE RESIDENCE AND A CONTRACT OF THE PROPERTY OF THE PROPER	
		AA256837	11 00040	gb:zr84d10.s1 Soares_NhHMPu_S1 Homo sapiens cDNA clone IMAGE:682387 3', mRNA sequen	0.4
		BE047718		2010	9.4 2.4
20		AA258601		LO1	2.5
30	120535	BE350244	Hs.96547		
	120551	AA279160	Hs.111407	Homo sapiens, done IMAGE:3613029, mRNA, partial cds	5.2
	120570	AA280679	Hs.271445	2010) 110dia) chima to 1 (2012) 1111 and 02011 and 0 02011 and 0 02011	14.4
				- · · · · · · · · · · · · · · · · · · ·	10.2
~ ~				leucine-rich repeat-containing 2	2.1
35				Trades, Graecos in the proof in	7.5
		AW965339		20.0	2.5
			Hs.173518	M-phase phosphoprotein homolog	52.0
		AA286942		gb:zs56f05.s1 NCI_CGAP_GCB1 Homo saplens cDNA clone IMAGE:701505 3' similar to contains	Alu2.4
	120648	AA287095	Hs.140309		5.0
40		AW063659			2.2
	120668	AW969638	Hs.112318	6.2 kd protein	2.2
	120669	BE536739	Hs.109909	ESTs	1.9
	120695	AA976503		gb:oq30a04.s1 NCI_CGAP_GC4 Homo sapiens cDNA clone 3' similar to contains PTR7.t1 PTR7	46.8
	120696	Al821539	Hs.97249	ESTs	2.5
45	120713	AW449855	Hs.96557	Homo sapiens cDNA FLJ12727 fis, done NT2RP2000027	5.9
	120718	AA292747	Hs.97296	ESTs	2.9
	120750	Al191410	Hs,96693	ESTs, Moderately similar to 2109260A B cell growth factor [H.saplens]	7.0
		A1608909			7.8
	120807	AA346385	Hs.30002	SH3-containing protein SH3GLB2: KIAA1848 protein	6.8
50	120809	AA346495		gb:EST52657 Fetal heart II Homo sapiens cDNA 3' end similar to EST containing O family repeat,	4.4
	120938	AA386260	Hs.104632		4.4
		AA398155			4.4
		BE262951			5.6
		Al219896			1.2
55		AA398360			3.1
55		Al439713			3.5
•	121020	ΔΔ308721	Hs 186749	ESTs, Highly similar to 137550 mismatch repair protein MSH2 [H.sapiens]	5.4
		AA363307			3.7
	121176	AL121523	He 07774	FSTs	1.7
60	121110	AL 12 1020	He 07160	ESTs, Weakly similar to dJ667H12.2.1 [H.sapiens]	2.9
00	121443	AA403008	He 301027	6.14	1.9
					3.5
		AW956981		EST	6.0
	121408	AA406137	13.300 IS		7.4
65	121439	AA410190	115.30070	ESTs, Weakly similar to A47582 B-cell growth factor precursor [H.sapiens]	
65	121450	AMADOASU	115.100302	Homo sapiens, clone MGC:18257, mRNA, complete cds	6.9
	121452	AW971063	ris.292002	ESIS retingic acid induced 14	1.8 10.5

	121457	W07404	Hs.144502	hypothetical protein FLJ22055	3.4
	121496	AA442224	Hs.97900	FSTe	14.4
			Hs.194417		13.1
			Hs.97887		28.0
5					6.2
5			Hs.181510	EDIS	
•		AA412112	11. 00440	gb:zl69b02.s1 Soares_testis_NHT Homo saplens cDNA done IMAGE:727563 3', mRNA sequence	7.4
			Hs.98142	ESI	
		AA412497		gb:zt95g12.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:730150 3' similar to contain	S2.8
	121577	AA411970	Hs.98096	EST	3.5
10 .	121581	AA416568		gb:zu05c10.s1 Soares_testis_NHT Homo sapiens cDNA done 3', mRNA sequence	6.1
	121589	AD001528	Hs.89718	spermine synthase	3.9
			Hs.98247		2.2
			Hs.126065		4.2
	121655	AA421537	Hs.178072	Homo sapiens mRNA; cDNA DKFZp434B1023 (from clone DKFZp434B1023)	7.8
15	121682	AA418160	Hs 86043	Homo sapiens cDNA FLJ13558 fis, clone PLACE1007743	2.0
			Hs.110286		4.7
		U55184		hypothetical protein FLJ11585	12.7
				Homo sapiens cDNA FLJ11953 fis, clone HEMBB1000883	8.1
					1.8
20			Hs.98325		4.0
20			Hs.180744		7.1
			Hs.97514		
				hypothetical protein NUF2R	19.5
				KIAA1196 protein	7.9
	121775	AA421773	Hs.161008	ESTs	1.7
25	121776	AA292579	Hs.125133	hypothetical protein FLJ22501	6.6
	121786	AI810774	Hs.98376	ESTs	10.5
			Hs.98434		5.8
			Hs.218289		3.8
				ESTs, Highly similar to KIAA1048 protein [H.sapiens]	5.0
30	121842	AF027406	Hs 104865	serine/threonine kinase 23	2.7
50		AA446628		cartilage linking protein 1	2.3
			Hs.293044		2.9
			Hs.98459		5.0
			115.30433	gb:zw50f02.s1 Soares_total_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:773499 3'	7.2
35	121911	AA427950	11- 000405	USZWOJOZ.ST SOZIES_DIZI_IELIS_NOZETFO_SW FIGHIO SAPICHS COMM GIONE INVOE. 17 0400 0	2.5
22				ESTs, Moderately similar to A46010 X-linked retinopathy protein [H.saplens]	2.3
			Hs.98611		3.4
				hypothetical protein FLJ14904	
				Homo sapiens, clone IMAGE:2822295, mRNA, partial cds	11.4
	121995	AA210863	Hs.3532	nemo-like kinase	3.8
40	121999	AA430211	Hs.98668	EST	6.4
	122009	AW292763	Hs.160822	Homo sapiens cDNA: FLJ20863 fis, clone ADKA01804	2.2
•	122013	AA431085	Hs.98706	ESTs	6.5
	122036	W92142	Hs.271963	ESTs, Weakly similar to ALU5_HUMAN ALU SUBFAMILY SC SEQUENCE CONTAMINATION	13.1
	122050	Al453076	Hs.166109	ELAV (embryonic lethal, abnormal vision, Drosophila)-like 2	9.1
45	122060	AA431738	Hs.98750	EST	13.1
	122114	AW161023	Hs.104921	ESTs	1.5
	122188	AA398838	1101701027	gb:ztB0d01.r1 Soares_testis_NHT Homo sapiens cDNA clone 5', mRNA sequence	3.3
		AA435936	He 08842	EST	5.6
				HCF-binding transcription factor Zhangfei	5.1
50		AA329550		ESTs	5.6
30	122201	AA436819	NS.90033		5.8
			Hs.104947	EQ15	2.0
			Hs.99010		
	122356	AA443794	Hs.98390	ESTs	7.3
	122369	AA443985	Hs.303222	ESTS	12.2
55	122371	AA868555	Hs.178222	ESTs	5.0
	122372	AA446008	Hs.336677	EST	7.6
	122378	AB032948	Hs.21356	hypothetical protein DKFZp762K2015	2.5
	122405	AA446572	Hs.303223	EST	2.8
	122412	AA446869	Hs.119316	ESTs	7.3
60	122415	AA446918	Hs.99088	EST	1.9
55	122/19	AAAARORR	Hs.99090	ESTs, Moderately similar to similar to KIAA0766 [H.sapiens]	6.8
	122410	AW505139	Hs 9460	Homo sapiens mRNA; cDNA DKFZp547C244 (from clone DKFZp547C244)	2.6
	420440	AAAATEAA	Hs.99123	EST	1.8
	122940	A A A 47000	Hs.99127	EST	3.5
65	122448	MM441020	113.33141 Un 404000	LCT.	1.5
65	122458	AIZ00109	Hs.104980	EDTs Models similar to CAREER BRILLIAGE arabin. Cooperhabilitie alegane IC aleganal	9.7
				ESTs, Weakly similar to \$43569 R01H10.6 protein - Caenorhabditis elegans [C.elegans]	
	122464	AA448158	Hs.99152	E91	4.8

			Hs.238151		0.1	
	122492	AA448417	Hs.104990	ESTs	5.4	
				Homo sapiens cDNA FLJ12082 fis, clone HEMBB1002492	1.3	
_		AA449232			11.2	
5				adaptor-related protein complex 1, sigma 2 subunit	10.1	
		AA779725			2.5	
	122555	AA194055	Hs.293858	ESTs	1.9	
	122570	AA452578	Hs.262907	ESTs	9.5	
	122572	AA452601	Hs.99287	EST	11.0	
10	122586	AK001910	Hs.99303	Homo sapiens cDNA FLJ11048 fis, clone PLACE1004516	3.4	
	122587	AB040893	Hs.6968	KIAA1460 protein	2.0	
	122598	AI028173	Hs.99329	ESTs	1.7	
	122599	AL355841	Hs.99330	hypothetical protein FLJ23588	4.4	
	122602	AA411925	Hs.301960	ESTs	4.6	
15	122607	AA453518	Hs.98023	ESTs	61.5	-
		AA453630			10.7	
	122616	AA453638	Hs.161873	ESTs	107.3	
	122617	AI681535	Hs.148135	serine/threonine kinase 33	121.4	
		AA453641		gb:zx48e06.s1 Soares_testis_NHT Homo sapiens cDNA clone 3', mRNA sequence	31.1	
20	122622	AA453987	Hs.144802		5.6	
		AA456859			8.5	
		A1376875			10.4	
	122829	AW204530	Hs.99500	ESTs	81.8	
	122834	AA461492	Hs.99545	Homo sapiens cDNA FLJ10658 fis, clone NT2RP2006052	3.6	
25	122836	AA460581	Hs.290996	ESTs	4.5	
	122837	AA461509	Hs.293565	ESTs, Weakly similar to putative p150 [H.sapiens]	2.7	
	122838	AA460584	Hs.334386	ESTs	75.3	
	122854	AA600235	Hs 9625	NIMA (never in mitosis gene a)-related kinase 6	7.7	
				Src-like-adapter	5.8	
30		AA335721			1.3	
50		BE539656			4.1	
				Janus kinase 2 (a protein tyrosine kinase)	5.3	
	122870	AW576312	Hs 318722	Homo sapiens cDNA: FLJ21766 fis, clone COLF7179	9.9	
	122872	AW081394	Hs 97103	ESTs	5.3	
35		AA769410			13.9	
55		AA470074			11.5	
•		AA470140			1.7	
		AA478951			5.0	
		AW968324			. 15.4	
40	123016	AW338067	Hs 323231	Homo sapiens cDNA FLJ11946 fis, clone HEMBB1000709	2.8	
70	123010	AI 350571	He 44054	ninein (GSK3B interacting protein)	8.7	
	123007	A1383600	He 104308	ESTs, Weakly similar to KIAA1395 protein [H.sapiens]	8.8	
		AA485360			3.9	
		Al343652			3.8	
45		AA486256			7.4	
73				myomegalin	2.8	
		T52027	He 271705	ESTs, Weakly similar to I38022 hypothetical protein [H.sapiens]	2.4	
	123131	AID61582	He 32/170	Homo sapiens cDNA FLJ12371 fis, clone MAMMA1002434	15.6	
		AW451999			5.1	
50		A1734179			23.8	-
50		AW601773			5.2	
•	123152	VA0001112	He 105774	ESTs, Weakly similar to RMS1_HUMAN REGULATOR OF MITOTIC SPINDLE ASSEMBLY 1 [H	.sapiens1	9.3
	123230	AA496369	115.1002/4	gb:zv37d10.s1 Soares ovary tumor NbHOT Homo saplens cDNA clone IMAGE:755827 3' similar	to4.1	
	123313	AAE047E7	Un 405729	ECT-	6.9	
55	123309	AA504757 AA731404	Ho 105510	ESIS	3.6	
55					3.7	
		AW450922			7.4	
	123400	AA599042	115.112000 115.202222	! Human DNA sequence from clone RP11-110H4 on chromosome 5 Contains a pseudogene simil		
					5.2	
60				2 zinc finger protein 14 (KOX 6)	1.7	
60	1234/5	DE439553		Homo sapiens, clone IMAGE:4098694, mRNA, partial cds	1.6	
	123482	N95059	Hs.55098	ESTS	2.4	
-	123486	BE019072	MS.334802	2. Homo sapiens cDNA FLJ14680 fis, clone NT2RP2004242, weakly similar to	2.2	
	123508	AVVSBUSBU	ns.155546	6 KIAA1080 protein; Golgi-associated, gamma-adaptin ear containing, ARF-binding protein 2	7.8	
CE	123615	AA609170		gb:af12a12.s1 Soares_testis_NHT Homo sapiens cDNA clone 3', mRNA sequence	7.8 2.8	
65	123619	AA602964		gb:no97c02.s1 NCI_CGAP_Pr2 Homo sapiens cDNA clone, mRNA sequence	oine Alu	1.
	123658	AA609364	U= 40540	gb:zu71d09.s1 Soares_testis_NHT Homo saplens cDNA clone IMAGE:743441 3' similar to cont	5.7	1.

				FH1/FH2 domain-containing protein	10.0
		AA609891			5.2
	123753	AA609955	Hs.234961	Huntingtin interacting protein E	30.6
_	123804	AA620464	Hs.261915	EST, Weakly similar to S65657 alpha-1C-adrenergic receptor splice form 2 [H.sapiens]	2.1
5	123811	AA620586		gb:ae60g05.s1 Stratagene lung carcinoma 937218 Homo sapiens cDNA clone IMAGE:951320 3'	2.7
	123951	AB012922	Hs.173043	metastasis-associated 1-like 1	6.2
	123983	AJ272267	Hs.146178	choline dehydrogenase .	4.4
	124004	1.42542	He 75//7	mild hinding protein 1	7.0
	124006	Al147155	Hs.270016	ESTs	8.1
10	124070	Al950314	Hs.154762	HIV-1 rev binding protein 2	3.7
	124074	H05635	Hs.294030	topoisomerase-related function protein 4-2	1.2
	124178	BE463721	Hs.97101	putative G protein-coupled receptor	3.1
	124203	AA372796	Hs.269339	ESTs HIV-1 rev binding protein 2 topoisomerase-related function protein 4-2 putative G protein-coupled receptor ESTs, Weakly similar to AF161356 1 HSPC093 [H.sapiens] ESTs	5.7
	124352	AA640891	Hs.102406	ESTs	3.1
15				KIAA0265 protein	3.5
		AI267847		gb:aq49a10.x1 Stanley Frontal NB pool 2 Homo sapiens cDNA clone similar to contains	57.1
			Hs 7535	COBW-like protein	2.8
	124391	AF155099	He 279780	NY-REN-18 antigen	7.1
		N34059	113.27 37 00	gb:yv28h09.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone 3' similar to contains A	
20			Hs 82202	ribosomal protein L17	2.9
~0	124440	ΔΔ532519	Hs 129043	Human DNA sequence from done 989H11 on chromosome 22q13.1-13.2. Contains part of a	7.8
	124466	P10084	He 113310	kinesin heavy chain member 2	2.6
		N53935	115.115515	gb:yv59d09.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone 3', mRNA sequence	7.9
		H79433	He 268007	ECTe	7.8
25		AA669097			3.3
23		N71076	He 102800	ESTs, Weakly similar to neuronal thread protein AD7c-NTP [H.saplens]	4.5
		NM 014051	Ne 270594	FLVCR protein	3.2
	124634	AI765123	He 143671	Homo sapiens cDNA FLJ13533 fis, clone PLACE1006371	5.8
	124637	AA160474	Hs 75798	hypothetical protein	9.3
30				sorting nexin 17	3.5
-		N92593	Hs.313054		6.1
		AW297702			8.3
			Hs.78436		5.6
	124683	AA381661	Hs.119878	ESTs, Weakly similar to M3K9_HUMAN MITOGEN-ACTIVATED PROTEIN KINASE KINASE	7.9
35		R09166			5.7
		R22952			11.3
				Homo sapiens mRNA for KIAA1771 protein, partial cds	9.0
	124768	AW368528	Hs.100855	ESTs	8.1
	124775	R41772	Hs.100878		4.9
40	124777	R41933	Hs.140237	ESTs, Weakly similar to ALU1_HUMAN ALU SUBFAMILY J SEQUENCE	2.8
	124788	R43543	Hs.100912	Homo sapiens cDNA: FLJ22726 fis, clone HSI15005	5.1
	124809	AL355722	Hs.106875	Homo sapiens EST from done 35214, full insert	4.2
•	124811	R46068	Hs.288912	hypothetical protein FLJ22604	14.2
	124812	R47948	Hs.188732	ESTs	7.9
45 ·	124822	AA418160	Hs.86043	Homo sapiens cDNA FLJ13558 fis, clone PLACE1007743	6.6
	124825	AA501669	Hs.336693	ESTs	2.3
	124833	AW975868	Hs.294100	ESTs ·	2.7
	124857	R63652	HS.13/190	ESIS	2.3
	124860	R65763	Hs.101477	EST	23.9
50	124863	Al382555	Hs.127950	bromodomain-containing 1	2.0
				GDP-mannose pyrophosphorylase A	4.4
				hypothetical protein FLJ22242	2.7 .
		H37941	Hs.101883		5.7
	124903	AW296713	Hs.221441	ESTs	32.4
55	124930	AI076343		ESTs, Weakly similar to ALUB_HUMAN IIII ALU CLASS B WARNING ENTRY III [H.sapiens]	22.8
	124942	R99978		ESTs, Moderately similar to B34087 hypothetical protein [H.saplens]	6.1
		A1078645	Hs.431	murine leukemia viral (bmi-1) oncogene homolog	1.9
	124980	T40841	Hs.98681	ESTS	4.5
CO		T59338		ESTs, Weakly similar to ALU1_HUMAN ALU SUBFAMILY J SEQUENCE CONTAMINATION	4.9
60		T79815	Hs.279793		5.0
		T79956	Hs.100588		135.3
		T81310	Hs.100592		5.4
		Al472068	Hs.286236	KIAA1856 protein	5.6
~		T96595	Hs.302270	ESTs, Weakly similar to ALUF_HUMAN !!!! ALU CLASS F WARNING ENTRY !!! [H.sapiens]	1.8
65		T97341		gb.ye57e05.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:121856 3' simi	ilar to 9.
		Al222382	Hs.240767	Human DNA sequence from clone RP1-12G14 on chromosome 6q24.1-25.2. Contains the 5' end	
	125147	W38150		Empirically selected from AFFX single probeset	1.7

		W44657	Hs.144232	EST	10.7
	125249	AA630863	Hs.131375	ESTs, Moderately similar to ALUB_HUMAN IIII ALU CLASS B WARNING ENTRY III [H.sapiens]	1.3
				timeless (Drosophila) homolog	9.4
		AW401809		KIAA1150 protein	1.5
5		Al123705		ESTs	8.0
_				Homo sapiens cDNA: FLJ21814 fis, clone HEP01068	1.5
		AW292171		scaffold attachment factor B	5.9
				YY1 transcription factor	1.2
			Hs.7138	cholinergic receptor, muscarinic 3	6.4
10	126005	AW409701	Hs.1578	baculoviral IAP repeat-containing 5 (survivin)	14.3
	126202	AA157632	Hs.272630	vacuolar proton pump delta polypeptide	2.4
				a disintegrin and metalloproteinase domain 10	9.1
				CGI-89 protein	17.0
	127274	AW966158	Hs.58582	Homo sapiens cDNA FLJ12789 fis, clone NT2RP2001947	12.8
15		AW293012			7.3
		D87466		KIAA0276 protein	3.1
		D87466		KIAA0276 protein	1.3
				putative nucleolar RNA helicase	9.4
	128527	AA504583	Hs.101047	transcription factor 3 (E2A immunoglobulin enhancer binding factors E12/E47)	1.5
20		R39234		ESTs, Weakly similar to IDN4-GGTR14 [H.sapiens]	2.8
_ •		U31875		short-chain alcohol dehydrogenase family member	12.1
				Rho GTPase activating protein 8	2.3
	128604	AI879099	Hs.102397	GIOT-3 for gonadotropin inducible transcription repressor-3	1.3
	128608	BE267994	Hs.102419	zinc finger protein	7.1
25				hypothetical protein ASH1	1.3
				DKFZP434A043 protein	3.2
				CGI-47 protein	2.0
				coatomer protein complex, subunit epsilon	1.4
-	128656	AA458542	Hs.10326	coatomer protein complex, subunit epsilo	1.3
30	128658	BF397354	Hs.324830	diotheria toxin resistance protein required for diphthamide biosynthesis (Saccharomyces)-like 2	2.4
	128670	AA975486	Hs.103441	Homo sapiens, Similar to RIKEN cDNA 1700010L19 gene, clone MGC:16214, mRNA, complete of	ds 7.
				hypothetical protein MGC5576	7.7
				nuclear receptor coactivator 3	3.8
				small inducible cytokine subfamily B (Cys-X-Cys), member 11	1.6
35		T85231		tubulin, beta 5	7.6
35				hypothetical protein FLJ10702	5.5
	128733	BE147740	Hs.104558	ESTs, Moderately similar to I38022 hypothetical protein [H.sapiens]	2.7
				RP42 homolog	2.8
				proteasome (prosome, macropain) subunit, alpha type, 4	4.4
40				actin related protein 2/3 complex, subunit 4 (20 kD)	2.2
				PDZ-binding kinase; T-cell originated protein kinase	2.8
				thymidine kinase 1, soluble	5.3
		N71826		small nuclear ribonucleoprotein polypeptide F	53.9
	128797	NM 00297	5Hs.105927	stem cell growth factor, lymphocyte secreted C-type lectin	13.3
45	128806	AW630942	Hs.106061	RD RNA-binding protein	2.6
				nuclear prelamin A recognition factor	2.2
	128830	BE281170	Hs.106357	valosin-containing protein	5.9
	128835	AK001731	Hs.106390	Homo sapiens mRNA; cDNA DKFZp586H0924 (from clone DKFZp586H0924)	1.6
	128854	BE159181	Hs.168232	hypothetical protein FLJ13855	2.2
50	128854	BE159181	Hs.168232	hypothetical protein FLJ13855	1.9
				chromosome 22 open reading frame 3	3.0
				chromosome 22 open reading frame 3	2.2
	128871	AF189723	Hs.106778	ATPase, Ca++ transporting, type 2C, member 1	1.5
	128891	F34856	Hs.292457	Homo sapiens, clone MGC:16362, mRNA, complete cds	13.3
55		R57988	Hs.10706	epithelial protein lost in neoplasm beta	4.7
-	128920	AA622037	Hs.166468	programmed cell death 5	1.4
		R67419	Hs.21851	Homo sapiens cDNA FLJ12900 fis, clone NT2RP2004321	1.9
		Y13153	Hs.107318	kynurenine 3-monooxygenase (kynurenine 3-hydroxylase)	7.2
	128949	AA009647		a disintegrin and metalloproteinase domain 12 (meltrin alpha) (ADAM-12)	2.4
60	128958	AW139032	Hs.107376	hypothetical protein DKFZp434N035	1.3
	128959	AJ580127	Hs.107381	hypothetical protein FLJ11200	10.9
	128965	AW150697	Hs.107418	ESTs	1.4
	128970	Al375672	Hs.165028	ESTs	1.3
	128975	BE560779	Hs.284233	NICE-5 protein	14.0
65	128979	AW271217	' Hs.281434	Homo saplens cDNA FLJ14028 fis, clone HEMBA1003838	1.6
	128995	AI816224	Hs.107747	DKFZP566C243 protein	1.9
		A1950087		gb:wq05c02.x1 NCI_CGAP_Kid12 Homo sapiens cDNA clone 3', mRNA sequence	2.9

	129021	AL044675	Hs.173081	KIAA0530 protein		3.8
				KIAA0530 protein		2.5
		R80088		ubiquitin-conjugating enzyme E2L 3		3.4
	120076	AMPRESOR	He 326234	ESTs, Highly similar to T46422 hypothetical protein DKFZp434M2023.1 [H.sapien	sl	5.0
5			Hs.102267		•	2.1
,			Hs.194431			17.1
				thrombospondin 2		2.7
		L12350				20.9
				WW Domain-Containing Gene		3.0
10	129097	BE243933	HS.108642	zinc finger protein 22 (KOX 15)		5.8
10				ATP-binding cassette, sub-family C (CFTR/MRP), member 5		5.9
		W93048		hypothetical protein MGC2747		
				KIAA0050 gene product		6.3
				hypothetical protein PRO2577		1.8
	129192	AA286914	Hs.183299	ESTs		2.1
15	129194	AA150797	Hs.109276	latexin protein		3.2
		N57532		KIAA1415 protein		5.8
	129207	Al934365	Hs.109439	osteoglycin (osteoinductive factor, mimecan)		8.0
		U40714		tyrosyl-tRNA synthetase		2.9
	129229	AF013758	Hs.109643	polyadenylate binding protein-interacting protein 1		3.2
20		AA252468		DKFZp434J1813 protein		2.6
20				H1 histone family, member X		7.3
		W26392	He 110080	ESTs, Weakly similar to S13495 pregnancy zone protein [H.sapiens]		9.6
			Hs.110122			1.2
		AA287239		Homo sapiens cDNA FLJ11311 fis, clone PLACE1010102		5.1
25		H75334		F-box only protein 9		4.6
23	129340	DE044400	MS. 1 1000	r-box only protein a		7.6
•			HS.279009	melanoma-associated antigen recognised by cytotoxic T lymphocytes		6.7
		U30246	HS.110736	solute carrier family 12 (sodium/potassium/chloride transporters), member 2		8.6
				Homo sapiens clone 23785 mRNA sequence		1.4
				SAR1 protein		2.0
30	129372	NM_01603	9Hs.110803	CGI-99 protein		
				pituitary tumor-transforming 1 Interacting protein		7.4
			Hs.317584			5.0
			Hs.317584			2.5
	129423	AA204686	Hs.234149	hypothetical protein FLJ20647		10.2
35				ADP-ribosylation factor-like 7		8.0
	129453	AW974265	Hs.111632	Lsm3 protein		3.2
			Hs.289043			6.7
			Hs.289043			3.6
				hypothetical protein AL110115		7.1
40	129515	AF255303	Hs 112227	membrane-associated nucleic acid binding protein		2.5
10				delta-tubulin		3.2
		W01296		hypothetical protein FLJ14784		7.5
			Hs.7845			6.8
						2.0
15				chromosome 1 open reading frame 8		1.6
45		F08282		progestin induced protein		6.8
		H14718		Human done 23589 mRNA sequence		1.4
				postmelotic segregation increased 2-like 9		7.3
	129591	N57423	HS.1/9898	HSPC055 protein		9.0
	129594	AW403724	Hs.36989	coagulation factor VII (serum prothrombin conversion accelerator)		1.6
50				REV3 (yeast homolog)-like, catalytic subunit of DNA polymerase zeta		
		U38945	Hs.1174	cyclin-dependent kinase inhibitor 2A (melanoma, p16, inhibits CDK4)		2.2
	129628	U38945	Hs.1174	cyclin-dependent kinase inhibitor 2A (me		1.4
	129629	AK000398	Hs.11747	hypothetical protein FLJ20391		3.8
	129649	AD000092	Hs.16488	calreticulin		3.3
55	129675	NM_01555	6Hs.172180	KIAA0440 protein		13.4
		U03749		gb:Human chromogranin A (CHGA) gene, promoter an		14.1
	129689	AW748482	2 Hs.77873	B7 homolog 3		2.6
	129702	Al304966	Hs.12035	ESTs, Weakly similar to 138022 hypothetical protein [H.sapiens]		7.4
	129720	AA156214	Hs.12152	APMCF1 protein		2.0
60	129721	NM 00141	15Hs.211539	eukaryotic translation initiation factor 2, subunit 3 (gamma, 52kD)		1.7
50		H15474	Hs.132898	fatty acid desaturase 1		8.3
			Hs.12457			1.8
				Homo sapiens clone 23870 mRNA sequence		5.4
			Hs.12540			1.7
65	420000	AR002112	He 17227	KIAA0931 protein		1.2
65				hypothetical protein FLJ21657		3.1
				SnDNID assembly defection 4 homeles		1.8

		AL049999		DKFZP564M182 protein	2.2
				runt-related transcription factor 1 (acute myelold leukemia 1; aml1 oncogene)	1.7
		Al222069		hypothetical protein similar to mouse Dnall1	2.7
_		AF042379			4.5
5				PAI-1 mRNA-binding protein	1.8
		AA412195			2.5
				dynamin 1-like	1.8 1.3
		U09848		zinc finger protein 36 (KOX 18)	4.0
10				activating transcription factor 6	1.6
10				nucleolar phosphoprotein Nopp34	4.0
		AA287325 S73265			1.8
		AL046962	Hs.1473	gastrin-releasing peptide forkhead box O3A	2.8
		AL135561		hypothetical protein FLJ21047	2.3
15		X53002		integrin, beta 5	2.3
1.5				splicing factor proline/glutamine rich (polypyrimidine tract-binding protein-associated)	3.0
-					2.1
		L76937			1.8
		AA311426			6.1
20		NM_003358			1.6
		D80001		KIAA0179 protein	1.3
		R85367	Hs.51957		2.0
				MyoD family inhibitor	3.2
	130242	X79201	Hs.153221	synovial sarcoma, translocated to X chromosome	5.4
25	130249	D81983	Hs.322852	GAS2-related on chromosome 22	4.8
	130263	NM_002497	7Hs.153704	NIMA (never in mitosis gene a)-related kinase 2	1.4
				tumor suppressing subtransferable candidate 3	2.6
					6.3
20		Z19084			6.2
30				nuclear receptor interacting protein 1	2.4
				putative methyltransferase	3.4
					8.5 1.4
		AL135301		hypothetical protein FLJ10849	3.3
35		A1077464 N89487		RNA binding motif protein 9 KIAA0005 gene product	1.8
"				hypothetical protein MGC2840 similar to a putative glucosyltransferase	3.4
				hypothetical protein MGC3017	2.3
				BCL2-interacting killer (apoptosis-inducing)	2.7
				NS1-associated protein 1	1.8
40		U63630		protein kinase, DNA-activated, catalytic polypeptide	2.3
				PPAR binding protein	3.9
		D90041		N-acetyltransferase 1 (arylamine N-acetyltransferase)	33.6
		D90041		N-acetyltransferase 1 (arylamine N-acety	4.6
	130471	AL121438	Hs.183706	adducin 1 (alpha)	2.7
45	130485	BE245851	Hs.180779	H2B histone family, member B	5.0
		U49844			4.3
		L38951		karyopherin (importin) beta 1	1.6
				KIAA0618 gene product	16.1
50		L32137	Hs.1584		6.1
50		L32137	Hs.1584	cartilage oligomeric matrix protein (pse	5.3
		AW876523		hypothetical protein FLJ12910	2.1 7.8
		U64675		RAN binding protein 2-like 1	1.5
		AA321238		eukaryotic translation initiation factor 1A	14.4
55		AP002049 Al907018		pituitary tumor-transforming 1 Empirically selected from AFFX single probeset	4.7
J.J		AA383092		replication protein A3 (14kD)	7.9
		AA232119		putative G-protein coupled receptor	3.3
	130574	AF083208	Hs.16178	apoptosis antagonizing transcription factor	1.2
		AB007891		KIAA0431 protein	5.6
60		AL042210		hypothetical protein DKFZp762N2316; KIAA1803 protein	1.4
		AA609738		ESTs	1.5
	130614	AI354355	Hs.16697	down-regulator of transcription 1, TBP-binding (negative cofactor 2)	1.3
	130617	M90516	Hs.1674	glutamine-fructose-6-phosphate transaminase 1	12.1
	130517	M90516	Hs.1674	glutamine-fructose-6-phosphate transamin	2.4
65	130618	AA383439	Hs.16758	Spir-1 protein	15.9
		BE246961		Homo saptens ubiquitin protein ligase (UBE3B) mRNA, partial cds	13.9
	130674	A1 048842	Hs 194019	attractin	1.5

		AA442233		hypothetical protein FLJ12892	5.4
	130692	AA652501	Hs.13561	hypothetical protein MGC4692	5.0
	130693	R68537	Hs.17962	ESTs	2.0
_	130712	AJ271881	Hs.279762	bromodomain-containing 7	1.8
- 5		A1348274			2.0
		AB007920	Hs.18586	KIAA0451 gene product	3.7
	130744	H59696	Hs.18747	POP7 (processing of precursor, S. cerevisiae) homolog	3.1
		AF052105		chromosome 12 open reading frame	1.4
		AL036067		protein x 0001	5.7
10				ATP-binding cassette, sub-family A (ABC1), member 1	5.1
		AK000355		sirtuin (silent mating type information regulation 2, S.cerevisiae, homolog) 5	5.2
		AB018298		SEC24 (S. cerevisiae) related gene family, member D	1.5
		J05068	Hs.2012	transcobalamin I (vitamin B12 binding protein, R binder family)	15.7
				Homo sapiens cDNA FLJ20848 fis, clone ADKA01732	2.8
15		AA447492		ESTs, Weakly similar to AF164793 1 protein x 013 [H.sapiens]	1.5
		U76248	Hs.20191	seven in absentia (Drosophila) homolog 2	3.4
				putative DNA/chromatin binding motif	1.7
		NM_016578		HBV pX associated protein-8	1.9
20		NM_003410		zinc finger protein 7 (KOX 4, clone HF.16)	1.4
20		BE514434			2.1
		AL120837		high-glucose-regulated protein 8	2.4
				sphingosine-1-phosphate lyase 1	1.7
		BE409769		DnaJ (Hsp40) homolog, subfamily A, member 2	1.8
25		N79110	Hs.21276	collagen, type IV, alpha 3 (Goodpasture antigen) binding protein	2.3 5.4
25		BE382657		signal transducer and activator of transcription 1, 91kD	2.2
		N39842	Hs.301444		1.8
				desmoplakin (DPI, DPII)	1.6
		T97401	Hs.21929	ESTS	1.6
30		AV658308		thyrold hormone receptor interactor 3	1.2
30		A1879165		CCAAT/enhancer binding protein (C/EBP), gamma hypothetical protein MGC2628	1.6
				small inducible cytokine subfamily B (Cys-X-Cys), member 10	7.4
		AA321649 AA321649		small inducible cytokine subfamily B (Cy	3.0
		H23230		ESTs, Moderately similar to A46010 X-linked retinopathy protein [H.sapiens]	1.7
35		AA194422		myosin VI	5.1
JJ .		AA194422		myosin VI	2.5
		N53344	Hs.22607	ESTs	7.1
		AA749230		dolichyl-phosphate (UDP-N-acetylglucosamine) N-acetylglucosaminephosphotransferase 1 (2.0
		AA749230		dolichyl-phosphate (UDP-N-acetylglucosam	1.9
40				COX15 (yeast) homolog, cytochrome c oxidase assembly protein	7.0
		NM_00654		nuclear receptor coactivator 2	1.9
		BE280074		cyclin B1	5.8
		AW138839		ESTs	2.0
				CGI-26 protein	7.0
45		H62087	Hs.31659		7.5
		N47468	Hs.59757		2.9
		D89053	Hs.268012	fatty-acid-Coenzyme A ligase, long-chain 3	3.5
	131243	AW383256	Hs.24752	spectrin SH3 domain binding protein 1	2.8
_ •				thioredoxin domain-containing	2.8
50				fatty acid amide hydrolase	5.6
	131281	AA251716			5.7
		X80038		Homo saplens done F19374 APO E-C2 gene cluster	1.3
	131305	AV656017	Hs.184325	CGI-76 protein	5.0
	131320	AA505691	Hs.145696	splicing factor (CC1.3)	1.8
55		AF058696		Nijmegen breakage syndrome 1 (nibrin)	2.6
	131339	AF058696	Hs.25812	Nijmegen breakage syndrome 1 (nibrin)	2.6
		AW293165			5.4
				mitochondrial ribosomal protein L20	5.3
<i>c</i> 0	131410	BE259110	MS.Z/9836	HSPC166 protein	2.2
60				SELENOPHOSPHATE SYNTHETASE; Human selenium donor protein	2.0
	131429	AL046302	HS.20/50	hypothetical protein FLJ21908	1.4 1.7
		BE297567		hypothetical protein FLJ20392	2.0
	1314/5	AA992841	175.27203 He 0007		2.6
65	751001	AV661958 AV661958	175.0207 No 2207	GK001 protein GK001 protein	1.6
UJ	131301	AA732153	1 13.0207 He 27865		2.0
	131311	ALINTRANS	Hs 28200	UDP-alucose dehvarogenase	1.6

	131532	BE268278	Hs.28393	hypothetical protein MGC2592	7.4
		AW966881	Hs.41639	programmed cell death 2	2.2
		AL355715		programmed cell death 9 (PDCD9)	2.1
_	131562	NM_003512	2Hs.28777	H2A histone family, member L	1.7
5	131564		Hs.28792	Homo sapiens cDNA FLJ11041 fis, clone PLACE1004405	5.1
	131564			Homo sapiens cDNA FLJ11041 fis, clone PL	1.8
			Hs.271623	nucleoporin 50kD	5.0
		BE393822	Hs.29645	Homo sapiens mRNA; cDNA DKFZp761C029 (from clone DKFZp761C029); partial cds	1.8
• ^		R78195	Hs.29692	Homo sapiens cDNA FLJ11436 fis, done HEMBA1001213	1.3
10		AB037791		hypothetical protein FLJ10980	2.2
		AB037791		hypothetical protein FLJ10980	1.9 2.9
		AW410601		HSPC182 protein	1.3
		AW960597		ESTS	2.8
15	131669	Al218918		KIAA0854 protein	2.8
13		BE559681	Hs.3041	uracil-DNA glycosylase 2 KIAA0124 protein	5.6
		AA642831		putative DNA binding protein	2.9
		D13757	Hs.311	phosphoribosyl pyrophosphate amidotransferase	3.4
		AK001641		inhibitor of kappa light polypeptide gene enhancer in B-cells, kinase complex-associated protein	3.8
20		X76732	Hs.3164	nucleobindin 2	2.9
		X76732	Hs.3164	nucleobindin 2	2.8
		A1878932		topoisomerase (DNA) I	3.4
	131772	AA382590	Hs.170980	KIAA0948 protein	25.5
				DKFZP586J0119 protein	5.5
25	131787	D87077	Hs.196275	KIAA0240 protein	2.4
	131793	AW966127	Hs.32246	Homo sapiens cDNA FLJ14656 fis, clone NT2RP2002439	7.9
		BE501849		high-mobility group 20B	1.4
-	131798	X86098	Hs.301449	adenovirus 5 E1A binding protein	4.1
		U20536	Hs.3280	caspase 6, apoptosis-related cysteine protease	4.2
30		U28838	Hs.32935	TATA box binding protein (TBP)-associated factor, RNA polymerase III, GTF3B subunit 2	3.5
		Al251317		ESTS	5.1
		AA083764		hypothetical protein MGC3178	5.8 13.7
		BE502341		ESTs	2.4
35		BE502341 W17064	HS.3402	ESTs SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily e, member	
33			HS.332040	Homo sapiens, done MGC:15961, mRNA, complete cds	8.7
	131000	A A DOOD 14	□5.231025 □c 221020	Homo sapiens, clone MGC:15961, mRNA, com	2.0
	131004	AF078866	He 284296	Homo sapiens cDNA: FLJ22993 fis, clone KAT11914	5.5
		AA179298		stomatin-like 2	11.3
40	131013	AW207440	Hs 185973	degenerative spermatocyte (homolog Drosophila; lipid desaturase)	1.7
.0		AA025976		ESTs	5.2
	131925	AF151048	Hs.183180	anaphase promoting complex subunit 11 (yeast APC11 homolog)	2.7
		BE541211		Homo sapiens cDNA FLJ11472 fis, done HEMBA1001711	5.3
		BE252983		ubiquitin specific protease 1	2.3
45	131950	AA355113	Hs.35380	x 001 protein	1.5
				hypothetical protein FLJ20039	2.3
		W79283	Hs.35962	ESTs	1.4
				hypothetical protein MDS025	3.5
		U90441	Hs.3622	procollagen-profine, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxylase), alpha polypeptide II	6.5
50 ·		AA503020		hypothetical protein FLJ22418	2.4
		AF053306		budding uninhibited by benzimidazoles 1 (yeast homolog), beta	2.1
		H56995	Hs.37372	Homo saplens DNA binding peptide mRNA, partial cds	3.2
		AF193844		COP9 complex subunit 7a	5.8 1.5
<i></i>	132062	BE266155	HS.3832	clathrin-associated protein AP47	3.7
55		NM_00226		karyopherin alpha 3 (importin alpha 4)	1.4
		BE171921		ESTs	5.8
		AV646076		ESTs	1.7
		AW960474 AA857025		ESTs kinesin-like 1	3.3
60		NM_00446		fibroblast activation protein, alpha	14.7
UU		AA206153		mitochondrial ribosomal protein L37	5.5
		R42432	Hs.4212	ESTs	4.4
				synaptosomal-associated protein, 29kD	2.2
			Hs.42287	E2F transcription factor 6	2.2
65				KIAA1681 protein	7.8
				KIAA0781 protein	1.5
-				Homo saciens cDNA: FLJ21550 fis, clone COL06258	1.3

		AA301228		hypothetical protein FLJ12890	5.7
	132273	AA227710	Hs.43658	DKFZP586L151 protein	4.2
	132276	AA653507	Hs.285711	hypothetical protein FLJ13089	2.1
				solute carrier family 2 (facilitated glucose transporter), member 10	1.5
5		AB023191	He 44131	KIAA0974 protein	10.0
J					1.9
		NM_015986		cytokine receptor-like molecule 9	
		AW405882		cortistatin	9.2
	132325	N37065	Hs.44856	hypothetical protein FLJ12116	2.0
	132348	AW067708	Hs.170311	heterogeneous nuclear ribonucleoprotein D-like	6.5
10	132370	AW572805	Hs.46645	ESTs	3.8
		AF155582		core1 UDP-galactose:N-acetylgalactosamine-alpha-R beta 1,3-galactosyltransferase	1.5
					12.5
		Al279892			28.3
		AA312135		HSPCO34 protein	
	132393	AL135094	Hs.47334	hypothetical protein FLJ14495	1.9
15	132450	AA100012	Hs.48827	hypothetical protein FLJ12085	1.9
	132452	AW973521	Hs.247324	mitochondrial ribosomal protein S14	6.1
		AB011084		KIAA0512 gene product; ALEX2	1.7
					8.6
		AW169847		KIAA1634 protein	5.2
00		Al224456		H.sapiens polyA site DNA	
20				RAB4, member RAS oncogene family	1.4
	132518	AW885606	Hs.5064	ESTs .	6.1
•	132528	T78736	Hs.50758	SMC4 (structural maintenance of chromosomes 4, yeast)-like 1	3.3
		AA306105		SEC22, veside trafficking protein (S. cerevisiae)-like 1	2.0
				mitochondrial ribosomal protein L16	2.9
25		AA454132			2.2
25		BE388673		hypothetical protein MGC10433	
	132543	BE568452	Hs.5101	protein regulator of cytokinesis 1	7.3
	132571	AW674699	Hs.5169	suppressor of G2 allele of SKP1, S. cerevisiae, homolog of	1.7
		AW631437		TH1 drosophila homolog	7.1
		AK001484		CGI-45 protein	2.2
30					2.2
30		AA345547		hypothetical protein FLJ13287	
			Hs.5327	PRO1914 protein	6.8
	132616	BE262677	Hs.283558	hypothetical protein PRO1855	14.0
	132638	A1796870	Hs.54277	DNA segment on chromosome X (unique) 9928 expressed sequence	11.4
35	132648	Ú51127	Hs.54434	hypothetical protein MGC1715	1.9
		AB018319		KIAA0776 protein	2.6
55	122603	A1A1404062	He 240220	collagen, type VIII, alpha 2	2.0
				Unayen, type vill, dipila 2	1.5
			Hs.5534	Homo sapiens cDNA FLJ12961 fis, done NT2RP2005645	
	132718	NM_004600	Hs.554	Sjogren syndrome antigen A2 (60kD, ribonucleoprotein autoantigen SS-A/Ro)	3.0
	132724	Al142265	Hs.55498	geranylgeranyl diphosphate synthase 1	2.4
40	132731	AI189075	Hs.301872	hypothetical protein MGC4840	12.4
		AA010233		glutamyl-prolyl-tRNA synthetase	14.6
-		AA125985		thymosin, beta, identified in neuroblastoma cells	2.7
					3.0
			Hs.56407	phosphoserine phosphatase	
	132773	AA459713	Hs.295901	KIAA0493 protein	2.3
45	132784	Al142133	Hs.56845	GDP dissociation inhibitor 2	1.8
	132798	AI026701	Hs.5716	KIAA0310 gene product	. 3.7
				mutt. (E. coli) homolog 1 (colon cancer, nonpolyposis type 2)	1.8
		AB007944		KIAA0475 gene product	5.9
				celute coming family 44 (proton counted displant motal ion transportage), marriage?	8.7
50				solute carrier family 11 (proton-coupled divalent metal ion transporters), member 2	
50			Hs.57475	sex comb on midleg homolog 1	6.4
	132817	N27852	Hs.57553	tousled-like kinase 2	3.6
	132821	AJ251595	Hs.169610	CD44 antigen (homing function and Indian blood group system)	2.8
		U78525	Hs.57783		14.6
					1.6
<i>5 5</i>				Homo sapiens clone PP1596 unknown mRNA	2.5
55		F12200	Hs.5811	chromosome 21 open reading frame 59	
	132851	U09716	Hs.287912	lectin, mannose-binding, 1	1.4
	132863	BE268048	Hs.236494	RAB10, member RAS oncogene family	4.2
	132869	AW963217	Hs.203961	ESTs, Moderately similar to AF116721 89 PRO2168 [H.saplens]	2.8
		AW007683		KIAA1266 protein	2.0
60		NM_004850		Rho-associated, coiled-coil containing protein kinase 2	1.6
UU					
		BE267143		U2(RNU2) small nuclear RNA auxillary factor 1 (non-standard symbol)	1.4
		AW503667		ring finger protein 15	5.4
	132902	A1936442	Hs.59838	hypothetical protein FLJ10808	6.1
	132912	AW732760	Hs.167578	Homo sapiens cDNA FLJ11095 fis, clone PLACE1005374	7.1
65		W78714	Hs.60257	Homo sapiens cDNA FLJ13598 fis, clone PLACE1009921	2.8
55		T79136	He 1979/12	Homo sapiens mRNA for KIAA1724 protein, partial cds	6.1
	132340	1/9130	110.12/240	hostical aminin 51 142222	10.1

	132042	A A 554/15R	He 197751	KIAA0666 protein	1.8
	422000	AICCOCOS	115.131101	Vame enrices massachumal stam coll antisis DCC06 mBNA partial cds	2.2
				Homo sapiens mesenchymal stem cell protein DSC96 mRNA, partial cds	4.9
		AA576635		CGI-48 protein	
_	132972	AA034365	Hs.288924	Homo sapiens cDNA FLJ11392 fis, clone HEMBA1000575	2.7
5	132973	AA035446	Hs.323277	ESTs	5.3
	132977	AA093322	Hs.301404	RNA binding motif protein 3	3.2
			Hs.62016		1.3
				done HQ0310 PR00310p1	3.0
				Homo sapiens, clone IMAGE:3351295, mRNA	10.3
10	133012	AA847843	NS.02/11	nomo sapieris, done invade. 333 1233, rimay	
10	133015	AJ002744	Hs.246315	UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminy(transferase 7 (GalNAc-T	17 21
	133016	AI439688		hypothetical protein FLJ20886	1.3
	133053	AI065016	Hs.6390	Homo sapiens done FLB3344 PRO0845 mRNA, complete cds	6.0
	133062	AW500374	Hs.64056	PRO0149 protein	5.3
		BE247441	Hs.6430	protein with polyglutamine repeat; calcium (ca2+) homeostasis endoplasmic reticulum protein	4.9
15		AK001628		KIAA0483 protein	3.5
10		AA808177		ESTs	13.1
				RNA binding motif protein 8A	1.3
		AF198620			2.2
			Hs.6592	Homo sapiens, clone IMAGE:2961368, mRNA, partial cds	1.3
••		Z11695		mitogen-activated protein kinase 1	
20	133174	AA431620	Hs.324178	hypothetical protein MGC2745	17.1
	133175	AW955632	Hs.66666	ESTs, Weakly similar to S19560 proline-rich protein MP4 - mouse [M.musculus]	1.8
	133177	X97795	Hs.66718	RAD54 (S.cerevisiae)-like	4.9
				hypothetical protein FLJ20671	3.1
		AI801777		ESTS	4.4
25	133200	AWOSASSO	He 206287	Homo sapiens, Similar to bromodomain-containing 4, clone IMAGE:3542455, mRNA, partial cds	1.7
23					6.0
		AI492924		golgi phosphoprotein 1	1.5
	133240	AKUU1489	MS.242894	ADP-ribosylation factor-like 1	1.4
	133254	Al567421	Hs.273330	Homo sapiens, clone IMAGE:3544662, mRNA, partial cds	
	133266	Al160873	Hs.69233	zinc finger protein	5.6
30	133268	AW956781	Hs.293937	ESTs, Weakly similar to FXD2_HUMAN FORKHEAD BOX PROTEIN D2 [H.sapiens]	1.9
	133285	M76477	Hs.289082	GM2 ganglioside activator protein	4.7
	133291	BE297855	Hs.69855	NRAS-related gene	5.0
	133314	AA102670	Hs 70725	gamma-aminobutyric acid (GABA) A receptor, pl	2.7
		T79526		integral type I protein	9.3
35		AL390127		Kruppe-Hike factor 13	4.4
JJ					1.8
		BE257758		acid cluster protein 33	5.5
		Al016521		v-akt murine thymoma viral oncogene homolog 1	
	133366	AA292811	Hs.72050	non-metastatic cells 5, protein expressed in (nucleoside-diphosphate kinase)	2.7
	133367	AF231919	Hs.18759	KIAA0539 gene product	1.7
40	133370	AF245505	Hs.72157	DKFZP564l1922 protein	1.8
		BE313555		KIAA1224 protein	1.7
		AI950382		phosphatidylserine receptor	1.3
		AW103364		inhibin, beta A (activin A, activin AB alpha polypeptide)	16.1
					12.2
45 -				hypothetical protein HT023	10.4
43	133437	AL031591	MS.73/U	phosphotidylinosital transfer protein, beta	1.2
				protein kinase, interferon-inducible double stranded RNA dependent	
		A1659306		protein tyrosine phosphatase, non-receptor type 4 (megakaryocyte)	1.7
	133500	AW964804	Hs.74280	hypothetical protein FLJ22237	11.1
	133529	W45623	Hs.74571	ADP-ribosylation factor 1	2.8
50	133540	AL037159	Hs.74619	proteasome (prosome, macropain) 26S subunit, non-ATPase, 2	2.9
				damage-specific DNA binding protein 1 (127kD)	2.5
		AU077050		translin	1.5
		X75346	Hs.75074	mitogen-activated protein kinase-activated protein kinase 2	2.1
	400500	DE204670	Uo 75007	Fas-activated serine/threonine kinase	1.3
EE	133302	BE031013	NS./ 300/	ras-activated service distribute Commission DIVID4	2.2
55				nuclear phosphoprotein similar to S. cerevisiae PWP1	1.5
		AA393273		transcription factor 6-like 1 (mitochondrial transcription factor 1-like)	
		NM_00288		RAP1, GTPase activating protein 1	5.7
	133621	NM_00489	3Hs.75258	H2A histone family, member Y	25.5
		NM_00204		glycyi-iRNA synthetase	15.8
60		NM_00040		exostoses (multiple) 2	3.3
		U25849	Hs.75393	add phosphatase 1, soluble	1.6
	122500	AV661185		mitochondrial ribosomal protein L19	4.1
			Hs.75737		1.5
	133720	L27841			6.3
15	133722	AVV9099/0	115.2/3003	matrix Gla protein	3.9
65			. ns.334/6/	Homo sapiens, Similar to likely ortholog of yeast ARV1, clone IMAGE:3506392, mRNA	
	133757	T52946		RAE1 (RNA export 1, S.pombe) homolog	1.7
	422760	DE271766	He 181357	laminin recentor 1 (67kD, ribosomal protein SA)	1.8

	133765	M62194	Hs.75929	cadherin 11, type 2, OB-cadherin (osteoblast)	1.5
	133780	AA557660	Hs.76152	decorin	3.5
	133784	BE622743	Hs.301064	arfapiin 1	6.8
	133791	M34338	Hs.76244	spermidine synthase	2.6
5		AL133921		retinoblastoma-binding protein 2	1.4
•		D50525	Hs.699	peptidylprolyl isomerase B (cyclophilin B)	8.0
	133842	AW797468	Hs 285013	putative human HLA class II associated protein I	13.5
			Hs.76704	ESTs	2.2
		W29092	Hs.7678	cellular retinoic acid-binding protein 1	1.8
10		U86782		26S proteasome-associated pad1 homolog	2.0
10	122005	00070Z	Ha 470200	discs, large (Drosophila) homolog 5	2.8
					6.7
			Hs.76989		2.5
			Hs.183874		
1.5		U30872	Hs.77204		3.0
15		U30825	Hs.77608	splicing factor, arginine/serine-rich 9	1.4
	133924	D86326	Hs.325948	vesicle docking protein p115	5.4
	133929	NM_006306	5Hs.211602	SMC1 (structural maintenance of chromosomes 1, yeast)-like 1	4.9
		L17128		gamma-glutamyl carboxylase	3.7
	133941	BE244332	Hs.77770	adaptor-related protein complex 3, mu 2 subunit	12.1
20	133959	X81789	Hs.77897	splicing factor 3a, subunit 3, 60kD	9.7
	133976	AI908165	Hs.169946	GATA-binding protein 3 (T-cell receptor gene activator)	3.1
	133989	AL040328	Hs.78202	SWI/SNF related, matrix associated, actin dependent regulator of chromatin	1.3
				regulator of G-protein signalling 12	9.7
				RNA binding protein; AT-rich element binding factor	2.4
25		D31764.		sorting nexin 17	2.5
			OHs.78946	cullin 3	1.3
		U41060	Hs.79136	LIV-1 protein, estrogen regulated	4.2
			2Hs.79305	KIAA0255 gene product	2.2
		H86504	Lie 172228	protein phosphatase 2, regulatory subunit B (B56), epsilon isoform	5.0
30					3.2
20				KIAA0160 protein	2.5
		AF107463		splicing factor 30, survival of motor neuron-related	
		NM_000288		peroxisomal biogenesis factor 7	2.1
		NM_000402		glucose-6-phosphate dehydrogenase	9.1
25		BE300078		Homo saplens, clone IMAGE:3535294, mRNA, partial cds	2.8
35 .		Al878910		cisplatin resistance-associated overexpressed protein	1.8
		AI906291		immunoglobulin superfamily, member 3	2.0
		AW502505		Homo sapiens cDNA: FLJ21927 fis, done HEP04178, highly similar to HSU90909	2.5
	134305	U61397	Hs.81424	ubiquitin-like 1 (sentrin)	2.8
				KIAA1100 protein	10.4
40	134326	AW903838	Hs.81800	chondroitin sulfate proteoglycan 2 (versican)	1.9
	134329	N92036	Hs.81848	RAD21 (S. pombe) homolog	2.6
	134337	NM_00492	2Hs.81964	SEC24 (S. cerevisiae) related gene family, member C	2.3
		AW291946		interleukin 6 signal transducer (gp130, oncostatin M receptor)	13.0
		AA339449		phosphoribosylglycinamide formyltransferase, phosphoribosylglycinamide synthetase,	8.8
45		X06560	Hs.82396	2',5'-oligoadenylate synthetase 1 (40-46 kD)	1.5
				hypothetical protein MGC3222	8.1
		AI589941		Homo sapiens, Similar to tumor differentially expressed 1, clone IMAGE:3639252, mRNA, p	
		AA417383		integrin, beta-like 1 (with EGF-like repeat domains)	4.1
		AA456539		hysosomal	1.7
50		AA334551		sperm specific antigen 2	2.6
50			Hs.82772	collagen, type XI, alpha 1	1.3
					3.2
				reticulocalbin 1, EF-hand calcium binding domain protein tyrosine phosphatase type IVA, member 2	1.9
	134413	A1750762	11-02006		10.3
e e				collagen, type V, alpha 2	
55	134424	Z44190	Hs.83023	peroxisomal biogenesis factor 118	2.4
			Hs.83419	KIAA0252 protein	1.2
		M58603	Hs.83428	nuclear factor of kappa light polypeptide gene enhancer in B-cells 1 (p105)	1.6
		X54942	Hs.83758	CDC28 protein kinase 2	2.1
		NM_00500		Empirically selected from AFFX single probeset	5.3
60	134485	X82153	Hs.83942	cathepsin K (pycnodysostosis)	2.5
	134498	AW246273	Hs.84131	threonyl-tRNA synthetase	2.1
	134513	AA425473	Hs.84429	KIAA0971 protein	3.8
	134516	AK001571	Hs.273357	hypothetical protein FLJ10709	- 2.4
	134520	BE091005	Hs.74861	activated RNA polymerase II transcription cofactor 4	6.7
65	134529	AW411479	Hs.848	FX506-binding protein 4 (59kD)	2.3
			Hs.85951		5.5
				CGG triplet repeat binding protein 1	5.8

PCT/US02/02242

			:	. 11 - 12 - A 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	2.2
				ubiquitin C-terminal hydrolase UCH37	2.0
		AF035119		deleted in liver cancer 1	2.3
	134632			chloride channel 3	1.4
e		AK001741		hypothetical protein FLJ10879	72.9
5		AA256106		ESTs ·	8.5
•		BE391929		transmembrane protein 4	6.0
		U62317	Hs.88251	arylsulfatase A	4.3
		NM_003474		a disintegrin and metalloproteinase domain 12 (meltrin alpha)	2.3
10		BE161887		anaphase-promoting complex subunit 10	6.7
10	134714	Y14/68	Hs.890	lysosomal	2.3
	134/19	AA852985	HS.89232	chromobox homolog 5 (Drosophila HP1 alpha)	2.9
				F-box only protein 6	6.6
			HS.3215/6	ring finger protein 22	2.3
15	134746			CD2 antigen (p50), sheep red blood cell receptor	6.2
15		AW630803		lamin B1	1.9
				integral membrane protein 1	1.8
		AD001528		spermine synthase	1.4
		AW451370		adaptor-related protein complex 1, gamma 2 subunit	1.4
20		Al701162		hypothetical protein MGC11138 5-aminoimidazole-4-carboxamide ribonucleotide formyltransferase/IMP cyclohydrolase	5.6
20		BE268326			2.8
		D26488	Hs.90315	KIAA0007 protein	1.7
		AI879195	Hs.90606	15 kDa selenoprotein	1.7
		AA532963		Homo sapiens cDNA FLJ13100 fis, done NT2RP3002255	2.1
25		AW885909		PRO1073 protein	1.3
25		AW401361		protein phosphatase 2 (formerly 2A), catalytic subunit, alpha isoform	2.1
		A1097346		phosphoserine aminotransferase	2.3
		R50333	Hs.92186	Leman coiled-coil protein	1.6
		AB037835		KIAA1414 protein	3.9
20		NM_000408		glycerol-3-phosphate dehydrogenase 2 (mitochondrial)	6.2
30				hypothetical protein FLJ12619	2.0
•		AW503733		KIAA1488 protein	1.3
		AB036063		p53-inducible ribonucleotide reductase small subunit 2 homolog	7.1
		AF027219		zinc finger protein 202	3.2
25				zinc finger protein 36 (KOX 18)	2.5
35		Al093155	Hs.95420	JM27 protein	1.4
	135181	BE250865	HS.2/9529	px19-like protein	5.0
				translin-associated factor X ESTs, Highly similar to C10_HUMAN PUTATIVE C10 PROTEIN [H.sapiens]	6.1
		N26427	Hs.9634		4.6
40		T78802	Hs.96560	hypothetical protein FLJ11656	5.6
40		BE463721		putative G protein-coupled receptor	. 3.5
		Al028767	HS.202003	EDIS FOTo Microbia similar to AASO40 V linked milinonothy protein [H senions]	1.2
		AW291023		ESTs, Weakly similar to A46010 X-linked retinopathy protein [H.sapiens]	2.6
		A1088775		geranylgeranyl diphosphate synthase 1	5.3
15		AA448460			9.1
45		AA150320		protein kinase Njmu-R1	2.4
		AI090838		ESTS	13.3
		AI743770			2.6
	135321	AI652069	Hs.98614		8.3
50 ·	135354	AA456454	HS.183418	cell division cycle 2-like 1 (PITSLRE proteins)	1.5
50				Homo sapiens cDNA FLJ10174 fis, clone HEMBA1003959	4.9
		U05237		fetal Alzheimer antigen	2.0
		X78592	Hs.99915	androgen receptor (dihydrotestosterone receptor, testicular feminization; spinal and bulbar	2.6
		R50333	Hs.92186	Leman coiled-coil protein	1.4
		AB037835		KIAA1414 protein	1.6
55		NM_00040		glycerol-3-phosphate dehydrogenase 2 (mi	1.4
•				hypothetical protein FLJ12619	1.8
		AW503733		KIAA1488 protein	2.5
		AB036063		p53-inducible ribonucleotide reductase s	1.5
C 0		AF027219		zinc finger protein 202	2.1
60				zinc finger protein 36 (KOX 18)	
		Al093155		JM27 protein	4.4
	135181	BE250865	HS.279529		14.9
	135199	AA477514		translin-associated factor X	1.3
65	135207	N26427	Hs.9634	ESTs, Highly similar to C10_HUMAN PUTATI	1.7 6.1
65	135214	T78802	Hs.96560	•••	2.7
		BE463721		putative G protein-coupled receptor	2.7 12.2
	135245	AJ028767	Hs.262603) E918	12.2

	135257	AW291023	Hs 97255	ESTs, Wealty similar to A46010 X-linked		7.6
						1.8
				geranylgeranyl diphosphate synthase 1		
	135274	AA448460	Hs.112017	GE36 gene		4.1
	135294	AA150320	Hs 9800	protein kinase Njmu-R1		1.2
5						4.8
5			Hs.98006	ESTs		
	135307	A1743770	Hs.98368	ESTs, Weakly similar to KIAA0822 protein		5.8
	135321	A1652069	Hs 98614	ribosome binding protein 1 (dog 180kD ho		12.3
						5.7
				cell division cycle 2-like 1 (PITSLRE pr		
	135361	AA373452	Hs.167700	Homo saplens cDNA FLJ10174 fis, clone HE		7.9
10		U05237		fetal Alzheimer antigen		1.9
10						13.9
		X78592		androgen receptor (dihydrotestosterone r		
	302256	AA857131	Hs.171595	HIV TAT specific factor 1		5.3
	302276	AW057736	Hs 323910	HER2 receptor tyrosine kinase (c-erb-b2,		2.2
					•	1.4
				HSPC070 protein	· · · · · · · · · · · · · · · · · · ·	
15	303686	AK000714		MSTP033 protein		5.2
	310085	R43191	Hs 101248	Homo sapiens clone IMAGE:32553, mRNA seq		2.3
				· ·		2.8
		AA808229				
	317781	NM_007057	7Hs.42650	ZW10 interactor		2.0
	320836	AI268997	Hs.197289	rab3 GTPase-activating protein, non-cata		5.5
20						1.4
20				Golgi apparatus protein 1		
	322221	N24236	Hs.179662	nucleosome assembly protein 1-like 1		1.3
	322474	AF118083	Hs 29494	PRO1912 protein		2.9
						1.6
				hypothetical protein		
	323541	AF292100	Hs.104613	RP42 homolog		1.8
25	407827	BE278431	Hs 40323	BUB3 (budding uninhibited by benzimidazo		1.6
		AL034548		SRY (sex determining region Y)-box 22	•	6.1
	408813	AI580090	Hs.48295	RNA helicase family		5.6
	409176	R73727	Hs.101617	ESTs, Weakly similar to T32527 hypotheti		2.6
		AB000115		hypothetical protein, expressed in osteo		2.4
20						1.5
30	414108	AI267592	Hs.75/61	SFRS protein kinase 1		
	414846	AW304454	Hs.77495	UBX domain-containing 1		4.2
				high-mobility group (nonhistone chromoso	• .	23.6
						5.8
	41/3/8	R57256		TATA box binding protein (TBP)-associate		
	418283	S79895	Hs.83942	cathepsin K (pycnodysostosis)		1.3
35	118467	NM_00691	Ne 85273	retinoblastoma-binding protein 6		1.6
55				-lab - the lease and broaded selected on mo		2.3
		U72937	Hs.96264	alpha thalassemia/mental retardation syn		
	420802	U22376	Hs.1334	v-myb avian myeloblastosis viral oncogen		1.6
				MCT-1 protein		3.5
						4.9
40				retinolc acid repressible protein		
40	421828	AW891965	Hs.279789	histone deacetylase 3		3.1
	421083	A1252640	He 110364	peptidylprolyl isomerase C (cyclophilin		1.9
						2.4
	422052	AA302744	HS. 104510	E018		
	422055	NM_01432	0Hs.111029	putative heme-binding protein		4.1
		AF165883			•	7.0
45			Ha 127476	paternally expressed 10 (PEG10; KIAA105		4.9
43		W67883				3.4
	425182	AF041259	Hs.155040	zinc finger protein 217	-	
	425284	AF155568	Hs.155489	NS1-associated protein 1	v A	2.1
				DEAD/H (Asp-Glu-Ala-Asp/His) box polypep		7.5
						1.7
				GW128 protein		
50	428477	AW500533	Hs.11482	splicing factor, arginine/serine-rich 11		2.4
		AB001636		DEAD/H (Asp-Glu-Ala-Asp/His) box polypep		3.8
						5.6
		AK001333		Homo sapiens hepatocellular carcinoma-as		
	441560	F13386	Hs.7888	Homo sapiens clone 23736 mRNA sequence		2.0
	445580	AF167572	Hs 12912	skb1 (S. pombe) homolog		7.5
55	446000	A A 4 E 4 E 20	Un 224022	hypothetical protein MGC4485		2.2
55				Trypodietical protein Mid-7-103		
	447111	Al017574	Hs.17409	cysteine-rich protein 1 (intestinal)		2.8
		BE620592		ESTs, Weakly similar to S16506 hypotheti		1.7
	440072	NM_00367	7He 22202	density-regulated protein	•	5.9
			11.004000	Internation flowest sector or selle	•	5.6
		W68520	HS.331328	intermediate filament protein syncollin		
60	450701	H39960	Hs.288467	Homo sapiens cDNA FLJ12280 fis, done MA		1.4
	450702	AA011202	He 184771	nuclear factor I/C (CCAAT-binding transc	•	4.7
			11- 400400	tennomination factor		2.9
	452461	N78223	ris. 100 105	transcription factor	•	
	452511	BE408178	Hs.285165	Homo sapiens cDNA FLJ20845 fis, clone AD		12.1
		AF077036		DKFZP586G1722 protein		4.7
65	AESCEO	BE541906	He 87810	Homo sapiens, done MGC:2492, mRNA, comp		1.3
65	400000	AE465460	115.01013	the students being a confirm forter		3.2
	100833	Ar 135168	HS.108802	N-ethylmaleimide-sensitive factor		
	102481	U50360		gb:Human calcium, calmodulin-dependent p		6.2

PCT/US02/02242

WO 02/059377

	102827	BE244588	Hs.6456	chaperonin containing TCP1, subunit 2 (b		7.9
				protein kinase C, zeta		2.0
		AB040450	Hs 279862	cdk inhibitor p21 binding protein		5.3
		AW579842	Hs 104557	hypothetical protein FLJ10697		2.0
5			Hs.87889	helicase-mol		5.7
	119075	M10905	Hs.287820			1.3
		AL034423	Hs.75875	ubiquitin-conjugating enzyme E2 variant		2.9
				splicing factor (CC1.3)		1.7
	127609	X80031	Hs.530	collagen, type IV, alpha 3 (Goodpasture		2.4
10	129209			Rho-associated, coiled-coil containing p		5.2
~~.	129917	M30773	Hs.278540	protein phosphatase 3 (formerly 2B), reg		4.5
		BE267033	Hs.192853	ubiquitin-conjugating enzyme E2G 2 (homo		11.0
	130365	W56119	Hs.155103	eukaryotic translation initiation factor		3.3
	131135	NM_016569				1.3
15			Hs.3321	ESTs, Highly similar to IRX1_HUMAN IROQU		3.2
	131881	AW361018	Hs.3383	upstream regulatory element binding prot		14.3
	132726		Hs.55608	hypothetical protein MGC955		3.0
	135193	X95525	Hs.96103	TATA box binding protein (TBP)-associate		2.7
		H19886		gb:yn57a05.r1 Soares adult brain N2b5H	•	2.3
20			No 2000AA	Hamo contant cDNA FL 112048 fis clone HF	•	7.4

TABLE 4A

5

Table 4A shows the accession numbers for those pkeys lacking unigeneID's for Table 4. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10	seque	ences con	nprising o	eacn ci	uster ar	e iistea	in the	Accessi	on cor	umm.		
10	Diese	1 bala	ue Eos probes	al Idoniiia	numbar							
	Pkey: CAT nur		e cluster numbe		number							-
	Accessio		bank accession									
	Accessi	Jii. Geili	Dailk accession	i ilumbera								
15												
13	Pkey	CAT number	Accessions									
	i Key	OAT HUMBER	Accessions									
	123615	3068615	AA609170			•						
-		371681 1	AA602964 AA	460920 <u>0</u>		-		•				
20		16505	M21259									
		656394_1	AI267847 N2	7351								
		1642364_1	N34059 N469									
		1657509 1	N53935 N539	350								
	102481	3128128	U50360									
25	103349	110522	X89059									
	110856	19346_14 .	AA992380 N	33063 N21	418 H79958	R21911 H79	957					
			103797 1	109699_1	AA080912	4A075318 A	A083403 AA	076594 AAO	78992 AA08	4926 AA081	881 AA113913 A	A113892
					082953 AAO	70343 AA06	2835 AA075	419 AA06329	33 AA07 125	2 AA078900	AA062836 AW97	/4305
~~		160212_1	AA190577 A									
30		328626_1	T63857 AW9	71220 AA	193469 T636	99 .		-000 MOCA!	70.1100007		07070 W04050	MAINCYC74
	120472	44573_2	A1950087 N7	0208 R970	40 N36809	41308119 AV	V96/6// N3	532U AI2514	/J H5939/ /	W9/13/3 K	97278 W01059	47730/0/1 DE228547
			AA908598 A	A2518/5 A	1820301 A18.	2UDJZ.W010	41 1003U4 U	J/ 1430 1023 Mo74060 Al	424042 AM	775763 446	34725 AA884922 63345 AW00828	2 4 4 4 8 8 9 6 4
			A1219/88 AA	1000207 A	123/8 F1343 DE0344 A174	<i>3 PANSZI 184</i> 1246 A16000	A I GSUDGIA	15 AM/1000 AL	. 134043 ATT	233333 AAU M783373 AV	V173586 AW150	229 A1653832
35			AAZ63144 AI	1030307 AT	11/4 PP CUCE	10001A 0461 1111/1 10023	102 MM2023 12843 A1530	13 AVV 102030 642 A A64278	10 A BREEGT	-11 03213 A1 - ΔW/505512	Al961530 AW62	9970
33			AI/02000 AA	1900 <i>111 P</i> 4 11/275007 /	1400032 AW	ME43843 A	100 10 MOOS	1856538 AA1	80000011	7499 AW96	1101 AA251669	AA251874
			A1810225 AM	VYZI OJII I VYNSRRY A	ISBASSAS VIS	5850Q AW27	1044203 ATT	1030336 AA 1	4 AA908741	AW072629	AW513996 AA2	93273
			A4969759 N	75628 N22	388 H84729	H60052 T92	487 A10220	58 AA780419	AA551005	W80701 AV	613456 Al37303	2 Al564269
			F00531 H834	188 W3718	1 W78802 R	66056 A1002	2839 R67840	0 AA300207 A	AW959581	63226 F040	05	_
40	129019	44573_2	A1950087 N7	0208 R970	40 N36809	A1308119 AV	V967677 N3	5320 AI2514	73 H59397 A	AW971573 F	197278 W01059	AW967671
			AA908598 A	A251875 A	1820501 Al8	20532 W878	91 T85904 L	J71456 T823	91 BE32857	'1 T75102 R	34725 AA884922	BE328517
		•	A1219788 AA	RR4444 NS	92578 F1349	3 AA927794	A1560251 A	W874068 AL	.134043 AV	23536 3 AA6	63345 AW00828	2 AA488964
			AA283144 A	1890387 AI	950344 A174	1346 AI6890	62 AA2829	15 AW102898	3 A1872193 .	A1763273 AV	V173586 AW150	329 Al653832
			A1762688 AA	1988777 A	1488892 Al3	56394 AW10	13813 Al539	642 AA64278	89 AA85697	5 AW505512	Al961530 AW62	29970
45			BE612881 A	W276997 A	\W513601 A	W512843 A	1044209 AW	/856538 AA1	80009 AA33	7499 AW96	1101 AA251669	AA251874
			A1819225 AV	V205862 A	1683338 A18	58509 AW27	6905 Al633	006 AA97258	4 AA90874	I AWU72629	AW513996 AA2	93273
											/613456 Al37303	12 Albb4269 .
			F00531 H83	488 W3718	11 W78802 F	(66056 A100)	2839 K6784	U AA3UU2U <i>I I</i>	AWY555581	103220 FU4L	り よけっとものり あいっこ	202 AW052210
50	120695	9683_3	AA976503 A	19178U2 AV	1953554 AA	104613 AA47	20111 BE20	U342 AVV 1941	09 A 92 <i> 3</i> (00PUP11A11	A1796100 A1935	303 AVVU322 10
50	400400	075070 4	AA970201 A		44239 IU AIU	17004 A124 I	ZSS MARUZO	10 AAZ9 140	0			
		275673_1	AA398838 A AA416568 A		A447222 A4	AA222						
		283769_1 305217_1	AA410000 A AA453641 A		M4 11 233 M	144222						
		150431_1	AA157811 A									
55		genbank_AA6		AA609364								
<i>JJ</i>		genbank_AA6		AA620586								
		genbank_T97		T97341								
			D_entrez_W381		W38150							
		382979_1	AA199686 N									
60		genbank_AA		AA177051								
	113196	genbank_T57	7317 '	T57317							•	
	120504	genbank_AA	256837	AA256837								
	420520	gonhank AA	286042	44286942								

AA286942

120639 genbank_AA286942

	120809 genbank_AA	346495 AA346495
	113702 genbank_T97	307 T97307
	129680 23162_1	U03749 NM_001275 J03483 J03915 Al214509 AW245744 AL046455 AA318960 AI741505 AA843875 Al829382 Al560122
		AI858999 D55958 AI684005 D53170 AA854091 AI025609 D53119 D54729 D55504 D55377 D55313 AW512244 AA846441
5		AW043898 Al969102 AA405741 Al091983 AA788784 AA706586 AA854361 AW470949 AA843095 AA772028 Al148432
-		AI038109 AA782478 AA910064 AI220384 AA781296 AA843881 AA854064 AA843125 AA843419 AA319036 AA319054
		A1273831 W32275 A1584185 C05724 AA789023 A1686818 D54392 A1022485 AA431410 AA854232 W39212 W15214 AA894441
		AI803081 AI167381 AW245389 AA319430 AA335156 AI042646 AA327030 AA725170 T27943 AA889304 AA976699 AI687001
		AI621107 AI865540 AA772107 C06286 AA319661 AA405992
10	101045 entrez_J0561	•
	117247 genbank	N21032
	110501 genbank	H55748
	103392 entrez_X9456	
	105032 genbank	AA127818
15	119513 NOT_FOUND	
10	105445 genbank	AA252395
	121514 genbank	AA412112
	121558 genbank	AA412497
	121911 genbank	AA427950
20	123315 714071_1	AA496369 AA496646
20	114911 genbank	AA236672 .
	409487 1134778_1	H19886 AW402806 T10231
	403401 1134110_1	1113000 711702000 110201

TABLE 5: Figure 5 from BRCA 001 US

Table 5 shows genes upregulated in tumor tissue compared to normal breast tissue.

5

10	Pkey: ExAccn: UnigenelD: Unigene Title:		Unique Eos probeset identifier number Exemplar Accession number, Genbank accession number Unigene number Unigene gene title				
	R1:	·R	atio of tumor to	normal breast tissue			
15	Pkey	ExAccn	UnigenelD	UnigeneTitle	R1		
13	100114	X02308	Hs.82962	thymidylate synthetase	2.9		
		D13666	Hs.136348	osteoblast specific factor 2 (fasciclin	7.5		
,		H60720	Hs.81892	KIAA0101 gene product	9.2		
		AW247529		platelet-activating factor acetylhydrola	2.7		
20		L05424	Hs.169610	CD44 antigen (homing function and Indian	5.7		
- :		L05424	Hs.169610	CD44 antigen (homing function and Indian	9		
		L05424	Hs.169610	CD44 antigen (homing function and Indian	7.6		
	100678	AW502935	Hs.740	PTK2 protein tyrosine kinase 2	53.2		
	100988	AK000405	Hs.76480	ubiquitin-like 4	11.4		
25	101031	J05070	Hs.151738	matrix metalloproteinase 9 (gelatinase B	8.2		
	101045	J05614		gb:Human proliferating cell nudear anti	5		
		J04088	Hs.156346	topoisomerase (DNA) II alpha (170kD)	3.4		
		A1494299	Hs.16297	COX17 (yeast) homolog, cytochrome c oxid	6.3		
		NM_01215		coagulation factor VIII-associated (intr	5.7		
30		AF064853		guanine nucleotide binding protein (5.6		
		M81057	Hs.180884	carboxypeptidase B1 (tissue)	14.4		
			Hs.112408	\$100 calcium-binding protein A7 (psorias	8.9 3.2		
			8Hs.180612	peroxisomal membrane protein 3 (35kD, Ze	3.Z 8.4		
35		A1904232		prohibitin heat shock protein 75	1.4		
22			Hs.182366 Hs.159627	death associated protein 3	4.6		
		AW950852		polymerase (DNA directed), delta 2, regu	4.3		
			Hs.301613	JTV1 gene	6.7		
		U24389	Hs.65436	lysosomal	4.3		
40		AA306342		protein kinase C-like 2	2.7		
-10		U37519	Hs.87539	aldehyde dehydrogenase 3 family, member	2		
		U33635	Hs.90572	PTK7 protein tyrosine kinase 7	6.2		
		U48705	Hs.75562	discoldin domain receptor family, member	6.9		
	102568	W81489	Hs.223025	RAB31, member RAS oncogene family	5.3		
45	102618	AL037672	Hs.81071	extracellular matrix protein 1	5.8		
	102687	NM_00701	19Hs.93002	ubiquitin carrier protein E2-C	4.3		
		U96132	Hs.171280	hydroxyacyl-Coenzyme A dehydrogenase, ty	6		
		AU077058		BRCA1 associated RING domain 1	1.9		
		T97490	Hs.50002	small inducible cytokine subfamily A (Cy	2.3		
50		BE252241		pyridoxal (pyridoxine, vitamin B6) kinas	6.4		
		BE244588		chaperonin containing TCP1, subunit 2 (b	5.6		
			10Hs.155324	matrix metalloproteinase 11 (MMP11; stro	4.5		
			Hs.82932	cyclin D1 (PRAD1; parathyroid adenomatos	3.1 9.9		
EE			Hs.275865	ribosomal protein S18	8.8		
55		X72755	Hs.77367	monokine induced by gamma interferon	5.6		
		Al369285	Hs.75189 Hs.180062	death-associated protein proteasome (prosome, macropain) subunit,	9.7		
		Al376722	Hs.78793	protein kinase C, zeta	7.9		
			Hs.105737	hypothetical protein FLJ10416 similar to	6.5		
60			Hs.150675	polymerase (RNA) II (DNA directed) polyp	6.3		
		AW05200		PRP4/STK/WD splicing factor	10.9		
		Al250789	Hs.32478	ESTs	5.6		
			Hs.154729	3-phospholnositide dependent protein kin	12.3		
			Hs.225979	hypothetical protein similar to small G	2		

	104896	AW015318	Hs.23165	ESTs	17.7
	104909	AW408164	Hs.249184	transcription factor 19 (SC1)	5
		AW958157		NS1-associated protein 1	1.7
_		AA026880		prolactin receptor	1.4
5	104974		Hs.278675	bromodomain-containing 4	1.4
			Hs.19322		7.2
		AF098158		chromosome 20 open reading frame 1	3.3
		AA907305		ESTs	2.5
10		AA151342		CGI-147 protein Homo sapiens cDNA FLJ11027 fis, clone PL	9.5 2.2
10	105088		Hs.35156		5.4
		AF167570		interleukin enhancer binding factor 3, 9 unknown	9.3
		AA262640 BE616694		hypothetical protein FLJ14299	1.4
		AA985190		hypothetical protein FLJ20059	9.4
15		AW151952		hypothetical protein FLJ20739	1.5
1.5		AF151066		hypothetical protein	2.9
	-	AF016371		peptidyl prolyl isomerase H (cyclophilin	5.2
		AA533491		hypothetical protein FLJ14681	6.8
		AK001404		cyclin B2	5.7
20		AW390282		transmembrane 7 superfamily member 2	6.3
		AA458882		fibulin 1	7.9
	106624	NM_003595	Hs.26350	tyrosylprotein sulfotransferase 2	7.7
	106713	BE614802	Hs.184352	hypothetical protein FLJ12549	4.5
	106829	AW959893	Hs.27099	hypothetical protein FLJ23293 similar to	16.2
25		AB037744	Hs.34892	KIAA1323 protein	2.2
			Hs.11197	Homo saplens, clone IMAGE:3343149, mRNA	
		BE156256		hypothetical protein	6.6
		AF264750		myeloid/lymphoid or mixed-lineage leukem	1.8
20			Hs.64639	glioma pathogenesis-related protein	6.1
30		AW732573		potassium voltage-gated channel, delayed	8.4 2.5
		L42612	Hs.335952	keratin 6B Ig superfamily receptor LNIR	2.2
•		BE153855 AW956103		pyruvate dehydrogenase kinase, isoenzyme	6.7
		AF129535		F-box only protein 5	7.1
35		BE546947		homeo box C10	9.8
55		AB029000		KIAA1077 protein	7.2
		AK001431		hypothetical protein FLJ10569	4
		AA156542		ESTs	1.4
	109068	AA164293	Hs.72545	ESTs	2.9
40	109273	AA375752	Hs.82719	Homo sapiens mRNA; cDNA DKFZp586F182	
		NM_015310)Hs.6763	KIAA0942 protein	3.2
		Al668594	Hs.176588	ESTs, Weakly similar to CP4Y_HUMAN CYTO	
		AI288666	Hs.16621	DKFZP4341116 protein	6.2
A È		H55748	11- 00000	gb:yq94a01.s1 Soares fetal liver spleen	6.1 7.6
45		AW190338		hypothetical protein MGC11256	9.3
		BE044245 AA992380	ris.30011	hypothetical protein MGC2963 gb:ot37g06.s1 Soares_testis_NHT Homo sap	
		NM_005864	1He 2//587	signal transduction protein (SH3 contain	6.7
		N63823	Hs.269115	ESTs, Moderately similar to Z195_HUMAN Z	
50		AK000136		asporin (LRR class 1)	7.1
50		N90956	Hs.17230	hypothetical protein FLJ22087	7.9
		AA778711		eukaryotic translation initiation factor	6.9
		W46342	Hs.325081	Homo sapiens, clone IMAGE:3659680, mRN/	A, 8.4
	111937	BE298665	Hs.14846	Homo sapiens mRNA; cDNA DKFZp564D016	i (fr 10.6
55	112244	AB029000	Hs.70823	KIAA1077 protein	14.6
	112995	AA737033	Hs.7155	ESTs, Moderately similar to 2115357A TYK	5.6
	113777	BE266947		zinc finger protein 313	13.4
	113791	Al269096	Hs.135578	chitobiase, di-N-acetyl-	1.3
C C	113811	BE207480		Homo sapiens cDNA: FLJ22044 fis, done H	3.1
60	113834	T26483	Hs.6059	EGF-containing fibulin-like extracellula	11.3
	113868	W57902 AL079314	Hs.90744	proteasome (prosome, macropain) 26S subu hypothetical protein, similar to (U06944	6.1
	1138/0	AU79314 AW953484	Hs 3840	hypothetical protein, similar to (000544)	1.9
	113923	AW515443	Hs 306117	KIAA0306 protein	15.8
65	114273	AA236177	Hs.76591	KIAA0887 protein	7.1
00	114965	AI733881	Hs.72472	BMP-R18	2.3
	115061	AI751438	Hs.41271	Homo sapiens mRNA full length insert cDN	11.8

PCT/US02/02242

	115278	AK002163	Hs.301724		1.5
	115291	BE545072	Hs.122579	.,, poetie e e e e e e e e e e e e e e e e e e	6.2
	115652	BE093589	Hs.38178	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	10.6
_	115693	AF231023	Hs.55173		6.8
5	115941	A1867451	Hs.46679		5.5
	115968	AB037753	Hs.62767		9.8
	116011	AL359053	Hs.57664		2.4
	116417	AW499664			7.4
			Hs.83484	0.1. (00.1.00.00.00.00.00.00.00.00.00.00.00.00	2.1
10			Hs.92033		2.7
			Hs.42315	Pro Dational Protection	5.2
			Hs.260622		5.7
		Al949952	Hs.49397		7.4
		M10905	Hs.287820		5.7
15			Hs.285363	ESTs	1.4
	119349		Hs.163561		8.4
		AL117554	Hs.119908		6.7
		BE393948			9.2
		H26735	Hs.91668	Homo sapiens clone PP1498 unknown mRNA	
20			Hs.326401		38.9
		AA191384			15.2
		AA195651		ESTs	6.4
•		AK000292		hypothetical protein FLJ20285	16.1
05		AW969481		hypothetical protein	16.8
25			Hs.296433	putative purinergic receptor	28.1
		AA219305		EST	12.4 9.7
		AL109963		FSH primary response (LRPR1, rat) homolo	32.6
		AW969665		hypothetical protein DKFZp434D0127 ESTs, Moderately similar to ALU7_HUMAN A	
20		AW967985		eukersetie translation initiation factor	12.5
30		AA134006		eukaryotic translation initiation factor Homo sapiens mRNA; cDNA DKFZp586F1323	
		AW966893	ns.∠0013	gb.wq05c02.x1 NCI_CGAP_Kid12 Homo sapi	en 19.4
		AI950087 AA253170	He 08/72	EST	10.4
		AA280679	Hs.271445	ESTs, Weakly similar to ALU1_HUMAN ALU S	
35		BE244830		ZNF135-like protein	10.2
55		AA282074		N-acetylglucosamine-phosphate mutase	7.5
		AW407987		M-phase phosphoprotein homolog	52
		AA976503	113.170010	gb:oq30a04.s1 NCI_CGAP_GC4 Homo sapie	
		AW449855	Hs 96557	Homo sapiens cDNA FLJ12727 fis, clone NT	5.9
40		AJ191410	Hs.96693	ESTs, Moderately similar to 2109260A B c	7
70		A1608909	Hs.193985	ESTs	7.8
		AA346385		SH3-containing protein SH3GLB2; KIAA1848	
		AA346495	1,0,0000	gb:EST52657 Fetal heart II Homo sapiens	4.4
		BE262951	Hs.99052	ESTs	5.6
45		AA398721	Hs.186749	ESTs, Highly similar to 137550 mismatch	5.4
,-		AA406137		EST	6
		AA494172		ESTs	13.1
	121508	AA402515	Hs.97887	ESTs ·	.28
		AA416653	Hs.181510	ESTs	6.2
50	121549	AA412477	Hs.98142	EST	7.4
	121558	AA412497		gb:zt95g12.s1 Soares_testis_NHT Homo sap	2.8
		AA421537	Hs.178072	Homo saplens mRNA; cDNA DKFZp434B102	
	121744	AA398784	Hs.97514	ESTs	7.1
	121748	BE536911	Hs.234545	hypothetical protein NUF2R	19.5
55	121773	AB033022	Hs.158654	KIAA1196 protein	7.9
	121832	AW340797		ESTs	5.8
	121839		Hs.191606	ESTs, Highly similar to KIAA1048 protein	5
	121882	AA426376	Hs.98459	ESTs	5
		AA427950		gb:zw50f02.s1 Soares_total_fetus_Nb2HF8_	7.2
60	121999	AA430211	Hs.98668	EST	6.4
	122013	AA431085		ESTS	6.5
		W92142	Hs.271963	ESTs, Weakly similar to ALU5_HUMAN ALU	
	122356	AA443794	Hs.98390	ESTs	7.3
		AA868555		ESTs	5
65		AA446008		EST Weekle de Perte CASESO DOMINO S	7.6
		AW418788		ESTs, Weakly similar to S43569 R01H10.6	9.7
	122490	AA448349	ms.238151	EST	6.1

	122492	AA448417	Hs.104990	ESTs	5.4
	122510	AA449232	Hs.99195	ESTs	11.2
		AW959741		adaptor-related protein complex 1, sigma	10.1
_		AA452601	Hs.99287	EST	11
5		AA453518	Hs.98023	ESTS	61.5
		AA453630	Hs.99339 Hs.161873	EST ESTs	10.7 107.3
		AA453638 AA453641	HS. 10 10/3	gb:zx48e06.s1 Soares_testis_NHT Homo sap	
		AA453987	Hs.144802	ESTs	5.6
10		AA456859	Hs.178358		8.5
		AW204530		ESTs	81.8
	122838	AA460584	Hs.334386	ESTs	75.3
•	122856	A1929374	Hs.75367	Src-like-adapter	5.8
1.0		AF005216	Hs.115541	Janus kinase 2 (a protein tyrosine kinas	5.3
15		AA470074		ESTs	11.5
		AW338067		Homo sapiens cDNA FLJ11946 fis, done HE	
		AL359571 AW451999	Hs.44054	ninein (GSK3B interacting protein)	8.7 5.1
		AW601773		ESTs ESTs	5.2
20		AA731404		ESTs	3.6
		AA599042		EST	7.4
		BE019072		Homo saplens cDNA FLJ14680 fis, clone NT	2.4
	123615	AA609170		gb:af12a12.s1 Soares_testis_NHT Homo sap	
		NM_01324		FH1/FH2 domain-containing protein	10
25		AA609955		Huntingtin interacting protein E	30.6
		AI147155	Hs.270016	ESTS	8.1
		AI267847 AA532519	Un 1200/2	gb:aq49a10.x1 Stanley Frontal NB pool 2 Human DNA sequence from clone 989H11 on	57.1 7.8
		AW297702		ESTs	8.3
30		AA381661		ESTs, Weakly similar to M3K9_HUMAN MITO	
		R22952	Hs.268685	ESTs	11.3
	124761	AA374756	Hs.93560	Homo sapiens mRNA for KIAA1771 protein,	9
		AW368528		ESTs	8.1
25		R43543	Hs.100912	Homo sapiens cDNA: FLJ22726 fis, clone H	5.1 14.2
35		R46068 R47948	Hs.288912 Hs.188732	hypothetical protein FLJ22604 ESTs	7.9
		AA418160	Hs.86043	Homo sapiens cDNA FLJ13558 fis, clone PL	6.6
		R65763	Hs.101477	EST	23.9
		AW296713		ESTs	32.4
40	124930	AI076343	Hs.173939	ESTs, Weakly similar to ALUB_HUMAN !!!!	22.8
	124942	R99978	Hs.268892	ESTs, Moderately similar to B34087 hypot	6.1
		179956	Hs.100588	EST	135.3
		T81310	Hs.100592	ESTS	5.4 5.6
45		A1472068 T97341	Hs.286236	KIAA1856 protein gb;ye57e05.s1 Soares fetal liver spleen	9.6
75		Al123705	Hs.106932	ESTs	8
		AW966158		Homo sapiens cDNA FLJ12789 fis, done NT	12.8
		R39234	Hs.251699	ESTs. Weakly similar to IDN4-GGTR14 [H.s	2.8
	128670	AA975486	Hs.103441	Homo sapiens, Similar to RIKEN cDNA 1700	7.1
50 ·		W27939	Hs.103834	hypothetical protein MGC5576	7.7
		BE302796		thymidine kinase 1, soluble	5.3
	128781		Hs.105465	small nuclear ribonucleoprotein polypept stem cell growth factor, lymphocyte secr	-53.9 13.3
	128797	AA419008	5Hs.105927	chromosome 22 open reading frame 3	3
55		F34856	Hs.292457	Homo sapiens, clone MGC:16362, mRNA, co	
,,,		Y13153	Hs.107318	kynurenine 3-monooxygenase (kynurenine 3	
		BE560779		NICE-5 protein	14
	128995	Al816224	Hs.107747	DKFZP566C243 protein	1.9
60		A1950087		gb:wq05c02.x1 NCI_CGAP_Kid12 Homo sap	
60 .			Hs.326234	ESTs, Highly similar to T46422 hypotheti	5 17.1
		AA744610		palladin WW Domain-Containing Gene	20.9
	120109	N57532	Hs.288906 Hs.109315	KIAA1415 protein	5.8
			Hs.279869	melanoma-associated antigen recognised b	7.6
65		U30246	Hs.110736	solute carrier family 12 (sodium/potassi	6.7
			9Hs.110803	CGI-99 protein	2
	129404	Al267700	Hs.317584	ESTs	5

	129482	AA188185	Hs.289043	spindlin	6.7
		W01296	Hs.11360	hypothetical protein FLJ14784	7.5
	129587		Hs.11506		6.8
_		AK000398		hypothetical protein FLJ20391	3.8
5		AD000092	Hs.16488	caireficulin	3.3
	129680		11- 77070	gb:Human chromogranin A (CHGA) gene, pro	
		AW748482		B7 homolog 3 ESTs, Weakly similar to 138022 hypotheti	2.6 7.4
		Al304966 AA156214	Hs.12035	APMCF1 protein	2
10		AA301116		nucleolar phosphoprotein Nopp34	1.6
10		AL046962		forkhead box O3A	2.8
		AA311426		tubulin, gamma 1	6.1
		NM_003358		ESTs, Moderately similar to CEGT_HUMAN C	
	130242		Hs.153221	synovial sarcoma, translocated to X chro	5.4
15		NM_013449		bromodomain adjacent to zinc finger doma	8.5
		W56119	Hs.155103	eukaryotic translation initiation factor	11
	130448	BE513202	Hs.15589	PPAR binding protein	3.9
	130455	D90041	Hs.155956	N-acetyltransferase 1 (arylamine N-acety	33.6
••				adducin 1 (alpha)	2.7
20				KIAA0618 gene product	16.1
	130511		Hs.1584	cartilage ofigomeric matrix protein (pse	6.1
	130542		Hs.179825	RAN binding protein 2-like 1	7.8
		AF062649		pituitary tumor-transforming 1 Empirically selected from AFFX single pr	14.4 4.7
25		AJ907018 AA383092	Hs.15977	replication protein A3 (14kD)	7.9
23				apoptosis antagonizing transcription fac	1.2
		M90516	Hs.1674	glutamine-fructose-6-phosphate transamin	12.1
		BE246961		Homo sapiens ubiquitin protein ligase (U	13.9
		R68537	Hs.17962	ESTs	2
30	130744	H59696	Hs.18747	POP7 (processing of precursor, S. cerevi	3.1
	130757	AL036067	Hs.18925	protein x 0001	5.7
		BE514434		kinesin-like 2	2.1
		BE382657		signal transducer and activator of trans	5.4
25		AA321649		small inducible cytokine subfamily B (Cy	7.4
35		AA194422		myosin VI	5.1 7
		AL133353 NM_016569		COX15 (yeast) homolog, cytochrome c oxid TBX3-iso protein	3.3
		BE280074		cyclin B1	5.8
		H62087	Hs.31659	thyroid hormone receptor-associated prot	7.5
40		AL080080		thioredoxin domain-containing	2.8
		X80038	Hs.339713	Homo sapiens clone F19374 APO E-C2 gene	1.3
	131569	AL389951	Hs.271623	nucleoporin 50kD	5
	131643	AW410601	Hs.30026	HSPC182 protein	2.9
		AA642831		putative DNA binding protein	2.9
45		D13757	Hs.311	phosphoribosyl pyrophosphate amidotransf	3.4
		X76732	Hs.3164	nucleobindin 2	2.9
		AW966127		Homo sapiens cDNA FLJ14656 fis, clone NT	13.7
		BE502341 AA099014		ESTs Homo sapiens, clone MGC:15961, mRNA, co	
50		AA179298		stomatin-like 2	11.3
50		BE252983		ubiquitin specific protease 1	2.3
		BE567100		hypothetical protein MDS025	3.5
		NM_004460		fibroblast activation protein, alpha	14.7
		NM_004782		synaptosomal-associated protein, 29kD	7.8
55		AA227710		DKFZP586L151 protein	10
		N36110	Hs.305971	solute carrier family 2 (facilitated glu	9.2
		AB023191		KIAA0974 protein	2
		AW067708		heterogeneous nuclear ribonucleoprotein	12.5
60		AW572805 AA312135		ESTs HSPCO34 protein	28.3 6.1
OO		AA100012			8.6
		AW169847		hypothetical protein FLJ12085 KIAA1634 protein	6.1
		AA454132		mitochondrial ribosomal protein L16	7.1
		AW631437		TH1 drosophila homolog	14
65		A1796870	Hs.54277	DNA segment on chromosome X (unique) 99	
	132718	NM_00460		Sjogren syndrome antigen A2 (60kD, ribon	3.7
	132726	N52298	Hs.55608	hypothetical protein MGC955	14.3

	132731	Al189075	Hs.301872	hypothetical protein MGC4840	5.9
	132744	AA010233	Hs.55921	glutarnyl-protyl-tRNA synthetase	6.4
		AA459713		KIAA0493 protein	14.6
					2.5
~			Hs.5716	KIAA0310 gene product	
5	132810	AB007944	Hs.5737	KIAA0475 gene product	4.2
	132833	U78525	Hs.57783	eukaryotic translation initiation factor	6.1
		NM_016154		Homo sapiens clone PP1596 unknown mRNA	7.1
			Hs.287912		6.1
				lectin, mannose-binding, 1	
	132891	BE267143	Hs.59271	U2(RNU2) small nuclear RNA auxillary fac	2.7
10	132941	AI817165	Hs.6120	hypothetical protein FLJ13222	2.1
			Hs.288924	Homo saplens cDNA FLJ11392 fis, clone HE	3.5
					1.3
		AA040696		ESTS	
	132994	AA112748	Hs.279905	clone HQ0310 PRO0310p1	17.1
	133016	AJ439688	Hs.6289	hypothetical protein FLJ20886	4.4
15	133177		Hs.66718	RAD54 (S.cerevisiae)-like	4.4
10			Hs.6774		5.5
				ESTS - DAY OF COLUMN - DAY	
	133254	Al567421	Hs.273330	Homo sapiens, done IMAGE:3544662, mRNA	
	133266	Al160873	Hs.69233	zinc finger protein	16.1
	133268	AW956781	Hs 293937	ESTs, Weakly similar to FXD2_HUMAN FORF	CH 12.2
20			Hs.289082	GM2 ganglioside activator protein	10.4
20					
			Hs.72660	phosphatidylserine receptor	5.7
	133391	AW103364	Hs.727	inhibin, beta A (activin A, activin AB a	25.5
	133540	AL037159	Hs.74619	proteasome (prosome, macropain) 26S subu	1.7
		AW160781		nuclear phosphoprotein similar to S. cer	2.6
25					13.5
25		NM_004893		H2A histone family, member Y	
	133720	L27841	Hs.75737	pericentriolar material 1	6.7
	133760	BE271766	Hs.181357	laminin receptor 1 (67kD, ribosomal prot	5.4
		BE622743		arfaptin 1	12.1
					9.7
20			Hs.76244	spermidine synthase	
30	133797	AL133921	Hs.76272	retinoblastoma-binding protein 2	1.3
	133822	D50525	Hs.699	peptidylprolyl isomerase B (cyclophilin	9.7
			Hs.7678	cellular retinoic acid-binding protein 1	4.2 -
				discs, large (Drosophila) homolog 5	5
		AB011155			
	133881	U30872	Hs.77204	centromere protein F (350/400kD, mitosin	9.1
35	133924	D86326	Hs.325948	vesicle docking protein p115	1.8
	133959	X81789	Hs.77897	splicing factor 3a, subunit 3, 60kD	10.4
		AL040328		SWI/SNF related, matrix associated, acti	2.6
					13
		A1824113	Hs.78281	regulator of G-protein signalling 12	
	134234	BE300078	Hs.80449	Homo sapiens, clone IMAGE:3535294, mRNA	
40	134348	AW291946	Hs.82065	interleukin 6 signal transducer (gp130,	6.7
		X06560	Hs.82396	2',5'-oligoadenylate synthetase 1 (40-46	5.5
					5.8
		AW362124		hypothetical protein MGC3222	
	134405	AW067903	Hs.82772	collagen, type XI, alpha 1	72.9
	134421	AU077196	Hs.82985	collagen, type V, alpha 2	6.7
45		NM_005000		Empirically selected from AFFX single pr	6.2
45					1.4
		AK001571		hypothetical protein FLJ10709	
•		. AW411479		FK506-binding protein 4 (59kD)	2.8
	134751	AW630803	Hs.89497	lamin 81	6.1
-	134790	BE002798	Hs.287850	integral membrane protein 1	1.2
50		AD001528		spermine synthase	2.6
50					9.1
		Al701162	Hs.90207	hypothetical protein MGC11138	
•	134859	D26488	Hs.90315	KIAA0007 protein	13.3
	134971	Al097346	Hs.286049	phosphoserine aminotransferase	2
	135181	BE250865	Hs.279529	px19-like protein	14.9
55				ESTs, Highly similar to C10_HUMAN PUTAT	
33		N26427	Hs.9634		12.2
	135245	AI028767	Hs.262603	ESTs	
	135257	AW291023	Hs.97255	ESTs, Weakly similar to A46010 X-linked	7.6
		A1743770	Hs.98368	ESTs, Weakly similar to KIAA0822 protein	5.8
	425204	A1652069	Hs.98614	ribosome blnding protein 1 (dog 180kD ho	12.3
C 0					5.7
60			Hs.183418	cell division cycle 2-like 1 (PITSLRE pr	
		X78592	Hs.99915	androgen receptor (dihydrotestosterone r	13.9
			Hs.323910	HER2 receptor tyrosine kinase (c	5.3
	247724	NM_00705	7Hs 42650	ZW10 interactor	2.8
	31/101	MINEGOLOGI	Un 70070		5.5
		AA902256		Golgi apparatus protein 1	
65		BE041451	Hs.177507	hypothetical protein	2.9
	420802	U22376	Hs.1334	v-myb avian myeloblastosis viral oncogen	2.3
		W67883	Hs.137476	paternally expressed 10 (PEG10; KIAA105	7
	727001			branch artification to the manufactures.	

	425182	AF041259	. Hs.155040	zinc finger protein 217	2.3
	446999	AA151520	Hs.334822	hypothetical protein MGC4485	7.5
	450701	H39960	Hs.288467	Homo saplens cDNA FLJ12280 fis, clone MA	5.6
	452461	N78223	Hs.108106	transcription factor	4.7
5	453157	AF077036	Hs.31989	DKFZP586G1722 protein	12.

TABLE 5A

Table 5A shows the accession numbers for those pkeys lacking unigeneID's for Table 5. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10	Pkey: CAT numb Accession	per: Gene di	Eos probeset Identifier number uster number k accession numbers
15	Pkey	CAT number	Accessions
	123615	3068615	AA609170
	124385	656394_1	AI267847 N27351
20	110856	19346_14	AA992380 N33063 N21418 H79958 R21911 H79957 AI950087 N70208 R97040 N36809 AI308119 AW967677 N35320 AI251473 H59397 AW971573 R97278 W01059 AW967671
20	120472	44573_2	A4908598 AA251875 A1820501 A1820532 W87891 T85904 U71456 T82391 BE328571 T75102 R34725 AA8484922 BE328517 A4908598 AA251875 A1820501 A1820532 W87891 T85904 U71456 T82391 BE328571 T75102 R34725 AA8844922 BE328517 A1219788 AA884444 N92578 F13493 AA927794 A1560251 AW874068 A1.134043 AW235363 AA663345 AW008282 A4488964 AA283144 A1890387 A1950344 A1741346 A1689062 AA282915 AW102898 A1872193 A1763273 AW173586 AW150329 A1653832 A1762688 AA988777 AA488892 A1356394 AW103813 A1539642 AA642789 AA856975 AW505512
25			AVI 50329 AV633632 AV 62868 AA386777 AA466632 AX536394 AVI 100015 AX53642 AA42765 AA660513 AV1566512 AV961101 AV512843 AA044209 AW856538 AA180009 AA337499 AW961101
23			AA251669 AA251874 Al819225 AW205862 Al683338 Al858509 AW276905 Al633006 AA972584 AA908741 AW072629
			AW513996 AA293273 AA969759 N75628 N22388 H84729 H60052 T92487 Al022058 AA780419 AA551005 W80701
			AW613456 AJ373032 AJ564269 F00531 H83488 W37181 W78802 R66056 AJ002839 R67840 AA300207 AW959581 T63226 F04005
30	129019	44573_2	AI950087 N70208 R97040 N36809 AI308119 AW967677 N35320 AI251473 H59397 AW971573 R97278 W01059 AW967671
50	125010		AA908598 AA251875 AI820501 AI820532 W87891 T85904 U71456 T82391 BE328571 T75102 R34725 AA884922 BE328517 AI219788 AA884444 N92578 F13493 AA927794 AI560251 AW874068 AL134043 AW235363 AA663345 AW008282 AA488964 AA283144 AI890387 AI950344 AI741346 AI689062 AA282915 AW102898 AI872193 AI763273 AW173586 AW150329 AI653832 AI762688 AA988777 AA488892 AI356394 AW103813 AI539642 AA642789 AA856975 AW505512
35			AI961530 AW629970 BE612881 AW276997 AW513601 AW512843 AA044209 AW856538 AA180009 AA337499 AW961101
			AA251669 AA251874 AI819225 AW205862 AI683338 AI858509 AW276905 AI633006 AA972584 AA908741 AW072629 AW513996 AA293273 AA969759 N75628 N22388 H84729 H60052 T92487 AI022058 AA780419 AA551005 W80701 AW613456 AI373032 AI564269 F00531 H83488 W37181 W78802 R66056 AI002839 R67840 AA300207 AW959581 T63226
40		•	F04005 120695 9683_3 AA976503 AI917802 AA953664 AA404613 AA428771 BE280542 AW194691 AI927301 AI740458
70			AI796100 AI935603 AW052210 AA970201 AI633384 AA425910 AI017004 AI241295 AA402816 AA291468
	122618	305217_1	AA453641 AA454061
	125115	genbank_T97	
45	120809 129680	genbank_AA3 23162 1	46495 AA346495 U03749 NM_001275 J03483 J03915 AI214509 AW245744 AL046455 AA318960 AI741505 AA843875 AI829382 AI560122
43		23102_1	AI858999 D55958 AI684005 D53170 AA854091 AI025609 D53119 D54729 D55504 D55377 D55313 AW512244 AA846441 AW043898 AI8969102 AA405741 AI091983 AA788784 AA706586 AA854361 AW470949 AA843095 AA772028 AI148432 AI038109 AA782478 AA910064 AI220384 AA781296 AA843881 AA854064 AA843125 AA843419 AA319036 AA319054
			AIZ73831 W32275 AI584185 C05724 AA789023 AI686818 D54392 AI022485 AA431410 AA854232 W39212 W15214
50			AA894441 AI803081 AI167381 AW245389 AA319430 AA335156 AI042646 AA327030 AA725170 T27943 AA889304 AA976699 AI687001 AI621107 AI865540 AA772107 C06286 AA319661 AA405992
	101045	entrez J0561	
	110501	genbank_H55	
	121558	genbank_AA4	
55	121911	genbank AA4	127950 AA427950

TABLE 6: Figure 6 from BRCA 001 US

Table 6 shows genes upregulated in tumor tissue compared to normal breast tissue.

5 · .

10

Pkey: Unique Eos probeset Identifier number

ExAccn: Exemplar Accession number, Genbank accession number
Unigene Title: Unigene number
Unigene Title: Vnigene gene title
R1: Ratio of tumor to normal breast tissue

		Pkey	ExAcen	UnigenelD	UnigeneTitle	R1
	15	•		_	-	
		100147			osteoblast specific factor 2 (fasciclin	7.5
			AW502935		PTK2 protein tyrosine kinase 2	53.2
		101806	AA586894	Hs.112408	S100 calcium-binding protein A7 (psorlas	8.9
		102455	U48705	Hs.75562	discoidin domain receptor family, member	6.9
	20	103206	X72755	Hs.77367	monokine induced by gamma interferon	8.8
			BE246502		sema domain, immunoglobutin domain (lg),	2.6
		105746	AW151952	Hs.46679	hypothetical protein FLJ20739	1.5
		106373	AW503807	Hs.21907	histone acetyltransferase	1.8
					ESTs, Weakly similar to CP4Y_HUMAN CYTOC	4.2
	25				coat protein gamma-cop	3.2
			H26735	Hs.91668	Homo sapiens clone PP1498 unknown mRNA	45.7
					fibroblast growth factor 12B	38.9
					ESTs, Weakly similar to Z195_HUMAN ZINC	15.2
	20			Hs.173518	M-phase phosphoprotein homolog	52
	30		AA976503		gb:oq30a04.s1 NCI_CGAP_GC4 Homo sapiens	
			AA346385		SH3-containing protein SH3GLB2; KIAA1848	6.8
			AA402515		ESTs	28
			AA453518		ESTs	61.5
	25			Hs.161873		107.3
	35		AA453641		gb:zx48e06.s1 Soares_testis_NHT Homo sap	31.1
			AW204530		ESTs	81.8
				Hs.334386		75.3
				MS.234961	Huntingtin Interacting protein E	30.6
	40		A1267847		gb:aq49a10.x1 Stanley Frontal NB pool 2	57.1
	40		R65763	Hs.101477		23.9
			AI076343		ESTs, Weakly similar to ALUB_HUMAN !!!!	22.8 135.3
			T79956	Hs.100588		53.9
			N71826		small nuclear ribonucleoprotein polypept	20.9
	45				WW Domain-Containing Gene	7.6
	43		AW748482		melanoma-associated antigen recognised b B7 homolog 3	2.6
	•				KIAA0618 gene product	16.1
		130511		Hs.1584	cartilage oligomeric matrix protein (pse	6.1
			AA321649		small inducible cytokine subfamily B (Cy	7.4
	50		AW410601		HSPC182 protein	2.9
	50			Hs.183180		2.7
			NM_004460		fibroblast activation protein, alpha	14.7
١			AW572805		ESTs	28.3
					done HQ0310 PRO0310p1	17.1
	55		AJ439688	Hs.6289	hypothetical protein FLJ20886	4.4
	<i>JJ</i>		Al160873	Hs.69233	zinc finger protein	16.1
			AW103364		inhibin, beta A (activin A, activin AB a	25.5
			AI690916	Hs.178137		1.2
			NM_00040		glucose-6-phosphate dehydrogenase	1.9
	60		AW067903		collagen, type XI, alpha 1	72.9
	50		AW411479		FK506-binding protein 4 (59kD)	2.8
			R50333	Hs.92186	Leman coiled-coil protein	2.6
				Hs.279529		14.9
				Hs.177507		2.9
					••	

TABLE 6A

Table 6A shows the accession numbers for those pkeys lacking unigeneID's for Table 6. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

•	•	
1	"	

5

Pkey: Unique Eos probeset identifier number
CAT number: Gene cluster number
Accession: Genbank accession numbers

15

Pkey	CAT number	Accessions
124385	656394_1	AI267847 N27351

120695 9683_3 AA976503 Al917802 AA953664 AA404613 AA428771 BE280542 AW194691 Al927301 Al740458 Al796100 Al935603 AW052210 AA970201 Al633384 AA425910 Al017004 Al241295 AA402816 AA291468

122618 305217_1 AA453641 AA454061

TABLE 7: Figure 7 from BRCA 001-1 US

Table 7 shows genes upregulated in tumor tissue compared to normal breast tissue. Open reading frames in the sequences have been characterized as having a signal sequence (SS), a transmembrane domain (TM) or other.

10	Pkey:	Unique Eos probeset identifier number
	Exacon:	Exemplar Accession number, Genbank accession number
	UnigeneiD:	Unigene number
	Unigene Title:	Unigene gene title
	R1:	Ratio of tumor to normal breast tissue
15	ORF struct info:	Structural characterization of open reading frame for the sequence of the gene

15	ORF struct info	c: Structural characterization of open reading frame for the sequence of the gene				
	Pkey ExAc				R1	ORF struct info
	racy EXAC	ch onge	ieiD Oiligenei		•••	0.0 0.000
	100113 NM_0	01269 Hs.847	46 chromosor	ne condensation 1	2.3	TM
20	100114 X0230		62 thymidylati	e cynthetace	2.9	other
	100131 D1248	85 Hs.119	51 ectonucleo	tide pyrophosphatase/pho	sphodi 1.9	other
	100146 BE18		1 KIAA0020	dene oroduct	1.9	TM
	100147 D1366	66 Hs.136	348 osteoblast	specific factor 2 (fasciclin	7.6	other
	100154 H6072		92 KIAAU1U1	gene product	5.4	other
25	100163 W446	71 Hs.124	gene predi	cted from cDNA with a cor	mplete 1.6	other
	100220 AW01				2	other
	100265 D3853	21 Hs.112	396 KIAA0077	protein	1.5	other
	100271 BE16	0081 Hs.256	290 S100 cald	um-binding protein A11 (c	algiz 13.	5 other
	100275 BE24	2802 Hs.154			5.1	other
30	100323 D5092	20 Hs.231	06 K!AA0130	gene product	1.9	TM
	100335 AW24	17529 Hs.679	3 platelet-ac	livating factor acetylhydrol	la 2.7	other
	100364 NM_0	004341 Hs.154	868 carbamoyl	phosphate synthetase 2,	aspart 2	other
	100372 NM_0			gene product	2.6	
	100393 D8414	45 Hs.399	13 novel RGD	-containing protein	3.2	
35	100400 AW95	54324 Hs.757	90 phosphatic	tylinositol glycan, class C	1.5	
	100418 D869	78 Hs.847	'90 KIAA0225	protein	2	other
	100482 M650	28 Hs.813	61 heterogen	eous nudear ribonudeopr	otein 2.9	
	100518 NM_0	004415 Hs.743	 desmoplal 	án (DPI, DPII)	1.9	
	100666 L0542	24 Hs.169	610 CD44 anti	gen (homing function and	Indian 5.7	
40	100667 L0542	24 Hs.169	610 CD44 anti	gen (homing function and	Indian 9	?
	100668 L0542	24 Hs.169	610 CD44 anti	gen (homing function and	Indian 7.7	
	100678 AW50			ein tyrosine kinase 2	53.	-
	100783 AF07		356 general tra	inscription factor IIH, poly		other
	- 100892 BE24)789 S164 prot	eln	1.7	
45	100945 AF00)686 ubiquitin p	rotein ligase E3A (human	papi 1.5	
	100969 AA15			ier family 25 (mitochondri	al 6.3	
	100988 AK00		180 ubiquitin-li	ke 4	11.	
	100999 H387			e (NADH/NADPH) (cytoch		
	101031 J050			talloproteinase 9 (gelatina		
50	101045 J056		gb:Human	proliferating cell nuclear	anti 5	?
	101077 N996		227 Empirically	selected from AFFX sing n-lysine, 2-oxoglutarate 5	ile pr 2.6	
	101093 L064	19 Hs.750	193 procollage	n-lysine, 2-oxogiutarate o	-dio 1.4	•
	101186 AA02	20956 Hs.179	3881 core-bindi	ng factor, beta subunit	2	TM
	101216 AA28	34166 Hs.84	113 cyclin-dep	endent kinase inhibitor 3 (CDK 1.8	
55	101228 AA33	33387 Hs.82	316 chaperoni	n containing TCP1, subun	it 6A (1.7	
	101247 AA13	32666 Hs.78		synthase kinase 3 beta	1.9	
	101249 L189	64 Hs.19	J4 protein kir	ase C, iota	1.5	
	101332 J040	88 Hs.15	topoisome	rase (DNA) II alpha (170k	(D) 5.3 ne c oxid 4.2	
60	101352 AI49	4299 Hs.16	297 COX17 (y	east) homolog, cytochrom	1.9 c oxid 4.2	
60	101396 BE26	57931 Hs.78	and bionesam	ng cell nuclear antigen		
	101445 M212	209 000540 No 40	go:Humai	Alu repeats in the region	5' to 1.6 drome) 2.5	
	101470 NM_		45 William 64	tein p53 (Li-Fraumeni synd	activa 5.5	
	101478 NM_	002890 Hs.75	6 KAS p 21	protein activator (GTPase	duva 3.	Onici

				0.4	-11
	101483 M24486	Hs.76768	procollagen-proline, 2-oxoglutarate 4-di	2.1	other
	101540 J04977	Hs.84981	X-ray repair complementing defective rep	1.6	other
	101573 AW248421	Hs.250758	proteasome (prosome, macropain) 26S subu	5.7	other other
_	101580 NM_012151	Hs.83363	coagulation factor VIII-associated (intr	1.8	?
5	101592 AF064853	Hs.91299	guanine nucleotide binding protein (G pr	5.6	other
	101621 BE391804	Hs.62661	guanylate binding protein 1, interferon-	2.4 1.3	other
	101702 AW504089	Hs.179574	protein phosphatase 2 (formerly 2A), reg	2.1	?
	101734 M74099	Hs.147049	cut (Drosophila)-like 1 (CCAAT displacem	5	TM
10	101759 M80244	Hs. 184601	solute carrier family 7 (cationic amino	14.4	SS,
10	101767 M81057	Hs.180884	carboxypeptidase B1 (tissue)	5.2	other
	101782 AA306495	Hs.1869	phosphoglucomutase 1 stress-induced-phosphoprotein 1 (Hsp70/H	8.6	other
	101805 AW409747	Hs.75612	S100 calcium-binding protein A7 (psorias	8.9	SS,TM
	101806 AA586894	Hs.112408	peroxisomal membrane protein 3 (35kD, Ze	3.2	TM
15	101810 NM_000318	Hs.180612 Hs.243886	nuclear autoantigenic sperm protein (his	1.6	other
13	101879 AA176374 101911 AA441787	Hs.119689	glycoprotein hormones, alpha polypeptide	31.3	?
	101911 AA441767 101920 AF182645	Hs.8024	IK cytokine, down-regulator of HLA II	1.8	other
	101973 U41514	Hs.80120	UDP-N-acetyl-alpha-D-galactosamine:polyp	2.4	other
	102009 BE245149	Hs.82643	protein tyrosine kinase 9	1.3	other
20	102036 BE250127	Hs.82906	CDC20 (cell division cycle 20, S. cerevi	2	?
20	102083 T35901	Hs.75117	interleukin enhancer binding factor 2, 4	1.6	other
	102107 BE258602	Hs.182366	heat shock protein 75	1.4	other
	102123 NM_001809	Hs.1594	centromere protein A (17kD)	1.8	other -
	102165 BE313280	Hs.159627	death associated protein 3	4.6	?
25	102198 AW950852	Hs.74598	polymerase (DNA directed), delta 2, regu	4.4	?
23	102217 AA829978	Hs.301613	JTV1 gene	6.7	other
	102220 U24389	Hs.65436	lysosomal	4.4	TM
	102234 AW163390	Hs.278554	heterochromatin-like protein 1	1.9	TM
	102260 AL039104	Hs.159557	karyopherin alpha 2 (RAG cohort 1, Impor	4.4	other
30	102302 AA306342	Hs.69171	protein kinase C-like 2	2.7	?
	102330 BE298063	Hs.77254	chromobox homolog 1 (Drosophila HP1 beta	1.5	other
	102339 BE378432	Hs.95577	cyclin-dependent kinase 4	2.3	TM
	102348 U37519	Hs.87539	aldehyde dehydrogenase 3 family, member	2	TM
	102349 AU077055	Hs.289107	baculoviral IAP repeat-containing 2	3.2	other
35	102369 U39840	Hs.299867	hepatocyte nuclear factor 3, alpha	2	other
	102374 U33635	Hs.90572	PTK7 protein tyrosine kinase 7	6.2	other
	102391 AA296874	Hs.77494	deoxyguanosine kinase	1.5	TM
	102455 U48705	Hs.75562	discoldin domain receptor family, member	7	other
	102465 NM_001359	Hs.81548	2,4-dienoyl CoA reductase 1, mitochondri	1.8	SS,
40	102488 U50939	Hs.61828	amyloid beta precursor protein-binding p	1.5	?
	102489 AL080116	Hs.74420	origin recognition complex, subunit 3 (y	3.3	other
	102494 Al188137	Hs.75193	COP9 homolog	2.1	other
,	102501 AF217197	Hs.74562	siah binding protein 1; FBP interacting	3.2	other
	102522 BE250944	Hs.183556	solute carrier family 1 (neutral amino a	2.8	?
45	102532 AF040253	Hs.70186	suppressor of Ty (S.cerevisiae) 5 homolo	5.7	other
	102564 U59423	Hs.79067	MAD (mothers against decapentaplegic, Dr	2.3	
	102568 W81489	Hs.223025	RAB31, member RAS oncogene family	5.3 2.1	other
	102580 U60808	Hs.152981	CDP-diacylglycerol synthase (phosphatida	1.6	?
50	. 102581 AU077228	Hs.77256	enhancer of zeste (Drosophila) homolog 2 tubulin-specific chaperone e	2.1	other
50	102582 U61232	Hs.32675	COP9 (constitutive photomorphogenic, Ara	1.8	other
	102617 AW161453 102618 AL037672	Hs.198767 Hs.81071	extracellular matrix protein 1	5.8	other
			zinc finger protein 184 (Kruppel-like)	1.3	other
	102627 AL021918 102663 NM_002270	Hs.158174 Hs.168075	karyopherin (importin) beta 2	1.8	TM
55	102676 BE262989	Hs.12045	putative protein	2.3	other
55	102687 NM_007019	Hs.93002	ubiquitin carrier protein E2-C	4.4	?
	102689 U96132	Hs.171280	hydroxyacyl-Coenzyme A dehydrogenase, ty	6	?
	102696 BE540274	Hs.239	forkhead box M1	4.2	other
	102704 AU077058	Hs.54089	BRCA1 associated RING domain 1	1.9	other
60	102705 T97490	Hs.50002	small inducible cytokine subfamily A (Cy	2.3	SS,TM
00	102750 AB014460	Hs.66196	nin (E.coli endonuclease III)-like 1	1.2	· TM
	102801 BE252241	Hs.38041	ovridoxal (pyridoxine, vitamin B6) kinas	6.5	other
	102812 U90549	Hs.236774	high-mobility group (nonhistone chromoso	1.6	other
	102827 BE244588	Hs.6456	chaperonin containing TCP1, subunit 2 (b	5.6	TM
65	102844 AV653790	Hs.324275	WW domain-containing protein 1	1.3	TM
	102868 X02419	Hs.77274	plasminogen activator, urokinase	4.4	other
	102925 BE440142	Hs.2943	signal recognition particle 19kD	1.9	other

	102026	DEEC10E0	Un onene	small nuclear ribonucleoprotein polypept	2.4	?
		BE561850 AU076611	Hs.80506 Hs.154672	methylene tetrahydrofolate dehydrogenase	2.7	other
		BE387202	Hs.118638	non-metastatic cells 1, protein (NM23A)	3.1	other
		U95742	Hs.2707	G1 to S phase transition 1	5.2	?
5		AW500470	Hs.117950	multifunctional polypeptide similar to S	1.6	other
-		AA926960	Hs.334883	CDC28 protein kinase 1	2.5	TM
	103060	NM_005940	Hs.155324	matrix metalloproteinase 11 (MMP11; stro	4.5	other
	103080	AU077231	Hs.82932	cyclin D1 (PRAD1: parathyroid adenomatos	3.1	other
• •		D31152	Hs.179729	collagen, type X, alpha 1 (Schmid metaph	2.4	other
10		BE244377	Hs.48876	famesyl-diphosphate famesyltransferase	3.5	other ?
		AA205475	Hs.275865	ribosomal protein S18 CD47 antigen (Rh-related antigen, integr	9.9 1.3	other
		NM_001777	Hs.82685	Homo saplens, clone IMAGE:3448306, mRNA,	2	other
		X69636 NM_006825	Hs.334731 Hs.74368	transmembrane protein (63kD), endoplasmi	1.6	other
15		AA401039	Hs.2903	protein phosphatase 4 (formerly X), cata	2.5	other
15		NM_004766	Hs.75724	coatomer protein complex, subunit beta 2	2.2	TM
		NM_004939	Hs.78580	DEAD/H (Asp-Glu-Ala-Asp/His) box polypep	6.3	TM
		X72755	Hs.77367	monokine induced by gamma interferon	8.8	TM
	103223	BE275607	Hs.1708	chaperonin containing TCP1, subunit 3 (g	3	other
20	103232	X75962	Hs.129780	tumor necrosis factor receptor superfami	1.8	other
	103238	A1369285	Hs.75189	death-associated protein	5.6	TM
		NM_001545	Hs.9078	immature colon carcinoma transcript 1	1.9	?
		AI803447	Hs.77496	small nuclear ribonucleoprotein polypept	2.5	other (
25		X89059	11- 000070	gb:H.sapiens mRNA for unknown protein ex	1.6 1.8	other .
25		AL036166 X94453	Hs.323378 Hs.114366	coated vesicle membrane protein pyrroline-5-carboxylate synthetase (glut	2.3	other
		X94563	TIS. 1 14500	gb:H.sapiens dbi/acbp gene exon 1 & 2.	4	TM
		BE564090	Hs.20716	translocase of inner mitochondrial membr	1.3	other
		AF264750	Hs.288971	myeloid/lymphoid or mixed-lineage leukem	5.7	?
30		AL031224	Hs.33102	transcription factor AP-2 beta (activati	5.1	other
		Al376722	Hs.180062	proteasome (prosome, macropain) subunit,	9.7	?
	103588	NM_006218	Hs.85701	phosphoinositide-3-kinase, catalytic, al	2	other
		NM_000346	Hs.2316	SRY (sex determining region Y)-box 9 (ca	1.3	?
25		BE379766	Hs.150675	polymerase (RNA) II (DNA directed) polyp	2	other TM
35		AA609685	Hs.278672	membrane component, chromosome 11, surfa	2.3 1.3	other
		AI878883	Hs.296381 Hs.172089	growth factor receptor-bound protein 2 Homo sapiens mRNA; cDNA DKFZp58612022 (f	1.3	other
		AI015709 AA094752	Hs.169992	hypothetical 43.2 Kd protein	7.6	?
		H26531	Hs.7367	Homo sapiens BTB domain protein (BDPL) m	1.3	SS,TM
40		AA080912	110.11001	gb:zn04d03.r1 Stratagene hNT neuron (937	1.6	other
		AI042582	Hs.181271	CGI-120 protein	1.6	other
		W02363	Hs.302267	hypothetical protein FLJ10330	1.6	other
	103886	AK001278	Hs.105737	hypothetical protein FLJ10416 similar to	6.6	TM
4.0		NM_002407	Hs.97644	mammaglobin 2	2.9	other
45		AA251242	Hs.103238	ESTS	1.4	other TM
		AA478984	Hs.6451	PRO0659 protein	5.6 1.6	other
		AB002343 Al751970	Hs.98938 Hs.101067	protocadherin alpha 9 GCN5 (general control of amino-acid synt	5.4	other
		BE379766	Hs.150675	polymerase (RNA) II (DNA directed) polyp	6.4	other
50		AA324597	Hs.21851	Homo sapiens cDNA FLJ12900 fis, clone NT	1.6	other
50		R83113	Hs.1432	protein kinase C substrate 80K-H	5.2	other
		AB037762	Hs.44268	myelin gene expression factor 2	1.2	other
	104667	A1239923	Hs.30098	ESTs	1.4	other
		A1694413	Hs.332649	olfactory receptor, family 2, subfamily	2.4	other
55		Al858702	Hs.31803	ESTs, Weakly similar to N-WASP [H.sapien	1.4	other
		AB023175	Hs.22982	KIAA0958 protein	2.4	other other
		AW052006	Hs.8551 Hs.32478	PRP4/STK/WD splicing factor	10.9 5.7	other
		A1250789 AA041276	Hs.154729	ESTs 3-phosphoinositide dependent protein kin	12.3	?
60		AA278898	Hs.225979	hypothetical protein similar to small G	2.1	other
00		T78044	Hs.28893	Homo sapiens mRNA; cDNA DKFZp564O2364 (f	1.4	other
		AW015318	Hs.23165	ESTs	17.7	other
		AW408164	Hs.249184	transcription factor 19 (SC1)	5.1	TM
		AW958157	Hs.155489	NS1-associated protein 1	1.8	other
65		AA026880	Hs.25252	proladin receptor	1.5	other
		AF043467	Hs.32893	neurexophilin 2	2.3	other other
	104973	NM_015310	Hs.6763	KIAA0942 protein	5.1	OURI

	104974	Y12059	Hs.278675	bromodomain-containing 4	1.5	other
	104975	AL136877	Hs.50758	SMC4 (structural maintenance of chromoso	2.4	other
	104978	Al199268	Hs.19322	Homo saplens, Similar to RIKEN cDNA 2010	7.3	other
-		AA937934	Hs.321062	ESTs	1.3	other
5		AI499930	Hs.334885	mitochondrial GTP binding protein	3.6	?
		BE379584	Hs.34789	dolichyl-diphosphooligosaccharide-protei	5.6	other
		AF098158	Hs.9329	chromosome 20 open reading frame 1	3.4	other other
		AI050715	Hs.2331	E2F transcription factor 5, p130-binding	2.2 2.2	other
10		AB037716	Hs.26204	KIAA1295 protein	3.9	?
10	_	BE242899 AA151342	Hs.129951 Hs.12677	speckle-type POZ protein CGI-147 protein	9.5	TM
		AA147884	Hs.9812	Homo sapiens cDNA FLJ14388 fis, clone HE	5.7	other
		H58589	Hs.35156	Homo sapiens cDNA FLJ11027 fis, done PL	2.2	other
		Z78407	Hs.27023	vesicle transport-related protein	2.2	other
15		BE387350	Hs.33122	KIAA1160 protein	1.6	other
		AW975433	Hs.36288	ESTs	6.4	?
		AA045648	Hs.301957	nudix (nucleoside diphosphate linked moi	2.2	other
	105141	AA164687	Hs.177576	mannosyl (alpha-1,3-)-glycoprotein beta-	2.8	other
	105158	AW976357	Hs.234545	hypothetical protein NUF2R	2	other
20		BE245294	Hs.180789	S164 protein	1.7	other
		AA191512	Hs.28005	Homo sapiens cDNA FLJ11309 fis, clone PL	4.9	SS,TM
		AA071276	Hs.19469	KIAA0859 protein	2	TM ?
*		AA263143	Hs.24596	RAD51-interacting protein	2.9 1.9	TM
25		N99673	Hs.3585	ESTs, Weakly similar to AF126743 1 DNAJ	8.2	?
23		AA700122	Hs.3355 Hs.179507	sentrin-specific protease KIAA0779 protein	1.8	ss.
		AW270037 NM_016015	Hs.8054	CGI-68 protein	8.4	other
		BE264645	Hs.282093	hypothetical protein FLJ21918	5.1	other
		AW887701	Hs.32356	hypothetical protein FLJ20628	2.6	other
30		BE242803	Hs.262823	hypothetical protein FLJ10326	2.2	TM
50		AW592146	Hs.108636	membrane protein CH1	2.3	SS,TM
		AF167570	Hs.256583	interleukin enhancer binding factor 3, 9	5.5	SS,
			Hs.334811	Npw38-binding protein NpwBP	1.6	other
		AF198620	Hs.65648	RNA binding motif protein 8A	1.6	other
35	105445	AA252395		gb:zs12g10.s1 NCI_CGAP_GCB1 Homo sapiens	5.1	?
	105507	BE268348	Hs.226318	CCR4-NOT transcription complex, subunit	1.6	other
		AA113449	Hs.32471	hypothetical protein FLJ20364	1.3	other
		AB023179	Hs.9059	KIAA0962 protein	3.5	other
40		AA262640	Hs.27445	unknown	9.3	other
40		BE616694	Hs.288042	hypothetical protein FLJ14299	1.4 10.9	other TM
		AA579535	Hs.18490	hypothetical protein FLJ20452 splicing factor 3b, subunit 1, 155kD	2.9	TM
		AF054284 Al808201	Hs.334826 Hs.287863		1.7	7
		AA280072	Hs.99872		1.4	other
45		AK000892	Hs.4069	glucocorticold modulatory element bindin	1.7	TM
7.5		AW302245	Hs.181390	casein kinase 1, gamma 2	5.6	other
		AA985190	Hs.246875	hypothetical protein FLJ20059	9.4	other
		AW499988	Hs.27801	zinc finger protein 278	2	TM
	105708	R26944	Hs.180777	Homo sapiens mRNA; cDNA DKFZp564M0264 (f	1.7	other
50	105743	BE246502	Hs.9598	sema domain, immunoglobulin domain (lg),	2.7	other
		AW151952	Hs.46679	hypothetical protein FLJ20739	1.5	?
		Al123118	Hs.15159	chemokine-like factor, alternatively spl	1.3	other
		Al267720	Hs.153221	synovial sarcoma, translocated to X chro	1.6 2.2	other other
F F		AA741336	Hs.152108	transcriptional unit N143		other
55		AA478755	Hs.194477	E3 ubiquitin ligase SMURF2 ESTs	1.3 2.4	other
		A1262106	Hs.12653	hypothetical protein	2.9	other
		AF151066	Hs.281428 Hs.32271	hypothetical protein FLJ10846	1.4	other
		AK001708 AF016371	Hs.9880	peptidyi prolyi Isomerase H (cyclophilin	5.3	other
60		AW194426	Hs.20726	ESTs	1.7	other
UU		AW081202	Hs.12284	Homo sapiens, done IMAGE:2989556, mRNA,	2.8	other
		AA477956	Hs.26268	ESTs	1.4	other
		AL157441	Hs.17834	downstream neighbor of SON	1.4	other
		AA130158	Hs.19977	ESTs, Moderately similar to ALU8_HUMAN A	1.6	?
65		AA533491	Hs.23317	hypothetical protein FLJ14681	6.9	other
		AB006624	Hs.14912	KIAA0286 protein	1.6	other
	106271	AA251393	Hs.289052	Homo saptens, Similar to RIKEN cDNA 5430	. 10.8	?

	106288	AB037742	Hs.24336	KIAA1321 protein	1.3	other
		Y10043	Hs.19114	high-mobility group (nonhistone chromoso	3.7	other
		AL043114	Hs.22410	ESTs, Weakly similar to A54849 collagen	5.5	SS,
		AK001404	Hs.194698	cyclin B2	5.8	other
5		AW390282	Hs.31130	transmembrane 7 superfamily member 2	6.4	other
5		AB040916	Hs.24106	KIAA1483 protein	6.6	other
		AW748420	Hs.6236	Homo sapiens cDNA: FLJ21487 fis, done C	2.2	TM
		AF119256	Hs.27801	zinc finger protein 278	2.7	other
		D63078	Hs.186180	Homo saplens cDNA: FLJ23038 fis, done L	2.3	other
10		AA243837	Hs.57787	ESTs	1.6	other
10		-			2.4	?
		AK000933	Hs.28661	Homo sapiens cDNA FLJ10071 fis, done HE fibulin 1	8	SS,
		AA458882	Hs.79732		7.8	other
		NM_003595	Hs.26350	tyrosylprotein sulfotransferase 2	1.8	other
15		AL049951	Hs.22370	Homo sapiens mRNA; cDNA DKFZp56400122 (f ESTs, Moderately similar to S65657 alpha	1.3	TM
13		AV657117	Hs.184164		4.6	other
		BE614802	Hs.184352	hypothetical protein FLJ12549	1.3	other
		AA600357	Hs.239489	TIA1 cytotoxic granule-associated RNA-bi		SS,
		BE388094	Hs.21857	ESTs	1.6	
20		AF174487	Hs.293753	Bcl-2-related ovarian killer protein-lik	5.7	other
20		AW959893	Hs.27099	hypothetical protein FLJ23293 similar to	16.2	TM
		BE564871	Hs.29463	centrin, EF-hand protein, 3 (CDC31 yeast	1.5	other
		AB037744	Hs.34892	KiAA1323 protein	2.2	other
		AF151031	Hs.300631	hypothetical protein	1.3	other
25		N49809	Hs.11197	Homo sapiens, clone IMAGE:3343149, mRNA,	16.8	other
25		W79171	Hs.9567	GL002 protein	1.5	TM
		AA861271	Hs.222024	transcription factor BMAL2	2.2	other
		AK001838	Hs.296323	serum/glucocorticoid regulated kinase	3.4	other
•		AK000511	Hs.6294	hypothetical protein DKFZp434L1435 simil	6.8	?
20		BE156256	Hs.11923	hypothetical protein	6.7	other
30		AW631480	Hs.8688	ESTS	6.1	SS,
		AA146872	Hs.300700 ·	hypothetical protein FLJ20727	1.3	other
		AF264750	Hs.288971	myeloid/lymphoid or mixed-lineage leukem	1.8	other
		AW385224	Hs.35198	ectonucleotide pyrophosphatase/phosphodi	1.7	other
25		AK000733	Hs.23900	GTPase activating protein	2.5	other
35		AK000512	Hs.69388	hypothetical protein FLJ20505	1.7	other
		AV661958	Hs.8207	GK001 protein	4.7	other
		AK001455	Hs.5198	Down syndrome critical region gene 2	2	other TM
		AW378065	Hs.8687	ESTS	6.4 33.5	other
40		AW391927	Hs.7946	KIAA1288 protein		?
40		BE122762	Hs.25338	ESTS	5.2	
		W15477	Hs.64639	glioma pathogenesis-related protein	6.1	other
		AW888411	Hs.81915	leukemia-associated phosphoprotein p18 (17.4	other ?
		BE219716	Hs.34727	ESTs, Moderately similar to 138759 zinc	7.4	
15		AW263124	Hs.315111	nuclear receptor co-repressor/HDAC3 comp	1.8	other
45		D60341	Hs.21198	translocase of outer mitochondrial membr	6.7	other
		BE379594	Hs.49136	ESTs, Moderately similar to ALU7_HUMAN A	2.5	other
		BE277457	Hs.30661	hypothetical protein MGC4606	3.2	TM
		T63174	Hs.193700	Homo sapiens mRNA; cDNA DKFZp586l0324 (f	2	TM
50		NM_006299	Hs.96448	zinc finger protein 193	5	?
50		AW299900	Hs.267632	TATA element modulatory factor 1	1.2	other
		AA307703	Hs.279766	kinesin family member 4A	1.6	other
		BE515065	Hs.296585	nucleolar protein (KKE/D repeat)	3	TM
		AA001386	Hs.59844	ESTS	1.4	other
		BE379594	Hs.49136	ESTs, Moderately similar to ALU7_HUMAN A	2.3	SS,TM
55		AA018587	Hs.303055	ESTs, Weakly similar to ALU1_HUMAN ALU S	2.2	?
		AW732573	Hs.47584	potassium voltage-gated channel, delayed	8.4	TM
		L42612	Hs.335952	keratin 6B	2.5	other
		BE153855	Hs.61460	lg superfamily receptor LNIR	2.3	other
CO		AW956103	Hs.61712	pyruvate dehydrogenase kinase, isoenzyme	6.8	other
60		AL121031	Hs.159971	SWI/SNF related, matrix associated, acti	1.6	other
		AA054224	Hs.59847	ESTs	1.3	other
		AF129535	Hs.272027	F-box only protein 5	7.2	?
		N31256	Hs.161623	ESTs	2.6	other
		AA083069	Hs.339659	ESTS	3.6	other
65		BE300380	Hs.69476	Homo sapiens cDNA FLJ12758 fis, done NT	3.5	other
		AA101809	Hs.182685	ESTs	1.7	other
	108634	AW022410	Hs.69507	ESTs	1.8	SS,TM

		BE546947	Hs.44276	homeo box C10	9.8	other
	108695	AB029000	Hs.70823	KIAA1077 protein	7.3	other
	108740	A1089575	Hs.9071	progesterone membrane binding protein	2.8	?
	108828	AK001693	Hs.273344	DKFZP564O0463 protein	1.9	other
5		AL121500	Hs.178904	ESTs	1.6	TM
3		H06720	Hs.111680	endosulfine alpha	2.2	other
					5.4	other
		AI801235	Hs.48480	ESTs		
		AK001431	Hs.5105	hypothetical protein FLJ10569	4.1	TM
	108955	AA149754	Hs.195155	Homo sapiens amino acid transport system	5.7	?
10	108982	AA151708	Hs.171980	homeo box (expressed in ES cells) 1	1.7	other
	108987	AA152178	Hs.23467	hypothetical protein FLJ10633	6.3	other
		AB028987	Hs.72134	KIAA1064 protein	1.7	other
		AA156542	Hs.72127	ESTs	1.5	other
-			113.72121	gb:zo35d07.s1 Stratagene colon (937204)	5.4	other
1.5		AA157811	11- 70045		3	other
15		AA164293	Hs.72545	ESTS		
		AW608930	Hs.52184	hypothetical protein FLJ20618	1.6	SS,
	109112	AW419196	Hs.257924	hypothetical protein FLJ13782	3.3	TM
	109124	AK000684	Hs.183887	hypothetical protein FLJ22104	1.7	ather
		AJ132592	Hs.59757	zinc finger protein 281	2.7	other
20		AA219691	Hs.73625	RAB6 interacting, kinesin-like (rabkines	3.	TM
20		BE566742	Hs.58169	highly expressed in cancer, rich in leuc	2.1	other
					5.4	other
		NM_016603	Hs.82035	potential nuclear protein C5ORF5; GAP-II		
		AW958181	Hs.189998	ESTs	5.8	other
	109233	AU077281	Hs.170285	nucleoporin 214kD (CAIN)	5.3	other
25	109270	N99673	Hs.3585	ESTs, Weakly similar to AF126743 1 DNAJ	1.4	other
	109273	AA375752	Hs.82719	Homo sapiens mRNA; cDNA DKFZp586F1822 (f	3	other
		AF153201	Hs.86276	C2H2 (Kruppel-type) zinc finger protein	1.3	other
		AA213506	Hs.115099	EST	3	?
					1.5	other
20		AL096858	Hs.184245	KIAA0929 protein Msx2 Interacting nuclea		
30		H83603	Hs.40408	homeo box C9	2.2	SS,
	109426	N30531	Hs.42215	protein phosphatase 1, regulatory subuni	3.1	TM
	109429	Al160029	Hs.61438	ESTs	2	?
	109445	AA232103	Hs.189915	ESTs	1.8	other
		AB032969	Hs.173042	KIAA1143 protein	3.8	other
35		NM_015310	Hs.6763	KIAA0942 protein	3.3	other
55		AW074143	Hs.87134	ESTs	2	TM
				glycogen synthase kinase 3 alpha	2.1	other
		L40027	Hs.118890	• • • • • • • • • • • • • • • • • • • •	1.4	other
		F02614	Hs.27319	ESTs		
	109825	R71264	Hs.16798	ESTs	1.3	other
40	110039	H11938	Hs.21907	histone acetyltransferase	2	other
	110056	AA503041	Hs.279009	matrix Gla protein	2.5	other
		AA603840	Hs.29956	K1AA0460 protein	1.7	other
		T07353	Hs.7948	ESTs	2.9	other
			Hs.226429	ESTs, Weakly similar to ALU1_HUMAN ALU S	1.7	. SS.
15		R51853			4.3	other
45		NM_014521	Hs.17667	SH3-domain binding protein 4		
		AI668594	Hs.176588	ESTs, Weakly similar to CP4Y_HUMAN CYTOC	4.3	?
	110242	N41744	Hs.19978	CGI-30 protein	1.3	other
	110259	H28428	Hs.32406	ESTs, Weakly similar to 138022 hypotheti	2.2	other
	110312	BE256986	Hs.11896	hypothetical protein FLJ12089	2.1	other
50		H55748		gb:yq94a01.s1 Soares fetal liver spleen	6.1	?
-		H55915	Hs.210859	hypothetical protein FLJ11016	6.1	TM
		H57330	Hs.37430	EST	6.4	other
					1.3	?
	110568	AK001160	Hs.5999	hypothetical protein FLJ10298		
		T97586	Hs.18090	ESTs	1.8	other
55	110705	AB007902	Hs.32168	KIAA0442 protein	1.6	TM
	110742	AW190338	Hs.28029	hypothetical protein MGC11256	7.8	other
		AL138077	Hs.16157	hypothetical protein FLJ12707	2.5	other
		BE044245	Hs.30011	hypothetical protein MGC2963	9.3	?
	110702	AK000322	Hs.18457	hypothetical protein FLJ20315	5.5	SS,
60	440700	DE000024		Homo sapiens cDNA FLJ11812 fis, clone HE	2.1	TM
60		BE000831	Hs.23837			TM
		A1089660	Hs.323401	dpy-30-like protein	1.5	
		T25829	Hs.24048	FK506 binding protein precursor	6.7	TM
		AA767373	Hs.35669	ESTs, Moderately similar to ALU1_HUMAN A	5.7	other
	110820	R33261	Hs.6614	ESTs, Weakly similar to A43932 much 2 p	3.4	other
65	110840	N31598	Hs.12727	hypothetical protein FLJ21610	1.7	TM
		AI740792	Hs.167531	methylcrotonoyi-Coenzyme A carboxylase 2	1.7	other
		BE612992	Hs.27931	hypothetical protein FLJ10607 similar to	4.7	other
	110004		, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	·At		

	110956	AA992380		gb:ot37g06.s1 Soares_testis_NHT Homo sap	2.3	other
		BE384447	Hs.16034	hypothetical protein MGC13186	3.5	?
		AL117430	Hs.6880	DKFZP434D156 protein	2.2	ż
		BE092285	Hs.29724	hypothetical protein FLJ13187	2.6	SS.
5		H04360	Hs.24283	ESTs, Moderately similar to reduced expr	1.9	TM
3		NM_005864	Hs.24587	signal transduction protein (SH3 contain	6.7	other
		AK002180	Hs.11449	DKFZP564O123 protein	2	other
		AK001980	Hs.24284	ADP-ribosyltransferase (NAD+; poly(ADP-r	1.3	other
		AW613287	Hs.80120	UDP-N-acetyl-alpha-D-galactosamine:polyp	1.8	?
10		N63823	Hs.269115	ESTs, Moderately similar to Z195_HUMAN Z	3.7	other
~~		AB037807	Hs.83293	hypothetical protein	2.1	TM
		N46180	Hs.122489	Homo sapiens cDNA FLJ13289 fis, done OV	2.3	other
		R67419	Hs.21851	Homo saplens cDNA FLJ12900 fis, clone NT	3.7	other
		AL050166	Hs.26295	Homo sapiens mRNA; cDNA DKFZp586D1122 (f	7.5	other
15		AK000136	Hs.10760	asporin (LRR dass 1)	7.1	other
		Al815486	Hs.243901	Homo sapiens cDNA FLJ20738 fis, done HE	6.8	other
		N67603	Hs.272130	ESTs, Weakly similar to S65824 reverse t	3.6	SS,
	111216	AW139408	Hs.152940	ESTs	1.5	other
	111221	AB037782	Hs.15119	KIAA1361 protein	2.6	other
20	111223	AA852773	Hs.334838	KIAA1866 protein	4.7	other
	111239	N90956	Hs.17230	hypothetical protein FLJ22087	7.9	?
	111285	AA778711	Hs.4310	eukaryotic translation initiation factor	7	other
	111299	AB033091	Hs.74313	KIAA1265 protein	5	other
	111312	AI523913	Hs.34504	ESTs	3.8	other
25	111318	T99755	Hs.334728	ESTs	1.2	TM
	111337	AA837396	Hs.263925	LIS1-Interacting protein NUDE1, rat homo	5.1	other
	111352	H58589	Hs.35156	Homo sapiens cDNA FLJ11027 fis, clone PL	2.2	other
		Al478658	Hs.94631	brefeldin A-inhibited guanine nucleotide	2.8	?
• •		N94606	Hs.288969	HSCARG protein	2.2	other
30		AK000987	Hs.169111	oxidation resistance 1	2.1	other
		R02354	Hs.15999	ESTs	2.7	TM
		AI051194	Hs.227978	EST	6.6	other
		W90638	Hs.20321	ESTs, Moderately similar to ZRF1_HUMAN Z	1.4	other
25		R10720	Hs.20670	EST	1.6	?
35		R52656	Hs.21691	ESTS	1.6	other other
		AB037834	Hs.18685	Homo sapiens mRNA for KIAA1413 protein,	2.4 10.6	other
		BE298665	Hs.14846	Homo sapiens mRNA; cDNA DKFZp564D016 (fr	6.6	TM
		AW083791	Hs.21263	suppressor of potassium transport defect	5.1	other
40		NM_015310	Hs.6763	KIAA0942 protein	2.8	other
40		R41823	Hs.7413 Hs.70823	ESTs; calsyntenin-2	· 14.6	other
		AB029000 R46071	Hs.301693	KIAA1077 protein Homo sapiens, clone IMAGE:3638994, mRNA,	9	other
		NM_016248	Hs.232076	A kinase (PRKA) anchor protein 11	1.4	other
		AW007287	Hs.28538	Homo sapiens cDNA: FLJ21086 fis, clone C	1.4	TM
45		AI742756	Hs.26079	ESTs	3.2	other
73		R68425	Hs.13809	hypothetical protein FLJ10648	2	TM
		AK001635	Hs.14838	hypothetical protein FLJ10773	1.8	other
		AK000004	Hs.5013	Homo sapiens mRNA for FLJ00004 protein,	6.6	other
		T10258	Hs.5037	EST	1.5	?
50		AW970826	Hs.6185	KIAA1557 protein	3.2	other
		R61388	Hs.6724	ESTs	6.1	other
	112966	Z44718	Hs.102548	glucocorticold receptor DNA binding fact	6.5	other
	112978	AK000272	Hs.7099	hypothetical protein FLJ20265	1.2	other
	112995	AA737033	Hs.7155	ESTs, Moderately similar to 2115357A TYK	5.6	other
55		BE276112	Hs.7165	zinc finger protein 259	2	other
	113047	AI571940	Hs.7549	ESTs	1.9	other
	113049	AW965190	Hs.7560	Homo sapiens mRNA for KIAA1729 protein,	2.4	TM
	113089	T40707	Hs.270862	ESTs	1.3	SS,
		T57317		gb:yb51a03.s1 Stratagene fetal spleen (9	1.7	other
60	113248	T63857		gb:yc16e01.s1 Stratagene lung (937210) H	2.8	other
	113254	AK002180	Hs.11449	DKFZP564O123 protein	1.3	other
•		AW971049	Hs.11774	protein (peptidyl-prolyl cis/trans isome	3.2	other
	113429	AA688021	Hs.179808	ESTs	1.2	other other
CF		AI467908	Hs.8882	ESTs	6 2	SS,
65		H59588	Hs.15233	ESTS Homo contons aDNA EL 112187 fis clone MA	1.3	SS,
		AA813887	Hs.188173	Homo sapiens cDNA FLJ12187 fis, done MA	1.3 4.4	other
	113/02	T97307		gb:ye53h05.s1 Soares fetal liver spleen	7.4	Juici

				•			
	113759	AW499665	Hs.9456	SWI/SNF related, matrix associated, acti	1.2	other	
		BE266947	Hs.10590	zinc finger protein 313	13.4	other	•
			Hs.7041	hypothetical protein DKFZp762B226	1.7	other	
		AL359588					
-		Al269096	Hs.135578	chitobiase, di-N-acetyl-	1.3	other	
5		W44735	Hs.9286	Homo sapiens cDNA: FLJ21278 fis, clone C	3.3	other	
	113811	BE207480	Hs.6994	Homo sapiens cDNA: FLJ22044 fis, clone H	3.1	other	
		H13325	Hs.332795	hypothetical protein DKFZp761O17121	3.2	other	
		AW378212	Hs.24809	hypothetical protein FLJ10826	2.3	?	
		T26483	Hs.6059	EGF-containing fibulin-like extracellula	11.3	TM	
10					2.7	other	
10		W57902	Hs.90744	proteasome (prosome, macropain) 26S subu			
		AL079314	Hs.16537	hypothetical protein, similar to (U06944	6.1	other	
	113885	AW959486	Hs.21732	ESTs	6.6	other	
	113923	AW953484	Hs.3849	hypothetical protein FLJ22041 similar to	1.9	?	
	113989	W87544	Hs.268828	ESTs	1.2	other	
15		AJ539519	Hs.120969	Homo sapiens cDNA FLJ11562 fis, clone HE	5.4	other	
13		Al825386	Hs.164478	hypothetical protein FLJ21939 similar to	9.4	other	
		AB029551	Hs.7910	RING1 and YY1 binding protein	1.8	other	
	114196	AF017445	Hs.150926	fucose-1-phosphate guanylyltransferase	1.5	other	
	114226	AB028968	Hs.7989		1.8	other	
20	114253	BE149866	Hs.14831	Homo sapiens, Similar to zinc finger pro	2.3	other	
		AL117518	Hs.3686	KIAA0978 protein	1.4	TM	
		AW515443.0		Hs.306117		306 protein 15.8	other
						TM	00101
		Al815395	Hs.184641	fatty acid desaturase 2	1.9	1 11	
		AA332453	Hs.20824	CGI-85 protein	2.4	other	
25	114392	AA249590	Hs.100748	ESTs, Weakly similar to A28996 proline-r	1.9	other	
	114407	BE539976	Hs.103305	Homo sapiens mRNA; cDNA DKFZp434B0425 (f	1.3	TM	
		H37908	Hs.271616	ESTs, Weakly similar to ALU8_HUMAN ALU S	5.6	other	
		AL120247	Hs.40109	KIAA0872 protein	5.3	TM	
			Hs.106597	Homo sapiens, Similar to RIKEN cDNA 1110	1.3	other	
20		AI091713				?	
30		AA028074	Hs.104613	RP42 homolog	1.9		
		BE066778	Hs.151678	UDP-N-acetyl-alpha-D-galactosamine:polyp	13.4	other	
	114671	AA766268	Hs.266273	hypothetical protein FLJ13346	2	other	
	114698	AA476966	Hs.110857	polymerase (RNA) III (DNA directed) poly	3.6	other	
		Al373544	Hs.331328	intermediate filament protein syncoilin	3.9	other	
35		Al859865	Hs.154443	minichromosome maintenance deficient (S.	1.7	other	
55					3.2	other.	
		AV656017	Hs.184325	CGI-76 protein			
		AA159181	Hs.54900	serologically defined colon cancer antig	3.6	other	
	114860	AL157545	Hs.42179	bromodomain and PHD finger containing, 3	4.4	other	
	114895	AA236177	Hs.76591	KIAA0887 protein	7.2	other	
40	114896	BE539101	Hs.5324	hypothetical protein	1.3	other	
		AA236672		gb:zt29f02.s1 Soares ovary tumor NbHOT H	1.5	other	
		AA237022	Hs.188717	ESTs	2	SS,	
					2.9	other	
		AA242834	Hs.58384	ESTs			
4 =		AI733881	Hs.72472	BMP-R1B	2.3	?	
45	. 115023	AF102546	Hs.63931	dachshund (Drosophila) homolog	1.3	other	
	115038	AA252360	Hs.87968	toll-like receptor 9	1.6	other	
	115061	AI751438	Hs.41271	Homo sapiens mRNA full length insert cDN	11.8	other	
		AI670847	Hs.5324	hypothetical protein	1.5	other	
		AW183695	Hs.186572	ESTs	2.5	other	
50					1.5	· other	
20		AW365434	Hs.79741	hypothetical protein FLJ10116			
•	115239	BE251328	Hs.73291	hypothetical protein FLJ10881	1.3	TM	
	115242	Al368236	Hs.283732	ESTs, Moderately similar to ALU1_HUMAN A	1.4	other	
	115278	AK002163	Hs.301724	hypothetical protein FLJ11301	1.5	other	
		AW972872	Hs.293736	ESTs	2.4	other	
55		BE545072	Hs.122579	hypothetical protein FLJ10461	6.3	SS,	
55					6.7		
		AI215069	Hs.89113	ESTs		?	
	115468	AA314349	Hs.48499	tumor antigen SLP-8p	7.5	?	
	115471	AK001376	Hs.59346	hypothetical protein FLJ10514	1.4	TM	•
	115479	AW301608	Hs.278188	ESTs, Moderately similar to I54374 gene	4.1	TM	
60		AW247593	Hs.71819	eukaryotic translation initiation factor	16.3	other	
00			Hs.88219	zinc finger protein 200	5	other	
		Y14443			2.5		
		AJ275986	Hs.71414	transcription factor (SMIF gene)		other	
	115581	A1540842	Hs.61082	ESTs	6.2	other	
_	115587	BE081342	Hs.283037	HSPC039 protein	2.9	other	
65		AA399477	Hs.67896	7-60 protein	5.3	TM	
		N36110	Hs.305971	solute carrier family 2 (facilitated glu	4.8	?	
		BE093589	Hs.38178	hypothetical protein FLJ23468	10.6	other	
	110002	ひといういいづ	11320170	if postoucia protess i cozotoo	. 0.0	~~····	

•		AL048269	Hs.288544	Homo sapiens, clone MGC:16063, mRNA, com	12.7	TM
		Al138785	Hs.40507	ESTs	2	other
		AA953006	Hs.88143	ESTs	3.1	other
-		AA625132	Hs.44159	hypothetical protein FLJ21615	1.7	TM
5		AF231023	Hs.55173	cadherin, EGF LAG seven-pass G-type rece	6.9	other
		BE395161	Hs.1390	proteasome (prosome, macropain) subunit,	1.7	other
		AI950339	Hs.40782	ESTs	2.7	TM
		NM_015434	Hs.48604	DKFZP434B168 protein	2.1 2.1	other other
10		A1732742	Hs.87440	ESTS	1.3	other
10		AI675217	Hs.42761	ESTs	4.4	other
		A1373062	Hs.332938	hypothetical protein MGC5370	7.3	other
		AW062629	Hs.52081	KIAA0867 protein	1.2	other
		N55669	Hs.333823	mitochondrial ribosomal protein L13 hypothetical protein FLJ20739	5.5	other
15		A1867451	Hs.46679 Hs.62767	KIAA1332 protein	9.8	other
13		AB037753 BE275469	Hs.66493	Down syndrome critical region gene 5	1.4	other
		AL359053	Hs.57664	Homo sapiens mRNA full length insert cDN	2.4	other
		AA770688	Hs.28777	H2A histone family, member L	1.8	other
		BE243834	Hs.50441	CGI-04 protein	1.4	other
20		N35719	Hs.44749	ESTs, Moderately similar to T00358 hypot	1.2	other
20		AW821113	Hs.72402	ESTs	2.1	other
		AV660717	Hs.47144	DKFZP586N0819 protein	1.7	other
		AF265555	Hs.250646	baculoviral IAP repeat-containing 6	1.7	other
		A1936442	Hs.59838	hypothetical protein FLJ10808	1.8	?
25		Al955411	Hs.94109	Homo sapiens cDNA FLJ13634 fis, clone PL	1.9	other
~		AF097645	Hs.58570	deleted in cancer 1; RNA helicase HDB/DI	5	SS,
		Al472106	Hs.49303	Homo sapiens cDNA FLJ11663 fis, clone HE	1.4	SS,
		AL133033	Hs.4084	KIAA1025 protein	1.9	?
		AK000290	Hs.44033	dipeptidyl peptidase 8	1.5	other
30		AA497129	Hs.184771	nuclear factor VC (CCAAT-binding transc	1.9	?
		AI149586	Hs.38125	interferon-induced protein 75, 52kD	1.9	?
	116365	N50174	Hs.46765	ESTs	6.1	other
	. 116368	N90466	Hs.71109	KIAA1229 protein	1.6	?
	116417	AW499664	Hs.12484	Human clone 23826 mRNA sequence	7.4	other
35	116436	AA161411	Hs.58668	chromosome 21 open reading frame 57	2.1	other
	116462	AF218313	Hs.236828	putative helicase RUVBL	1.5	TM
	116470	Al272141	Hs.83484	SRY (sex determining region Y)-box 4	2.1	TM
	116575	AA312572	Hs.6241	phosphoinositide-3-kinase, regulatory su	1.5	other
		AK001043	Hs.92033	integrin-linked kinase-associated serine	. 2.7	other
40		X89984	Hs.211563	B-cell CLL/lymphoma 7A	2.3	other
•		A1800202	Hs.317589	hypothetical protein MGC10765	1.4	other
		AW074819	Hs.12313	hypothetical protein FLJ14566	3.4	other
		AW152225	Hs.165909	ESTs, Weakly similar to I38022 hypotheti	2.9	other
15		H73608	Hs.290830	ESTs	1.7	TM
45		U72209	Hs.180324	YY1-associated factor 2	3.4	TM
		Al393666	Hs.42315	p10-binding protein	5.2	? - TM
		N21032	11- 404000	gb:yx46f06.s1 Soares melanocyte 2NbHM Ho	5.5 1.5	TM
		N71183	Hs.121806	Homo sapiens cDNA FLJ11971 fis, clone HE	2	other
50		AK001701	Hs.183779	Homo sapiens cDNA FLJ10590 fis, clone NT ESTs	2	other
30		AI041793	Hs.42502 Hs.90336	ATPase, H+ transporting, lysosomal (vacu	2.1	?
		A1878942 AF150275	Hs.40173	ESTs	2.7	TM
		N32536	Hs.42645	solute carrier family 16 (monocarboxylic	1.4	other
	117412	AF123050	Hs.44532	diubiquitin	3.4	TM
55		N34895	Hs.44648	ESTs	3.4	?
55		BE294925	Hs.46680	CGI-12 protein	3	SS,
		AA121673	Hs.59757	zinc finger protein 281	1.9	other
		N54706	Hs.303025	chromosome 11 open reading frame 24	1.8	other
		BE540675	Hs.332938	hypothetical protein MGC5370	6	?
60		AL137379	Hs.47125	hypothetical protein FLJ13912	1.7	other
00		Y10518	Hs.116470	hypothetical protein FLJ20048	1.7	other
		AL110246	Hs.47367	KIAA1785 protein	5.4	other
		N54321	Hs.47790	EST	5.2	other
	118301	AA453902	Hs.293264	ESTs	2.6	other
65	118429	AA243332	Hs.74649	cytochrome c oxidase subunit VIc	2.5	TM
		AL157545	Hs.42179	bromodomain and PHD finger containing, 3	4.1	other
	118488	AJ277275	Hs.50102	rapa-2 (rapa gene)	1.2	other

				4-	. rt
	118509 N2261		Homo sapiens cDNA FLJ11835 fis, clone HE	1.5	other
	118528 AI9499		ESTS	7.4 2.5	? other
	118656 Al4580		ESTs ESTs, Moderately similar to ZN91_HUMAN Z	1.2	TM
5	118670 AA332 118698 AB033		KIAA1287 protein	2.1	TM
,	118737 AA199		gb:zq75g09.r1 Stratagene hNT neuron (937	5.2	other
	118925 N9229		ESTs, Moderately similar to ALU8_HUMAN A	1.4	other
	118984 Al6687		ESTs, Moderately similar to ALU8_HUMAN A	3.6	other
	118986 AF148		bladder cancer overexpressed protein	4.9	?
10	119206 W2478		KIAA1710 protein	1.7	TM
	119235 AW453	3069 Hs.3657	activity-dependent neuroprotective prote	2.2	other
	119265 BE539		ESTs	1.4	?
	119279 N5756		EST	25.1	other
	119298 NM_00		cyclin T2	1.6	?
15	119338 Al4172		ESTs, Weakly similar to A47582 B-cell gr	1.3	other TM
	119403 AL117		nucleolar protein NOP5/NOP58	6.7 2.4	other
	119478 Al6243		ESTs ESTs	2.1	other
	119486 Al7967 119513 W3793		Empirically selected from AFFX single pr	1.9	other
20	119601 AK000		Homo sapiens mRNA; cDNA DKFZp667I103 (fr	3.7	TM
20	119602 AW675		hypothetical protein FLJ11350	3	other
	119676 AA243		ESTs	1.4	other
	119682 W6101		ESTs	1.2	?
	119774 AB032		KIAA1151 protein	1.8	TM
25	119780 NM_0	16625 Hs.191381	hypothetical protein	3.1	other
	119789 BE393		kallikrein 5 (KLK5; KLK-L2; stratum com	9.2	other
•	119805 AJ223		ESTs, Weakly similar to IEFS_HUMAN TRANS	3.6	TM
	119818 AA130		hypothetical protein FLJ11101	2.5	?
20	119863 AA081		Homo sapiens cDNA FLJ14206 fis, clone NT	2.7 2.6	TM other
30	119905 AW449		collagen, type III, alpha 1 (Ehlers-Dani	2.7	other
	119966 AA703 120132 W5755		ESTs lymphoid nuclear protein (LAF-4) mRNA	1.2	other
	120132 W373		Homo sapiens clone PP1498 unknown mRNA	45.7	other
	120248 Al9242		uncharacterized bone marrow protein BM03	1.2	other
35	120269 AW13		ESTs	9.6	other
-	120274 AA177		qb:nc02a02.s1 NCI_CGAP_Pr3 Homo sapiens	4.7	other
•	120280 AA190	0577	gb:zp52g02.s1 Stratagene HeLa cell s3 93	2.1	other
	120296 AW99	5911 Hs.299883	hypothetical protein FLJ23399	1.9	TM
	120297 AA191		ESTs, Weakly similar to Z195_HUMAN ZINC	15.2	other
40	120324 AA195		ESTs	5.6	?
	120325 AA195		ESTs	6.5	other other
	120327 AK000		hypothetical protein FLJ20285	16.1 3	other
	120336 N8578		eukaryotic translation elongation factor hypothetical protein DKFZp434I143	5.8	other
45	120342 AW45 120345 AA210		ESTs	4.6	SS,TM
72	120349 AW96		hypothetical protein	16.8	other
	120352 R0685			5.1	other ·
	120356 AF000			28.1	TM
	120371 AA219	9305 Hs.104196	EST	12.4	?
50	120382 AA22	8026 Hs.38774	ESTs	4.1	TM
	120383 AL109			9.7	TM
	120386 AW96			32.6	other
	120388 AA23		ESTS	3.2 21.7	other other
E E	120389 AW96		ESTs, Moderately similar to ALU7_HUMAN A eukaryotic translation initiation factor	12.5	other
55	120396 AA13		KIAA1013 protein	7.3	other
	120404 AB023 120418 AW96		Homo sapiens mRNA; cDNA DKFZp586F1323 (f	11.4	other
	120423 AA23		Homo sapiens cDNA: FLJ22822 fis, done K	1.9	other
	120472 AI950		gb:wq05c02.x1 NCL_CGAP_Kld12 Homo sapien	19.4	other
60	120473 AA25		<u> </u>	5.5	?
	120484 AA25		EST .	10.4	?
	120504 AA25		gb:zr84d10.s1 Soares_NhHMPu_S1 Homo sapl	4	?
	120509 BE04		ESTs	9.4	other
	120520 AA25			2.4	other
65	120535 BE35		ESTS Versions dans IMAGE:3613030 mPNA	2.5 5.3	? other
	120551 AA27			5.5 14.4	?
	120570 AA28	30679 Hs.271445	FO.9' MEGINA SHITING IN VITO 1 TI INIMIA MED 9	17.7	•

	120582	BE244830	Hs.284228	ZNF135-like protein	10.2	?
		AW372799	Hs.125790	leucine-rich repeat-containing 2	2.2	?
		AA282074	Hs.237323	N-acetylglucosamine-phosphate mutase	7.6	other
		AW965339	Hs.111471	ESTs	2.5	other
5		AW407987	Hs.173518	M-phase phosphoprotein homolog	52	other
•		AA286942	1101110010	gb:zs56f05.s1 NCL_CGAP_GCB1 Homo sapiens	2.4	other
		AA287095	Hs.140309	Homo sapiens, clone IMAGE:3677194, mRNA,	5	other
		AW063659	Hs.191649	ESTs	2.2	other
		AW969638	Hs.112318	6.2 kd protein	2.2	TM
10		BE536739	Hs.109909	ESTs	1.9	TM
-,		AA976503		gb:oq30a04.s1 NCI_CGAP_GC4 Homo sapiens	46.8	TM
		Al821539	Hs.97249	ESTs	2.5	other
	120713	AW449855	Hs.96557	Homo sapiens cDNA FLJ12727 fis, clone NT	6	other
		AA292747	Hs.97296	ESTs	2.9	other
15	120750	Al191410	Hs.96693	ESTs, Moderately similar to 2109260A B c	7.1	. SS,
	120774	A1608909	Hs.193985	ESTs	7.9	other
	120807	AA346385	Hs.30002	SH3-containing protein SH3GLB2; KIAA1848	7	TM
	120809	AA346495		gb:EST52657 Fetal heart II Homo sapiens	4.5	other
	120938	AA386260	Hs.104632	EST	4.5	?
20	120977	AA398155	Hs.97600	ESTs	4.5	other
	120984	BE262951	Hs.99052	ESTs .	5.6	other
	120985	Al219896	Hs.97592	ESTs	1.3	other
	121011	AA398360	Hs.97608	EST	3.2	other
~ -		Al439713	Hs.165295	ESTs	3.6	other
25		AA398721	Hs.186749	ESTs, Highly similar to 137550 mismatch	5.5	other
		AA363307	Hs.97032	ESTs	3.8	other
		AL121523	Hs.97774	ESTS	1.7	TM
		Al002110	Hs.97169	ESTs, Weakly similar to dJ667H12.2.1 [H.	2.9	other other
20		AA403008	Hs.301927	c6.1A	1.9	other
30		AW956981	Hs.97910	Homo sapiens cDNA FLJ13383 fis, clone PL	3.5 6.1	?
		AA406137	Hs.98019	EST Months similar to A47592 B coll or	7.5	other
		AA410190	Hs.98076	ESTs, Weakly similar to A47582 B-cell gr Homo sapiens, clone MGC:18257, mRNA, com	7.1	other
		AA406430	Hs.105362 Hs.292882	ESTs	1.8	other
35	121452	AW971063	Hs.15165	retinoic acid induced 14	10.5	other
33		W07404	Hs.144502	hypothetical protein FLJ22055	3.5	TM
	. –	AA442224	Hs.97900	ESTs	14.4	other
		AA494172	Hs.194417	ESTs	13.1	other
		AA402515	Hs.97887	ESTs	28	other
40		AA416653	Hs.181510	ESTs	6.3	other
		AA412112	1101101010	gb:zt69b02.s1 Soares_testis_NHT Homo sap	2.7	SS,
		AA412477	Hs.98142	EST	7.5	?
		AA412497		gb:zt95g12.s1 Soares_testis_NHT Homo sap	2.8	other.
		AA411970	Hs.98096	EST	3.5	?
45		AA416568		gb:zu05c10.s1 Soares_testis_NHT Homo sap	6.2	TM
		AD001528	Hs.89718	spermine synthase	4	other
	121594	AA626010	Hs.98247	ESTs	2.2	other
	121622	AA416931	Hs.126065	ESTs	4.3	TM
	121655	AA421537	Hs.178072	Homo sapiens mRNA; cDNA DKFZp434B1023 (f	7.9	other
-50	121682	AA418160	Hs.86043	Homo sapiens cDNA FLJ13558 fis, clone PL	2_	other
		AV660305	Hs.110286	ESTs .	4.7	?
		U55184	Hs.154145	hypothetical protein FLJ11585	12.7	other
		AA419225	Hs.98269	Homo sapiens cDNA FLJ11953 fis, clone HE	8.3	?
	121729	Al949597	Hs.98325	ESTs	1.8	TM ·
55		AA421041	Hs.180744	ESTs	4.1	TM
		AA398784	Hs.97514	ESTs	7.1	SS,
		BE536911	Hs.234545	hypothetical protein NUF2R	19.5	other
	121773	AB033022	Hs.158654	KIAA1196 protein	8 1.7	other other
60		AA421773	Hs.161008	ESTs	6.7·	other
60	121776	AA292579	Hs.125133	hypothetical protein FLJ22501	10.5	other
	121/86	AI810774	Hs.98376	ESTs	5.9	other
	121832	AW340797	Hs.98434	ESTs ·	3.9	other
	121830	AA328348 AA425691	Hs.218289 Hs.191606	ESTs, Highly similar to KIAA1048 protein	5	other
65	121009	AF027406	Hs.104865	serine/threonine kinase 23	2.7	?
UJ	121042	AA446628	Hs.2799	cartilage linking protein 1	2.3	other
	12104/	AW972668	Hs.293044	ESTs	2.9	TM
	121011					

•	121882	AA426376	Hs.98459	ESTs	5 .	other
		AA427950		gb:zw50f02.s1 Soares_total_fetus_Nb2HF8_	7.3	TM
		AA428179	Hs.223405	ESTs, Moderately similar to A46010 X-lin	2.5	other
		AA428647	Hs.98611	EST	2.3	other -
5	121983	AA298760	Hs.180191	hypothetical protein FLJ14904	3.4	other
	121985	Al862570	Hs.299214	Homo sapiens, done IMAGE:2822295, mRNA,	11.4	other
	121995	AA210863	Hs.3532	nemo-like kinase	3.8	?
	121999	AA430211	Hs.98668	EST	6.5	other
	122009	AW292763	Hs.160822	Homo sapiens cDNA: FLJ20863 fis, clone A	2.2	other
10	122013	AA431085	Hs.98706	ESTs	6.6	other
_	122036	W92142	Hs.271963	ESTs, Weakly similar to ALU5_HUMAN ALU S	13.1	other
	122050	Al453076	Hs.166109	ELAV (embryonic lethal, abnormal vision,	9.1	other
	122060	AA431738	Hs.98750	EST	13.1	?
	122114	AW161023	Hs.104921	ESTs	1.5	other
15	122188	AA398838		gb:zt80d01.r1 Soares_testis_NHT Homo sap	3.4	other
	122204	AA435936	Hs.98842	EST	5.6	other
	122246	AA329550	Hs.29417	HCF-binding transcription factor Zhangfe	5.2	other
	122257	AA436819	Hs.98899	ESTs	5.6	other
	122302	AA441801	Hs.104947	ESTs	5.8	other
20	122341	AW601969	Hs.99010	hypothetical protein FLJ22263 similar to	2	other
	122356	AA443794	Hs.98390	ESTs	7.4	SS,TM
	122369	AA443985	Hs.303222	ESTs	12.2	?
	122371	AA868555	Hs.178222	ESTs	5	- ?
	122372	AA446008	Hs.336677	EST	7.8	7
25	122378	AB032948	Hs.21356	hypothetical protein DKFZp762K2015	2.5	?
	122405	AA446572	Hs.303223	EST	2.8	TM
	122412	AA446869	Hs.119316	ESTs	7.4	other
	122415	AA446918	Hs.99088	EST	1.9	other
	122418	AA446966	Hs.99090	ESTs, Moderately similar to similar to K	6.9	?
30	122440	AW505139	Hs.9460	Homo sapiens mRNA; cDNA DKFZp547C244 (fr	2.6	other
	122446	AA447603	Hs.99123	EST	1.8	TM
	122448	AA447626	Hs.99127	EST	3.5	other
	122458	AJ266159	Hs.104980	ESTs	1.5	other
	122460	AW418788	Hs.99148	ESTs, Weakly similar to S43569 R01H10.6	9.7	other
35	122464	AA448158	Hs.99152	EST	,	other
	122490	AA448349	Hs.238151	EST	6.2	?
	122492	AA448417	Hs.104990	ESTs .	5.5	other
	122502	AA204969	Hs.234863	Homo sapiens cDNA FLJ12082 fis, clone HE	1.3	other
40		AA449232	Hs.99195	ESTs	11.2	?
40		AW959741	Hs.40368	adaptor-related protein complex 1, sigma	10.1	other
		AA779725	Hs.164589	ESTs	2.5	SS,
		AA194055	Hs.293858	ESTs	1.9	other
		AA452578	Hs.262907	ESTs	9.5	other
		AA452601	Hs.99287	EST	11	?
45		AK001910	Hs.99303	Homo saplens cDNA FLJ11048 fis, clone PL	3.4	other
		AB040893	Hs.6968	KIAA1460 protein	2	other
		Al028173	Hs.99329	ESTs	1.7	?
		AL355841	Hs.99330	hypothetical protein FLJ23588	4.4	?
~^		AA411925	Hs.301960	ESTs	4.7	other
50		AA453518	Hs.98023	ESTs	61.5	other
		AA453630	Hs.99339	EST	10.7	?
		AA453638	Hs.161873	ESTS	107.3 121.4	?
		AI681535	Hs.148135	serine/threonine kinase 33		other
		AA453641		gb:zx48e06.s1 Soares_testis_NHT Homo sap	31.1	SS,
55	122622	AA453987	Hs.144802	ESTs	5.6	other
		AA456859	Hs.178358	ESTs	8.5	SS,
	122762	AI376875	Hs.105119	ESTs	10.4	other ?
		AW204530	Hs.99500	ESTS	81.8 3.7	?
~		AA461492	Hs.99545	Homo sapiens cDNA FLJ10658 fis, clone NT	3.7 4.6	other
60		AA460581	Hs.290996	ESTs	2.7	TM
	122837	AA461509	Hs.293565	ESTs, Weakly similar to putative p150 [H	75.3	other
		AA460584	Hs.334386	ESTs NIMA (never in mitosis gene a)-related k	7.8	other
		AA600235	Hs.9625		7.8 5.8	other
CF	122856	Al929374	Hs.75367	Src-like-adapter	1.3	other
65		AA335721	Hs.119394	ESTs	4.2	other
•	122866	BE539656	Hs.283705	ESTs Janus kinase 2 (a protein tyrosine kinas	5.3	other
	122608	AF005216	Hs.115541	nating viriage s la biorent (kinging viriag	5.0	-0101

	122270	AW576312	Un 240722	Homo saplens cDNA: FLJ21766 fis, clone C	9.9	?
		AW081394	Hs.318722 Hs.97103	ESTs	5.3	other
		AA769410	Hs.128654	ESTS	13.9	other
		AA470074	Hs.169896	ESTS	11.5	other
5		AA470140	Hs.229170	EST	1.7	TM
,		AA478951	Hs.105629	ESTs	5	other
		AW968324	Hs.17384	ESTs	15.4	other
		AW338067	Hs.323231	Homo sapiens cDNA FLJ11946 fis, clone HE	2.8	other
		AL359571	Hs.44054	ninein (GSK3B interacting protein)	8.7	other
10		Al382600	Hs.104308	ESTs, Weakly similar to KIAA1395 protein	8.8	other
10		AA485360	Hs.105661	ESTs	4	?
		Al343652	Hs.105667	ESTs	3.8	other
		AA486256	Hs.193510	EST	7.4	other
		BE304942	Hs.265848	myomegalin	2.8	?
15	123131		Hs.271795	ESTs, Weakly similar to 138022 hypotheti	2.4	other
		AI061582	Hs.324179	Homo sapiens cDNA FLJ12371 fis, clone MA	15.6	TM
		AW451999	Hs.194024	ESTs	5.2	other
		Al734179	Hs.105676	ESTs	23.8	TM
		AW601773	Hs.270259	ESTs	5.2	other
20		AA490929	Hs.105274	ESTs, Weakly similar to RMS1_HUMAN REGUL	9.3	?
		AA496369		gb:zv37d10.s1 Soares ovary tumor NbHOT H	4.2	TM
		AA504757	Hs.105738	ESTs	7	other
	123394	AA731404	Hs.105510	ESTs	3.7	other
	123433	AW450922	Hs.112478	ESTs	3.8	other
25	123466	AA599042	Hs.112503	EST	7.4	other
	123470	AW303285	Hs.303632	Human DNA sequence from clone RP11-110H4	3.5	other
	123471	AB021644 ·	Hs.197219	zinc finger protein 14 (KOX 6)	5.2	?
	123475	BE439553	Hs.250528	Homo saplens, clone IMAGE:4098694, mRNA,	1.7	other
		N95059	Hs.55098	ESTs	1.6	other
30	123486	BE019072	Hs.334802	Homo sapiens cDNA FLJ14680 fis, clone NT	2.4	other
		AW380388	Hs.155546	KIAA1080 protein; Golgi-associated, gamm	2.2	TM
	123615	AA609170		gb:af12a12.s1 Soares_testis_NHT Homo sap	7.9	other
		AA602964		gb:no97c02.s1 NCI_CGAP_Pr2 Homo sapiens	2.8	other
~ ~		AA609364		gb:zu71d09.s1 Soares_testis_NHT Homo sap	1.7	?
35		Al269609	Hs.105187	kinesin protein 9 gene	5.7	?
		NM_013241	Hs.95231	FH1/FH2 domain-containing protein	10	other
		AA609891	Hs.112777	EST	5.2	other
		AA609955	Hs.234961	Huntingtin interacting protein E	30.6	TM
40		AA620464	Hs.261915	EST, Weakly similar to S65657 alpha-1C-a	2.1	other other
40		AA620586	LI- 470040	gb:ae60g05.s1 Stratagene lung carcinoma	2.7 6.3	?
		AB012922	Hs.173043	metastasis-associated 1-like 1	0.3 4.4	other
		AJ272267	Hs.146178	choline dehydrogenase	7.1	?
		L42542	Hs.75447	ralA binding protein 1 ESTs	8.3	sś.
45		AI147155	Hs.270016 Hs.154762		3.8	other
43		AI950314 H05635	Hs.294030	HIV-1 rev binding protein 2 topolsomerase-related function protein 4	1.2	SS,
		BE463721	Hs.97101	putative G protein-coupled receptor	3.2	?
		AA372796	Hs.269339	ESTs, Weakly similar to AF161356 1 HSPC0	5.7	other
		AA640891	Hs.102406	ESTs	3.1	TM
50		D87454	Hs.192966	KIAA0265 protein	3.5	other
50		AI267847	1.0.102000	gb:aq49a10.x1 Stanley Frontal NB pool 2	57.1	?
		AA317338	Hs.7535	COBW-like protein	2.8	other
		AF155099	Hs.279780	NY-REN-18 antigen	7.1	other
		N34059		gb:yv28h09.s1 Soares fetal liver spleen	3.3	other
55		H13540	Hs.82202	ribosomal protein L17	2.9	other
		AA532519	Hs.129043	Human DNA sequence from clone 989H11 on	7.9	other
		R10084	Hs.113319	kinesin heavy chain member 2	2.6	TM
•	124482	N53935		gb:yv59d09.s1 Soares fetal liver spleen	7.9	TM
		H79433	Hs.268997	ESTs	7.8	other
60	124515	AA669097	Hs.109370	ESTs	3.3	other
-	124608	N71076	Hs.102800	ESTs, Weakly similar to neuronal thread	4.6	?
	124631	NM_014053	Hs.270594	FLVCR protein	3.2	other
		Al765123	Hs.143671	Homo saplens cDNA FLJ13533 fis, done PL	5.8	other
		AA160474	Hs.75798	hypothetical protein	9.3	other
65		AW968856	Hs.278569	sorting nexin 17	3.5	other
		N92593	Hs.313054	ESTs	6.1	TM
	124661	R48170	Hs.78436	EphB1	5.6	other

	12/603	AA381661	Hs.119878	ESTs, Weakly similar to M3K9_HUMAN MITOG	7.9	TM
	124712		Hs.191148	ESTS	5.7	other
	124735		Hs.268685	ESTs	11.3	7
		AA374756	Hs.93560	Homo sapiens mRNA for KIAA1771 protein,	9	other
5		AW368528	Hs.100855	ESTs	8.3	other
,	124775		Hs.100878	ESTs	4.9	other
	124777		Hs.140237	ESTs, Weakly similar to ALU1_HUMAN ALU S	2.8	other
	124788		Hs.100912	Homo sapiens cDNA: FLJ22726 fis, clone H	5.1	other
		AL355722	Hs.106875	Homo sapiens EST from clone 35214, full	4.2	other
10	124811		Hs.288912	hypothetical protein FLJ22604	14.2	other
10	124812		Hs.188732	ESTs	7.9	other
		AA418160	Hs.86043	Homo saplens cDNA FLJ13558 fis, clone PL	6.6	other
		AA501669	Hs.336693	ESTs	2.3	SS,TM
		AW975868	Hs.294100	ESTs	2.7	SS,TM
15	124857		Hs.137190	ESTs	2.3	other
	124860		Hs.101477	EST	23.9	?
		AI382555	Hs.127950	bromodomain-containing 1	2	other
	124876	AF135422	Hs.27059	GDP-mannose pyrophosphorylase A	4.4	SS,
		BE397530	Hs.288057	hypothetical protein FLJ22242	2.7	other
20	124902	H37941	Hs.101883	ESTs	5.7	other
		AW296713	Hs.221441	ESTs	32.4	other
	124930	A1076343	Hs.173939	ESTs, Weakly similar to ALUB_HUMAN !!!!	22.8	other
	124942	R99978	Hs.268892	ESTs, Moderately similar to B34087 hypot	6.1	other
	124958	A1078645	Hs.431	murine leukemia viral (bmi-1) oncogene h	1.9	other
25	124980	T40841	Hs.98681	ESTs	4.5	?
	125002	T59338	Hs.269463	ESTs, Weakly similar to ALU1_HUMAN ALU S	4.9	other
	125047	T79815	Hs.279793	ESTs	5	?
	125051	T79956	Hs.100588	EST	135.3	?
	125056	TB1310	Hs.100592	ESTs	5.4	other
30	125101	A1472068	Hs.286236	KIAA1856 protein	5.6	other
	125113	T96595	Hs.302270	ESTs, Weakly similar to ALUF_HUMAN III!	1.8	other
	125115	T97341		gb:ye57e05.s1 Soares fetal liver spleen	9.6	?
		A1222382	Hs.240767	Human DNA sequence from clone RP1-12G14	1.5	TM
	125147			Empirically selected from AFFX single pr	1.7	?
35	125161		Hs.144232	EST	10.7	7
		AA630863	Hs.131375	ESTs, Moderately similar to ALUB_HUMAN !	1.3	other
		AF098162	Hs.118631	timeless (Drosophila) homolog	9.4	other ?
		AW401809	Hs.4779	KIAA1150 protein	1.5 8.1	?
40		Al123705	Hs.106932	ESTS	1.5	other
40		AW972542	Hs.289008	Homo sapiens cDNA: FLJ21814 fis, clone H	5.9	other
		AW292171	Hs.23978	scaffold attachment factor B	1.2	?
		NM_003403	Hs.97496	YY1 transcription factor	6.5	?
	125891		Hs.7138	cholinergic receptor, muscarinic 3	14.3	7
15		AW409701	Hs.1578	bacutoviral IAP repeat-containing 5 (sur vacuolar proton pump delta polypeptide	2.5	ss.
45		AA157632	Hs.272630	a disintegrin and metalloproteinase doma	9.1	SS,TM
		AA643322	Hs.172028	CGI-89 protein	17	other
		AW411066	Hs.274351 Hs.58582	Homo sapiens cDNA FLJ12789 fis, clone NT	12.8	other
		AW966158 AW293012	Hs.161623	ESTs	7.4	SS,
50		D87466	Hs.240112	KIAA0276 protein	3.1	TM
50		BE173977	Hs.10098	putative nucleolar RNA helicase	9.4	other
		AA504583	Hs.101047	transcription factor 3 (E2A immunoglobul	1.5	other
	128528	R39234	Hs.251699	ESTs, Weakly similar to IDN4-GGTR14 [H.s	2.8	other
	120520	U31875	Hs.272499	short-chain alcohol dehydrogenase family	12.1	TM
55	128599	NM_015366	Hs.102336	Rho GTPase activating protein 8	2.4	?
33	128604	AI879099	Hs.102397	GIOT-3 for gonadotropin inducible transc	1.3	other
	128608	BE267994	Hs.102419	zinc finger protein	7.2	other
	128625	AB037841	Hs.102652	hypothetical protein ASH1	1.3	other
	128629	AL096748	Hs.102708	DKFZP434A043 protein	3.2	other
60	128639	AW582962	Hs.102897	CGI-47 protein	2	TM
-	128656	AA458542	Hs.10326	coatomer protein complex, subunit epsilo	1.4	other
	128658	BE397354	Hs.324830	diotheria toxin resistance protein requi	2.5	other
	128670	AA975486	Hs.103441	Homo sapiens, Similar to RIKEN cDNA 1700	7.1	?
	128691	W27939	Hs.103834	hypothetical protein MGC5576	7.8	?
65	128696	BE081143	Hs.225977	nuclear receptor coactivator 3	3.8	other
	128700	Y15221	Hs.103982	small inducible cytokine subfamily B (Cy	1.6	other
	128714	T85231	Hs.179661	tubulin, beta 5	7.8	other

	100747	AUCONATEA	Un 404000	humathatiaal protein El (10702	5.5	other
		AK001564	Hs.104222	hypothetical protein FLJ10702	2.7	TM
		BE147740	Hs.104558	ESTs, Moderately similar to I38022 hypot		
		AF292100	Hs.104613	RP42 homolog	2.8	TM
_		AA307211	Hs.251531	proteasome (prosome, macropain) subunit,	4.5	?
5		Al470163	Hs.323342	actin related protein 2/3 complex, subun	2.2	other
		AB027249	Hs.104741	PDZ-binding kinase; T-cell originated pr	2.8	other
		BE302796	Hs.105097	thymidine kinase 1, soluble	5.4	other
		N71826	Hs.105465	small nuclear ribonucleoprotein polypept	53.9	TM
		NM_002975	Hs.105927	stem cell growth factor, lymphocyte secr	13.3	other
10		AW630942	Hs.106061	RD RNA-binding protein	2.6	other
		AW248431	Hs.256526	nuclear prelamin A recognition factor	2.2	other
		BE281170	Hs.106357	valosin-containing protein	6	other
		AK001731	Hs.106390	Homo sapiens mRNA; cDNA DKFZp586H0924 (f	1.6	SS,
		BE159181	Hs.168232	hypothetical protein FLJ13855	2.3	other
15		AF189723	Hs.106778	ATPase, Ca++ transporting, type 2C, memb	1.5	?
		R57988	Hs.10706	epithelial protein lost in neoplasm beta	4.8	other
	128920	AA622037	Hs.166468	programmed cell death 5	1.4	other
		R67419	Hs.21851	Homo sapiens cDNA FLJ12900 fis, clone NT	1.9	other
	128946	Y13153	Hs.107318	kynurenine 3-moncoxygenase (kynurenine 3	7.3	?
20	128949	AA009647	Hs.8850	a disintegrin and metalloproteinase doma	2.5	other
	128959	Al580127	Hs.107381	hypothetical protein FLJ11200	1.3	other
	128965	AW150697	Hs.107418	ESTs	1.4	?
	128970	Al375672	Hs.165028	ESTs	1.3	other
		BE560779	Hs.284233	NICE-5 protein	14	other
25	128979	AW271217	Hs.281434	Homo sapiens cDNA FLJ14028 fis, done HE	1.6	TM
		Al816224	Hs.107747	DKFZP566C243 protein	1.9	other
		AI950087		gb:wq05c02.x1 NCI_CGAP_Kid12 Homo sapien	2.9	other
		AL044675	Hs.173081	KIAA0530 protein	3.8	other
•		R80088	Hs.108104	ubiquitin-conjugating enzyme E2L 3	3.4	other
30		AW296806	Hs.326234	ESTs, Highly similar to T46422 hypotheti	5	other
		Al351010	Hs.102267	lysosomal	2.1	other
		AA744610	Hs.194431	palladin	17.1	other
		L12350	Hs.108623	thrombospondin 2	2.7	other
25		AA463189	Hs.288906	WW Domain-Containing Gene	20.9	TM
35		BE243933	Hs.108642	zinc finger protein 22 (KOX 15)	3	other
		AF146074	Hs.108660	ATP-binding cassette, sub-family C (CFTR	5.8 6	TM . other
		W93048	Hs.250723	hypothetical protein MGC2747	6.4	· TM
		AA356620 AW162916	Hs.108947 Hs.241576	KIAA0050 gene product	1.8	TM
40		AA286914	Hs.183299	hypothetical protein PRO2577 ESTs	2.1	?
40		AA200514 AA150797	Hs.109276	latexin protein	3.3	SS,TM
		N57532	Hs.109315	KIAA1415 protein	5.9	other
		A1934365	Hs.109439	osteoglycin (osteoinductive factor, mime	8.1	other
		U40714	Hs.239307	tyrosyl-tRNA synthetase	2.9	other
45		AF013758	Hs.109643	polyadenylate binding protein-interactin	3.3	?
1.5		AA252468	Hs.1098	DKFZp434J1813 protein	2.6	SS,TM
		Al961727	Hs.109804	H1 histone family, member X	7.4	other
		W26392	Hs.110080	ESTs. Weakly similar to S13495 pregnancy	9.6	other
		AI051967	Hs.110122	ESTs	1.2	other
50		AA287239	Hs.5518	Homo sapiens cDNA FLJ11311 fis, clone PL	5.2	other
• •		H75334	Hs.11050	F-box only protein 9	4.7	SS,
		BE614192	Hs.279869	melanoma-associated antigen recognised b	7.7	TM
	129362	U30246	Hs.110736	solute carrier family 12 (sodium/potassi	6.7	TM
	129366	BE220806	Hs.184697	Homo sapiens clone 23785 mRNA sequence	8.6	SS,
55		AI686379	Hs.110796	SAR1 protein	1.4	TM
	129372	NM_016039	Hs.110803	CGI-99 protein	2	other
	129403	AF149785	Hs.111126	pituitary tumor-transforming 1 interacti	7.5	other
	129404	A1267700	Hs.317584	ESTs	5.1	other
		AA204686	Hs.234149	hypothetical protein FLJ20547	10.2	other
60		AA188185	Hs.289043	spindlin	6.8	other
		AW843633	Hs.306163	hypothetical protein AL110115	7.1	SS,
	129515	AF255303	Hs.112227	membrane-associated nucleic acid binding	2.5	other
		AA769221	Hs.270847	delta-tubulin	3.2	other
	129559	W01296	Hs.11360	hypothetical protein FLJ14784	7.5	other
65	129560	AA317841	Hs.7845	hypothetical protein MGC2752	6.8	other
	129570	A1923097	Hs.11441	chromosome 1 open reading frame 8	2.1	other other
	1295/5	F08282	Hs.278428	progestin induced protein	1.6	Outer

				•		
	129587	H14718	Hs.11506	Human clone 23589 mRNA sequence	6.8	other
		BE408300	Hs.301862	postmelotic segregation increased 2-like	1.4	TM
		N57423	Hs.179898	HSPC055 protein	7.4	other
		AW403724	Hs.36989	coagulation factor VII (serum prothrombi	9	?
5		AF035537	Hs.115521	REV3 (yeast homolog)-like, catalytic sub	1.6	other
,				cyclin-dependent kinase inhibitor 2A (me	2.2	other
		U38945	Hs.1174			
		AD000092	Hs.16488	catreticulin	3.3	other
		NM_015556	Hs.172180	KIAA0440 protein	13.4	other
	129680	U03749		gb:Human chromogranin A (CHGA) gene, pro	14.1	?
10	129689	AW748482	Hs.77873	B7 homolog 3	2.6	other
	129702	AJ304966	Hs.12035	ESTs, Weakly similar to 138022 hypotheti	7.5	TM
		AA156214	Hs.12152	APMCF1 protein	2	other
		NM_001415	Hs.211539	eukaryotic translation initiation factor	1.7	TM
		AK001676	Hs.12457	hypothetical protein FLJ10814	1.8	other
15		AA394090	Hs.12460	Homo saplens clone 23870 mRNA sequence	5.5	TM
13					1.7	7
		AF052112	Hs.12540	lysosomal		
		AB023148	Hs.173373	KIAA0931 protein	1.2	other
		BE565817	Hs.26498	hypothetical protein FLJ21657	3.1	other
••		NM_006590	Hs.12820	SnRNP assembly defective 1 homolog	1.8	other
20	129861	AL049999	Hs.85963	DKFZP564M182 protein	2.3	other
	129864	Al393237	Hs.129914	runt-related transcription factor 1 (acu	1.7	SS,
	129869	Al222069	Hs.13015	hypothetical protein similar to mouse Dn	2.8	TM
		BE514376	Hs.165998	PAI-1 mRNA-binding protein	1.8	other
		AA412195	Hs.13740	ESTs	2.5	other
25		AW753185	Hs.180628	dynamin 1-like	1.8	?
25		U09848	Hs.132390	zinc finger protein 36 (KOX 18)	1.3	other
				nucleolar phosphoprotein Nopp34	1.6	other
		AA301116	Hs.142838			other
		AA287325	Hs.14713	ESTs	4.1	
20		S73265	Hs.1473	gastrin-releasing peptide	1.9	other
30		AL046962	Hs.14845	forkhead box O3A	2.8	other
	130100	AL135561	Hs.14891	hypothetical protein FLJ21047	2.3	other
	130111	X53002	Hs.149846	integrin, beta 5	2.3	other
	130112	AA916785	Hs.180610	splicing factor proline/glutamine rich (3	other
	130128	L76937	Hs.150477	Werner syndrome	1.8	other
35		AA311426	Hs.21635	tubulin, gamma 1	6.1	other
55		NM_003358	Hs.23703	ESTs, Moderately similar to CEGT_HUMAN C	1.6	other
		D80001	Hs.152629	KIAA0179 protein	1.3	other
				calizing factor, emining/coring rich 2	2	other
		R85367 -	Hs.51957	splicing factor, arginine/serine-rich 2,		other
40		AL035588	Hs.153203	MyoD family Inhibitor	3.2	
40		X79201	Hs.153221	synovial sarcoma, translocated to X chro	5.4	?
		D81983	Hs.322852	GAS2-related on chromosome 22	4.9	other
	130263	NM_002497	Hs.153704	NIMA (never in mitosis gene a)-related k	1.4	other
	130287	AA479005	Hs.154036	tumor suppressing subtransferable candid	2.6	other
	130310	AB011121	Hs.15424B	amyotrophic lateral sclerosis 2 (juvenil	6.3	other
45	130353	Z19084	Hs.172210	MUF1 protein	6.2	other
	130356	AF127577	Hs.155017	nuclear receptor Interacting protein 1	2.4	other
		AJ224442	Hs.155020	putative methyltransferase	3.5	TM
		NM_013449	Hs.277401	bromodomain adjacent to zinc finger doma	8.5	other
		AL135301	Hs.8768	hypothetical protein FLJ10849	1.4	other
50		Al077464	Hs.5011	RNA binding motif protein 9	3.3	?
50				KIAA0005 gene product	1.8	other
		N89487	Hs.155291	hypothetical protein MGC2840 similar to	3.4	other
		AW374106	Hs.155356	hypothetical protein MGC2040 sittlias to		
		BE385099	Hs.334727	hypothetical protein MGC3017	2.3	other
	130409	NM_001197	Hs.155419	BCL2-interacting killer (apoptosis-induc	2.7	TM
55		AF037448	Hs.155489	NS1-associated protein 1	1.8	other
	130441	U63630	Hs.155637	protein kinase, DNA-activated, catalytic	2.3	other
	130448	BE513202	Hs.15589	PPAR binding protein	4	TM
	130455	D90041	Hs.155956	N-acetyltransferase 1 (arylamine N-acety	33.6	?
	130485	BE245851	Hs.180779	H2B histone family, member B	5	other
60		U49844	Hs.77613	ataxia telanglectasia and Rad3 related	4.4	other
00		L38951	Hs.180446	karyopherin (Importin) beta 1	1.6	SS,TM
		BE208491	Hs.295112	KIAA0618 gene product	16.1	other
		L32137	Hs.1584	cartilage oligomeric matrix protein (pse	6.1	other
		AW876523		hypothetical protein FLJ12910	2.1	other
65			Hs.15929	eukaryotic translation initiation factor	1.5	other
65	130544	AA321238	Hs.4310	eukaryong nansanon antanon tagga		?
	130553	AF062649	Hs.252587	pituitary tumor-transforming 1	14.4	
	130556	Al907018	Hs.15977	Empirically selected from AFFX single pr	4.8	other

				•	. н
	130567 AA383092	Hs.1608	replication protein A3 (14kD)	8	other
	130568 AA232119	Hs.16085	putative G-protein coupled receptor	3.4	other
	130574 AF083208	Hs.16178	apoptosis antagonizing transcription fac	1.2	other
_	130598 AL042210	Hs.16493	hypothetical protein DKFZp762N2316; KIAA	1.4	other TM
5	130601 AA609738	Hs.16525	ESTS	1.5 1.3	other
	130614 Al354355	Hs.16697 Hs.1674	down-regulator of transcription 1, TBP-b	12.1	TM
	130617 M90516		glutamine-fructose-6-phosphate transamin Spir-1 protein	15.9	other
	130618 AA383439 130667 BE246961	Hs.16758	Homo sapiens ubiquitin protein ligase (U	13.9	other
10	130674 AL048842	Hs.17639 Hs.194019	attractin	1.5	other
10	130675 AA442233	Hs.17731	hypothetical protein FLJ12892	5.4	other
	130692 AA652501	Hs.13561	hypothetical protein MGC4692	5	other
	130693 R68537	Hs.17962	ESTs	2	other
	130712 AJ271881	Hs.279762	bromodomain-containing 7	1.8	TM
15	130714 Al348274	Hs.18212	DNA segment on chromosome X (unique) 987	2	TM
13	130730 AB007920	Hs.18586	KIAA0451 gene product	3.8	?
	130744 H59696	Hs.18747	POP7 (processing of precursor, S. cerevi	3.2	?
	130751 AF052105	Hs.18879	chromosome 12 open reading frame	1.4	other
	130757 AL036067	Hs.18925	protein x 0001	5.7	other
20	130768 AF258627	Hs.211562	ATP-binding cassette, sub-family A (ABC1	5.2	?
20	130789 AK000355	Hs.8899	sirtuin (silent mating type information	1.6	other
	130836 J05068	Hs.2012	transcobalamin I (vitamin B12 binding pr	15.7	SS,
	130841 AL157468	Hs.325825	Homo sapiens cDNA FLJ20848 fis, done AD	2.8	other
	130843 AA447492	Hs.20183	ESTs, Weakly similar to AF164793 1 prote	1.5	other
25	130844 U76248	Hs.20191	seven in absentia (Drosophila) homolog 2	3.5	other
	130855 AJ243706	Hs.143323	putative DNA/chromatin binding motif	1.7	other
	130861 NM_016578	Hs.20509	HBV pX associated protein-8	1.9	other
	130879 NM_003416	Hs.2076	zinc finger protein 7 (KOX 4, clone HF.1	1,4	other
	130880 BE514434	Hs.20830	kinesin-like 2	2.1	TM
. 30	130892 AL120837	Hs.20993	high-glucose-regulated protein 8	2.5	other
	130898 AB033078	Hs.186613	sphingosine-1-phosphate lyase 1	1.7	other
	130911 BE409769	Hs.21189	DnaJ (Hsp40) homolog, subfamily A, membe	1.8	other
	130919 N79110	Hs.21276	collagen, type IV, alpha 3 (Goodpasture	2.3	TM
	130944 BE382657	Hs.21486	signal transducer and activator of trans	5.4	other
35	130971 N39842	Hs.301444	KIAA1673	2.2	SS,
	130993 T97401	Hs.21929	ESTs	1.6	other
	131005 AV658308	Hs.2210	thyroid hormone receptor interactor 3	1.6	?
	131028 Al879165	Hs.2227	CCAAT/enhancer binding protein (C/EBP),	1.2	other
40	131042 Al826288	Hs.171637	hypothetical protein MGC2628	1.6	other
40	131046 AA321649	Hs.2248	small inducible cytokine subfamily B (Cy	7.4	?
	131060 AA194422	Hs.22564	myosin VI	5.1	other
	131070 N53344	Hs.22607	ESTs	7.1	other TM
	131076 AA749230	Hs.26433	dolichyl-phosphate (UDP-N-acetylglucosam	2.1	other
45	131099 AL133353	Hs.226581	COX15 (yeast) homolog, cytochrome c oxid	7.1	?
45	131174 NM_006540		nuclear receptor coactivator 2	1.9 5.8	?
	131185 BE280074	Hs.23960	cyclin B1	2	other
	131206 AW138839	Hs.24210	ESTs CGI-26 protein	7.1	TM
	131213 AA885699 131225 H62087	Hs.24332 Hs.31659	thyroid hormone receptor-associated prot	7.6	?
50	131231 N47468	Hs.59757	zinc finger protein 281	2.9	other
50	131233 D89053	Hs.268012	fatty-acid-Coenzyme A ligase, long-chain	3.5	other
	131243 AW383256	Hs.24752	spectrin SH3 domain binding protein 1	2.8	?
	131245 AL080080	Hs.24766	thioredoxin domain-containing	2.8	SS,TM
•	131247 AL043100	Hs.326190	fatty acid amide hydrolase	5.6	other
55	131281 AA251716	Hs.25227	ESTs	5.8	other
55	131283 X80038	Hs.339713	Homo saplens done F19374 APO E-C2 gene	1.3	other
	131305 AV656017	Hs.184325	CGI-76 protein	5	?
	131320 AA505691	Hs.145696	splicing factor (CC1.3)	1.8	TM
	131339 AF058696	Hs.25812	Nijmegen breakage syndrome 1 (nibrin)	2.6	other
60	131375 AW293165	Hs.143134	ESTs	5.4	other
	131390 BE269388	Hs.182698	mitochondrial ribosomal protein L20	5.3	other
	131410 BE259110	Hs.279836	HSPC166 protein	2.2	other
•	131412 NM_012247	Hs.124027	SELENOPHOSPHATE SYNTHETASE; Human		2
•	131429 AL046302	Hs.26750	hypothetical protein FLJ21908	1.4	other
65	131458 BE297567	Hs.27047	hypothetical protein FLJ20392	1.7	other
	131475 AA992841	Hs.27263	KIAA1458 protein	2	other
	131501 AV661958	Hs.8207	GK001 protein	2.6	other

	131511	AA732153	Hs.27865	Homo sapiens cDNA: FLJ21333 fis, clone C	2	other
		AU076408	Hs.28309	UDP-quicose dehydrogenase	1.6	TM
		BE268278	Hs.28393	hypothetical protein MGC2592	7.4	other
		AW966881	Hs.41639	programmed cell death 2	2.2	other
5		AL355715	Hs.28555	programmed cell death 9 (PDCD9)	2.1	other
	131562	NM_003512	Hs.28777	H2A histone family, member L	1.7	other
		T93500	Hs.28792	Homo sapiens cDNA FLJ11041 fis, done PL	5.2	other
		AL389951	Hs.271623	nucleoporin 50kD	5	other
10		BE393822	Hs.29645	Homo sapiens mRNA; cDNA DKFZp761C029 (fr	1.8	other
10		R78195	Hs.29692	Homo sapiens cDNA FLJ11436 fis, clone HE	1.3	other
		AB037791	Hs.29716	hypothetical protein FLJ10980	2.2 3	TM other
		AW410601 AW960597	Hs.30026 Hs.30164	HSPC182 protein ESTs	1.3	other
		AI218918	Hs.30209	KIAA0854 protein	2.8	other
15		X52486	Hs.3041	uracii-DNA glycosylase 2	2.8	other
		BE559681	Hs.30736	KIAA0124 protein	5.6	?
		AA642831	Hs.31016	putative DNA binding protein	2.9	?
	131722	D13757	Hs.311	phosphoribosyl pyrophosphate amidotransf	3.4	other
	131737	AK001641	Hs.31323	inhibitor of kappa light polypeptide gen	3.9	?
20	131763	A1878932	Hs.317	topoisomerase (DNA) I	3.4	other
		AA382590	Hs.170980	KIAA0948 protein	25.5	other
•		D87077	Hs.196275	KIAA0240 protein	2.4	SS,
		AW966127	Hs.32246	Homo sapiens cDNA FLJ14656 fis, clone NT	8 -	TM
25		BE501849	Hs.32317	high-mobility group 20B	1.5 4.2	other other
23	131798		Hs.301449	adenovirus 5 E1A binding protein caspase 6, apoptosis-related cysteine pr	4.2	other
		U20536 U28838	Hs.3280 Hs.32935	TATA box binding protein (TBP)-associate	3.5	other
		Al251317	Hs.33184	ESTs	5.2	TM
		AA083764	Hs.6101	hypothetical protein MGC3178	5.9	other
30		BE502341	Hs.3402	ESTs	13.7	other
	131900	AA099014	Hs.231029	Homo sapiens, clone MGC:15961, mRNA, com	8.7	other
	131904	AF078866 .	Hs.284296	Homo sapiens cDNA: FLJ22993 fis, clone K	5.5	other
-	131905	AA179298	Hs.3439	stomatin-like 2	11.3	other
25		AW207440	Hs.185973	degenerative spermatocyte (homolog Droso	1.7	SS,
35		AA025976	Hs.34569	ESTs	5.2	TM
		AF151048	Hs.183180	anaphase promoting complex subunit 11 (y	2.8 5.4	 other TM
		BE541211 BE252983	Hs.34804 Hs.35086	Homo sapiens cDNA FLJ11472 fis, clone HE ubiquitin specific protease 1	2.4	other
		AA355113	Hs.35380	x 001 protein	1.5	?
40		AK000046	Hs.267448	hypothetical protein FLJ20039	2.3	other
-10		W79283	Hs.35962	ESTs	1.4	other
		BE567100	Hs.154938	hypothetical protein MDS025	3.5	other
	131977	U90441	Hs.3622	procollagen-proline, 2-oxoglutarate 4-di	6.6	TM
	131985	AA503020	Hs.36563	hypothetical protein FLJ22418	2.4	?
45		AF053306	Hs.36708	budding uninhibited by benzimidazoles 1	2.2	SS,TM
-		H56995	Hs.37372	Homo sapiens DNA binding peptide mRNA, p	3.3	TM
		BE266155	Hs.3832	clathrin-associated protein AP47	1.5	other
		NM_002267	Hs.3886	karyopherin alpha 3 (importin alpha 4)	3.7 1.5	other other
50		BE171921 AV646076	Hs.3991 Hs.39959	ESTs ESTs	5.8	TM
50		AW960474	Hs.40289	ESTs	1.7	other
		AA857025	Hs.8878	kinesin-like 1	3.4	other
		NM_004460	Hs.418	fibroblast activation protein, alpha	14.7	SS,
		R42432	Hs.4212	ESTs	2.2	other
55		BE206939	Hs.42287	E2F transcription factor 6	1.5	other '
		AV658411	Hs.42656	KIAA1681 protein	5.7	other
		Al566004	Hs.141269	Homo sapiens cDNA: FLJ21550 fis, done C	2.1	other
		AA301228	Hs.43299	hypothetical protein FLJ12890	1.5	other
60		AA227710	Hs.43658	DKFZP586L151 protein	10	other
60		AA653507	Hs.285711	hypothetical protein FLJ13089 solute carrier family 2 (facilitated glu	2 9.2	other other
•		N36110 AB023191	Hs.305971 Hs.44131	KIAA0974 protein	2	other
		NM_015986	Hs.7120	cytokine receptor-like molecule 9	6.6	SS,
		AW405882	Hs.44205	cortistatin	3.8	other
65		N37065	Hs.44856	hypothetical protein FLJ12116	1.5	other
		AW572805	Hs.46645	ESTs	28.3	?
	132374	AF155582	Hs.46744	core1 UDP-galactose:N-acetylgalactosamin	1.9	other

	120270	A 1070000	Un 40004	coding novin 14	2	?
		Al279892 AA312135	Hs.46801 Hs.46967	sorting nexin 14 HSPCO34 protein	6.1	,
		AL135094	Hs.47334	hypothetical protein FLJ14495	1.7	other
		AA100012	Hs.48827	hypothetical protein FLJ12085	8.6	other
5		AW973521	Hs.247324	mitochondrial ribosomal protein S14	5.3	other
_		AB011084	Hs.48924	KIAA0512 gene product; ALEX2	1.5	other
		A1224456	Hs.4934	H.sapiens polyA site DNA	2	other
	132484	X16660	Hs.119007	RAB4, member RAS oncogene family	2.9	SS,
4.0		AW885606	Hs.5064	ESTs	2.2	other
10		AA306105	Hs.50785	SEC22, vesicle trafficking protein (S. c	1.7	other
		AA454132	Hs.5080	mitochondrial ribosomal protein L16	7.2 2.2	TM SS.
	•	BE388673	Hs.5086	hypothetical protein MGC10433	2.2	other
		BE568452 AW631437	Hs.5101 Hs.5184	protein regulator of cytokinesis 1 TH1 drosophila homolog	14	?
15		AK001484	Hs.5298	CGI-45 protein	1.9	other
13	_	AA345547	Hs.53263	hypothetical protein FLJ13287	2.6	TM
	132612		Hs.5327	PRO1914 protein	2	other
		BE262677	Hs.283558	hypothetical protein PRO1855	3.1	other
		AI796870	Hs.54277	DNA segment on chromosome X (unique) 992	12.4	TM
20	132668	AB018319	Hs.5460	KIAA0776 protein	2.8	SS,
		AW191962	Hs.249239	collagen, type VIII, alpha 2	3	other
		F11875	Hs.5534	Homo sapiens cDNA FLJ12961 fis, clone NT	1.8	other
		NM_004600	Hs.554	Sjogren syndrome antigen A2 (60kD, ribon	3.7 1.8	other TM
25		AI142265	Hs.55498 Hs.301872	geranylgeranyl diphosphate synthase 1 hypothetical protein MGC4840	5.9	other
25		AJ189075 AA010233	Hs.55921	glutamyl-prolyl-tRNA synthetase	8.7	other
		AA125985	Hs.56145	thymosin, beta, identified in neuroblast	3.6	other
		Y10275	Hs.56407	phosphoserine phosphatase	2.8	TM
		AA459713	Hs.295901	KIAA0493 protein	14.6	other
30		AI142133	Hs.56845	GDP dissociation inhibitor 2	1.7	other
	132798	AI026701	Hs.5716	KIAA0310 gene product	2.5	other
	132807	U07418	Hs.57301	mutL (E. coli) homolog 1 (colon cancer,	1.4	other
		AB007944	Hs.5737	KIAA0475 gene product	4.3	SS,
26		BE313625	Hs.57435	solute carrier family 11 (proton-coupled	2.8	other other
35		A1815189	Hs.57475	sex comb on midleg homolog 1	1.6 1.4	other
		N27852 AJ251595	Hs.57553 Hs.169610	tousled-like kinase 2 CD44 antigen (homing function and Indian	5.4	other
		U78525	Hs.57783	eukaryotic translation initiation factor	6.1	?
		NM_016154	Hs.279771	Homo sapiens clone PP1596 unknown mRNA	7.2	other
40		F12200	Hs.5811	chromosome 21 open reading frame 59	2.9	other
		U09716	Hs.287912	lectin, mannose-binding, 1	6.1	other
	132869	AW963217	Hs.203961	ESTs, Moderately similar to AF116721 89	1.8	other
	132873	AW007683	Hs.58598	KIAA1266 protein	2.2	other
4 ~		NM_004850	Hs.58617	Rho-associated, coiled-coil containing p	5	TM
45		BE267143	Hs.59271	U2(RNU2) small nuclear RNA auxillary fac	2.7	? ?
		AW503667	Hs.59545	ring finger protein 15 hypothetical protein FLJ10808	5.4 3.2	other
		A1936442 AW732760	Hs.59838 Hs.167578	Homo sapiens cDNA FLJ11095 fis, done PL	1.4	other
		W78714	Hs.60257	Homo sapiens cDNA FLJ13598 fis, clone PL	3	other
50		T79136	Hs.127243	Homo sapiens mRNA for KIAA1724 protein,	10.3	other
		AA554458	Hs.197751	KIAA0666 protein	2.1	SS,
	132952	AI658580	Hs.61426	Homo sapiens mesenchymal stem cell prote	1.3	other
		AA576635	Hs.6153	CGI-48 protein	4.9	other
~ ~		AA034365	Hs.288924	Homo sapiens cDNA FLJ11392 fis, clone HE	3.6	TM other
55		AA035446	Hs.323277	ESTS	13.1	other
		AA093322	Hs.301404 Hs.62016	RNA binding motif protein 3 ESTs	1.3 2.3	?
		AA040696 AA112748	Hs.279905	done HQ0310 PRO0310p1	17.1	other
		AA847843	Hs.62711	Homo sapiens, clone IMAGE:3351295, mRNA	1.9	other
60		AJ002744	Hs.246315	UDP-N-acetyl-alpha-D-galactosamine:polyp	5	TM
00	133062	AW500374	Hs.64056	PRO0149 protein	6.1	other
	133069	BE247441	Hs.6430	protein with polyglutamine repeat; calci	1.5	TM
	133091	AK001628	Hs.64691	KIAA0483 protein	1.4	other
		AA808177	Hs.65228	ESTs	5.6	other
65		AF198620	Hs.65648	RNA binding motif protein 8A	1.9	other ?
		H94227	Hs.6592	Homo sapiens, clone IMAGE:2961368, mRNA, mitogen-activated protein kinase 1	4.8 5	other
	133152	Z11695	Hs.324473	manyen-acavateo protein kinase 1	J	Juici

13977 AW955628		133174	AA431620	Hs.324178	hypothetical protein MGC2745	2.7	other	•		
133288 AW995459 Hospital Ho		133175	AW955632	Hs.66666		9.3	other			
133286 AM995459 Hospital Ho					RAD54 (S.cerevisiae)-like	4.5	TM			
Sta226 AW954569 H-296287					ESTs	5.5	TM			
133226 A4959244 Hs.6831 306] phosphoptoeln 1 1.7 7 7 7 7 7 7 7 7 7	5	133226	AW954569		Homo sapiens, Similar to bromodomain-con	2.7	other			
133254 AM56742	_					1.7	?			
133268 AW956781 Hs.293937 ESTS, Weakly similar to FXD2, HUMAN FORKH 122 other 123 other 124 other 125 other 12						1.3	other			
13291 BE297855 hs.68655 M7AS-felated gene 12 0ther						12.2	other			
10 13314 AA102870 Hs.19725 samma-aminobulnic add (GABA) A recepto 1.7 TM 1.50						1.2	other	•		
133241 T79526	10									
133327 A1380127 Hz-7104 13342 RE297758 A17475 13350 A016521 Hz-71475 13360 A016521 Hz-7168 13360 A016521 Hz-7168 13367 A722919 Hz-7169 13376 A2229119 Hz-7169 13376 A2229119 Hz-7169 13376 A222919 Hz-7169 13377 A1745 A22292 13389 A4305127 Hz-7179 13389 A4305127 Hz-7179 13349 A305127 Hz-7179 13349 A159308 A157808 13349 A015797 Hz-7189 13350 A159308 A157808 13350 A159308 A17450 13369 A017705 A157808 13369 A017705 A157808 13369 A017705 A157808 13369 A017705 A157808 13369 A017805 A157808 13369 A017805 A157808 13369 A017805 A157808 13369 A0180027 13369 A0180027 13369 A0180027 13369 A0180027 13370 A0180027 13380 A0180027 13380 A0180027 13380 A0180027 13380 A0180027 13380 A0180027	10							•		
133347 B0165776 14-71616										
133369 A016527 Hz.71816 H										
13336 AA292811										
133367 AP231919 15,18759 KIAA0539 gene product 1,3 other	15							•		
133370 AP345056 13.72657 13.72667 13.7267 13.7	13									
133390 AB95082										
133391 Aly10384 Hs.7272 Inhibh, balf & (activin A. Bathyin A.Ba 25.5 Other 133437 Aly31951 Hs.7370 Phospholdisc) protein from the protein of the protei										
133394 AA3915127 Hs.27272 hspothetical protein HT023 133452 NNL 002759 Hs.27432 hs.73826 hs.73827 hs.73826 hs.73826 hs.73826 hs.73826 hs.73826 hs.73827 hs.73826 hs.7382										
133453 Als93005 hs.27350 price phosphoidylinositol transfer protein, b. 1.6 other 133453 Als93005 hs.27358 protein kinase, interferon-inducible dou. 4.1 other 154758 protein kinase protein kin	20									
133452 NNL 0027769 Hs. 274382 protein kinase, interferon-inducible dou protein from protein kinase, interferon-inducible dou protein kinase form the kinase form the protein kinase form the kinase form the kinase form the kinase form the protein kinase form the kinase form t	20									
133453 Alis59306										
133500 AW964904 Hs.74260 hypothetical protein FLUZ237 Hs. 13529 Ms.6232 Hs.74605 Hs.75074 Hs.75081 Hs.75075 Hs.75081 Hs.75077 Hs. 108327 AU0770750 Hs.75086 Hs.75074 Hs.75087										
25 133529 Wides23 Hs_74571 ADP-thosylation factor 1 18 7 7 7 7 7 7 7 7 7										•
133543 AU077073	25									
133578 AUD77050	23									
133579 X75348										
133822 133827 Hs.75087										
133594 AW160781 Hs.77589										
133595 AA393273	20									
133599 NNL 002885 Hs. 75151 RAP1, GTPase activating protein 1 133621 NNL 004893 Hs. 75258 Hz. A histone family, member Y 13.5 other	30									
133627 NIM_00247 Hs_75288 H2A histone family, member Y 13.5 other										
133627 NIM_002047 Hs.75280 Sylvgh-IRNA synthetase Sylvgh-IRNA sylvgh-IRNA synthetase Sylvgh-IRNA sylvgh-IRN										
133631 NM_000401 Hs,75334										
133649 U25849 Hs.75333 acid phosphatase 1, soluble 2 other	35									
133690 AV661185	22									,
133720 L27841 Hs.75737 Hs.279009 Hs.279009 Hs.279009 Hs.334787 Hs.27807 Hs.334787 Hs.33757 T52946 Hs.196209 Hs.334787 Hs.334765 Hs.196209 Hs.181357 Hs.76152 Isaminin receptor 1 (67kD, ribosomal prot 5.4 other calcular to likely ortholog 3.1 TM TM TM TM TM TM TM T										
133722 AlV989976 Hs. 279009 matrix Gla protein Hs. 33778 AlV4020948, comp Hs. 334787 Homo sapiens, Similar to likely ortholog 3.1 TM 133767 TS2946 Hs. 196209 Hs. 181357 133760 BE271766 Hs. 181357 Isa367 Hs. 76929 Isaminin receptor 1 (67kD, ribosomal prot cadherin (osteob decorin 133760 Ab557660 Hs. 76152 Isa592 Isa599 Isa5999 Isa599 Isa599 Isa599 Isa599 Isa599 Isa599 Isa599 Isa599 Isa599 Isa5999					and the second s					
133751 AW402048.comp										
133767 T52946 Hs.196209 RAE1 (RNA export 1, S.pombe) homolog 1.4 7	<i>4</i> 0							ar to likely ortholog	3.1	TM
133760 BE271766	70		and the second							
133765 M62194										
133787 Al.133921 Hs.76272 decorin refinoblastoma-binding protein 2 3.1 7					cadherin 11 tyne 2 OB-cadherin (osteo)					
133797 Al.133921										
133822 D50525	45									
133842 AW797468	٠ ب٠									
133845 AA147026							-			
133865 AB011155 Hs.170290 discs, large (Drosophila) homolog 5 5 other 133867 AW340125 Hs.76989 KIAA0097 gene product 2.5 ? 133868 AB012193 Hs.183874 cullin 4A 2.1 other 133922 U30825 Hs.77608 splicing factor, arginine/serine-rich 9 2.8 TM 133924 D86326 Hs.325948 vesicle docking protein p115 1.8 SS, 133929 NM_006306 Hs.211602 SMC1 (structural maintenance of chromoso 2 ? 133936 L17128 Hs.77719 gamma-glutamyl carboxylase 2.6 other 133941 BE244332 Hs.77770 adaptor-related protein complex 3, mu 2 2.9 other 133979 X81789 Hs.77897 splicing factor 3a, subunit 3, 60kD 10.4 other 133989 AL040328 Hs.78876 GATA-binding protein 3 (T-cell receptor 1.9 other 133989 AL040328 Hs.78202 SWI/SNF related, matrix associated, acti 2.6 SS, 134010 AB016092 Hs.197114 RNA binding protein; AT-rich element bin 8.8 other 134010 NM_003590 Hs.78946 sorting nexin 17 1.5 SS, 134110 U41060 Hs.79136 LUV-1 protein, estrogen regulated 2.7 other 134110 U41060 Hs.79136 KIAA0255 gene product 4.2 other 134134 H86504 Hs.173328 protein phosphatase 2, regulatory subuni 1.7 other										
133867 AW340125								*-		
133868 AB012193	50									
133922 U30825	50				• •					
133924 D86326 Hs.325948 vesicle docking protein p115 1.8 SS,										
133929 NM_006306 Hs.211602 SMC1 (structural maintenance of chromoso 2 ? 133936 L17128 Hs.77779 gamma-glutamyl carboxylase 2.6 other 333959 X81789 Hs.77877 splicing factor 3a, subunit 3, 60kD 10.4 other 133976 Al908165 Hs.169946 GATA-binding protein 3 (T-cell receptor 1.9 other 133998 AL040328 Hs.78202 SWI/SNF related, matrix associated, acti 2.6 SS, 133997 Al824113 Hs.78281 regulator of G-protein signalling 12 13 other 134010 AB016092 Hs.197114 RNA binding protein; AT-rich element bin 134070 NM_003590 Hs.78946 uslin 3 sorting nexim 17 1.5 SS, 134110 U41060 Hs.79136 LIV-1 protein, estrogen regulated 2.7 other 134134 H86504 Hs.173328 protein phosphatase 2, regulatory subuni 1.7 other					vesicle docking protein p115					
133936 L17128 Hs.77719 gamma-glutarnyl carboxylase 2.6 other 133941 BE244332 Hs.77770 adaptor-related protein complex 3, mu 2 2.9 other 133978 Hs.77897 splicing factor 3a, subunit 3, 60kD 10.4 other 133989 AL040328 Hs.78202 SWI/SNF related, matrix associated, acti 2.6 SS, 133997 Al824113 Hs.78281 regulator of G-protein signalling 12 13 other 134010 AB016092 Hs.197114 RNA binding protein; AT-rich element bin 134070 NM_003590 Hs.78946 cullin 3 cullin 3 8.3 other 134110 U41060 Hs.79136 LIV-1 protein, estrogen regulated 2.7 other 134134 H86504 Hs.173328 protein phosphatase 2, regulatory subuni 1.7 other		133029	NM 006306	Hs 211602						
133941 BE244332 Hs.77770 adaptor-related protein complex 3, mu 2 2.9 other 333978 X81789 Hs.77897 splicing factor 3a, subunit 3, 60kD 10.4 other 133976 Al908165 Hs.169946 GATA-binding protein 3 (T-cell receptor 1.9 other 133989 AL040328 Hs.78202 SWI/SNF related, matrix associated, acti 2.6 SS, 133997 Al824113 Hs.78281 regulator of G-protein signalling 12 13 other 134010 AB016092 Hs.197114 RNA binding protein; AT-rich element bin 134070 NM_003590 Hs.78946 sorting nexin 17 1.5 SS, 134110 U41060 Hs.79136 LIV-1 protein, estrogen regulated 2.7 other 134112 NM_014742 Hs.79305 KIAA0255 gene product 4.2 other 134134 H86504 Hs.173328 protein phosphatase 2, regulatory subuni 1.7 other	55					2.6	other			
133959 X81789 Hs.77897 splicing factor 3a, subunit 3, 60kD 10.4 other 133976 Al908165 Hs.169946 GATA-binding protein 3 (T-cell receptor 1.9 other 133989 AL040328 Hs.78202 SWI/SNF related, matrix associated, acti 2.6 SS, 134010 AB016092 Hs.197114 Rs.78281 regulator of G-protein signalling 12 13 other 134015 D31764 Hs.278569 sorting nexin 17 1.5 SS, 134070 NM_003590 Hs.78946 cullin 3 8.3 other 134110 U41060 Hs.79136 UV-1 protein, estrogen regulated 2.7 other 134129 NM_014742 Hs.79305 KIAA0255 gene product 4.2 other 134134 H86504 Hs.173328 protein phosphatase 2, regulatory subuni 1.7 other	55				adaptor-related protein complex 3, mu 2		other	•		
133976 Al908165 Hs.169346 GATA-binding protein 3 (T-cell receptor 1.9 other 133989 AL040328 Hs.78202 SWI/SNF related, matrix associated, acti 2.6 SS, 133997 Al824113 Hs.78281 regulator of G-protein signalling 12 13 other 134010 AB016092 Hs.197114 RNA binding protein, AT-rich element bin 134015 D31764 Hs.278569 sorting nextin 17 1.5 SS, 134070 NM_003590 Hs.78946 cullin 3 8.3 other 134110 U41060 Hs.79136 LIV-1 protein, estrogen regulated 2.7 other 134129 NM_014742 Hs.79305 KIAA0255 gene product 4.2 other 134134 H86504 Hs.173328 protein phosphatase 2, regulatory subuni 1.7 other					solicing factor 3a, subunit 3, 60kD		other	• • •		
133989 AL040328 Hs.78202 SWI/SNF related, matrix associated, acti 2.6 SS, other 133997 Al824113 Hs.78281 regulator of G-protein signalling 12 13 other 134010 AB016092 Hs.197114 RNA binding protein; AT-rich element bin 15 SS, 134070 NM_003590 Hs.78946 cullin 3 8.3 other 134110 U41060 Hs.79136 LIV-1 protein, estrogen regulated 2.7 other 134129 NM_014742 Hs.79305 KIAA0255 gene product 4.2 other 134134 H86504 Hs.173328 protein phosphatase 2, regulatory subuni 1.7 other										
60 133997 Al824113 Hs.78281 regulator of G-protein signalling 12 13 other 134010 AB016092 Hs.197114 RNA binding protein; AT-rich element bin 134015 D31764 Hs.278569 sorting nextin 17 1.5 SS, 134070 NM_003590 Hs.78946 cullin 3 8.3 other 134110 U41060 Hs.79136 LIV-1 protein, estrogen regulated 2.7 other 134129 NM_014742 Hs.79305 KIAA0255 gene product 4.2 other 134134 H86504 Hs.173328 protein phosphatase 2, regulatory subuni 1.7 other					SWI/SNF related, matrix associated, acti		SS,			
134010 AB016092 Hs.197114 RÑA binding protein; AT-rich element bin 134015 D31764 Hs.278569 sorting nexin 17 134070 NM_003590 Hs.78946 cullin 3 134110 U41060 Hs.79136 UV-1 protein, estrogen regulated 2.7 other 134129 NM_014742 Hs.79305 KIAA0255 gene product 4.2 other 134134 H86504 Hs.173328 protein phosphatase 2, regulatory subuni 1,7 other	60					13	other	•		
134015 D31764 Hs.278569 sorting nextn 17 1.5 SS, 134070 NM_003590 Hs.78946 cullin 3 8.3 other 134110 U41060 Hs.79136 LIV-1 protein, estrogen regulated 2.7 other 134129 NM_014742 Hs.79305 KIAA0255 gene product 4.2 other 134134 H86504 Hs.173328 protein phosphatase 2, regulatory subuni 1.7 other	00				RNA binding protein; AT-rich element bin		other			
134070 NM_003590 Hs.78946 cullin 3 8.3 other 134110 U41060 Hs.79136 LIV-1 protein, estrogen regulated 2.7 other 134129 NM_014742 Hs.79305 KIAA0255 gene product 4.2 other 134134 H86504 Hs.173328 protein phosphatase 2, regulatory subuni 1.7 other							SS,			
134110 U41060 Hs.79136 LIV-1 protein, estrogen regulated 2.7 other 65 134129 NM_014742 Hs.79305 KIAA0255 gene product 4.2 other 134134 H86504 Hs.173328 protein phosphatase 2, regulatory subuni 1.7 other						8.3	other			
65 134129 NM_014742 Hs.79305 KIAA0255 gene product 4.2 other 134134 H86504 Hs.173328 protein phosphatase 2, regulatory subuni 1.7 other					LIV-1 protein, estrogen regulated					
134134 H86504 Hs.173328 protein phosphatase 2, regulatory subuni 1.7 other	65	134129	NM_014742							
		134134	H86504		F			,		•
				Hs.197803	KIAA0160 protein	2.6	other			

	134206 AF10	7463 H	Hs.79968	splicing factor 30, survival of motor ne	1.3	other
	134219 NM_0		Hs.80206	glucose-6-phosphate dehydrogenase	1.9	other
	134234 BE30	0078 H	Hs.80449	Homo sapiens, clone IMAGE:3535294, mRNA,	10.3	SS,
_	134275 AI878	910 l	Hs.3688	cisplatin resistance-associated overexpr	2.5	other
5	134292 Al906		Hs.81234	immunoglobulin superfamily, member 3	1.3	TM
	134301 AW50		Hs.81360	Homo sapiens cDNA: FLJ21927 fis, clone H	1.6	TM
	134305 U613		Hs.81424	ubiquitin-like 1 (sentrin)	2.1	TM
	134324 AB02		Hs.179946	KIAA1100 protein	5.3 2.5	? TM
10	134326 AW90		Hs.81800	chondroitin sulfate proteoglycan 2 (vers	3.9	?
10	134329 N920 134337 NM_0		Hs.81848 Hs.81964	RAD21 (S. pombe) homolog SEC24 (S. cerevisiae) related gene famil	2.4	. TM
	134348 AW29		Hs.82065	interleukin 6 signal transducer (gp130,	6.8	TM
	134367 AA33		Hs.82285	phosphoribosylglyclnamide formyltransfer	2.3	TM
	134376 X065		Hs.82396	2',5'-oligoadenylate synthetase 1 (40-46	5.5	other
15	134379 AW36		Hs.323193	hypothetical protein MGC3222	5.9	TM
	134384 AI589		Hs.8254	Homo sapiens, Similar to tumor different	2.2	other
	134391 AA41	7383 I	Hs.82582	integrin, beta-like 1 (with EGF-like rep	2.1	other
	134395 AA45	6539 i	Hs.8262	lysosomal	2.3	other
	134405 AW06		Hs.82772	collagen, type XI, alpha 1	72.9	other
20	134411 BE27		Hs.167791	reticulocalbin 1, EF-hand calcium bindin	4.4	other
	134415 AI750		Hs.82911	protein tyrosine phosphatase type IVA, m	2.3 6.8	other ?
	134421 AU07		Hs.82985	collagen, type V, alpha 2	2.4	other
	134424 Z4419 134446 AA11		Hs.83023 Hs.83419	peroxisomal biogenesis factor 11B KIAA0252 protein	2.9	other
25	134447 M586		Hs.83428	nuclear factor of kappa light polypeptid	6.7	other
23	134470 X549		Hs.83758	CDC28 protein kinase 2	2.4	other
	134480 NM_0		Hs.83916	Empirically selected from AFFX single pr	6.3	?
	134485 X821		Hs.83942	cathepsin K (pycnodysostosis)	1.9	other
	134498 AW24		Hs.84131	threonyl-tRNA synthetase	1.8	other
30	134513 AA42	5473	Hs.84429	KIAA0971 protein	1.4	other
	134516 AK00	1571 - I	Hs.273357	hypothetical protein FLJ10709	1.4	other
	134520 BE09	1005	Hs.74861	activated RNA polymerase II transcriptio	5.6	other
•	134529 AW4		Hs.848	FK506-binding protein 4 (59kD)	2.8	?
25	134577 BE24		Hs.85951	exportin, tRNA (nuclear export receptor	1.7	other TM
35	134582 AA92		Hs.86041	CGG triplet repeat binding protein 1	1.7 2.1	other
	134612 AWO		Hs.171581	ubiquifin C-terminal hydrolase UCH37 deleted in liver cancer 1	1.3	other
	134624 AF03 134632 X785		Hs.8700 Hs.174139	chloride channel 3	2.1	?
	134654 AK00		Hs.8739	hypothetical protein FLJ10879	2.3	other
40	134666 BE39		Hs.8752	transmembrane protein 4	4	other
	134687 U623		Hs.88251	arylsulfatase A	6.2	other
	134692 NM_0		Hs.8850	a disintegrin and metalloproteinase doma	2	other
	134705 BE16	1887	Hs.88799	anaphase-promoting complex subunit 10	1.3	SS,
	134714 Y147	68	Hs.890	lysosomal	7.2	?
45	.134719 AA85		Hs.89232	chromobox homolog 5 (Drosophila HP1 alph	3.2	other
	134722 AF12		Hs.284226	F-box only protein 6	2.5	other other
	134746 X078		Hs.89476	CD2 antigen (p50), sheep red blood cell	5 6.1	other
	134751 AW6		Hs.89497	lamin B1	5.6	TM
50	134790 BE00 134834 AW4		Hs.287850 Hs.8991	integral membrane protein 1 adaptor-related protein complex 1, gamma	5.3	other
50	134850 Al70		Hs.90207	hypothetical protein MGC11138	9.1	other
	134853 BE26		Hs.90280	5-aminolmidazole-4-carboxamide ribonude	2.4	other
	134880 Al879		Hs.90606	15 kDa selenoprotein	2.7	other
	134925 AW8	85909	Hs.6975	PRO1073 protein	1.5	other
55	134955 AW4		Hs.91773	protein phosphatase 2 (formerly 2A), cat	4.9	other
	134971 Al09		Hs.286049	phosphoserine aminotransferase ·	2	other
	134975 R503		Hs.92186	Leman colled-coil protein	2.6	TM
	135011 AB03		Hs.92991	KIAA1414 protein	1.4	? ?
co.	135022 NM_		Hs.93201	glycerol-3-phosphate dehydrogenase 2 (mi	1.6 1.4	other
60	135032 AW3		Hs.173685	hypothetical protein FLJ12619 KIAA1488 protein	1.8	other
	135077 AW5 135083 AB03		Hs.9414 Hs.94262	p53-inducible ribonucleotide reductase s	2.5	other
	135095 AF02		Hs.9443	zinc finger protein 202	1.5	TM
	135096 AA0		Hs.132390	zinc finger protein 36 (KOX 18)	2.1	other
65	135153 AI09		Hs.95420	JM27 protein	4.4	?
	135181 BE2		Hs.279529	px19-like protein	14.9	?
	135199 AA4	77514	Hs.96247	translin-associated factor X	1.3	other

				TOT IN IL I WAS CAR INDIANI DETTATE	47	-11
		N26427	Hs.9634	ESTs, Highly similar to C10_HUMAN PUTATI	1.7	other
	135214	T78802	Hs.96560	hypothetical protein FLJ11656	6.2	other
	135243	BE463721	Hs.97101	putative G protein-coupled receptor	2.8	TM
	135245	AI028767	Hs.262603	ESTs	12.2	TM
5	135257	AW291023	Hs.97255	ESTs, Weakly similar to A46010 X-linked	7.7	TM
		AI088775	Hs.55498	geranylgeranyl diphosphate synthase 1	1.8	other
		AA448460	Hs.112017	GE36 gene	4.2	SS,
		AA150320	Hs.9800	protein kinase Nimu-R1	1.2	other
		A1090838	Hs.98006	ESTs	4.9	other
10				ESTs, Weakly similar to KIAA0822 protein	5.9	?
10		Al743770	Hs.98368	ests, veakly similar to NAAVOZZ protein		
		Al652069	Hs.98614	ribosome binding protein 1 (dog 180kD ho	12.3	TM
		AA456454	Hs.183418	cell division cycle 2-like 1 (PITSLRE pr	5.8	?
	135361	AA373452	Hs.167700	Homo sapiens cDNA FLJ10174 fis, clone HE	8.1	other
	135389	U05237	Hs.99872	fetal Alzheimer antigen	1.9	other
15	135400	X78592	Hs.99915	androgen receptor (dihydrotestosterone r	13.9	TM
	302256	AA857131	Hs.171595	HIV TAT specific factor 1 .	1.6	other
		AW057736	Hs.323910	HER2 receptor tyrosine kinase (c-erb-b2,	5.3	other
		AW592789	Hs.279474	HSPC070 protein	2.2	TM
		AK000714	Hs.109441	MSTP033 protein	1.4	SS.
20					5.2	other
20		R43191	Hs.101248	Homo sapiens clone IMAGE:32553, mRNA seq		
		AA808229	Hs.167771	ESTs	2.3	?
	317781	NM_007057	Hs.42650	ZW10 interactor	2.9	?
	320836	Al268997	Hs.197289	rab3 GTPase-activating protein, non-cata	2	other
	321114	AA902258	Hs.78979	Golgi apparatus protein 1	5.6	SS,
25	322221	N24236	Hs.179662	nucleosome assembly protein 1-like 1	1.4	?
,		AF118083	Hs.29494	PRO1912 protein	1.3	other
		BE041451	Hs.177507	hypothetical protein	2.9	SS,
		AF292100	Hs.104613	RP42 homolog	1.6	other
				BUB3 (budding uninhibited by benzimidazo	1.8	other
20		BE278431	Hs.40323		1.6	other
30		AL034548	Hs.43627	SRY (sex determining region Y)-box 22		
		A1580090	Hs.48295	RNA helicase family	6.2	other
		R73727	Hs.101617	ESTs, Weakly similar to T32527 hypotheti	5.7	other
	409487	H19886		gb:yn57a05.r1 Soares adult brain N2b5HB5	2.7	other
	413670	AB000115	Hs.75470	hypothetical protein, expressed in osteo	2.6	?
35	414108	AI267592	Hs.75761	SFRS protein kinase 1	2.4	TM
		AW304454	Hs.77495	UBX domain-containing 1	2.4	other
		AW819158	Hs.289044	Homo sapiens cDNA FLJ12048 fis, clone	2.3	other
		AA381133	Hs.80684	high-mobility group (nonhistone chromoso	4.2	TM
					23.6	other
40 .		R57256	Hs.82037	TATA box binding protein (TBP)-associate	5.8	other
40 ·		S79895	Hs.83942	cathepsin K (pycnodysostosis)		
		NM_006910	Hs.85273	retinoblastoma-binding protein 6	1.3	other
	420269	U72937	Hs.96264	alpha thalassemia/mental retardation syn	1.6	` ?
	420802	U22376	Hs.1334	v-myb avian myeloblastosis viral oncogen	2.3	?
	421225	AA463798	Hs.102696	MCT-1 protein	1.6	, ? ·
45	421642	AF172066	Hs.106346	retinoic acid repressible protein	3.5	other.
		AW891965	Hs.279789	histone deacetylase 3	5 .	other
		Al252640	Hs.110364	peptidylprolyl isomerase C (cyclophilin	3.1	TM
		AA302744	Hs.104518	ESTs	1.9	TM
		NM_014320	Hs.111029	putative heme-binding protein	2.4	other
50			Hs.298229	prefoldin 2	4.2	. ?
20		AF165883			7.1	ż
		W67883	Hs.137476	paternally expressed 10 (PEG10; KIAA105	2.3	. other
		AF041259	Hs.155040	zinc finger protein 217		
	425284	AF155568	Hs.155489	NS1-associated protein 1	3.5	other
_	426372	BE304680	Hs.169531	DEAD/H (Asp-Glu-Ala-Asp/His) box polypep	1.9	?
55	428049	AW183765	Hs.182238	GW128 protein	7.6	?
	428477	AW500533	Hs.11482	splicing factor, arginine/serine-rich 11	1.7	other
		AB001636	Hs.5683	DEAD/H (Asp-Glu-Ala-Asp/His) box polypep	2.4	other
		AK001333	Hs.6216	Homo saplens hepatocellular carcinoma-as	3.8	other
		F13386	Hs.7888	Homo sapiens clone 23736 mRNA sequence	5.6	· other
60		AF167572	Hs.12912	skb1 (S. pombe) homolog	2	TM
UU				hypothetical protein MGC4485	7.6	other
		AA151520	Hs.334822		2.2	other
		A1017574	Hs.17409	cysteine-rich protein 1 (intestinal)	2.9	other
		BE620592	Hs.71190	ESTs, Weakly similar to S16506 hypotheti		
-		NM_003677	Hs.22393	density-regulated protein	1.8	other
65		W68520	Hs.331328	intermediate filament protein syncollin	5.9	other
		H39960	Hs.288467	Homo sapiens cDNA FLJ12280 fis, clone MA	5.7	other
•		AA011202	Hs.184771	nuclear factor I/C (CCAAT-binding transc	1.4	other

	450404	1120000	11- 400400	La consistion footor	4.8	?
	452461	N78223 BE408178	Hs.108106 Hs.285165	transcription factor Homo sapiens cDNA FLJ20845 fis, clone AD	2.9	other
		AF077036	Hs.31989	DKFZP586G1722 protein	12.1	SS,TM
		BE541906	Hs.87819	Homo sapiens, clone MGC:2492, mRNA, comp	4.8	other
5		AA328229	Hs.184582	ribosomal protein L24	1.8	TM
	100690	AA383256	Hs.1657	estrogen receptor 1	1.6	other
		AF135168	Hs.108802	N-ethylmalelmide-sensitive factor	1.3	other ?
		AA836472	Hs.297939	cathepsin B	1,7 16.9	other
10		NM_006262	Hs.37044	peripherin - gb:Human calcium, calmodulin-dependent p	3.2	other
10 -	102481	AA262170	Hs.80917	adaptor-related protein complex 3, sigma	2	?
		BE270465	Hs.78793	protein kinase C, zeta	8	other
."		AL135301	Hs.8768	hypothetical protein FLJ10849	1.8	other
		AB040450	Hs.279862	cdk inhibitor p21 binding protein	2	?
15	104532	Al498763	Hs.203013	hypothetical protein FLJ12748	2.1	other
		AL117403	Hs.306189	DKFZP434F1735 protein	1.2 7	other ?
		AA127818	11- 20475	gb:zl12a02.s1 Soares_pregnant_uterus_NbH	2.6	· .
		AA907305	Hs.36475 Hs.8832	ESTS ESTS	1.6	other
20		AA454036 AL043152	Hs.50421	KIAA0203 gene product	4.9	other
20		N95657	Hs.6820	ESTs, Moderately similar to YOJ1_CAEEL H	2.5	TM
		AA122393	Hs.70811	hypothetical protein FLJ20516	1.3	other
		AW579842	Hs.104557	hypothetical protein FLJ10697	5.3	TM
	110330	Al288666	Hs.16621	DKFZP434I116 protein	6.3	other
25		NM_003896	Hs.225939	sialyltransferase 9 (CMP-NeuActlactosylc	5.1	SS, other
		W46342	Hs.325081	Homo saplens, clone IMAGE:3659680, mRNA,	8.4 3.7	TM
		AW503990	Hs.142442	HP1-BP74	1.3	other
		AV653556 AK001827	Hs.184411 Hs.87889	albumin helicase-moi	2	other
30		AA253314	Hs.154103	LIM protein (similar to rat protein kina	1.5	other
50		AI634549	Hs.88155	ESTs	2.8	other
		AF161470	Hs.260622	butyrate-induced transcript 1	· 5.8	TM
		M10905	Hs.287820	fibronectin 1	5.7	other
	119615	AL034423	Hs.75875	ubiquitin-conjugating enzyme E2 variant	1.3	other
35		AA131376	Hs.326401	fibroblast growth factor 12B	38.9 2.9	other ?
		BE065136	Hs.145696	splicing factor (CC1.3) collagen, type IV, alpha 3 (Goodpasture	1.8	other
		X80031	Hs.530	chromosome 22 open reading frame 3	3	other
		AA419008 F34856	Hs.106730 Hs.292457	Homo sapiens, clone MGC:16362, mRNA, com	13.3	other
40		AI580127	Hs.107381	hypothetical protein FLJ11200	10.9	other
-10		R62676	Hs.17820	Rho-associated, coiled-coil containing p	2.4	other
-		AI096988	Hs.111554	ADP-ribosylation factor-like 7	8.2	TM
	129453	AW974265	Hs.111632	Lsm3 protein	3.3	?
	129629	AK000398	Hs.11747	hypothetical protein FLJ20391	3.9	other
45		M30773	Hs.278540	protein phosphatase 3 (formerly 2B), reg	5.3 4.6	TM other
٠		AF042379	Hs.13386	gamma-tubulin complex protein 2 activating transcription factor 6	4	SS,
		AB015856	Hs.247433 Hs.192853	ubiquitin-conjugating enzyme E2G 2 (homo	4.6	other
•		BE267033 W56119	Hs.155103	eukaryotic translation initiation factor	11	other
50		AL121438	Hs.183706	adducin 1 (alpha)	2.7	other
50		U64675	Hs.179825	RAN binding protein 2-like 1	7.9	other
	130586	AB007891	Hs.16349	KIAA0431 protein	5.6	TM
	130768	AF258627	Hs.211562	ATP-binding cassette, sub-family A (ABC1	5.2	other
	130992	BE398091	Hs.74316	desmoplakin (DPI, DPII)	1.8 1.7	TM ?
55	131047	H23230	Hs.22481	ESTs, Moderately similar to A46010 X-lin	3.3	τ'n
		NM_016569	Hs.267182	TBX3-iso protein Nijmegen breakage syndrome 1 (nibrin)	2.6	other
	131335	AF058696 X76732	Hs.25812 Hs.3164	nucleobindin 2	2.9	TM
	131700	BE267158	Hs.169474	DKFZP586J0119 protein	5.6	other
60	13185	Al681917	Hs.3321	ESTs. Highly similar to IRX1_HUMAN IROQU	1.3	other
50	131881	AW361018	Hs.3383	unstream regulatory element binding prot	3.2	TM
	131887	7 W17064	Hs.332848	SWI/SNF related, matrix associated, acti	3.2	other
	13203	AF193844	Hs.3758	COP9 complex subunit 7a	5.9 2.2	? TM
	13219	2 AA206153	Hs.4209	mitochondrial ribosomal protein L37 synaptosomal-associated protein, 29kD	7.9	?
65	13220	3 NM_004782 0 AB018324	Hs.194714 Hs.42676	Synaptosomar-associated protein, 29kD KIAAD781 protein	4.3	other
	13224	8 AW057708	Hs.42076 Hs.170311	heterogeneous nuclear ribonucleoprotein	12.5	other
	17254					

	132528 T78736	Hs.50758	SMC4 (structural maintenance of chromoso	7.4	?	
•	132571 AW674699	Hs.5169	suppressor of G2 allele of SKP1, S. cere	6.9	other	
	132726 N52298	Hs.55608	hypothetical protein MGC955	14.3	?	
_	132863 BE268048	Hs.236494	RAB10, member RAS oncogene family	10.3	other	
5	133016 Al439688	Hs.6289	hypothetical protein FLJ20886	4.4	other	
	133053 Al065016	Hs.6390	Homo sapiens clone FLB3344 PRO0845 mRNA,	1.8	SS,TM	
	133197 Al275243	Hs.180201	hypothetical protein FLJ20671	1.8	other	
	133240 AK001489	Hs.242894	ADP-ribosylation factor-like 1	1.8	other	
10	133266 Al160873	Hs.69233	zinc finger protein	16.1	other	
10	133285 M76477	Hs.289082	GM2 ganglioside activator protein	10.4	SS, ?	
	133383 BE313555	Hs.7252	KIAA1224 protein	1.5 1.7	other	
	133540 AL037159	Hs.74619	proteasome (prosome, macropain) 26S subu	12.1	other	
	133784 BE622743	Hs.301064	arfaptin 1	9.7	other	
15	133791 M34338	Hs.76244	spermidine synthase cellular retinoic acid-binding protein 1	4.2	SS,	
13	133850 W29092 133859 U86782	Hs.7678 Hs.178761	26S proteasome-associated pad1 homolog	2.2	other	
	133881 U30872	Hs.77204	centromere protein F (350/400kD, mitosin	9.1	other	
	134208 NM_000288	Hs.79993	peroxisomal biogenesis factor 7	3.2	other	
	134403 AA334551	Hs.82767	sperm specific antigen 2	1.4	other	
20	134724 AF045239	Hs.321576	ring finger protein 22	1.4	other	
20	134806 AD001528	Hs.89718	spermine synthase	2.6	other	
	134859 D26488	Hs.90315	KIAA0007 protein	13.3	other	
	135193 X95525	Hs.96103	TATA box binding protein (TBP)-associate	3.1	other	
	AA243007	110.00100	ESTs	1.6	?	
25	T70541		ESTs	2.5	SS,	
20	X57766		Human stromelysin-3 mRNA	4.5	other	
	S66431		Homo sapiens clone 23592 mRNA sequence	3.1	other	
	AA453483		ESTs	4.6	TM	
	R63925		ESTs	1.4	other	
30	AA173417		ESTs	1.9	other	
	AA280588		ESTs	2.2	other	
	AA504223		ESTs Highly similar to CHROMOSOME	2.4	other	
	AA609996		ESTs Highly similar to Surf-4 protein [M.musculus]	5.5	?	
	F02907	•	ESTs	2.3	TM	
35	AA480103		ESTs Weakly similar to !!!! ALU SUBFAMILY J	2.8	TM	
	AA024664		Human NADH:ubiquinone oxidoreductase subunit	6.2	other	
	AA251776		ESTs	2.3	other	
	AA399047		ESTs	2.4	other	
4.0	N34059		EST - RC_N34059	3.3	other	T14
40	U95367		Human GABA-A receptor pi subunit mRNA complet		1.7	TM
	. AA490899		ESTs	3.3 2.9	other	
	T54762	•	ESTS		ŕ.	
	Z41963	•	Homo saplens HP protein (HP) mRNA complete cd	1.6	TM	
45	AA521186		ESTS ESTS	1.3	other	
43	AA400195		VITAMIN K-DEPENDENT GAMMA-CARBOXYLAS	-	2.5	other
	AA045083 AA099589	•	Homo sapiens mRNA for GDP dissociation inhibitor		1.6	TM
	W85712		ESTs Weakly similar to PROCOLLAGEN ALPHA 2		2.6	TM
	W45728		ESTs Highly similar to HETEROGENEOUS	3.7	other	
50	U61232		Human tubulin-folding cofactor E mRNA complete		2.1	other
50	AA425154		ESTs	5.3	other	
	T39176		ESTs Weakly similar to ZK1058.4 [C.elegans]	2.6	SS,TM	
-	AA496000		ESTs	1.9	SS,	
•	W38150		EST - RC_W38150	1.7	?	
55	T96595		EST - RC_T96595	1.8	TM	
	AA227463		ESTs Weakly similar to No definition line found [C.	elegans)	1.9	?
	R46025		ESTs	2.8	SS,	
	AA233177		ESTs	2	other	
_	AA338760		ESTs	1.3	?	
60	AA412106		ESTs	6.2	other	
	L47276		EST - L47276	3.4	other	
	D82307		ESTs Weakly similar to TH1 protein [D.melanogas		11.4	other
	AA293568		ESTs	1.5	other	
~ ~	R37778		ESTs	2.4	other	
65	AA250843		Interferon regulatory factor 5	14.6	?	
	W49521		Human prolyl 4-hydroxylase alpha (II) subunit	6.5	? other	
	D80000		Human mRNA for KIAA0178 gene partial cds	2	OHIEN	

R99978		ESTs Weakly similar to line-1 protein ORF2 [H.s.	apiensl	6.1	?
	AA195036	Human Ro/SSA ribonucleoprotein hamolog (RoF		?	
	Z38501	ESTs Weakly similar to PROBABLE E5	1.4	other	
	U37547	Human IAP homolog 8 (MIHB) mRNA complete	cds 3.2	other	
5	AA479961	ESTs	1.7	other	
-	X57579	Inhibin beta A (activin A activin AB alpha polyper	ntide)	15.8	?
	AA449071	ESTs	1.3	TM	-
	N51855	ESTs Moderately similar to NAD(+) ADP-	1.3	other	
	AA421213	ESTs Weakly similar to F28F8.3 [C.elegans]	3.2	other	
10	AA355201	ESTs	1.2	SS,TM	
10	N78717	H.sapiens mRNA for translin	1.5	?	
	N73808	ESTs	5	?	
	U86782	Human 26S proteasome-associated pad1	2.2	other	
	AA234817	ESTs	1.3	other	
15	D13666	Homo sapiens mRNA for osteoblast specific	7.5	SS.	
	AA236177	ESTs	7.1	?	
	U50648	Protein kinase interferon-inducible double	4.1	?	
	M28211	Homo sapiens GTP-binding protein (RAB4)	2.9	other	
	AA446949	ESTs	2.2	other	
20	W03007	ESTs	1.2	other	
	W61011	ESTs	1.2	other	
	W87544	ESTs	1.2	other	
	X02751	Neuroblastoma RAS viral (v-ras) oncogene home	olog 1.2	?	
	Z14077	YY1 transcription factor	1.2	other	
25	Z38839	ESTs	1.2	?	
	AA410894	ESTs	1.7	other	
	AA504499	ESTs Highly similar to probable chloride channel	3 [H.sap	1.3	other
		• •			

TABLE 7A

Table 7 A shows the accession numbers for those pkeys lacking unigeneID's for Table 7. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

5

Pkey:

Unique Eos probeset Identifier number

CAT number: Gene cluster number

Accession:

Genbank accession numbers

15

Pkey CAT number

Accession

102481 31281_-28

U50360

20 105032 genbank_AA127818

127818 AA127818

409487 1134778_1

H19886 AW402806 T10231

TABLE 8: Figure 8 from BRCA 001-1 US

Table 8 shows genes upregulated in tumor tissue compared to normal breast tissue. Specifically, one column shows the ratio of expression of the indicated gene in breast tumor tissue compared to other body tissues, and another column shows the ratio of expression of the indicated gene in breast tumor tissue compared to normal breast tissue.

10						
	Pkey:	Uniq	ue Eos probe	set identifier number		
	ExAccn:	Exe	nplar Accessi	on number, Genbank accession number		
	Unigene	ID: Unig	ene number			
	Unigene		ene gene title			
15	R1:	Ratio		normal body tissue		
	R2:		Ratio of turn	nor to normal breast tissue		
	Pkey	ExAcon .	Hereneil	Unigene Title	R1	Ř2
	rncy	LARCON .	onigencia		•••	
20	100075	AF152333	Hs.284160	protocadherin gamma subfamily B, 4	1	3.8
	100229	AV652249		polymerase (DNA directed), beta	1.7	5.3
		D38500		postmelotic segregation increased 2-like	0.8	4.8
		BE160081		S100 caldum-blnding protein A11 (calgiz	3.2	2.3
0.5		Al907114	Hs.71465	squalene epoxidase	3.3	1.4
25	,	X51501	Hs.99949	prolactin-induced protein	11.9	0.4
		AA019521	Hs.301946		3.8	1.2
		X77343		transcription factor AP-2 alpha (activat	9.4	9.4
,		X02761		fibronectin 1	3	7.8
		AA383256	Hs.1657	estrogen receptor 1	4.4	4.4
30		U01351	Hs.75772	nuclear receptor subfamily 3, group C, m	1_	3.9
		K01160		NM_002122:Homo sapiens major histocom		4
		AA382524	Hs.250959		0.8	4.1
		NM_002923	Hs.78944	regulator of G-protein signalling 2, 24k	1.2	12
	101161	NM_006262	Hs.37044	peripherin	3.1	1.1
35		L22524	Hs.2256	matrix metalloproteinase 7 (MMP7; uterin	4.4	0.6
	101212	Al186220	Hs.83164	collagen, type XV, alpha 1	3.1	3.4
		AW468397	Hs.100000	S100 calcium-binding protein A8 (calgran	0.9	4.2
٠.		M21305		gb:Human alpha satellite and satellite 3	29.9	0.3
		AA310162		cytochrome c	0.8	4.9
40 .		M33552	Hs.56729	lysosomal	1 .	5.9
		BE561617	Hs.119192	H2A histone family, member Z	2.8	4
		M55998		gb:Human alpha-1 collagen type I gene, 3	3.1	1.7
		NM_002291	Hs.82124	laminin, beta 1	1.5	4.1
		AA350659	Hs.83347	angio-associated, migratory cell protein	3.1	.1.4
45		AF112213		putative Rab5-interacting protein	1.3	6.9
		AL036335	Hs.313	secreted phosphoprotein 1 (osteopontin,	1.9	4.9
		AA334592	Hs.79914	lumican	2.2	3.8
		AF015224	Hs.46452	mammaglobin 1	4.2	0.7
50		NM_003480		Microfibril-associated glycoprotein-2	1.1	4.2
50		NM_001394	Hs.2359	dual specificity phosphatase 4	4.5	0.5
		U96759		von Hippel-Lindau binding protein 1	1.4	4.2
		Al379954	Hs.79025	KIAA0096 protein	0.9	3.9
		BE244588	Hs.6456	chaperonin containing TCP1, subunit 2 (b	1.5	10.9
		R50032		collagen, type VI, alpha 2	2.2	6.2
55		AW293542	Hs.75309	eukaryotic translation elongation factor	5.6	5.7
		X63629	Hs.2877	cadherin 3, type 1, P-cadherin (placenta	3.7	0.5
		X69089	Hs.79227	myomesin (M-protein) 2 (165kD)	1.3	4
		D38616	Hs.54941	phosphorylase kinase, alpha 2 (liver)	1.3	3.8
		X83492	Hs.82359	tumor necrosis factor receptor superfami	8.0	4.6
60		BE536700	Hs.4888	seryl-iRNA synthetase	0.9	8
•		T34708	Hs.272927		1.1	5.1
	103471		Hs.75216	protein tyrosine phosphatase, receptor t	3.7	1.2
	103546	Z14244	Hs.75752	cytochrome c oxidase subunit VIIb	0.9	4.4
				4	-	

	103658	880000_MM	Hs.172928	collagen, type I, alpha 1	3.2	3	
		AA084874		gb:zn13e04.r1 Stratagene hNT neuron (937	0.9	10	
	103774	H24185	Hs.92918	hypothetical protein	1.9	15.9	
_		AA095971		Homo saplens cDNA: FLJ22463 fis, clone H		3.9	
5		BE439604		ATPase, H+ transporting, lysosomal (vacu	1.4	3.9	
		AW130242 AK001913		hypothetical protein FKSG44	1.6 1.5	4.1 4.3	
		AF183810	Hs.7100 Hs.26102	hypothetical protein opposite strand to trichorhinophalangeal	7	7	
		AB040927		KIAA1494 protein	2	4.6	
10		AB002347		KIAA0349 protein	0.7	4.5	
		AW583693		N-terminal acetyltransferase complex ard	3.3	3.3	
		AW365522		hypothetical protein PRO2219	2.3	4.2	
		AW804296	Hs.9950	Sec61 gamma	3.1	7	
15		AF283775	Hs.35380	x 001 protein	4 3.8	1.3 0.6	
13	104432	AW966728	Hs.99949 Hs.54642	protactin-induced protein methionine adenosyltransferase II, beta	0.8	6.7	
		AK001731		Homo sapiens mRNA; cDNA DKFZp586H092		1.7	4.8
		W94824			2	7.5	
		AW630488		protease, serine, 23	1.9	7.4	
20		AF123303			1.1	6.3	
		R82252	Hs.106106	protein kinase (cAMP-dependent, catalyti	1.2	4	
	104782	AW270555	Hs.171774	hypothetical protein	1.4	3.9	
		AA960961	Hs.305953	zinc finger protein 83 (HPF1)	1.5	4.2	
05		AA305351		uncharacterized hypothalamus protein HAR		4.1	
25		Al279065		ribosomal protein S6	1.3	4.6	•
		AL133035	Hs.8728	hypothetical protein DKFZp434G171	1.2	3.6 4.2	
		W70164	Hs.20107 Hs.29759	ESTS RNA POLYMERASE I AND TRANSCRIPT RE	0.8 :1 EASE	1.7	5.1
		AA058630 W03831	Hs.20597	host cell factor homolog	0.8	5.4	J. I
30		W44626	Hs.30627	ESTs	0.7	6.8	
		AW955089		Novel human gene mapping to chomosome 2		1 3.9	
		BE298808	Hs.33363		3.3	3.3	
	104952	AW076098	Hs.74316	desmoplakin (DPI, DPII)	1.2	3.7	
ء ذ		AB029020		KIAA1097 protein	1.1	5.5	
35		Al392640	Hs.18272	amino acid transporter system A1	3.2	1.4	
		BE613061		Homo sapiens, Similar to RIKEN cDNA 0610	1.6	11.4	
		N39760	Hs.8859	Homo sapiens, Similar to RIKEN cDNA 5830		7.2 3.5	
		BE410438 AF146277	Hs.9006	VAMP (vesicle-associated membrane protei CD2-associated protein	1.2	10	
40		AA313825	Hs.21941		3.6	8.3	
-10		BE407961	Hs.18271	golgi phosphoprotein 3	1.7	6.8	•
		AI554929		ATPase, H+ transporting, lysosomal (vacu	1.1	3.7	
	105303	BE243327		chromosome 22 open reading frame 5	1.5	4	
	105413	AI015709		Homo sapiens mRNA; cDNA DKFZp586l2022		1.5	14
45			Hs.23439		4.3	2.9	
		W03516	Hs.76698		1.5	5	
		AA252372 AL137257	Hs.12144	KIAA1033 protein Homo sapiens cDNA: FLJ23015 fis, clone L	1.2 1.7	3.6 15.8	
		AI805717		CGI-43 protein	2	4.8	
50		AL037715		microfibrillar-associated protein 3	1.3	3.9	
		AB040884		KIAA1451 protein	2.7	11.4	
		AB024334	Hs.25001		1.3	6.1	
	105623	BE504200	Hs.30127	hypothetical protein	1.7	4.5	
~ ~		AA788946	Hs.16869	ESTs, Moderately similar to CA1C RAT COL	3.9	24.6	
55		BE614149		CGI-27 protein	1.8	3.6	
		AI559444	Hs.293960		1.9	6.6 4.3	
		AA329449		twisted gastrulation hypothetical protein FLJ13612	1.5 3.8	1.9	
		AI827976 BE392914	Hs.24391 Hs.30503	Homo sapiens cDNA FLJ11344 fis, done PL		4	
60		AW028485	Hs.26136	hypothetical protein MGC14156	1.7	7.4	
		AL137728	Hs.12258	Homo sapiens mRNA; cDNA DKFZp434B092		1.2	3.8
		AB033075	Hs.10669	development and differentiation enhancin	1.3	4.6	
	105969	AB030656	Hs.17377	coronin, actin-binding protein, 1C	1.1	5.9	-
		A1690586	Hs.29403	hypothetical protein FLJ22060	2	4.6	
65		AI240665	Hs.8895	ESTs	4.1	1.2	
		NM_001329		C-terminal binding protein 2	2.6	7 10.7	
	100070	T74445	Hs.5957	Homo sapiens clone 24416 mRNA sequence	1.79		

	106083	H62087	Hs.31659	thyrold hormone receptor-associated prot	1.5	3.6	
		AA425414	Hs.33287	nuclear factor VB	5.4	1.2	
		BE613206	Hs.279607		1.8	4	
_		BE568205	Hs.28827	mitogen-activated protein kinase kinase	5.1	6.1	
5		AK000274		HDCMA18P protein	1.2	5.9	
		AW051564	Hs.28285	patched related protein translocated in	1.8 2.3	5.4 11.2	
		BE044325 N88604		U6 snRNA-associated Sm-like protein	1.2	3.6	
		H09548	Hs.30212 Hs.5367	thyroid receptor interacting protein 15 ESTs, Weakly similar to 138022 hypotheti	0.9	4.4	
10		AA459480	Hs.23956	hypothetical protein FLJ20502	1.3	3.6	
		BE387614	Hs.25797	splicing factor 3b, subunit 4, 49kD	1.6	7.3	
		AA741038	Hs.6670	ESTs	1.7	6.1	
		AA206079	Hs.6693	hypothetical protein FLJ20420	1	5.4	
		AA487416		Homo saplens cDNA: FLJ23111 fis, clone L	1.6	5.4	
15	106868	BE185536	Hs.301183	molecule possessing ankyrin repeats indu	3.3	1.2	
	106887	BE503373		hypothetical protein FLJ13576	1.4	6.3	
		T85594		hypothetical protein FLJ10120	3.3	1.8	
		AF216751	Hs.26813	CDA14	3	3	
20		BE391904	Hs.12482	glyceronephosphate O-acyltransferase	1.7	7.6	
20		BE147611	Hs.6354	stromal cell derived factor receptor 1	1.2	4.3	
		AI289507		hypothetical protein FLJ23399	1.8 1.2	6.5 6.9	
		BE172058 BE267795	Hs.82689 Hs.22595	tumor rejection antigen (gp96) 1	1.4	3.5	
		AA186629	Hs.80120	hypothetical protein FLJ10637 - UDP-N-acetyl-alpha-D-galactosamine:polyp	2.6	4.3	
25		AA011510	Hs.60512	ESTs	1.8	4	
		AA027229	Hs.61329	ESTs, Weakly similar to T16370 hypotheti	1.3	3.5	
		AF109219		phosphatidylinositol glycan, class N	1.6	3.5	
		AW368993		Homo sapiens clone CDABP0086 mRNA seq	uen	1.8	8.1
	108060	AA291440	Hs.73149	paired box gene 8	1.1	3.5	
30	108081	AA093668	Hs.28578	muscleblind (Drosophila)-like	0.7	5.6	
		Al283611		ESTs, Weakly similar to HMG1_HUMAN HIGH		1.2	5.6
		AW068579	Hs.7780	Homo sapiens mRNA; cDNA DKFZp564A072		3.1	6.9
		AI879238		collapsin response mediator protein-5; C	1.5	4.6	
25		AA333660	Hs.71331	hypothetical protein MGC5350	1.5	6.2	4.7
35		AW151340	Hs.51615	ESTs, Weakly similar to ALU7_HUMAN ALU	3 1.3	6.3 3.8	4.
		AA074374 AF086070	Hs.67639 Hs.237519	ESTS	1.3	3.6	
		AA079487	1 13.23/ 3 13	gb:zm97f08.s1 Stratagene colon HT29 (937	1.5	3.6	
		AA079500		gb:zm96h10.s1 Stratagene colon HT29 (937	1.1	4.3	
40		M23114	Hs.1526	ATPase, Ca++ transporting, cardiac muscl	2	4.9	
		AA112059	Hs.429	ATP synthase, H+ transporting, mitochond	1.1	3.5	
		AA058522	Hs.185751		1.2	3.6	
45505560	108694	AA036725 .	Hs.61847		1.4	3.6	-
	108824	AK001332	Hs.44672	hypothetical protein FLJ10470	1.4	3.5	
		AA133456		glucocorticold receptor DNA binding fact	1.2	4	
		BE276891		retinoic acid induced 3	1.3	3.6	
		AA152312	Hs.72047	ESTs	1.1 1.2	4.1 3.5	
		AI732585 AA167512	Hs.22394	hypothetical protein FLJ10893 gb:zp10f12.s1 Stratagene fetal retina 93	1.3	5.5	
		BE220601	He 301007	hypothetical protein FLJ13033	4	6.1	
		BE179030	Hs.64239			1.7	7.
		AA878923		hypothetical protein FLJ21016	3.8	7.7	
		AA366263	Hs.72531	hypothetical protein FLJ11838	1.9	4	
	109795	AA173942	Hs.326416	Homo sapiens mRNA; cDNA DKFZp564H191	16 (f	3.7	1.3
	110009	BE075297	Hs.6614	ESTs, Weakly similar to A43932 mucin 2 p	4.6	7.4	
		AW151660	Hs.31444	ESTs	1.2	3.5	
		AW001579	Hs.9645	Homo sapiens mRNA for KIAA1741 protein,	3.7	3.3	
		NM_014899		KIAA0878 protein	2.8	3.7 3.5	
		N21207	Hs.182999		1.6	1.2	
		BE242691	Hs.14947	ESTs hypothetical protein DKFZp564K142	3.1 1.9	7.5	
		Al753230 Al681293	Hs.12186	hypothetical protein FLJ22558	2	4	
65		AK001566	Hs.23618	hypothetical protein FLJ10704	1.1	3.8	
		BE301871	Hs.4867	mannosyl (alpha-1,3-)-glycoprotein beta-	1	8.2	
		BE314949	Hs.87128	hypothetical protein FLJ23309	3.3	6.1	
		R27975		ESTs, Moderately similar to S65657 alpha	1.2	5.4	
		AF131784	Hs.25318	Homo sapiens clone 25194 mRNA sequence	3.2	8.0	

	111903	NM_014906	Hs.166351	KIAA1072 protein	1	5.4
		NM_014927			1	3.8
	112141	AW137198	Hs.278682	Phosphatidylglycerophosphate Synthase	1.4	3.5
_	.112193	R49499	Hs.138238		1.5	3.6
5		NM_003655	Hs.5637		4.6	2
		AW500106	Hs.23643		3.3	10.5
	112971		Hs.83883		3.2	3
	112984				3.7	10.8
10		AF019226	Hs.8036		4.5 1.2	3.7 4.4
10		AW160683		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	0.9	3.6
		AF143321 AL042936	Hs.15572		0.3 1.1	3.5
		AK001898	Hs.16740		1.2	3.9
		A1075407		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1.7	5.3
15		NM_014214	Hs.5753		0.8	6.1
		W30681			1.7	6.2
		AW243158	Hs.5297		1.2	4.6
	113931	BE255499	Hs.3496		1.5	4
	113936	W17056	Hs.83623	nuclear receptor subfamily 1, group 1, m	3.8	1
20	113987	AA345519	Hs.9641		1.2	4.7
	114132	Al342493	Hs.24192	Homo sapiens cDNA FLJ20767 fis, clone CO		4.3
	114156	BE179882	Hs.336920	S	1.1	4.3
		N58309	Hs.19575		1.6	9.2
0.5		AA075488			1.6	3.7
25		AI929382		.,,,	1.4	4
		T10446	Hs.95388	20.0	1	4.3 9.2
		AB037858			1.6 1.4	5.2 5.2
		AV660012 Al683069	Hs.175319	.,,	3.7	1
30		BE541042	Hs.23240		3.2	4.2
50		N36110		solute carrier family 2 (facilitated glu	1.5	3.9
		AW582256	Hs.91011		1.3	5.9
		AW410233		YME1 (S.cerevisiae)-like 1	1.7	6.6
		AB037836		KIAA1415 protein	1.5	9.1
35		BE383668	Hs.42484		0.9	4.3
	116046	BE395293	Hs.94491	hypothetical protein FLJ20297	1.6	5.5
	116274	Al129767	Hs.182874	9	3.2	2.4
	116310	Z24854	Hs.42299		0.8	4.7
40	116356	Al371223			2.4	3.9
40		AF191018		putative nucleotide binding protein, est	5.5	5.5
		AA313607	Hs.58633	Homo sapiens cDNA: FLJ22145 fis, clone H	5	1.3
		AI272141	Hs.83484	SRY (sex determining region Y)-box 4	8.7	4.5
		D21262	Hs.75337	nucleolar and coiled-body phosphprotein	3.2 3.2	6.9 3
45		AW888411	Hs.81915	leukemia-associated phosphoprotein p18 (3.1	8.3
43		AI557212 H25836	Hs.17132	ESTs, Moderately similar to 154374 gene ESTs, Moderately similar to unknown [H.s	3.2	4.5
		N25929		ADP-ribosylation factor-like 5	7	5.5
•		N20066		PTPRF interacting protein, binding prote	1.2	6.2
		M18217		Homo saplens cDNA: FLJ21409 fis, clone C	4.5	2.4
50		Al383467	Hs.44597	ESTs	1.4	4.2
•		U59305	Hs.44708	Ser-Thr protein kinase related to the my	4.3	0.5
		AF161470	Hs.260622	butyrate-induced transcript 1	2.1	5.7
		BE327311	Hs.47166		3.6	7.7
	118475	N66845		gb:za46c11.s1 Soares fetal liver spleen	4.2	0.5
55	118493	AL353944	Hs.50115	Homo sapiens mRNA; cDNA DKFZp761J1112		3.5
		N67343		gb:yz50b07.s1 Morton Fetal Cochlea Homo	2.1	3.8
•		AF142419	Hs.15020	homolog of mouse quaking QKI (KH domain	3.7	1.5
		BE048061	Hs.37054	ephrin-A3	3	1.1
C O		BE218319	Hs.5807	GTPase Rab14	1.1	5.6
60		BE041667	Hs.314544		1.4 3.2	4.3 1
		A1905687	Hs.2533	EST DVE7DERERR310 amtain-	4.3	0.7
		AL050097 BE565849	Hs.14158	DKFZP586B0319 protein- copine III	3.5	1.9
				hypothetical protein DKFZp762F2011	1.5	3.7
65		AW968080	Hs.152939	Homo sapiens clone 24630 mRNA sequence		1.4
05		AF150208	Hs.108327	damage-specific DNA binding protein 1 (1	1.6	6.8
		AA350781	Hs.96967		1.1	3.6

3.3

	121368	BE262956	Hs.178292	KIAA0180 protein	1.5	4.1	
		AA416785		heterogeneous nuclear ribonucleoprotein	2.2	5.5	
	121723	AA243499	Hs.104800		3.4	3.2	•
_	122223	AF169797			3.9	3.9	
5					1.4	7.1	
		AI718702		major histocompatibility complex, class	1.4	3.7	
		AF121856			1.2	4.9 3.6	
		AF161426		.,,	2.4 0.9	5.2	
10		AA421581 W28673	Hs.178443	serine carboxypeptidase 1 precursor prot	1.3	5.1	
10		AA608657			2.1	5.2	
		AA608751			2.1	9.3	
		AI932318	Hs.188762	ESTs, Moderately similar to H2BL_HUMAN H		3.6	
		AL050184		DKFZP434B203 protein	1.1	3.5	
15		AF084555		cyclic AMP phosphoprotein, 19 kD	1.4	3.8	
	124000	BE563957	Hs.74861	activated RNA polymerase II transcriptio	1.9	11.2	
	124038	AB037860		nuclear factor I/A	1.5	4.4	
	124059	BE387335		ESTs, Weakly similar to S64054 hypotheti	14.8	11.5	
		AW195237		hypothetical protein FLJ22174	1.2	6.2	
20		BE300094		lectin, galactoside-binding, soluble, 1	2.5	12.7	
		AU077333		erythrocyte membrane protein band 7.2 (s	1	4.1 8.4	
		BE613340		Homo sapiens, Similar to RIKEN cDNA 9430	1.5 1.8	10.2	
	124314	AK001552		GTP-binding protein	1.1	4.8	
25	124373			KIAA0265 protein ESTs, Weakly similar to ALUC_HUMAN IIII	1.3	4.1	
20	124447		115.200003	gb:yy98e12.s1 Soares_multiple_sclerosis_	2.7	4.3	
	124539		Hs.146409	cell division cycle 42 (GTP-binding prot	2.1	5.7	
		Al393320	Hs.104573		1	4.1	
	124564		Hs.108275		1.4	4	
30		AL036596	Hs.42322	A kinase (PRKA) anchor protein 2	0.7	4	
	124605	AA749315	Hs.77171	minichromosome maintenance deficient (S.	1.1	3.5	
	124639	H60193	Hs.21143	DKFZP586C1324 protein	1.4	3.6	
		AI680737		Homo sapiens cDNA FLJ11918 fis, done HE	1.5	9.9	
25		BE270465	Hs.78793	protein kinase C, zeta	0.7	4	
35		AW408586		ESTs, Moderately similar to ALU5_HUMAN A	1.3	3.6 3.9	
		BE410405		calpain 2, (m/ll) large subunit	1.8	4.2	
		R44357 R56485	Hs.48712	hypothetical protein FLJ20736 gb:yg93h09.s1 Soares infant brain 1NIB H	1	3.6	
		AF068846	Hs 103804	heterogeneous nuclear ribonucleoprotein	3.2	3.4	
40		Al903210		tubulin, beta polypeptide	1	4.4	
10		AL023513		seizure related gene 6 (mouse)-like	0.9	5.2	
		T52700	Hs.110044		0.9	3.5	
		AA610577	Hs.187775		1.2	5	
	125034	BE548446	Hs.5167	Homo sapiens mRNA; cDNA DKFZp434F152		1.5	3.7
45	125058	T83731	Hs.3343	phosphoglycerate dehydrogenase	0.9	6	
		AA973971		gb:oq02h08.s1 NCI_CGAP_Lu5 Homo sapier		1 3.7	
		T91518		gb:ye20f05.s1 Stratagene lung (937210) H	3.2	2.5 · · · · · · · · · · · · · · · · · · ·	
•		AA570056	HS.122/30	ESTs, Moderately similar to KIAA1215 pro	5.3 0.9	6.1	
50		W38419 AA837043	Hs.143669	gb:zc78a07.s1 Pancreatic Islet Homo sapl	1.1	4.3	
30		AK000669		TRF2-interacting telomeric RAP1 protein	1.1	4.1	
		AL020996	Hs.8518	selenoprotein N	1.1	3.8	
		R40815	Hs.12396	ESTs, Weakly similar to 2004399A chromos	1	3.6	
	445455	W67577	Hs.84298	CD74 antigen (invariant polypeptide of m	1.2	7.8	
55		H05635		topoisomerase-related function protein 4	1	4.9	
	125262	AW884980		triple functional domain (PTPRF interact	1.3	4.8	
	125272	BE612888		myosin regulatory light chain	1.1	16.1	
		W27235	Hs.64311		1.4	5.3	
CO		Z45258		short coiled-coil protein	2.4	8.7	4.6
60		AW630088	Hs.76550			1.8 3.8	4.0
		AW504721		high density lipoprotein binding protein	1.9 1.4	4.1	
		AW160399	Hs.30376	hypothetical protein ESTs, Weakly similar to JC5024 UDP-galac	2	3.7	
		BE384361 AA057593		hypothetical protein FLJ14735	1.3	4.1	
65		AA340277	Hs.10248			5	
-		AI243596	Hs.94830	ESTs, Moderately similar to T03094 A-kin	4.3	0.9	
		J04182		lysosomal	1.5	4.7	

	128453	X02761	Hs.287820	fibronectin 1	1.2	4.3	
	128460	T16206	Hs.237164	ESTs, Highly similar to LDHH_HUMAN L-LAC		44.4	
	128491			hypothetical protein DKFZp434N1429	0.6	13.1	
5		NM_005904			1.3 1	4 5.1	
J		NM_003478 Al185977	Hs.101299			4	
		NM_014721	11- 400474	1014 ACCCC	0.8 1.3	3.7	
		A A 420000	11- 400447	humathatiaal protein Cl 194947	4 4	3.9	
		D87432	Hs.10315	inpotitetical protein rEu2 1947 solute carrier family 7 (cationic amino WW domain-containing protein 1 hypothetical protein FLJ20396 hypothetical protein FLJ10702 CDS online (formatic familianis)	1.2	3.6	
10		Al246669	Hs.324275	WW domain-containing protein 1	0.8	4.1	
		BE246444	Hs.283685	hypothetical protein FLJ20396	3	1.6	
		AK001564	HS.104222	hypothetical protein FLJ10/02	2.8 1.1	4.8 10.6	
		AA476220 AF026692	ns.54431	CD81 antigen (target of antiproliferativ secreted frizzled-related protein 4	1.1	3.8	
15		AA194554	Hs.183434		5.3	5.3	
15		A1C2Q1QA	Mc 406334	Home conjune clone 23836 mRNA seguence	22	5.3	
		Al917602	Hs.106440	ESTs	1	4.5	
		AA768242	Hs.80618	ESTs hypothetical protein DKFZP566D193 protein CoccaCrisp hypothetical protein programmed cell death 5 hypothetical protein FLJ20585 MDS023 protein hypothetical protein hypothetical protein	8.0	3.6	
00	128889	D60985 Al222020	Hs.106909	DKFZP566D193 protein	4.6	3.7	
20		AI222020	Hs.182364	CocoaCrisp	3	1.5	
		AK000140	HS.10/139	hypothetical protein	0.2	3.9	
		AA622037 AF155096	He 107213	programmed cell death 5 hypothetical protein EL 120585	2.J A	15.2 4	
		AA298958	Hs 10724	MDS023 protein	1.2	4.5	
25		AW247536	Hs.10729	hypothetical protein	1.4	5	
		AW953622	Hs.223025	RAB31, member RAS oncogene family	2.3	5.6	
		AB020716	Hs.107362	KIAA0909 protein	0.9	3.9	
		AW271217		Homo saplens cDNA FLJ14028 ffs, clone HE		3.6	• •
20		AA258924	Hs.10758	NM_002495*:Homo sapiens NADH dehydroge		0.8	3.8
30		A1770025 C15105	MS.13323	hypothetical protein FLJ22059 Homo sapiens cDNA FLJ14368 fis, clone HE	1.2	5.7 9.9	
		AA371156	He 107942		2.4	3.8	
		Al634522	Hs.152925	KIAA1268 protein	1.2	3.8	
	129106	AW504486			1.2	5.5	
35	129113	BE543205		DKFZP586A0522 protein	0.5	3.7	
	129125	AB002450		CGI-109 protein	1	5.2	_
		AW881089		Homo sapiens mRNA; cDNA DKFZp566M094		1.5	7.
		N23018			2.1	9.7	
40		AA335362 M18916	MS.109040	Empirically selected from AFFX single pr glucosidase, beta; acid (includes glucos	0.9 1.1	8.6 3.5	
40		BE542214	Hs.109697		1.1	12.8	
		W57656		ubiquitin-like 5	3.2	5.1	
		AI878857	Hs.109706	hematological and neurological expressed	1.9	5.7	
	129243	BE169531		TAK1-binding protein 2; KIAA0733 protein	1.2	6.6	
45		R49920		CGI-131 protein	1.5	3.5	
,		AA344367		Empirically selected from multiple AFFX	1	5.4	
		AA250970		poly(A)-binding protein, cytoplasmic 1-I	1.3	4.1 3.9	
		AF077200 AA357185		hypothetical protein ras homolog gene family, member H	1.6 1.8	4.2	
50		AB007896	Hs.110	putative L-type neutral amino acid trans	1.1	6.1	
50		AA318224	Hs.296141		2.5 .	4.8	
		W94197	Hs.110165	ribosomal protein L26 homolog	1.6	5.1	
		AF189062	Hs.285976		1.8	6.5	
F F	129352	AW511656	Hs.170177	Meis1 (mouse) homolog	0.9	4	
55		U30246		solute carrier family 12 (sodium/potassi	1.4	9.2 -4.8	
		BE278964 AA318271		CGI-111 protein hypothetical protein	1	4.1	
		AA016188		hypothetical protein	1.8	10.7	
		Al498631		ferritin, light polypeptide	1.1	4.8	
60		W92931	Hs.250899	heat shock factor binding protein 1	1.8	9.3	
	129472	AL050260		DKFZP547E1010 protein	1	5	
		NM_004477	Hs.203772	FSHD region gene 1	1.1	4.2	
		AA449789		connective tissue growth factor	1.9	6.8	
65		AI631811		STRIN protein delta-tubulin	1.1 1.1	9.7 4.3	
O)		AA769221 R18087		delia-tubulin displatin resistance related protein CRR	1	4.2	
		AW517695		junctional adhesion molecule 1	2.3	3.5	
				•			

		AW968941		hypothetical protein DKFZp566I133	2.4	4.4
		AA209534		tetraspan NET-6 protein	3.2	13
		D79338		CCR4-NOT transcription complex, subunit	1.6	4.6
_		AL110212		purine-rich element binding protein B	1.1	5.7
5		AB020335		sel-1 (suppressor of lin-12, C.elegans)-	0.9	4.3
		AJ207406	Hs.11866	translocase of inner mitochondrial membr	1.9	4.8
•		AW889132	Hs.11916	ribokinase	0.9	4.1
		U53209	Hs.24937	transformer-2 alpha (htra-2 alpha)	1.3	4.7
10		M26939		collagen, type III, alpha 1 (Ehlers-Danl	4.7	3.7
10		U46386	Hs.12102	sorting nexin 3	1.2	3.6
		AL050272	Hs.12305	DKFZP566B183 protein	1	8.9
	-	BE397454		Homo sapiens clone 24707 mRNA sequence		3.6
		BE218319	Hs.5807	GTPase Rab14	2.9	5.1
1.5		M62839	Hs.1252	apolipoprotein H (beta-2-glycoprotein I)	0.3	5.1
15		AF052112	Hs.12540	lysosomal	1.6	8.8
		AL080084		CGI-100 protein	0.9	5.3
		AW410233		YME1 (S.cerevisiae)-like 1	1.8	9.9
		NM_014840				3.6
20		AA626937	Hs.181551		1.4	9.5
20	129878			30 kDa protein	1.1	6.3
		AL119499	Hs.13285	neuronal potassium channel alpha subunit	1	3.5
		M30773		protein phosphatase 3 (formerly 2B), reg	2 0.9	5.1 4.9
		X14008	Hs.234734			
25	129982		11- 440E70	gb:H.sapiens germline transcript of lg h	1.2	3.6
23		R15917 BE277024		Homo sapiens clone 24629 mRNA sequence		1.3
			NS. 14030 I	RNA binding motif protein, X chromosome	1.6 1.2	3.8 8.2
		X57815.comp M93143	No acases	Empirically selected from AFFX single pr	1.4	7.9
		H97878		plasminogen-like	1.4	12.3
30		AK001635		zinc finger protein 36 (KOX 18)	0.2	4.6
30		W61005	Hs.14838 Hs.14896	hypothetical protein FLJ10773 DHHC1 protein	1.	4.1
		AA916785		splicing factor proline/glutamine rich (1.2	5.3
	130115			X-box binding protein 1	3.8	0.8
		NM_005095		zinc finger protein 262	1	4.2
35		BE094848	Hs.15113		0.5	4
<i>J J</i>		R42678		KIAA0564 protein	1	3.7
		M23115	Hs.1526	ATPase, Ca++ transporting, cardiac muscl	0.4	4.4
• .		BE278370	Hs.15265	heterogeneous nuclear ribonucleoprotein	1.7	7.5
		BE301883		glioblastoma amplified sequence	1	5.6
40		U29463		gb:Human cytochroma b561 gen	1.2	4.2
		U92014	Hs.153527	Homo sapiens pTM5 mariner-like transposo	1.3	3.6
		W78907	Hs.15395	similar to arginyl-tRNA synthetase (argi	1.5	4.4
		AB040914		KIAA1481 protein	2.9	7.5
		AW067800		stanniocalcin 2	3.2	0.2
45		AW842182		small inducible cytokine A5 (RANTES)	1.4	10.6
		AW163518		hunting tin interacting protein 2	1.7	11.7
		AA852868		KIAA0171 gene product	1.1	5 .
	130442	NM_006245		protein phosphatase 2, regulatory subuni	1.4	4.3
•	130465	AW362955	Hs.15641	Homo sapiens cDNA FLJ14415 fis, clone HE	1.6	7.6
50	130479	R44163	Hs.12457	hypothetical protein FLJ10814	0.9	4.1
	130499	AB007915	Hs.158286	KIAA0446 gene product	1	3.8
	130546	AI598022	Hs.193989	TAR DNA binding protein	1.3	4.7
	130568	AA232119	Hs.16085	putative G-protein coupled receptor	1.2	9.4
<u> </u>	130606	A1652143	Hs.288382	hypothetical protein FLJ13111	1	4.1
5 5	130612	BE242873	Hs.16677	WD repeat domain 15	1.1	3.6
	130616	AL049963	Hs.284205	up-regulated by BCG-CWS	0.6	3.8
	130623	AL045128	Hs.1691	glucan (1,4-alpha-), branching enzyme 1	0.9	6.6
	130629	AL042896	Hs.1697	ATPase, H+ transporting, lysosomal (vacu	0.9	3.9
		AW073971	Hs.238954	ESTs, Weakly similar to KIAA1204 protein	0.9	6.9
60		Al557212	Hs.17132	ESTs, Moderately similar to I54374 gene	2.6	3.9
-		AF158555		glutaminase	1.2	13.8
		AI861791	Hs.278479		1.3	4
		A1831962	Hs.17409	cysteine-rich protein 1 (intestinal)	2.5	4
C E		AL117508		KIAA0737 gene product	1.3	6.2
65		A1928985	Hs.17680	hypothetical protein MGC1314 similar to	1.4	3.9
		R68537	Hs.17962	ESTS	3.2	0.8
	130694	NM_014827	Hs.17969	KIAA0663 gene product	1.1	4.8

		AA325308	Hs.18016	Homo sapiens mRNA; cDNA DKFZp586H0324		1.8
	130701		Hs.18079		1.1	6.7
	130707	AW190925		hypothetical protein FLJ12701	1.2	4.1
_		Al932971	Hs.18593		1.4	6.9
5	130787	AF072813	Hs.252831		1.2	11.2
	130796	AA088809	Hs.19525	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1.8	6.8
	130808	NM_001761	Hs.1973		1.3	4.1
	130863	Y10805	Hs.20521	HMT1 (hnRNP methyltransferase, S. cerevi	3.2	5.9
	130902	AB037750	Hs.21061	KIAA1329 protein	1.	3.8
10	130908	AW195747	Hs.21122	hypothetical protein FLJ11830 similar to	1.3	7.9
	130911	BE409769	Hs.21189	DnaJ (Hsp40) homolog, subfamily A, membe	2.7	3.7
	130913	BE390905	Hs.21198	translocase of outer mitochondrial membr	1.9	4
	130923	H96115	Hs.21293	UDP-N-acteyiglucosamine pyrophosphorylas	1.9	10.3
	130959	AB023182	Hs.184523	KIAA0965 protein	1.5	6.8
15	130967	AA393071	Hs.182579	leucine aminopeptidase	1.4	5.5
	130975	AA099923	Hs.283728	PEST-containing nuclear protein	1.3	3.8
	131037	BE243101	Hs.22391	chromosome 20open reading frame 3	1.9	4.1
	131039	D87436	Hs.166318	tipin 2	1.6	3.5
	131060	AA194422	Hs.22564	myosin VI	4.5	5
20	131097	AL137682	Hs.22937	I-kappa-B-interacting Ras-like protein 2	2	3.7
	131101	BE387561	Hs.22981	DKFZP586M1523 protein	1.6 ·	4.5
		W27770		ESTs, Wealty similar to T31475 hypotheti	0.9	3.5
		BE620886	Hs.75354		2.1	4.5
		BE564123	Hs.23060	DKFZP564F0522 protein	1.1	4.6
25		AB033099	Hs.23413	KIAA1273 protein	1.2	4.2
		AW953575			4.5	13.5
	131150		Hs.23582		3.4	0.4
	131156	A1472209	Hs.323117		0.8	4.9
		AW013807	Hs.182265		3.3	2.4
30		H25094			0.6	4
		AW864222	Hs.24083		1.4	3.8
		AW979155		amino acid transporter 2	1.2	8.5
		AL050107	Hs.24341		0.7	4.7
		AI815486			2.1	8.2
35		D89053		fatty-acid-Coenzyme A ligase, long-chain	1.7	3.5
		AW956868	Hs.24608		1.3	5.4
		AU077158	Hs.24930	tubulin-specific chaperone a	1.6	4.8
		AU077002	Hs.24950	regulator of G-protein signalling 5	1.4	4.4
		Al750575		nuclear factor VA	3.3	2.2
40		AW293399		nuclear receptor co-repressor 1	1.6	3.9
	-	NM_006052	Hs.26146		1	11.1
		NM_014810	Hs.92200		5	2
		Al452601		nuclear receptor subfamily 2, group F, m	0.9	3.5
		AW960146		hypothetical protein FLJ12888	1	3.5
45		BE270734	Hs.2795	lactate dehydrogenase A	2	6.5
		AB040927		KIAA1494 protein	1.5	10.7
		AU076408	Hs.28309	UDP-glucose dehydrogenase	1.3	4.7
		AF157326	Hs.184786	TBP-Interacting protein	1.3	4.9
		T47364	Hs.278613	Interferon, alpha-inducible protein 27	1.5	8
50		AA936296		DKFZP586G011 protein	1.8	3.5
		C18825	Hs.29191	epithelial membrane protein 2	1.3	8.2
	131609	D83032	Hs.169984	nuclear protein	2.8	3.9
		BE514605		Homo sapiens cDNA: FLJ22380 fis, clone H	1.3	11.2
	131670	H03514	Hs.10130	ESTs	1.3	4.8
55		C19034		Homo sapiens cDNA FLJ14175 fis, clone NT	3.2	9.7
	131701	AF103798	Hs.30819	hypothetical protein	1.3	5.2
	131703	AW160865	Hs.30888	cytochrome c oxidase subunit VIIa polype	1.3	7.8
		AF017986	Hs.31386	secreted frizzled-related protein 2	10.6	14.7
		AI805664	Hs.31731	peroxiredoxin 5	1.1	3.6
60		AF077036	Hs.31989	DKFZP586G1722 protein	1.6	3.7
		X62111		gb:H.sapiens VII-5 gene for immunoglobul	1.1	3.5
		Al681917	Hs.3321	ESTs, Highly similar to IRX1_HUMAN IROQU		1.2
		NM_014874	Hs.3363	KIAA0214 gene product	0.6	4.2
		NM_004642	Hs.3436	deleted in oral cancer (mouse, homolog)	2.4	4.9
65		AW207440	Hs.185973		2.4	6
		AA772603	Hs.69476	Homo sapiens cDNA FLJ12758 fis, clone NT	1.7	9.2
		BE252983	Hs.35086	ubiquitin specific protease 1	0.5	5.2

PCT/US02/02242

	131947	Al123939	Hs.182997		0.7	4.1
	131961	AA129782	Hs.3576	Homo saplens mRNA full length Insert cDN	0.9	4.8
	131964	AW381148	Hs.198365	2,3-bisphosphoglycerate mutase	1.1	6.1
	131974	AF208856	Hs.268122	hypothetical protein	1.3	3.9
5	131983	AF119665	Hs.184011		3.3	6.9
•		AF229181		CS box-containing WD protein	0.9	5.2
		AW162336	Hs.3709	low molecular mass ubiquinone-binding pr	1.2	3.6
		BE277910	Hs.3833	3'-phosphoadenosine 5'-phosphosulfate sy	3.2	1.8
		BE379335			1.2	3.6
10		AF217798			0.7	5.2
10			Hs.3850	LIS1-interacting protein NUDEL; endoolig		
		AI701457	Hs.38694	ESTS	2	5.3
		NM_016045	Hs.3945	CGI-107 protein	1.2	4.3
		AW960474	Hs.40289	ESTs	3.1	3.1
		Al752235	Hs.41270	procollagen-lysine, 2-oxoglutarate 5-dio	1.8	3.7
15	132181	AW961231	Hs.16773	Homo sapiens clone TCCCIA00427 mRNA se	qu	1.2
	132208	AL031709	Hs.241575	hypothetical protein CAB56184	1.4	4.2
	132258	AA306325	Hs.4311	SUMO-1 activating enzyme subunit 2	2	10.3
	132303	BE177330	Hs.325093	Homo sapiens cDNA: FLJ21210 fis, clone C	1.2	4.1
		U28831	Hs.44566	KIAA1641 protein	5.9	1.6
20		NM_003542	Hs.46423	H4 histone family, member G	5.8	1.5
		AA312135	Hs.46967	HSPCO34 protein	2.1	9.3
		AA021160	Hs.4750	hypothetical protein DKFZp564K0822	1.3	4.6
		AW361383			2	4.9
				metalloprotease 1 (pitrilysin family)	1.2	
25		AW970859	Hs.313503			5
25		BE388673	Hs.5086	hypothetical protein MGC10433	2	3.9
		BE396290	Hs.5097	synaptogyrin 2	1.4	5.1
		AF065391		zinc finger protein 265	1.2	4
		AV660538			3	1.7
	132585	AF029750	Hs.179600	TAP binding protein (tapasin)	1.8	4.7
30	132602	AW606927	Hs.5306	hypothetical protein DKFZp586F1122 simil	1.6	4.9
	132608	AA353044	Hs.5321	ARP3 (actin-related protein 3, yeast) ho	1.8	8.1
	132718	NM_004600	Hs.554		4.2	2
		AI264357	Hs.55405	hypothetical protein MGC16212	1.1	5.3
		AK000868	Hs.5570		1.4	5.2
35		BE222975	Hs.56205	insulin induced gene 1	1.1	5.8
55	132782				1.3	3.7
					2.3	
		AB020713	Hs.56966			6.3
		AW975748	Hs.5724		0.7	7.7
40		BE268048		RAB10, member RAS oncogene family	1.8	6.2
40		D63209	Hs.5944	solute carrier family 11 (proton-coupled	1.5	20.8
		AA579258	Hs.6083	Homo sapiens cDNA: FLJ21028 fls, clone C	1	3.8
	132932	AW118826	Hs.6093	Homo sapiens cDNA: FLJ22783 fis, clone K	0.7	5.4
	132933	BE263252	Hs.6101	hypothetical protein MGC3178	1.6	4.1
	132965	Al248173	Hs.191460	hypothetical protein MGC12936	1	4.2
45	132984	BE539199	Hs.62112	zinc finger protein 207	1.5	4.4
		X77343		transcription factor AP-2 alpha (activat	13.9	0.8
• `		Y00062	Hs.170121		0.6	4.6
		AW499985	Hs.42915	ARP2 (actin-related protein 2, yeast) ho	1.5	11.1
		NM_006379	Hs.171921		3.5	1
50		AA847843				4.5
50			Hs.62711	Homo sapiens, clone IMAGE:3351295, mRNA		
		AW502761	Hs.30909	• •	0.9	5.5
		H12028	Hs.6396	jumping translocation breakpoint	1.7	5.3
•		Al654133	Hs.30212		0.6	4.9
		AK000708		hypothetical protein FLJ20701	1.2	3.5
55		AF089816	Hs.6454	chromosome 19 open reading frame 3	1.2	17.5
	133110	AA808177	Hs.65228	ESTs	0.9	5.1
	133150	AV655783	Hs.661	Empirically selected from AFFX single pr	1.1	4.5
	133175	AW955632	Hs.66666	ESTs, Weakly similar to \$19560 proline-r	1.5	4.8
	133199	AF231981		homolog of yeast long chain polyunsatura	5.5	5.9
60	133203	AA464362	Hs.6748	hypothetical protein PP1665	1.2	3.7
00		AB037773	Hs.6762	hypothetical protein	1.6	8.6
		W32474		RAP2A, member of RAS oncogene family	2.4	4.8
		AL137480	Hs.6834	KIAA1014 protein		4.2
		AW796524			1.	3.9
65			Hs.68644	Homo sapiens microsomal signal peptidase	1.3	
O)		BE617892	Hs.6895	actin related protein 2/3 complex, subun	1.4	5.4
		Z48633		H.sapiens mRNA for retrotransposon	3.1	0.7
	1332/3	N27672	Hs.6946 9	dendritic cell protein	2.5	6.5

	133287	AW797437	Hs.69771	B-factor, properdin	1.3	4	
		BE297855	Hs.69855	B-tactor, properdin NRAS-related gene peptidylprolyl isomerase B (cyclophillin zinc finger protein 238	1.4	5	
			Hs.699	peptidylprotyl isomerase B (cyclophilin	2.2	6.8	
	133294	AJ001388	Hs.69997	peptidylprolyl isomerase B (cyclophilin zinc finger protein 238 hypothetical protein MGC10753 apolipoprotein A-II H factor 1 (complement) acid cluster protein 33 DKFZP56411922 protein KIAA0447 gene product hexokinase 2 KIAA1235 protein	1.5	4.3	
5	133300	AF116666	Hs.70333	hypothetical protein MGC10753	1.4	6.3	
		X04898	Hs.237658	apolipoprotein A-II	0.2	3.6	
		U56979	Hs.250651	H factor 1 (complement)	0.6	5	
		BE257758	Hs.71475	acid cluster protein 33	1.2	4.2	
10		AF245505	Hs.72157	DKFZP56411922 protein	3.7	5.8	
10		AB007916	Hs.214646	KIAA0447 gene product	1.4	5.1	
		AI738719	Hs.198427	hexokinase 2	0.9	6.3	
				KIAA1235 protein	1.2	3.7	A D
		AL137663	Hs.7378	Homo sapiens mRNA; cDNA DKFZp434G227	(U	0.7	4.8
15		M27749			1.1 0.7	4.3 4.2	
13		AF038962	Hs.7381		3.1	5.9	
		AI962602			4.3	11.5	•
		NM_004415 BE562958			1.8	19.7	
		D87452			1.2	5.4	
20		H97991			1.4	3.9	
20		Al929645	Hs.225936			4.9	
	133589				2	10.8	
		Al423369	Hs.75111			4.5	
		U10564	Hs.75188		3.3	1.1	
25·		BE244334			2.3	5.6	
		Al301740			0.8	13.5	
•		1144040	11 000454		1	9.1	
	133663	AJ006239	Hs.75438		0.5	5.8	
	133668	L77964	Hs.271980	mitogen-activated protein kinase 6	1.1	6.9	
30	133671	AW503116	Hs.301819	zinc tinger protein 146	1.8	3.8	
	133681	Al352558	Hs.75544	tyrosine 3-monooxygenase/tryptophan 5-mo	1.5	11.1	
	133694	W17187.comp	Hs.232400	•	2	3.9	
		Al018666 .	Hs.75667		0.6	3.5	
25		AW001130			1.2	7.2	
-35. ∣		Al929587	Hs.75847		1.5	5	
		BE410769	Hs.75873		1.2	4.8	
		M62194	Hs.75929		3.2	4.1	
		BE268649			2.1	3.8	
40		W24087		•	1.9 2.6	12.6	
40		AF075337	Hs.76293		1	6.6 4.9	
		AW239400 D25969	Hs.76297 Hs.76325		0.5	3.8	
		AW578716	Hs.7644		1.5	4.5	
		AW630088	Hs.76550	Homo sapiens mRNA; cDNA DKFZp564B1264		3.7	5.6
45		AA345824	Hs.76688		0.3	4.4	
		AA147026	Hs.76704		5.5	2.9	
		AI815523	Hs.76930		0.6	4.8	
	133887		Hs.77271	protein kinase, cAMP-dependent, catalyti	1	10.2	
		AW859528			0.9	4.8	
50	133913	AU076964	Hs.7753		2.8	10.5	
	133914	AI458213	Hs.77542		1.8	5.6	
	133917	AL031177	Hs.7756	proteasome (prosome, macropain) 26S subu	1.5	6.6	
		L41066	Hs.77810	nuclear factor of activated T-cells, cyt	1.5	3.8	
		M54968			0.9	4.3	
55		L15409		von Hippel-Lindau syndrome	2.3	4.3	
		AL040328	Hs.78202	SWI/SNF related, matrix associated, acti	3.3	3.4	
		R48316	Hs.7822	Homo sapiens mRNA; cDNA DKFZp564C121		1.3	5.7
		BE150882		hypothetical protein hCLA-Iso	1	6.5	
CO		NM_003470	Hs.78683	ubiquitin specific protease 7 (herpes vi	1.7	3.6	
60		AI027881	Hs.7869	lysosomal	1	7.5 4	
		AF117236	Hs.78825	matrin 3	1.2 2.7	4.8	
	134033	NM_004354 BE513171	Hs.79069 Hs.79086	cyclin G2 mitochondrial ribosomal protein L3	3.3	2.1	
		Z43039		KIAA0009 gene product	1.3	3.5	
65	134210	AF035606	Hs.80019	programmed cell death 6	1.7	6.9	
00	134218	U77735	Hs.80205	pim-2 oncogene	0.8	5.3	
	134270	X68194	Hs.80919	synaptophysin-like protein	1.4	11.4	
	,						

				n	0.0	0.5
		NM_004369	Hs.80988	collagen, type VI, alpha 3	2.6	3.5
		NM_000712	Hs.81029		1.8	5.8
		AI022650	Hs.8117	erbb2-interacting protein ERBIN	1.1	3.6
_		R00603	Hs.8128	phosphatidylserine decarboxylase	1.1	5.9
5		NM_001430	Hs.8136	• • • • • • • • • • • • • • • • • • • •	0.5	4.8
		AL037800	Hs.8148	selenoprotein T	1.7	7.9
		D50683	Hs.82028		0.8	7.6
		X76534	Hs.82226	glycoprotein (transmembrane) nmb	2.2	3.6
10		N22687	Hs.8236	ESTS	1.9	3.6
10		AL035786	Hs.82425	actin related protein 2/3 complex, subun	1.5	8.3
		BE512856		SH3 domain binding glutamic acid-rich pr	1.1	3.6 4.6
		AI750762	Hs.82911	protein tyrosine phosphatase type IVA, m	1.9 1.2	
		NM_006416	Hs.82921	solute carrier family 35 (CMP-sialic aci		7.5
1.6		AU077196	Hs.82985	collagen, type V, alpha 2	6.6	8.7
15		Z23024		Rho GTPase activating protein 1	2	3.9
		NM_013230		CD24 antigen (small cell lung carcinoma	3.5	1.1
		D86981	Hs.84084	amyloid beta precursor protein (cytoplas	1.5	4.4
		W84869		eukaryotic translation initiation factor	1.2	5.7
20		AW960673		ATP synthase, H+ transporting, mitochond	1.3	3.9
20		BE091005	Hs.74861	activated RNA polymerase II transcriptio	1.8	4.3
		M23161	Hs.84775	Human transposon-like element mRNA	0.8	5.6
		AI902899	Hs.85155	butyrate response factor 1 (EGF-response	1.4	5
		Al203545		S-phase response (cyclin-related)	0.8	3.9
25		NM_016142		steroid dehydrogenase homolog	1.3	5.7
25		AB033017	Hs.8594	KIAA1191 protein	0.9	3.7
		BE244323	Hs.85951	exportin, tRNA (nuclear export receptor	4	6.8
		AW936928	Hs.85963	DKFZP564M182 protein	2.2	4.3
		AA927177	Hs.86041	CGG triplet repeat binding protein 1	1.6	3.6
20		AF078859	Hs.86347	hypothetical protein	2.1	3.5
30		AF265208		SWI/SNF related, matrix associated, acti	1.7	4.2
		AK000606	Hs.8868	golgl SNAP receptor complex member 1	4.4	0.9
		D17530	Hs.89434	drebrin 1	3.1	1.6
		T51986		hemoglobin, gamma G	0.5	4.6
25		AA428520	Hs.90061	progesterone binding protein	1.3	3.7
35		J03464		collagen, type I, alpha 2	8.7	17.3
		AA587775	Hs.66295	multi-PDZ-domain-containing protein	1.7	4
		AB020689	Hs.90419	KIAA0882 protein	3.4	0.9
		AI803761	Hs.90458	serine palmitoyitransferase, long chain	1.3	6.9
40		AJ002030	Hs.9071	progesterone membrane binding protein	1.4	9.6
40		R51083	Hs.90787	ESTs	1	10.1
		BE089782	Hs.9877	hypothetical protein	1.9	3.9
		AF005043	Hs.91390	poly (ADP-ribose) glycohydrolase	1	4.3
		BE560779		NICE-5 protein	1.4	10.4
45		AK002085	Hs.92308		1.6	4.1
45		AB037835	Hs.92991	KIAA1414 protein	1.2	5.6
		AW301984		hypothetical protein FLJ12619	1.7	7.6
		AL034344		forkhead box C1	3.2	0.6
*-		Al272141	Hs.83484	SRY (sex determining region Y)-box 4	4.2	4.1
		AK001887		protein kinase, AMP-activated, gamma 2 n	1.3	4.8
50		AK000967	Hs.93872		2	3.7
		AW503733	Hs.9414	KIAA1488 protein	2.8	3.7
		AB017363	Hs.94234	frizzled (Drosophila) homolog 1	2.4	4.8
		T97257		ESTs, Moderately similar to 138022 hypot	1.4	5.8
~ ~	135143	AA132813	Hs.69559	KIAA1096 protein	1.8	8.5
55 i	135156	BE563088	Hs.9552	binder of Arl Two	1.2	6.8
		AB028956		- KIAA1033 protein	3.1	1.4
	135181	BE250865	Hs.279529		1.3	7.5
	135222	AA534009		interferon stimulated gene (20kD)	1.3	3.8
	135232	AL038812	Hs.96800	ESTs, Moderately similar to ALU7_HUMAN A		3.9
60	135289	AW372569	Hs.9788	hypothetical protein MGC10924 similar to	0.9	8.4
	135290	AA331901		hypothetical protein FLJ10097	1	3.8
	135291	T83882	Hs.97927	ESTs	1.2	3.5
	135349	AA114212	Hs.9930	serine (or cysteine) proteinase inhibito	2.6	8.9
<i></i>	135357	AI565004	Hs.79572	cathepsin D (lysosomal aspartyl protease	2.5	5.4
65	135398	M16029		ret proto-oncogene (multiple endocrine n	0.4	7.9
	135399	W79431		ribosomal protein L22	1.5	4.5
	135400	X78592	Hs.99915	androgen receptor (dihydrotestosterone r	3.2	1.8

	302892 302963	R99693 AW176909 AW673106	Hs.42346 Hs.151945	calcineurin-binding protein calsarcin-1 mitochondrial ribosomal protein L43	3.6 3.3 0.9	3.6 1.6 4.2			
5	303150 310125	AW081061 AA887146 AA147979 AA233808	Hs.8217 Hs.285005	DC2 protein stromal antigen 2 mltochondrial import receptor Tom22 protein kinase, cAMP-dependent, regulato	3 6.2 1.2 1	17.3 4 6.6 3.5			
10	320591 406779	BE616412 AA054761 AA412048 AW239226	Hs.169149	junctional adhesion molecule 1 karyopherin alpha 1 (importin alpha 5) CGI-39 protein; cell death-regulatory pr reticulon 4	1.3 1.2	4.7 5.6 3.5 13.9			
15	415738 420186	AF279145 BE539367 NM_015925 NM_014320	Hs.95697	hypothetical protein FLJ21776 ESTs, Weakly similar to AF220049 1 uncha liver-specific bHLH-Zip transcription fa putative heme-binding protein	2 1.3 1.5 2	5.1 3.9 6.2 11.3			
	426218 427397	R94023 AF119043 AI929685 AA523543	Hs.168005	ESTs, Moderately similar to 138022 hypot Homo sapiens cDNA FLJ13372 fis, clone PL calmodulin 1 (phosphorylase kinase, delit cellular retinoic acid-binding protein 1	1.7 3.3 1.3 1.1	3.6 2.8 4.7 3.7			
20	427505 427723 428673	AA361562 Al355260 AW601325	Hs.178761 Hs.279789 Hs.324278	26S proteasome-associated pad1 homolog histone deacetylase 3 Homo sapiens mRNA; cDNA DKFZp566M063	3.2 2.8	2.5 22 1.1 8.8	5.2		
25	430450 432866 433423	X99209 R23553 BE395875 BE407127	Hs.241489 Hs.279609 Hs.8997	HMT1 (hnRNP methyltransferase, S. cerevi hypothetical protein mitochondrial carrier homolog 2 heat shock 70kD protein 1A	1.1 1.5 1.3	5.6 6.1 7.6			
30	437667 437754 440252	AB001636 BE616412 R60366 BE513940	Hs.5822 Hs.6101	DEAD/H (Asp-Glu-Ala-Asp/His) box polypep junctional adhesion molecule 1 Homo sapiens cDNA: FLJ22120 fis, clone H hypothetical protein MGC3178	1.6 1.3 2 1.1	6.5 3.5 5.7 6.2	÷		•
	448292 449404	AL042986 BE281316 H51066 AW001741	Hs.7857 Hs.47334 Hs.23581 Hs.273193	erythrocyte membrane protein band hypothetical protein FLJ14495 leptin receptor gene-related protein hypothetical protein FLJ10706	0.5 2.5 1.1 1.4	3.7 4.9 3.6 3.5			
35	451389	N73222 Al634651 RC_H15847_s	Hs.279009 Hs.30250	matrix Gla protein v-maf musculoaponeurotic fibrosarcoma (a peptidylprotyl Isomerase B (cyclophilin B)	4 0.8 1.8 3.5	11.2 5.6 4.8 4.6			
40	-	RC_W84712 X14008_ma1_ RC_H86543_f H07011		calumenin lysozyme (renal amyloidosis) ESTs ESTs; Weakly similar to SAS [H.saplens]	0.9 1.8 1.8	4.5 6.6 3.9			
45		RC_AA164586 RC_AA070485 RC_H98714_s RC_AA406145	5 1	Homo sapiens clone 23967 ESTs	ESTs 3.4 1.6 ESTs	6.2 2.6 3.5 4.6	0.8		
		AA458584 AA031548 X02761 RC_AA487193		SRY (sex determining region Y)-box 4 cell division cycle 42 (GTP-binding protein; 25 fibronectin 1 secreted frizzled-related protein 4	3.4 kD) 3.6 4.7	0.4 3.1 15.2 4	3.9		
50		R25326 RC_AA393805 RC_AA449333	5 3	Homo saplens mRNA for putative vacuolar ESTs; Weakly similar to (define not ESTs	0.9 1.1 2.9	5 8.4 4.6			
55		RC_AA287681 RC_AA490864 RC_C14243_f R21443	•	ESTs; Highly similar to heat shock factor ESTs; Highly similar to heat shock factor ESTs	ESTs 1.4 1.7 1.6	1.3 5 5 3.7			
60		RC_AA251902 M21121_s C00038_s Y00503	2	Homo sapiens lysophospholipase (LPL1) small inducible cytokine A5 (RANTES) ESTs keratin 19	2.2 0.9 2.8 3.1	3.8 9.9 4.8 1.1			
		RC_R27006_1 RC_AA416888 RC_AA460450 RC_AA488433	6)	ESTs ESTs; Weakly similar to predicted using fibroblast growth factor receptor 2 (bacteria- ESTs; Weakly similar to deduced amino acid	1.6 3.1 1.5	3.7 3.1 3.7			
65		RC_AA278400 U28831 RC_AA199580	D_f	Human protein immuno-reactive with anti-PTH Homo saplens actin-related protein Arp3 (ARI	Homo sapi 44.4		15 mRNA; partial cds 4.7	1.5	3.6

	AF006082	Homo saplens actin-related protein Arp2 (A	RP2)	1.6	10.9
	RC H90899	desmoplakin (DPI; DPII)	5.4	5.5	
	RC_W95070	desmoplakin (DPI; DPII)	5	2.6	
	RC_T90946_f	Human mRNA for KIAA263 gene; complete	cds	1.1	3.9
5	D87258	protease; serine; 11 (IGF binding)	2.4	3.5	
_	AA313414_s	ESTs; Weakly similar to cDNA EST EMBL:	T1157	1.5	5.3
	RC_H73484_s	ESTs; Weakly similar to similar to Yeast	1.3	6.3	
	AFFX-HUMISGF3A/M	497935_3		2.3	13.5
	AFFX-HUMRGE/M10	098_5	1.1	7.9	
10	AFFX-M27830_5			0.5	7.4
	AFFX-M27830_5			0.6	5.4
	RC_AA063431_f		ESTs	0.8	4.1
	RC_T63769_f	ferritin; light polypeptide	1.1	3.7	

TABLE 8A

Table 8A shows the accession numbers for those pkeys lacking unigeneID's for Table 8. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

5

Pkey:		

Unique Eos probeset identifier number

CAT number: Accession: Gene cluster number Genbank accession numbers

15

	Pkey	CAT number	Accessions
20		116761_1 190299_1	AA079487 AA128547 AA128291 AA079587 AA079600 AA973971 T88817 AA253263
20		109698_1	AA075488 AA129081 AA074851 AA082852 AA074732 AA084908 AA084751 AA076042 AA131172 AA085374 AA079519 AA074510 AA113824 AA102437 AA070833 AA070143 AA084693 AA084389 AA076373 AA075492 AA062834 AA084335
			AA078829 AA079344 AA069916 AA079275 AA070914 AA654069 AA081976 AA080957 AA083115 AA070942 AA085296
25		genbank_AA6	
25		genbank_AA6	
		genbank_T918 genbank_W38	
		genbank_W66	***
		genbank_N67	***
30		entrez_K0116	***
		221 267	Z14221 AW381862 M97920 AW401444 Z66542 M29470 AW406502 X61011 M34024 AA327072 Z14166 Z14167 Z14165
			AW403806 Z14200 AA383972 Z14205 Z14201 M18513 Z14202 AW403684 X14584 AF062221 U43760 X65892 X65883 X62107
			Z80847 X65885 X65893 AF062142 X65891 X17675 Z47274 Z47277 Z47276 X65888 Z47275 X62109 AF062140 L01278
0.5			AF062134 AF062139 X81723 Z80840 X81733 X81743 X81744 X81732 Z80843 AW402942 AW403516 X65919 AF062190
35			AF062177 AF062222 AF062115 Z47240 AF062263 AF062261 AF062223 AF062211 Z47238 AW401714 AW404008 AW404991
			AF062280 M99595 Z47214 Z47232 Z47218 M26995 AF062184 X65895 L38433 X81731 Z11946 Z47226 AF062205 AF174012
			L01276 AF062168 AF062136 X81755 X81748 AF174019 AF062285 L06924 L11699 AW402665 L09070 L28049 L08090 AW407843 Z14171 AW402944 L08083 AW405627 L33035 L26907 M17750 L28052 M17751 AJ239360 U19885 L14821 X56526
			AB014341 L12087 L12098 U68231 L12184 AF062242 AF022000 U64499 U00570 Al268604 Y15773 X64239 X62969 U00506
40	•		X73605 X99360 U00577 D83677 AB021539 AF035796 Z33899 U00588 AJ239353 AF174062 Z33901 X98899 AF174058 X63080
-10			D83676 AB021529 Z18318 U00488 L01412 X81746 U21262 U21272 U00560 AF174060 U00547 U00561 Z18321 S73957
			M26435 AF115130 AF115117 Z92896 U21254 Z92895 AF115112 AF062290 T28938 Y09386 AF174067 U27189 Y09384
			U77373 AF174057 M17749 X69692 AF174038 U64478 U64486 AF174098 X99365 AF174077 AF174083 AF174089 AF015133
			AF127792 AJ006171 U00510 U58144 AF004323 AF115109 AF004324 AF015130 AF090414 AF090418 AB021536 AB021519
45			Z96957 AF021986 Z92898 Z96956 L34164 AF062251 AF052524 U00549 U00541 D83687 AF052522 AF087420 AF052520
		_	AF022011 L43085 U00536 L19915 L43083 AF090420 AB021530 AB021534 Z96955 Z96954 Z33903 X62964 AF103282 U00509
•			AF062298 AF062289 AF062307 AW408326 L33037 L04337 L04328 X81742 L04336 L03385 AF032360 S56184 AF062191 AF191092 AI906954 AF103184 L04343 AW364860 AF001424 AF103163 Z98717 AF103143 AJ008250 L04323 AF103321
			AF191992 AI906954 AF103184 L03343 AW354860 AFW1424 AF103160 296717 AF103140 AJ006250 D4525 AF10321 AF103335 L04342 L03818 L03817 AW404978 AW403690 U86801 AF103150 AJ010334 AF035027 AJ007327 AF103115
50			AF017458 AJ008207 AJ008183 AJ008196 AJ008241 AJ008208 AF103210 AF068668 AF068670 AF068664
JU .			AF068669 AF068666 AF068665 AF068672 AW371244 AW403670 AW408074 AW404575 AW362153 AW403803 AW406702
			AW351514 D78345 T29140 J00231 NM_002179 AW405146 AA301091 X04646 H64660 AW402990 AW406534 T93007
			A1857980 AW358899 A1905833 AW406586 AA482084 A1872299 AA715266 AW404328 A1831674 A1709348 AA603112
			AW514864 AA485775 H64492 AW404789 AA487630 AA715498 AA295885 T27613 T98113
			70700 4.070000

55 108470 genbank_AA079500 AA079500 101447 entrez_M21305 M21305 124447 genbank_N48000 N48000 101624 entrez_M55998 M55998

131791 221_260

X62111 S67984 AJ131056 Z47243 Z47235 AF062268 Z47237 AJ131058 AF062130 AF062282 X62108 AA385989 AA464794 X69861 AW402964 M90808 Z98735 Z98734 Z98736 AF035018 X79161 U00545 AF174046 AF174071 U00552 U96288 AF021989 AF062255 AF174061 S73953 AF062135 AF062155 X64147 U00555 AF174070 AF129754 U86789 Z98714 Z98738 S75886 AJ008175 AJ008186 AJ008188 Y08403 H15753 H22208 AA327241 AW405737 H42300 H39677 H26239 H26903

H45128 R86072 AA327565 AI660584 AW361537 AW383759 S71043 H15014 H45570 H42819 H45523 H45134 R72043

H24543 H27636 H27610 T28147 H25496 AW364071 AW364072 H45561 H45556 H42605 Al735017 T47421 R48719 H27570 H44599 Al459598 H42347 H41938 H24993 AA345888 H22339 Al538691 AJ012264 AA664201 Al880450 AA327310 Al991250 Al833028 AW001210 Al956075 H30467 AA326915 H41943 Al749266 Al744441 AA327377 AW512326 Al735170 H01634 5 AI587047 AI571623 AA327486 AA327103 AA327195 AA326973 T28143 124842 217726_1 R56485 R37248 R59992 103758 AA084874_f_at X57815 L29157 AA367448 AW328098 AW404536 L29156 L29163 H27683 R83195 AA295096 AW327822 H25458 AW404692 130064 221_264 X57819 X57823 AW405604 AW404447 Z34914 AW406542 AA427726 AA604389 AW405606 AW405918 AW405117 AW407182 L03632 AW405058 L03627 AW407470 R72738 L21959 AW375738 X87888 AF124166 AF054638 AJ241406 U09902 AW405284 M12025 AA360219 L03631 L03629 AW327727 AF194810 AF058076 AF194686 AF063774 AF063737 10 AF063755 AF063740 AF063739 AF063738 S73129 L43088 AF063775 L33026 AF060138 AF194813 AF194812 AF194811 AF194809 AF194814 AF194808 AF064505 AF064503 AF063765 AF063757 AF063752 AF063716 AF063736 AF194806 AF058077 AF063747 AF063772 AF063781 AF060137 AF194805 AF060134 AF060132 AF058074 AF063754 AF063704 N38589 718332 AF060122 AF194807 AF060135 AF064506 AF064504 AF063773 L26540 AF058072 AF060131 AF064500 AF060136 AF064503 AF194513 AF194683 AF194711 AF058075 AF063717 Z19546 AF194581 X72746 U96393 U09890 X98897 AF194592 M80916 AJ241405 AF194632 AJ388659 AF194625 Z74694 AF194588 AF194601 U09901 U09911 U09892 15 AJ010336 AJ006162 AJ249377 AJ241414 AA327392 U97248 X72747 Z46850 X95739 AW406701 AJ243109 AF194609 S80758 AF194595 AF194596 L22483 Z70262 D84141 AW405758 AF001788 AF194580 D84143 U76684 AF194593 L03630 \$887892 X91134 U21249 Z46346 AJ132426 AF103659 AJ233718 AF001708 AF 194380 D34145 U709084 AF154355 E00500 AF194750084 AF103694 AF103695 AF103695 AF103713 Y17940 AF047216 AF103595 Y17956 AF047231 AF047232 AF103616 AW404484 Z46848 S76132 AF103663 AF103713 Y17940 AF047216 AF103595 Y17956 AF052799 AF052797 AF052802 AF052798 AF052794 AF052796 AF047218 AF052800 AF047217 AF052795 AF032351 AF103701 AF103708 AF103706 AF103706 S62232 AF103645 AF103632 AF103647 AF103644 AF103640 AF103692 AF093581 AF103620 AW405934 AI445389 AW383763 AA360256 AF099676 H21654 H39501 AI820828 H53689 20 25 W26785 AW384496 AW407708 AA541663 AA911602 AI821461 AA588300 AA327050 H42717 AI951280 AA421322 AI923193 AA864302 H25133 D87023 J03011 M61771 D87017 AA526865 AA253450 U29463 U06715 W24970 AA584303 T39581 AA155603 AA305043 AA429426 W05664 AA102382 AA482044 W24487 AA319060 130232 18831_2 T88946 F10106 AA232161 AA243117 AA158937 AA100864 109097 genbank_AA167512 AA167512

TABLE 9: Figure 9 from BRCA 001-2 US

5 Table 9 depicts a preferred group of genes upregulated in tumor tissue compared to normal breast tissue.

10	Pkey: ExAcon: UnigenelD: Unigene Title:	Unique Eos probeset Identifier number Exemplar Accession number, Genbank accession number Unigene number Unigene gene title	
----	--	--	--

			go.io go	
15	Pkey	ExAccn	UnigeneiD	UnigeneTitle
	100690	AA383256	Hs.1657	estrogen receptor 1
	102211	BE314524	Hs.78776	putative transmembrane protein
	103587	BE270266	Hs.82128	5T4 oncofetal trophoblast glycoprotein
20	104115	AF183810	Hs.26102	opposite strand to trichorhinophalangeal syndrome I
	105038	AW503733	Hs.9414	KiAA1488 protein
	105500	AW602166	Hs.222399	CEGP1 protein
	105990	A1690586	Hs.29403	hypothetical protein FLJ22060
	106155	AA425414	Hs.33287	nuclear factor I/B
25	106373	AW503807	Hs.21907	histone acetyltransferase
	106414	BE568205	Hs.28827	mitogen-activated protein kinase kinase kinase 2
	110009	BE075297	Hs.6614	ESTs, Weakly similar to A43932 mucin 2 precursor, intestinal
	111900	AF131784	Hs.25318	Homo sapiens done 25194 mRNA sequence
	114540	Al904232	Hs.75323	prohibitin
30	116470	Al272141	Hs.83484	SRY (sex determining region Y)-box 4
	117280	M18217	Hs.172129	Homo sapiens cDNA: FLJ21409 fis, clone COL03924
	119771	Al905687	Hs.2533	EST
	121723	AA243499	Hs.104800	hypothetical protein FLJ10134
	124059	BE387335	Hs.283713	ESTs, Weakly similar to S64054 hypothetical protein YGL050w
35	131148	AW953575	Hs.303125	p53-induced protein PIGPC1
	132371	AA235448	Hs.46677	PRO2000 protein
	134169	Al690916	Hs.178137	transducer of ERBB2, 1
	302235	AL049987	Hs.166361	Homo sapiens mRNA; cDNA DKFZp564F112
	452410	AL133619	Hs.29383	Homo sapiens mRNA; cDNA DKFZp434

TABLE 10: Figure 10 from BRCA 001-3 PCT

Table 10 depicts a preferred group of genes upregulated in tumor tissue compared to normal breast tissue.

	Pkey:	Unique Eos prob	eset identifier number				
10	ExAccn:	Exemplar Acces	sion number, Genbank accession number				
		Unigene number					
		Unigene gene til	le				
			normal body tissue				
	R2:		On percentile tumor to body				
15	R3:		5th percentile body to tumor				
13	R4:		mor to normal breast tissue				
-	,	TALLED OF ILL	mor to normal product assets	•			
	Pkey ExAccn	UnigenelD	Unigene Title	R1	R2	R3	R4
20	·						
	100082 AA13008	0 Hs.4295	proteasome (prosome, macropain) 26S subu	4.2	152	36	12.2
	100103 AA38088	7 Hs.5085	dolichyl-phosphate mannosyltransferase p	9.8	123	13	5
	100131 D12485	Hs.11951	ectonucleotide pyrophosphatase/phosphodi	13.2	244	19	9.9
	100147 D13666	Hs.136348	osteoblast specific factor 2 (fascidin	15.7	1030	66	5
25	100154 H60720	Hs.81892	KIAA0101 gene product	4.1	320	· 78	10.6
	100157 D14661	Hs.119	Wilms' turnour 1-associating protein	4.7	119	26	3
	100169 AL03722		D123 gene product	5.1	106	21	9.2
	100203 .BE24228		adenylate cyclase 7	4.7	47	1	4.3
	100210 D26361	Hs.3104	KIAA0042 gene product	4.7	47	4	0.7
30	100219 AW97230		bone marrow stromal cell antigen 2	3.8	350	93	1.9
50	100234 D29677	Hs.3085	KIAA0054 gene product; Helicase	4.1	64	16	3
	100248 NM_0151		KIAA0071 protein	3.4	77	23	5.9
	100252 NM_0062		platelet-derived growth factor receptor-	4.5	45 .	4	4
	100260 D38491	Hs.322478	KIAA0117 protein	5.9	59	1	2.6
35	100279 D42084	Hs.82007	KIAA0094 protein	3.5	96	28	1.3
55	100286 BE24755		growth factor receptor-bound protein 7	3.1	306	98	1.5
	100294 AA33188		peroxiredoxin 3	12.8	128	ī	11.7
	100335 AW2475		platelet-activating factor acetylhydrola	4.2	187	44	5.4
	100365 Al878927		mesoderm specific transcript (mouse) hom	4.5	129	29	3.1
40	100375 D80004	Hs.75909	KIAA0182 protein	3.5	78	23	4.8
٠.	100409 D86957	Hs.80712	KIAA0202 protein	10.2	102	1	4.8
	100410 D86961	Hs.79299	liporna HMGIC fusion partner-like 2	4	40	1	3.8
	100414 NM_0147		KIAA0215 gene product	3.2	32	2	2.9
	100418 D86978	Hs.84790	KIAA0225 protein	3.6	36	7	3.2
45	100438 AA01305		topoisomerase (DNA) II binding protein	5.6	76	14	2
73	100439 AA34772		KIAA0264 protein	3.5	35	9	3.1
	100438 AF23488		cadherin, EGF LAG seven-pass G-type rece	5.5	145	27	2.2
	100449 D87470	Hs.75400	KIAA0280 protein	3.4	34	1	1.2
	100522 X51501	Hs.99949	protactin-induced protein	22.7	760	34	1.4
50	100522 AS1501		lysosomal	14.4	144	9	4.7
50			plastin 3 (T isoform)	4.1	259	63	1.9
	100643 NM_0056		Homo sapiens ribosomal protein L39 mRNA,	3.3	116	36	2.2
	100661 BE62300			8.5	85	1	3.2
	100666 L05424	Hs.169610	CD44 antigen (homing function and Indian	3	594	201	2.3
c c	100667 L05424	Hs.169610	CD44 antigen (homing function and Indian	5	82	17	0.9
55	100745 BE20716		nuclear receptor subfamily 2, group F, m	3.5	37	11	2.8
	100774 J05581	Hs.89603	mucin 1, transmembrane		97	10	7.2
	100783 AF07884	7 Hs.191356	general transcription factor IIH, polype	9.7	33	1	0.8
	100821 M26460	7 11-74004	gb:Homo sapiens (clone 104) retinoblasto	3.3	33 477	130	3.1
CO	100864 BE56395		activated RNA polymerase II transcriptio	3.7	63	4	5.7
60	100877 X80821	Hs.27973	KIAA0874 protein	6.3	47	1	4.2
	100892 BE24529		S164 protein	4.7		30	7.1
	101038 BE29713	s9 Hs./9411	replication protein A2 (32kD)	3.8	115 390	100	11.1
	101046 K01160		NM_002122:Homo sapiens major histocompat	3.9			3.6
	101079 BE26490	J1 Hs.250502	carbonic anhydrase VIII	3.9	39	8	3.0

	101084	AW409934	Hs.75528	nucleolar GTPase	4.1	53	13	4
		AW862258		neuropeptide Y receptor Y1	15.3	153	1	14.1
		NM_00162		aryl hydrocarbon receptor	11.3	113	8	3.9
		L20320	Hs.184298	cyclin-dependent kinase 7 (homolog of Xe	3.1	118	38	2
5	101201	L22524	Hs.2256	matrix metalloproteinase 7 (MMP7; uterin	8.2	396	48	0.9
	101232	AU077288		ADP-ribosylation factor-like 1	4	110	28	10.7
	101275	BE545277	Hs.3273	Ts translation elongation factor, mitoch	4.2	50	12	4.4
	101300	BE535511	Hs.74137	transmembrane trafficking protein	6.6	135	21	13.1
	101396	BE267931	Hs.78996	proliferating cell nuclear antigen	6.4	249	39	22.4
10	101447	M21305		gb:Human alpha satellite and satellite 3	6.5	878	135	0.8
		NM_000424		keratin 5 (epidermolysis bullosa simplex	4.8	622	130	0.7
		NM_000546		tumor protein p53 (Li-Fraumenl syndrome)	5.1	97	19	9.3
		NM_002890		RAS p21 protein activator (GTPase activa	9.6	96	1	8.5
1.5		AA053486		interferon-induced protein with tetratri	11.2	112	8	5.9
15		X16896	Hs.82112	interleukin 1 receptor, type I	3.9	39	2	3.5
		BE391804	Hs.62661	guanylate binding protein 1, interferon-	3.6	36	1	2.6
		M55998	11 404047	gb:Human alpha-1 collagen type I gene, 3	3.1	2898	923	2.2
		AA436989		H2A histone family, member A	6.9	103 64	15	8.4 4.9
20		M63256	Hs.75124	cerebellar degeneration-related protein	6.4	64 · 94	2 1	0.3
20		L11690	Hs.620	bullous pemphigoid antigen 1 (230/240kD)	9.4	89	5	8 8
		S70114	Hs.239489	TIA1 cytotoxic granule-associated RNA-bi	8.9 3.6	824	227	1.4
	101791	M81057 M83822	Hs.180884 Hs.62354	carboxypeptidase B1 (tissue) cell division cycle 4-like	3.0 9	144	16	13
		M84605	Hs.957	putative opioid receptor, neuromedin K (3.3	36	11	2.4
25		AW024390		pre-B-cell leukemia transcription factor	5.4	180	34	15.9
23		M86849	Hs.323733	gap junction protein, beta 2, 26kD (conn	12	120	8	9
		AA446644		GA733-2 antigen; epithelial glycoprotein	3.1	353	116	2.8
		AL049610		transcription elongation factor A (SII)-	7.3	73	1	5.3
		AL036287		calponin 3, acidic	3.8	399	-105	3.3
30		BE245149		protein tyrosine kinase 9	4.6	148	32	11.3
	102095	U11313	Hs.75760	sterol carrier protein 2	9.5	95	4	8.8
		NM_001809		centromere protein A (17kD)	4.2	42	7	3.4
		NM_006456		sialyltransferase	9.3	93	4	3
	102139	NM_004419	9Hs.2128	dual specificity phosphatase 5	5.4	137	26	2.5
35	102162	AA450274	Hs.1592	CDC16 (cell division cycle 16, S. cerevi	4.6	151	33	2
		BE313280		death associated protein 3	9.3	93	5	8
		AL036335		secreted phosphoprotein 1 (osteopontin,	45.7	457	1	39.7
		BE314524		putative transmembrane protein	3.9	442	114	1.3
40		NM_006769		LIM domain only 4	4.9	49	1	3.6
40		U27185	Hs.82547	retinoic acid receptor responder (tazaro	3.1	31	1	1.3
		NM_00154		inhibitor of DNA binding 4, dominant neg	3.8	163	43 1	0.5 3.6
		AA306342		protein kinase C-like 2	4.5 8.5	45 2058	243	1.4
		AF015224 U37519	Hs.87539	mammaglobin 1 aldehyde dehydrogenase 3 family, member	6.4	428	67	2.3
45		U39840	Hs.299867	hepatocyte nuclear factor 3, alpha	6.7	67	9	6.3
73		AW602154		E74-like factor 2 (ets domain transcript	5.3	53	1	4.8
		BE300330		selenophosphate synthetase 2	3.3	111	34	7.5
		NM 00139		dual specificity phosphatase 4	20.2	202	5	1.3
•		NM_00393		kynureninase (L-kynurenine hydrolase)	3.8	38	1	1.5
50		U63830	Hs.146847	TRAF family member-associated NFKB activ	8.2	82	1	6.8
	102580	U60808	Hs.152981	CDP-diacylglycerol synthase (phosphatida	4.1	41	1	3.3 ·
	102618	AL037672	Hs.81071	extracellular matrix protein 1	10.2	628	62	17.2
	102638	U67319	Hs.9216	caspase 7, apoptosis-related cysteine pr	5	66	13	5.3
		NM_00227		karyopherin (importin) beta 2	6.1	126	21	2.4
55		U71207	Hs.29279	eyes absent (Drosophila) homolog 2	4.5	45	1	2.8
		U79293	Hs.159264	Human clone 23948 mRNA sequence	4.1	41	1	2.4
•		U85658	Hs.61796	transcription factor AP-2 gamma (activat	4.4	255	58	1.6
		U90304	Hs.25351	iroquois homeobox protein 5	3.6	142	39	1.6 2.7
<i>4</i> 0		BE242035		embryonic ectoderm development	3.5	35 56	1	5.3
60		D85390	Hs.5057	carboxypeptidase D clones 23667 and 23775 zinc finger prote	5.6 4.2	56 42	7	3.7
		BE262386		signal recognition particle receptor ('d	4.2 3.2	42 58	, 18	5
		AI815559 NM_00227		keratin 15	5.2 5.8	753	131	0.4
		BE512730		keratin 18	3.1	815	266	1.7
65		AL119505		activating transcription factor 2	3.2	32	4	2.6
05			Hs.154672	methylene tetrahydrofotate dehydrogenase	5.7	251	44	6.6
		AI910275	Hs.1406	trefoil factor 1 (pS2)	5.6	1346	239	5.4

	103023	AW500470	Hs.117950		5.8	218	38	13
	103024	NM_002343	3Hs.105938		3.7	1421	388	1.9
	103036	M13509	Hs.83169	matrix metalloproteinase 1 (MMP1; inters	3.1	94	30	5.8
	103038	AA926960	Hs.334883	CDC28 protein kinase 1	3.5	332	94	3.1
5	103119	X63629	Hs.2877	cadherin 3, type 1, P-cadherin (placenta	4.8	312	65	30.9
	103134	X65724	Hs.2839	Norrie disease (pseudoglioma)	5.2	331	64	1.5
	103134	X65724	Hs.2839	Norrie disease (pseudoglioma)	4.9	49	5	3.8
		AW583058	Hs.234726	serine (or cystelne) proteinase inhibito	3.3	1497	458	2.1
		X72755	Hs.77367	monokine induced by gamma interferon	3.5	796	228	3.2
10		AW411340			5.6	191	34	3.5
		X75042	Hs.44313		4.1	53	13	4.9
		AA206186			3.4	34	8	2.3
		X87613	Hs.5464	thyroid hormone receptor coactivating pr	3.9	43	11	1
		H09366	Hs.78853		9.3	93	8	8.2
15		NM_005982			9.7	97	1	9.3
13		AL036166			6.3	98	16	9.1
		X94453	Hs.114366		4.3	77	18	7.2
		AW175781			4.9	153	31	2.4
		AI878922	Hs.180139	p p p	4.9	261	53	3.7
20			Hs.75216	protein tyrosine phosphatase, receptor t	3.5	564	162	1.7
20				alkylglycerone phosphate synthase	3.9	49	13	2.5
		AW408009		vimentin	7.5	136	18	3.4
		AL133415			7.9	79	2	6.9
		BE270266			3.3	745	229	1.8
25		BE409838			3.2	41	13	2.8
25		AW403814		BCL2-associated athanogene		73	1	5.2
		NM_000346			7.3	1612	429	
		NM_000088		collagen, type I, alpha 1	3.8			3.1
		NM_003528		H2B histone family, member Q	3.2	32	5	2.8
20		AA314389		ADP-ribosylation factor-like 5	3.2	32	9	2.7
30		AB033112		bromodomain and PHD finger containing, 3	4.9	49	1	4.2
		NM_002407		mammaglobin 2	7.2	498	69	9.3
		AF183810		opposite strand to trichorhinophalangeal	29	290	1	26.8
		H63349	Hs.98806	hypothetical protein	3.7	37	7	2.1
0.5		AW880614		RNA binding motif protein, X chromosome	5.2	52	1	4.3
35		BE081342		HSPC039 protein	8	84	11	6.3
		AB012113		small inducible cytokine subfamily A (Cy	5.8	58	1	3.2
		AB002367		doublecortin and CaM kinase-like 1	6.4	64	8	3
		AW583693		N-terminal acetyltransferase complex ard	4.7	229	49	7.9
4.0	104309	Al337300	Hs.284123	hypothetical protein MGC4604	3.2	32	7	2.4
40	104394	AA129551	Hs.172129	Homo sapiens cDNA: FLJ21409 fis, clone C	5.3	144	27	13.1
	104432	X51501	Hs.99949	prolactin-induced protein	6.9	1494	218	1.3
	104558	R56678	Hs.88959	hypothetical protein MGC4816	7.7	77	8	6.9
	104567	AA040620	Hs.5672	hypothetical protein AF140225	3.7	37	5	2.5
	104590	AW373062	Hs.83623	nuclear receptor subfamily 1, group I, m	6.1	493	81	0.7
45	104602	H47610		gb:yp75f03.s1 Soares fetal liver spleen	3.8	38	4	1.2
	104613	AF123303	Hs.24713	hypothetical protein	4.8	231	49	7.3
	104633	H00820	Hs.30977	ESTs, Weakly similar to B34087 hypotheti	3.4	154	46	3
	104636	R82252	Hs.106106	protein kinase (cAMP-dependent, catalyti	5	468	94	4.7
	104660	BE298665	Hs.14846	Homo sapiens mRNA; cDNA DKFZp564D016 (fr	3.8	82	22	3.1
50	104667	Al239923	Hs.30098	ESTs	14.9	149	1	6.4
	104766	BE244072	Hs.20815	macrophage erythroblast attacher	6.3	165	26	3.2
	104787	AA027317		gb:ze97d11.s1 Soares_fetal_heart_NbHH19W	3.8	40	11	3.8
	104804	AI858702	Hs.31803	ESTs, Weakly similar to N-WASP [H.sapien	7.7	77	1	5.1
	104807	AJ139058	Hs.125790	leucine-rich repeat-containing 2	7	70	1	6.5
55		Al250789		ESTs	4.7	201	43	4.5
		AW015318		ESTs	7.4	74	1	6
		AA026880		prolactin receptor	3.9	280	72	3.3
		BE298808		DKFZP434N093 protein	4.2	135	32	4
		AF072873		frizzled (Drosophila) homolog 6	16.2	162	1	4.2
60		A1249502		ESTs	3.8	38	1	2.4
00		Al392640		amino acid transporter system A1	3.2	522	165	1.9
		AA121686		ESTs	3.2	32	4	2.9
		Al122691		ESTs	3.7	157	43	3.6
		AW503733		KIAA1488 protein	5.5	55	1	5.2
65		AB037716		KIAA1295 protein	10.3		1	3.9
		AA148710		tumican	6.6	66	1	5.4
		H58589	Hs.35156	Homo sapiens cDNA FLJ11027 fis, clone PL	3.1	31	1	2.5
					-			

	105091	AA148859	Hs 179909	hypothetical protein FLJ22995	3.2	32 .	1	3
			Hs.24808	ESTs. Weakly similar to I38022 hypotheti	7.3	73	i	3.8
		AA307279		methyl-CpG binding domain protein 4	4.2	90	22	2.8
		AL133033		KIAA1025 protein	6	60	6	4.6
5		AW612147		Homo sapiens C1orf19 mRNA, partial cds	3.8	38	2	3.2
•		AA313825		AD036 protein	9.3	436	47	5.8
		AA975096		hypothetical protein PRO2849	5.7	57	8	5.3
		AA328102		cytoskeleton associated protein 2	4.5	45	1	3.6
		AW952479		tropomodulin 3 (ubiquitous)	4.3	43	i	3.9
10		AB039670		ALEX1 protein	8	80	6	7.3
10		AW997484		KIAA0456 protein	3.9	39	6	3.2
		AA894638		ESTs	3.5	35	7	2.7
		N99673	Hs.3585	ESTs, Weakly similar to AF126743 1 DNAJ	4.5	45	10	0.5
		AK000796		hypothetical protein	3.8	93	25	7.5
15		AA234561		ESTs	2.8	131	47	3.9
13		AF151073		hypothetical protein	3.9	79	20	6.5
•		AW994032		hypothetical protein FLJ10849	5.1	181	36	15.8
		AW500718		Homo sapiens, clone MGC:16169, mRNA, com	4.1	41	2	3.3
		AF198620		RNA binding motif protein 8A	6.2	62	6	5.6
20		W20027	Hs.23439	ESTs	3.3	206	63	2.2
20		AL137257		Homo sapiens cDNA: FLJ23015 fis, clone L	3.2	466	146	8.4
		AL117441		hypothetical protein FLJ13033	16.6	166	8	12.7
		AW602166		CEGP1 protein	25.4	508	20	3
		AA173942		Homo sapiens mRNA; cDNA DKFZp564H1916 (I		117	13	10.6
25		AB037829		regulator of nonsense transcripts 2; DKF	3.2	32	6	1.5
25		AK001269		hypothetical protein FLJ10407	8.3	83	3	1.8
		AB040884		KIAA1451 protein	3.5	73	21	1.6
		BE616694		hypothetical protein FLJ14299	5.8	336	58	2
		AA280072		fetal Alzheimer antigen	3.2	32	1	1
30		R35343	Hs.24968	Human DNA sequence from clone RP1-233G16		79	17	5.2
50		AA281279		hypothetical protein FLJ14681	4	75	19	1.7
		AA001021		thyroid hormone receptor interactor 8	4.5	45	ĭ	3.7
		AW294631		ESTs	3.6	36	i	0.1
			Hs.279789	histone deacetylase 3	6.4	64	8	6
35		NM_014517		upstream binding protein 1 (LBP-1a)	4.7	152	33	5.3
55			Hs.289068	Homo sapiens cDNA FLJ11918 fis, clone HE	5.7	57	8	4.1
		AW377314		DKFZP564l052 protein	6.9	69	1	4.4
		AA834664		nuclear receptor coactivator 2	3.4	34	i	3.1
		BE246502		sema domain, immunoglobulin domain (lg),	3	30	10	0.9
40			Hs.15159	chemokine-like factor, alternatively spl	5.4	54	1	4.4
		H57111	Hs.221132	ESTs	5.3	67	13	5.3
		AW369278		hypothetical protein FLJ20160	4.9	49	1	4.5
		W84446	Hs.226434	hypothetical protein MGC4643	3.3	98	30	4.7
		AA878183		Homo sapiens cDNA FLJ13618 fis, clone PL	3.2	143	46	3.6
45		AF206019		REV1 (yeast homolog)- like	4	40	3	3.2
		AA788946		ESTs, Moderately similar to CA1C RAT COL	4.7	747	158	5.7
		A1559444	Hs.293960	ESTs	3.9	371	94	4.6
		AW802282		pyruvate dehydrogenase phosphatase	3.6	68	19	6
		AA601518		secreted modular calcium-binding protein	4.8	134	28	3.2
50			Hs.24391	hypothetical protein FLJ13612	4.3	772	179	1.7
٠.		A1640775		Homo sapiens cDNA: FLJ21560 fis, clone C	4.3	43	1	3.7
		AW021691		GCN5 (general control of amino-acid synt	3.6	36	7	3.1
		AK001708		hypothetical protein FLJ10846	3.4	34	8	2.9
		AK001735		UDP-glucose:glycoprotein glucosyltransfe	3.6	45	13	1.3
55		N25986	Hs.22380	ESTs	3.4	34	1	1.5
		AI240665		ESTs	21.2	212	6	17.4
		AA043039		hypothetical protein	3.9	47 ·	12	4.4
		AL122072		heterogeneous nuclear ribonucleoprotein	4.4	174	40	1.6
		AW952005		hypothetical protein FLJ12903	4.7	47	1	4
60		AA382267		ESTs	3.4	49	15	4.4
00		AA417034	110.10000	gb:zu04f10.s1 Soares_testis_NHT Homo sap	3.5	53	15	1.2
		BE614474	Hs 280074	F-box only protein 22	3.4	116	35	2.2
		NM_00132		C-terminal binding-protein 2	3.6	444	125	4.6
		T74445	Hs.5957	Homo sapiens done 24416 mRNA sequence	3.6	365	103	6.9
65		AF115402		E74-like factor 5 (ets domain transcript	26.3	356	14	1
5 5		AW379378		protein tyrosine phosphatase, receptor t	3.2	267	83	2.3
		AA576953		hypothetical protein FLJ13352	3.8	38	1	3.3
		0000		.,,,	3.0		•	

PCT/US02/02242

			•					
	106155	AA425414	Hs.33287	nuclear factor I/B	9.9	483	49	1.8
	106157	W37943	Hs.34892	KIAA1323 protein	6.7	94	14	8
	106198	A1244563	Hs.325531	Homo sapiens clone 015h12 My015 protein	3.3	95	29	4.4
	106236	AB040896	Hs.21104	KIAA1463 protein	3.8	83	22	7.5
5	106286	AI765107	Hs.274422	hypothetical protein FLJ20550	3.3	97	30	6.4
	106290	AW961393	Hs.16364	hypothetical protein FLJ10955	4.5	116	26	4.5
	106310	R98185	Hs.17240	ESTs	7	70	3	1.3
	106323	AB007866	Hs.158249	KIAA0406 gene product	3.2	37	12	2.6
	106330	AW977397	Hs.35580	ESTs	3.8	38	1	1.9
10		AA447453		Homo sapiens mRNA; cDNA DKFZp586M0723 (i	16	255	16	6.6
		AW748420			4.9	337	70	2.7
		Z42993	Hs.25320	Homo sapiens clone 25142 mRNA sequence	3.1	72	23	5
		AK000310		hypothetical protein FLJ20303	3.1	165	54	1.6
		AA789081		glioma-amplified sequence-41	3.1	31	1	2.6
15		AB033042		cofactor required for Sp1 transcriptiona	5.5	147	27	4.4
13		Al205785	Hs.30348	ESTs	4.4	222	51	1.8
		NM_014892		KIAA1116 protein	7.4	74	3	1.7
		AA243837		ESTs	15.2	152	1	12.6
		AK000933		Homo sapiens cDNA FLJ10071 fis, clone HE	3.8	263	69	3.9
20				ESTs, Moderately similar to ALU7_HUMAN A	4.9	49	1	4.1
20		AA452379		ATP-dependant interferon response protei	5.8	58	5	3.1
		R49131	Hs.26267	Homo sapiens clone 23570 mRNA sequence	5.3	166	32	14.9
		AW188205				75	14	0.8
		AL049951		Homo sapiens mRNA; cDNA DKFZp564O0122 (210	58	4.7
25		BE296396		DIPB protein	3.6 5.7	210 57	10	4.8
25		N28524	Hs.29403	hypothetical protein FLJ22060				3.2
		N38902	Hs.334437	hypothetical protein MGC4248	4.4	371	84	
		AA600357		TIA1 cytotoxic granule-associated RNA-bi	4.3	101	24	1.6
		NM_007118		triple functional domain (PTPRF Interact	4.6	46	1	4.
••		AL044182		KIAA0753 gene product	3.5	58	17	1.6
30		AB037744		KIAA1323 protein	5.4	192	36	4.4
		BE185536		molecule possessing ankyrin repeats indu	3.3	696	214	1.8
	106882	AA149537	Hs.26994	hypothetical protein FLJ20477	3.8	38	1_	1.6
		AA835868		mannosidase, alpha, class 1A, member 1	4.3	43	10	2.2
		AK001826		hypothetical protein FLJ11269	3.6	36	1 .	1.2
35	106897	AF039023	Hs.167496	RAN binding protein 6	4.5	45	1_	3.8
	106916	AA134329	Hs.24170	Homo sapiens, clone IMAGE:3685398, mRNA,	5.7	94	17	7.3
	106962	AI868648	Hs.22315	ESTs	3.5	180	52	2.3
	106968	AF216751	Hs.26813	CDA14	5.5	130	24	12.5
	106990	AA280722	Hs.24758	ESTs, Weakly similar to I38022 hypotheti	3.2	265	83	1.8
40	107008	AL157479	Hs.23740	KIAA1598 protein	5.1	298	59	4.4
	107014	AA598820		gb:ae36h12.s1 Gessler Wilms tumor Homo s	3.3	228	69	2.8
	107032	AV650537	Hs.247309	succinate-CoA ligase, GDP-forming, beta	3.1	55	18	3.8
	107056	AW401864	Hs.18720	programmed cell death 8 (apoptosis-induc	3.1	75	24	2.2
	107071	AW385224	Hs.35198	ectonucleotide pyrophosphatase/phosphodi	3.1	367	119	2.3
45	107080	AL122043	Hs.19221	hypothetical protein DKFZp566G1424	3.9	98	25	8.6
		AB037765		KIAA1344 protein	6.3	63	1	5.4
		AA249096		ESTs	4.6	71	16	3.6
	107136	AV661958	Hs.8207	GK001 protein	2.5	392	155	4.3
•	107151	AW378065	Hs.8687	ESTs	15.6	156	7	10.8
50		AL080235		DKFZP586E1621 protein	4.8	48	8	3.1
-		BE172058		tumor rejection antigen (gp96) 1	3.4	251	74	23.7
		Al290284		ESTs	3.6	36	6	0.5
		AW263124		nuclear receptor co-repressor/HDAC3 comp	5.4	483	90	4
		AA186629		UDP-N-acetyl-alpha-D-galactosamine:polyp	4.6	199	44 .	19.2
55		BE277457		hypothetical protein MGC4606	12.5	156	13	2.9
55		T63174	Hs.193700	Homo sapiens mRNA; cDNA DKFZp586i0324 (f		110	35	9.6
		T74445	Hs.5957	Homo sapiens clone 24416 mRNA sequence	3.5	35	1	2.6
		AL042613		S-adenosylmethionine decarboxylase 1	5.8	151	26	11.4
		Al498986	Hs.60090	Homo sapiens cDNA FLJ13595 fis, clone PL	3.2	32	5	2.1
60		Al580492	Hs.42743	hypothetical protein	4.4	73	17	6.2
00		AA149707		ubiquitin-like 3	3.5	282	80	3.7
		AW732573		potassium voltage-gated channel, delayed	5.7	85	15	7.8
		AW372451		CGI-79 protein	3.5	35	1	1
		AA054949		ESTs .	4.3	43	10	2.7
65		AA025782		ESTs	3.1	31	9	2.2
05		AF087999		ESTs	4.7	47	4	4.3
		BE153855		Ig superfamily receptor LNIR	9	90	1	5.5
	101 322		10.01400	is anhairming resolver MARIA	•			

	407004	4.4000044	11- 40400	1 H. d containing 4	4 E	AE	4	3.8
		AA036811		LIM domains containing 1	4.5	45	1	
		AL121031		SWI/SNF related, matrix associated, acti	6.5	65	2	6
		AJ404672		hypothetical protein FLJ23571	7.4	74	8	6
_	108063	BE548479	Hs.14838	hypothetical protein FLJ10773	3.4	34	1	2.3
5	108339	AW151340	Hs.51615	ESTs, Weakly similar to ALU7_HUMAN ALU S	18.7	187	1	17
	108467	Al478658	Hs.94631	brefeldin A-inhibited guanine nucleotide	3.8	38	1	3.2
	108539	AA084677	Hs.54558	hypothetical protein FLJ22222	5.7	57	1	4.9
	108634	AW022410	Hs.69507	ESTs	3.2	32	5 .	1.7
		BE546947			8.7	247	29	5.7
10		AB029000		KIAA1077 protein	3.7	625	168	3.8
10		AF133123		general transcription factor IIIC, polyp	3.7	37	1	3.2
		AF070578		Homo sapiens done 24674 mRNA sequence	3.4	34	i	2.8
			Hs.49376	hypothetical protein FLJ20644	3.5	35	i	3.2
					5.3	53	1	2.8
1.5		AW295647		hypothetical protein MGC5350			20	6.5
15		AL117452		DKFZP586G1517 protein	4.8	96		
		AK001468		anillin (Drosophila Scraps homolog), act	5.4	54	1	4
		BE276891		retinoic acid induced 3	3.1	529	170	4.1
	108917	Al380268	Hs.173648	ESTs, Weakly similar to Zinc-finger prot	3.3	33	5	1.7
	109010	NM_007240)Hs.44229	dual specificity phosphatase 12	3.4	34	1	2.6
20	109060	BE062109	Hs.241551	chloride channel, calcium activated, fam	3.1	31	8	2
	109101	AW608930	Hs.52184	hypothetical protein FLJ20618	3.4	71	21	2.4
		AW419196			4.1	334	82	3.4
		AK000684		, /	3.3	33	1	2.9
		H89083	Hs.181915		4	40	7	1.1
25		BE220601			3.8	233	62	3.8
23		AA219691		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	8.8	199	23	16.1
					3.2	32	1	2.2
		AA179962		EST		32		2.9
		AW976516		Homo sapiens cDNA: FLJ21354 fis, clone C	3.2		10	
20			Hs.300684	calcitonin gene-related peptide-receptor	4.9	121	25	10.4
30		AA375752		Homo saplens mRNA; cDNA DKFZp586F1822 (f		114	39	9.9
	109292	AW975746	Hs.188662	KIAA1702 protein	7.1	71	1	6.5
	109391	AL096858	Hs.184245	KIAA0929 protein Msx2 interacting nuclea	6.9	69	5	6.2
	109411	R98881	Hs.109655	sex comb on midleg (Drosophila)-like 1	3.3	39	12	1.5
	109412	BE543313	Hs.209473	hypothetical protein FLJ10520	4.2	56	14	2.2
35		U80736	Hs.110826	trinucleotide repeat containing 9	12.3	123	1	11.3
•		AA878923		hypothetical protein FLJ21016	3.2	286	91	5.7
			Hs.155140	casein kinase 2, alpha 1 polypeptide	8.3	83	8	1.9
		AA989362		ESTs	5.9	59	10	4.2
		F10024	Hs.268740	ESTs `	3.2	41	13	3.3
40						208	36	1.8
40		AA173942		Homo sapiens mRNA; cDNA DKFZp564H1916 (f				4.1
		AW965076		hypothetical protein 669	5	50	5	
		R68827	Hs.95011	syntrophin, beta 1 (dystrophin-associate	3.7	37	4	2
		AW390822		L-kynurenine/alpha-aminoadipate aminotra	14.2	142	1	9.5
	109937	Al084066	Hs.20072	myosin regulatory light chain interactin	4.1	41	7	1.7
45	109958	AA001266	Hs.133521	ESTs	4.2	58	14	0.8
	109984	A1796320	Hs.10299	Homo sapiens cDNA FLJ13545 fis, done PL	3.2	136	43	3.6
	110009	BE075297	Hs.6614	ESTs, Weakly similar to A43932 mucin 2 p	6.3	693	110	7.2
	110240	AI668594	Hs.176588	ESTs, Wealdy similar to CP4Y_HUMAN CYTOC	4.6	913	199	2.9
	110369	AK000768		hypothetical protein FLJ20761	3.8	38	7	2.8
50		Al610702	Hs.28212	ESTs, Weakly similar to TRHY_HUMAN TRICH		78	12	3
50		H11236	Hs.31034	peroxisomal biogenesis factor 11A	3.7	37	1	2.1
		AF075089		ESTs	3.6	36	10 ·	2.5
		H61560	113.30023	gb:yr22g03.s1 Soares fetal liver spleen	3.3	33	1	1.8
			Un 40400					1.9
55		AA071276		KIAA0859 protein	3.5	35	8	
55		AB007902		KIAA0442 protein	3.6	282	79	1.7
		H97678	Hs.31319	ESTs	4.4	103	24	3.8
		NM_01489		KIAA0878 protein	3.3	138	42	3.6
		BE000831	Hs.23837	Homo sapiens cDNA FLJ11812 fis, clone HE	13.5	135	1	5.1
	110775	N22414		gb:yw39a07.s1 Weizmann Olfactory Epithel	5.4	54	1	3.7
60	110787	AA831267	Hs.12244	hypothetical protein FLJ20097	4.7	47	4	4.2
	110799	A1089660	Hs.323401	dpy-30-like protein	5	50	1	4.3
		AL157503		Homo sapiens mRNA; cDNA DKFZp586N2424 (f3.1	31	1	2.7
		AF153330		solute carrier family 19 (thlamine trans	8.4	84	1	5.3
		AI740792	Hs.167531	methylcrotonoyl-Coenzyme A carboxylase 2	10.5	105	4	7.1
65		BE612992		hypothetical protein FLJ10607 similar to	7.9	79	1	6.2
UJ		AW963705		molecule possessing ankyrin repeats indu	3.9	353	90	1.2
		Al433165	Hs.9856		3.1	31	1	1.3
	ון ועטטס	M1433103	110.3030	ESTs	J. I.	31	,	1.0

	110015	BE092285	He 20724	hypothetical protein FLJ13187	20.9	209	1	19.5
		BE242691		ESTs	3.4	115	34	2.4
		Y19062	Hs.96870	staufen (Drosophila, RNA-binding protein	3.5	35	9	3.2
		H44186	Hs.15456	PDZ domain containing 1	4.3	43	1	2
5		N63823	Hs.269115	ESTs, Moderately similar to 2195_HUMAN Z	5.4	54	i	4.3
•		AB037807		hypothetical protein	7.2	72	10	6.1
		N46180	Hs.122489	Homo sapiens cDNA FLJ13289 fis, clone OV	7.7	77	1	5
		AK000136		asporin (LRR class 1)	25.1	288	12	6.7
			Hs.243901	Homo sapiens cDNA FLJ20738 fis, done HE	3.9	146	37	9.8
10		AK002055		hypothetical protein FLJ11193	6.3	63	1	5.8
		AB037782		KIAA1361 protein	3.7	119	33	6.7
		AA852773		KIAA1866 protein	3.6	402	112	4.9
		AW389845		ESTs	4.3	43	1	1
		AA902656		NIF3 (Ngg1 interacting factor 3, S.pombe	3.3	33	1	1.1
15		AA345644		PAN2 protein	4.8	61	13	5.6
		AW263155		hypothetical protein FLJ10540	4.3	43	5	2.2
		W20090	Hs.6616	ESTs	4.1	41	1	2.6
		BE314949		hypothetical protein FLJ23309	3.8	425	111	4
		AW160993		hypothetical gene DKFZp434A1114	4.3	65	15	5.7
20		AK000987		oxidation resistance 1	3.4	314	91	2.4
	111540	U82670	Hs.9786	zinc finger protein 275	3.5	35	1	2.1
	111806	BE071382	Hs.279008	hypothetical protein FLJ20170	3.5	105	30	9.6
	111884	AW502285	Hs.127236	hypothetical protein FLJ12879	3.2	37	12	3.5
	111923	BE383234	Hs.25925	Homo sapiens, clone MGC:15393, mRNA, com	6.2	62	2	5.9
25	111929	AF027208	Hs.112360	prominin (mouse)-like 1	8.1	328	41	1.7
	111942	R40576	Hs.21590	hypothetical protein DKFZp564O0523	4.2	125	30	7.4
	111987	NM_015310)Hs.6763	KIAA0942 protein	6.5	65	10	1.5
	112092	R44538		gb:yg29c02.s1 Soares infant brain 1NIB H	3.3	33	10	2.3
	112134	R41823	Hs.7413	ESTs; calsyntenin-2	6.1	185	31	6.6
30		NM_003655	5Hs.5637	ESTs	3.5	507	145	3.3
		Al432672	Hs.288539	hypothetical protein FLJ22191	3.5	40	12	2.5.
		AB029000	Hs.70823	KIAA1077 protein	5.7	567	100	6.7
		R51818		gb:yg77h12.s1 Soares infant brain 1NIB H	4	70	18	6.8
0.5		R53734	Hs.25978	ESTs, Weakly similar to 2109260A B cell	3.7	37	1.	3
35		AW972635		hypothetical protein FLJ12671	4.3	45	11	4.4
		AA863360		ESTs, Weakly similar to fatty acid omega	2.8	751	270	1.3
		AK000914		hypothetical protein FLJ10052	3.5	41	12	3.7
		AW969785		Homo sapiens cDNA FLJ11321 fis, clone PL	4.2	42	6	3.6
40		R68425	Hs.13809	hypothetical protein FLJ10648	4.7	54	12	4.5
40		AA412205		ESTs	4:8	48	2 .	3.4
		Z42387	Hs.83883	transmembrane, prostate androgen induced	4.5	390	87	5.3
		AL134324		ESTs	3.2	99 124	31	3.1
		AI571940	Hs.7549	ESTs	9.6	91	13	9 8.3
45		N39342	Hs.103042	microtubule-associated protein 1B	9.1 6.5	65	6 6	4.8
43		AA283057		hypothetical protein FLJ14281	3.5	35	1	1.4
		T66847 AW449560	Hs.194040	ESTs, Weakly similar to 138022 hypotheti Inner mitochondrial membrane peptidase 2	3.5	35	4	3.3
		AI791905	Hs.95549	hypothetical protein	7.6	76	1	4.2
		A1075407	Hs.296083	ESTs, Moderately similar to 154374 gene	3.1	453	148	7
50		AI869372	Hs.17207	Homo saplens cDNA FLJ11922 fis, clone HE	3.6	36	4	2.6
50		T97307	110.11201	gb:ye53h05.s1 Soares fetal liver spleen	12.3	129	11	11.7
•		AL359588	Hs.7041	hypothetical protein DKFZp762B226	4.6	46	4	4.3
		Al269096	Hs.135578	chitobiase, di-N-acetyl-	3.6	36	1	1.2
		T62849	Hs.11090	membrane-spanning 4-domains, subfamily A	3.3	744	227	2.5
55		BE247683		dual specificity phosphatase 11 (RNA/RNP	3.3	180	54	2.1
		W44735	Hs.9286	Homo sapiens cDNA: FLJ21278 fis, clone C	5.1	51	5	4.5
	113847	NM_00503		plastin 3 (T isoform)	3.2	238	75	2.1
	113849	AA457211	Hs.8858	bromodomain adjacent to zinc finger doma	4.3	43	8	3.6
		AW002834		ESTs	6.1	110	18	10.2
60		W76027	Hs.23920	hypothetical protein FLJ11105	4	48	12	4
		AW953484	Hs.3849	hypothetical protein FLJ22041 similar to	3.7	239	65	3.6
	113936	W17056	Hs.83623	nuclear receptor subfamily 1, group I, m	4.3	819	191	1.2
	113950	AI267652	Hs.30504	Homo sapiens mRNA; cDNA DKFZp434E082 (fi	10.7	123	12	7
	114030	A1825386	Hs.164478	hypothetical protein FLJ21939 similar to	4.4	44	6	2.3
65	114051	AB026436	Hs.177534	dual specificity phosphatase 10	4.5	45	4	2.6
	114057	AF116653	Hs.34192	Homo sapiens PRO0823 mRNA, complete cds	3.5	35	6	3.2
	114082	AK001612	Hs.26962	Homo sapiens cDNA FLJ10750 fis, clone NT	3.1	31	5	1.5

	114124	W57554	Hs.125019	lymphoid nuclear protein (LAF-4) mRNA	24.2	242	10	5.6
		AW384793		Homo sapiens mRNA; cDNA DKFZp434E033 (fr			1	6.3
		AF155661		pyruvate dehydrogenase phosphatase			19	1.8
		AF017445			4.4		24	5.1
5		AL049466					1	4.9
•		AL137667		Homo sapiens mRNA; cDNA DKFZp434B231 (fr		33	1	2.4
		H15261				46	11	1.4
		AF100143		fibroblast growth factor 13	4.5	45	2	3
		AF183810			4.4	44	1	3
10	114542	AW970128	Hs.91011	anterior gradient 2 (Xenepus laevis) hom	4.7	770	166	5.8
	114652	Al521936	Hs.107149	novel protein similar to archaeal, yeast	5.2		3	2.3
	114767	AI859865	Hs.154443	minichromosome maintenance deficient (S.	4.6	196	43	10
	114768	AF212848	Hs.182339	ets homologous factor	13.7		1	8.9
	114774	AV656017	Hs.184325	CGI-76 protein	3.3		51	7.3
15	114798	AA159181	Hs.54900	serologically defined colon cancer antig	7.4		19	1.8
	114821	AI648602		ESTs		57	12	4.7
	114860	AL157545	Hs.42179	bromodomain and PHD finger containing, 3	-	91	1	7.6
		BE165762		hypothetical protein from BCRA2 region	10.1		11	10.2
		BE092696					11	5
20		A1733881	Hs.72472	BMP-R1B	35.9	359	10	29.7
		AW162998					8	7.3
		AA251089		gb:zs04f05.s1 NCI_CGAP_GCB1 Homo sapiens			1	6.9
		AA329340		mannosyl (alpha-1,3-)-glycoprotein beta-			9	1.1
25		AW265668				51	1	4.2
25			Hs.41271		4.5		65	3.7
		NM_014158		HSPC067 protein	4.8	48	1	4.4
		AI623693		ESTS	3.2	49	16	4.2
		AK000219		.,,	3.3	33	1 1	3
20		AW183695			5.8 5.5	58 343	62	5 2.5
30		AW365434		7	11.2	112	1	10.3
		AI422867		ESTS	4.5		21	7.8
		BE545072		TO PRODUCE TO THE PROPERTY OF	4.5 5.9	59	1	4.2
		AK001468		anillin (Drosophila Scraps homolog), act	9.8	98	i	8.8
35		NM_012317 AA081395		leucine zipper, down-regulated in cancer Homo sapiens cDNA FLJ10366 fis, clone NT	4.6	46	2	1.8
33		Al088691	Hs.208414	Homo sapiens mRNA; cDNA DKFZp564D0472 (f			7	1.1
		N36110	Hs.305971	solute carrier family 2 (facilitated glu	3.2	372	115	2.1
•		AW992356		Homo sapiens pyruvate dehydrogenase kina	10.2	506	50	2.8
		W87707	Hs.82065	interleukin 6 signal transducer (gp130,	5.2	405	78	10.1
40		AW992405		Homo sapiens, clone IMAGE:3507281, mRNA,	7.6	144	19	13.9
		AW899053		F-box only protein 8	3.1	58	19	2.5
		AW582256		anterior gradient 2 (Xenepus laevis) hom	5.7		65	28.5
		AW338063		zinc-finger protein ZBRK1	3.9	39	8	2.2
		R50956	Hs.159993	gycosyltransferase	4.2	79	19	1.9
45		BE300266		transducin-like enhancer of split 1, hom	5.8	58	1	4.4
		Al373062	Hs.332938	hypothetical protein MGC5370	6.2	62	1	5.4
	115892	AA291377	Hs.50831	ESTs	3.2	40	13	0.7
	115967	AI745379	Hs.42911	ESTs	8.4	101	12	8.7
	116093	AW673312	Hs.50848	hypothetical protein FLJ20331	3.6	36	1	2
50	116097	Al198719	Hs.176376	ESTs	5.1	51	1	2
		AL133916		hypothetical protein FLJ20093	3.4	34	8	1
	116127	AF126743	Hs.279884	DNAJ domain-containing	3.5	35	8	3.3
		AF189011		putative ribonuclease III	4.5	45	9	3.4
		AW861622		Homo saplens cDNA FLJ14934 fis, clone PL	5.2	52	4	3.9
55		AW976438		RBP1-like protein	3.8	38	7	2.1
		AV660717		DKFZP586N0819 protein	5.1	198	39	17.9
		N76712	Hs.44829	ESTs, Weakly similar to I38022 hypotheti	13.3	133	8	3.2
		AA328153		ESTs, Weakly similar to A Chain A, Cryst	3.3	106	33	9.8
60		Al955411	Hs.94109	Homo sapiens cDNA FLJ13634 fis, clone PL	4.8	179	38	2.8 3
60		AL133033		KIAA1025 protein	3.2	173	55 4	1.8
			Hs.82501	similar to mouse Xm1 / Dhm2 protein	3.7 3.9	37 39	1 10	0.6
		N50174 AA448588	Hs.46765	ESTs hypothetical protein DKFZp761C169	5.6	106	19	9
				nypometical protein DA-Zp761C ros putative nucleotide binding protein, est	3.6	256	72	3.7
65		AF191018 Al654450	Hs.279923 Hs.47274	Homo sapiens mRNA; cDNA DKFZp564B176 (fr		119	39	2
05		AA313607		Homo sapiens cDNA: FLJ22145 fis, clone H	5.5	315	58	3.1
		Al272141	Hs.83484	SRY (sex determining region Y)-box 4	3.4	496	144	1.6
	, ,5 0		0.00					

	110007	41440000	U- C0504	COT-	3.1	31	4	1.9
		AI418366 AW888411		ESTs leukemla-associated phosphoprotein p18 (3.3	931	279	5.6
		F01601	Hs.241567	RNA binding motif, single stranded inter	3.6	36	1	1.9
		AI768015	Hs.92127	ESTs	4.5	96	22	6.9
5		AW902848		ESTs	4.2	42	1	2.7
	116710	F10577	Hs.306088	v-crk avlan sarcoma virus CT10 oncogene	7.1	71	9	6.9
	116724	AA741307	Hs.65641	hypothetical protein FLJ20073	4.3	190	44	5.4
		H25836	Hs.301527	ESTs, Moderately similar to unknown [H.s	22.8	228	9	12.4
4.0		AW362955		Homo saplens cDNA FLJ14415 fis, clone HE	4.9	108	22	9
10		AW161357		microtubule-associated protein tau	4.6	163	35	7.3
		H64938	Hs.337434	ESTs, Weakly similar to A46010 X-linked	6.9	69	10	2.4
		AW085208		ESTs	4.8	48	1	2.5
		H91164	Hs.335797	ESTS	3.3	33 38	1	2.3 1.7
15		H95785	Hs.167652	ESTs, Highly similar to 1819485A CENP-E hypothetical protein FLJ23342	3.1 4.8	48	13 1	0.9
15		AW901347			3.1	295	96	27.9
		N25929 W03011	Hs.42500 Hs.306881	ADP-ribosylation factor-like 5 MSTP043 protein	3.6	41	12	2.8
		M18217	Hs.172129	Homo sapiens cDNA: FLJ21409 fis, clone C	3.9	322	83	4.4
		AI041793	Hs.42502	ESTs	3.5	72	21	1.3
20		N32536	Hs.42645	solute carrier family 16 (monocarboxylic	17.4	174	9	6.9
		N30205	Hs.93740	ESTs, Weakly similar to 138022 hypotheti	3.2	35	11	0.7
		AW341639		hypothetical protein FLJ22059	5	50	1	4.7
	117667	U59305	Hs.44708	Ser-Thr protein kinase related to the my	4.5	211 /	47	5
4	117852	AW877787	Hs.136102	KIAA0853 protein	4.6	46	1	3.8
25	117873	N49967	Hs.46624	HSPC043 protein	3.1	31	1	2.7
		A1521436	Hs.38891	ESTs	4.9	49	1	4.4
		AA374756		Homo sapiens mRNA for KIAA1771 protein,	5	50	2	3.1
		AI813865	Hs.164478	hypothetical protein FLJ21939 similar to	3.6	89	25	0.9
20		AF091434	Hs.43080	platelet derived growth factor C	3.2	378 145	117 1	2.8 2.4
30		AL157545	Hs.42179	bromodomain and PHD finger containing, 3 qb:za46c11.s1 Soares fetal liver spleen	14.5 3.1	145 199	64	1
		N66845 N22617	Hs.43228	Homo sapiens cDNA FLJ11835 fis, done HE	6	60	5	3.7
		AI949952	Hs.49397	ESTs	3.3	81	25	1.5
		N79496	Hs.50824	EST, Moderately similar to 154374 gene N	3.4	740	217	2.8
35		AW134482		hypothetical protein FLJ13964	4.3	162	38	12.1
55		T58283	Hs.10450	Homo sapiens cDNA: FLJ22063 fis, clone H	3.4	118	35	2.3
		AI824009		ESTs	3.5	35	1	2.9
		Al191811	Hs.54629	ESTs	8.4	84	10	8.0
		AW292577	Hs.94445	ESTs	7.3	73	3	5.4
40	118981	N29309	Hs.39288	ESTs	5	50	5	4.7
	118991	NM_01665	7Hs.250696	KDEL (Lys-Asp-Glu-Leu) endoplasmic retic	3.7	37	6	0.5
•		N98488		gb:zb82h01.s1 Soares_senescent_fibroblas	3.3	36	11	0.6
		R39261	Hs.90790	Homo sapiens cDNA: FLJ22930 fis, done K	3.3	167	51	2.6
45		R45175	Hs.117183	ESTS	5.3	53 37	6 4	2.3 3
45		H09334	Hs.92482	ESTS	3.7 8.2	82	1	6.4
		AI061118	Hs.65328 1Hs.155478	Fanconi anemia, complementation group F cyclin T2	4	40	4	1.2
		BE048061		ephrin-A3	3.3	571	171	2
		178324	Hs.250895	ribosomal protein L34	3.4	34	3	2.4
50 ·		AW474547		Homo sapiens PIG-M mRNA for mannosyltran	4.6	60	13	4.8
-		AL079310		high-mobility group protein 2-like 1	8.1	94	12	6.5
			Hs.159225	ESTs	3.3	33	8	0.9
	119638	NM_01612	2Hs.56148	NY-REN-58 antigen	3.3	33	10	0.5
	119676	AA243837	Hs.57787	ESTs	5.4	54	1	4.1
55	119717	AA918317	Hs.57987	B-cell CLL/lymphoma 11B (zinc finger pro	4.6	46	7	8.0
		AI905687		EST	3.5	2073	595	2.1
			5Hs.191381	hypothetical protein	4.4	44	1	3.1
			Hs.121281	prion protein 2 (dublet)	3.4	34	1	2.5
C 0		AJ223810		ESTs, Weakly similar to IEFS_HUMAN TRANS	3.6	36	1	2.9
60		AW245741		ESTs, Weakly similar to A35659 krueppel-	5.2	52 37	6	1.8
		A1057404	Hs.58698	ESTs	3.7 6.9	37 162	4 24	1.9 2.6
			Hs.272531	DKFZP586B0319 protein	3.7	590	24 159	3.8
		BE565849 W57554	Hs.14158 Hs.125019	copine III lymphoid nuclear protein (LAF-4) mRNA	6.9	319	47	2.1
65			Hs.153746	hypothetical protein FLJ22490	5.3	53	5	0.9
UJ			Hs.108787	phosphatidylinositol glycan, class N	3.2	106	34	3.3
			Hs.101590	hypothetical protein	3.4	34	1	1.7

	4000			1		404	20	4.0
		AW995911		hypothetical protein FLJ23399	4.2	124	30	1.8
		R06859	Hs.193172	ESTs, Weakly similar to 138022 hypotheti	7.5	112	15	2.5
	120378	AA223249	Hs.285728	abl-interactor 12 (SH3-containing protei	3.3	33	10	2.8
	120418	AW966893	Hs.26613	Homo sapiens mRNA; cDNA DKFZp586F1323 (f	4.8	48	1	0.5
5	120473	AA251973	Hs.269988	ESTs	3.4	34	4	0.1
		AW968080		Homo sapiens done 24630 mRNA sequence	3.9	161	42	2
		AA261852		ESTs	6.8	68	1	0.2
		AA284447		ESTs	3.2	32	5	0.6
		BE244580		hypothetical protein FLJ10330	8.5	127	15	1.6
10		AB037744		KIAA1323 protein	3.7	37	1	0.5
10		H39599	Hs.294008	ESTs	3.6	36	8	0.2
						101	18	1.6
		AA703226		Homo saplens mRNA; cDNA DKFZp586B211 (fr				
		AA687322		leucine zipper protein FKSG14	5.4	54	10	2.5
		Al952639	Hs.98267	ESTs	3.2	32	8	3
15		AW449855		Homo sapiens cDNA FLJ12727 fis, clone NT	5.3	58	11	3.3
	120821	Y19062	Hs.96870	staufen (Drosophila, RNA-binding protein	3.3	33	3	0.2
	120822	AA347422	Hs.238040	EST, Weakly similar to B34087 hypothetic	3.8	38	7	0.2
	120915	AL135556	Hs,97104	ESTs	3.5	37	11	0.1
	120922	AA481003	Hs.97128	ESTs	3.1	31	1	0.4
20		AA398155		ESTs	7.9	79	1	2.7
20		AI972375	Hs.29626	hypothetical brain protein my038	5.1	51	1	2.4
		AL042981	Hs.251278	KIAA1201 protein	3.7	37	10	1
		AL121523		ESTs	7	70	1	0.9
					3.9	39	i	0.2
25		AA970946		ESTs		34	1	0.8
25		AA406293		ESTS	3.4			
		AF044197		B-cell attracting chemokine 1 (CXCL13;	3.5	35	1	2.6
		AK000282		hypothetical protein FLJ20275	10.3	103	1	9.3
	121517	A1002968	Hs.235402	ESTs, Weakly similar to T26525 hypotheti	3.5	143	41	2.6
	121553	AA412488	Hs.48820	TATA box binding protein (TBP)-associate	4.6	46	3	0.8
30	121556	AA412494	Hs.98152	EST	4.2	77	19	1.4
	121581	AA416568		gb:zu05c10.s1 Soares_testis_NHT Homo sap	3.2	32	1	8.0
		Al338247	Hs.98314	Homo sapiens mRNA; cDNA DKFZp586L0120 (f	3.4	34	10	0.7
		AA243499		hypothetical protein FLJ10134	2.9	214	74	3.7
		AA449644		Homo sapiens cDNA FLJ14201 fis, done NT	3.9	39	1	0.2
35		AA425887		hypothetical protein FLJ14303	4.4	48	11	0.9
55				splicing factor (CC1.3)	3.6	150	42	3.2
		AV650929			2.7	864	321 .	0.6
		Al249368	Hs.98558	ESTs; protease inhibitor 15 (PI15)	3.5	35	3	2.3
		AW117207		ESTs				3.7
40		AI810721	Hs.95424	ESTs	4.9	49	7	
40		AW794215		KIAA1085 protein	3.2	88	28	1.2
	122223	AF169797	Hs.27413	adaptor protein containing pH domain, PT	12.6	126	7	7.5
	122235	AA436475	Hs.112227	membrane-associated nucleic acid binding	4.1	43	11	1.6
	122273	AI298368	Hs.150926	fucose-1-phosphate guanylyltransferase	3.1	31	1	1
	122383	AA446189	Hs.99051	ESTs	3.3	53	16	4
45		BE567620		ESTs	3.2	291	91	4
		AA449453		ESTs, Weakly similar to ALU1_HUMAN ALU S	3.1	31	6	8.0
		AW651706		hypothetical protein FLJ14007	3.5	35	-1	3
•		AA454149		EST	3.2	32	10	3.1
		AW366286		splicing factor (CC1.3)	3.2	36	11	2.5
50					5.6	108	20	1.8
50		AA335721		ESTS		36	1	3.4
		AA749382		ubiquitin-conjugating enzyme E2D 3 (homo	3.6			
		A1718702	Hs.308026	major histocompatibility complex, class	3.7	162	44	12.4
		AA478446		KIAA1096 protein	7.2	72	1	5.7
	122974	AA447871	Hs.194215	ESTs, Weakly similar to I38022 hypotheti	4.7	59	13	4.7
55			Hs.323231	Homo saplens cDNA FLJ11946 fis, clone HE	3.3	207	63	3.5
	123090	AL135185	Hs.48778	niban protein	3.8	207	55	5.5
	123137	AI073913	Hs.100686	ESTs, Weakly similar to JE0350 Anterior	9.9	351	36	13.9
			Hs.105273	ESTs	4.1	72	18	1.5
			Hs.293796	ESTs	3.7	41	11	1.6
60			Hs.111496	Homo saplens cDNA FLJ11643 fis, clone HE	6.7	67	2	2.1
00			Hs.112493	Homo sapiens mRNA; cDNA DKFZp564D036 (fi		34	1	2.6
			Hs.250528	Homo sapiens, done IMAGE:4098694, mRNA,	9.7	102	11	6
	1234/3	A\A/170040	Hs.112110	mitochondrial ribosomal protein L42	4.2	42	7	2.9
	123494	AMOZEDEA	113.11211U		3.9	39	í	3.2
CF	123503	AWY/5U51	Hs.293156	ESTs, Weakly similar to 178885 serine/th	4.3	43	i	3.5
65			Hs.173933	nuclear factor VA				
	123518	AL035414	HS.27068	hypothetical protein	5.8	58 037	1	4.9
	123523	AA608588		gb:ae54e06.s1 Stratagene lung cardnoma	3.1	927	295	2.1

	402507	1540000	11 400000	t and a second of DAMA bladles made to 4.44	_	404	05	
		AF150208		damage-specific DNA binding protein 1 (1	5	121	25	5.9
		AA608955	HS.109653	ESTS	6.8	68 og	10 1	6.1
		AA602964	Un 450540	gb:no97c02.s1 NCI_CGAP_Pr2 Homo saplens	8.5 3.9	85 39	5	4.3 3.7
5		BE550112 AA706910		ESTs, Weakly similar to T2D3_HUMAN TRANS	3.9	60	16	4.8
,		AA425769		ESTs Alg5, S. cerevisiae, homolog of	3.4	80	24	3.8
		AW082862		hypothetical protein FLJ23189	4.5	45	2	3.6
		A1147155	Hs.270016	ESTs	5.8	321	55	17
		BE387335		ESTs, Weakly similar to S64054 hypotheti	10.4	880	85	5.3
10		H88296	Hs.5123	inorganic pyrophosphatase	3.1	41	14	2.7
10 .		H11341	Hs.13366	Homo sapiens cDNA: FLJ23567 fis, clone L	3.2	32	i	1.5
		AA249027		ribosomal protein S6	10.5	105	i	9.9
		NM_005402		v-ral simian leukemia viral oncogene hom	12.8	141	11	12.2
		AF283776		Homo sapiens mRNA; cDNA DKFZp586C1723 (i		31	1	1.8
15			Hs.179864	ESTs	3.3	33	1	1.7
		R01073		gb:ye84c03.s1 Soares fetal liver spleen	4.2	42	7	3
		R41933	Hs.140237	ESTs, Weakly similar to ALU1_HUMAN ALU S	3.4	210	63	3.3
		AF068846		heterogeneous nuclear ribonucleoprotein	6.5	162	25	14.7
	125079		Hs.271396	ESTs	3.1	31	6	2.4
20	125091			gb:ye20f05.s1 Stratagene lung (937210) H	3.4	985	286	2.8
		AA570056	Hs.122730	ESTs, Moderately similar to KIAA1215 pro	3.6	224	63	4
		AB037742		KIAA1321 protein	6.3	63	6	5
		W38240		Empirically selected from AFFX single pr	3.6	38	11	2.6
	125156	W93048	Hs.250723	hypothetical protein MGC2747	3.1	31	1	2.8
25	125226	AA782536	Hs.122647	N-myristoyltransferase 2	3.2	37.	12	3.6
	125279	AW401809	Hs.4779	KIAA1150 protein	13.1	131	1	5.1
	125299	T32982	Hs.102720	ESTs	7.7	81	11	7.6
	125303	AA173319	Hs.288193	hypothetical protein MGC12217	14.3	143	9	13.1
	125377	W72949	Hs.77495	UBX domain-containing 1	3.3	34	11	3.2
30	125390	AL038165	Hs.75187	translocase of outer mitochondrial membr	8.2	124	15	11.5
	125471	AA421691	Hs.152601	UDP-glucose ceramide glucosyltransferase	3.7	224	61	21
	125617	AA287921	Hs.164950	ESTs	6.7	67	1	6
	125621		Hs.278544	acetyl-Coenzyme A acetyltransferase 2 (a	5.5	55	10	4.2
25 .		AA418069		natural killer-tumor recognition sequenc	5.5	63	12	1
35 ·		AW292171		scaffold attachment factor B	4.3	68	16	2.8
		AF078847		general transcription factor IIH, polype	4.8	48	5	4.1
			Hs.75722	ribophorin II	6.8	-223	33	2.8
		AA143045		v-kit Hardy-Zuckerman 4 feline sarcoma v	8.3	87	11	0.4
40		NM_003403		YY1 transcription factor	11.3	124	11	9.7
40		AW630088		Homo sapiens mRNA; cDNA DKFZp564B1264 (f		306	4	26.5
	126349		Hs.13531	hypothetical protein FLJ10971	4.9	68 74	14	1.4 6.6
		AW090198		KIAA1150 protein	6.4 5	264	12 53	3.4
		W78968	Hs.181307	H3 histone, family 3A	3.8	38	1	2.7
45		AA316181		six transmembrane epithelial antigen of ESTs	3.6	36	6	2.9
43		AW518478 AA643322		a disintegrin and metalloproteinase doma	3.1	31	1	2.5
		AA036755		syntaxin 16	4.4	76	18	1
		AW663887		hypothetical protein FLJ10936	3.8	38	1	3
•		AW163483		double ring-finger protein, Dorfin	6.7	155	23	1.4
50		AL043489		mitochondrial carrier homolog 2	8.8	110	13	10.5
20		AA129640		ESTs	3.6	36	10	1.9
		T26989	Hs.283664	aspartate beta-hydroxylase	5.5	79	15	4.4
		AA625690		ESTs	3.1	33	11	2.3
		AA936428		ESTs	3.5	35	1	3.1
55			Hs.269350	ESTs	4.8	106	22	1
		D60237	Hs.14368	SH3 domain binding glutamic acid-rich pr	7.5	75	1	6.5
		AI926047	Hs.162859	ESTs	3.8	38	7	3.4
			Hs.245474	ESTs, Moderately similar to ALU5_HUMAN A	3.3	33	9	0.9
	127677	AF175265	Hs.264190	vacuolar protein sorting 35 (yeast homol	4.3	152	35	12.5
60			Hs.119488	cystein-rich hydrophobic domain 2	5.4	73	14	6.8
	127999	AW978827	Hs.69851	nucleolar protein family A, member 1 (H/	5.2	81	16	1.1
			Hs.292154	stromal cell protein	3.9	220	57	2.5
		A1954968	Hs.279009	matrix Gla protein	9.4	94	3	5.3
			Hs.100261	Homo sapiens mRNA; cDNA DKFZp564B222 (fr		46	8	3.9
65	128482	AJ694143	Hs.296251	programmed cell death 4	7.2	72	1	5.8
			Hs.199009	protein containing CXXC domain 2	3.8	38	1	0.9
	128517	AW994403	Hs.100861	hypothetical protein FLJ14600	5.6	73	13	6.1

	128530	Al932995	Hs.183475	Homo sapiens clone 25061 mRNA sequence	4.2	104	25	7.8
		N25956	Hs.101810	Homo sapiens cDNA FLJ14232 fis, clone NT	3.1	172	55	3.1
		U31875	Hs.272499	short-chain alcohol dehydrogenase family	3.3	105	32	3
_		N48373	Hs.10247	activated leucocyte cell adhesion molecu	7.3	106	15	5
5	128653	D87432	Hs.10315	solute carrier family 7 (cationic amino	3.1	31	1	2.2
	128742	AA307211	Hs.251531	proteasome (prosome, macropain) subunit,	3.6	130	36	3.5
	128773	NM_004131	Hs.1051	granzyme B (granzyme 2, cytotoxic T-lymp	3.9	43	11	1.8
	128790	AF026692	Hs.105700	secreted frizzled-related protein 4	17.4	409	24	7.8
	128793	AB011125	Hs.105749	KIAA0553 protein	3.1	34	11	2.7
10	128794	NM_014720	Hs.105751	Ste20-related serine/threonine kinase	3.6	36	5	1.5
		AK001731	Hs.106390	Homo sapiens mRNA; cDNA DKFZp586H0924 (f	3.3	288	87	7.9
	128906	R57988	Hs.10706	epithelial protein lost in neoplasm beta	11.3	113	8	2.5
		R67419	Hs.21851	Homo sapiens cDNA FLJ12900 fis, clone NT	7.1	392	56	3.6
	128949	AA009647	Hs.8850	a disintegrin and metalloproteinase doma	4.6	132	29	9.7
15	129017	AA115333	Hs.107968	ESTs	8.2	82	1	7.4
		BE250162	Hs.83765	dihydrofolate reductase	5	50	1	3.3
	129095	L12350 '	Hs.108623	thrombospondin 2	3.2	814	257	2.4
		N23018	Hs.171391	C-terminal binding protein 2	4.4	44	1	3.8
00		Al132988	Hs.109052	chromosome 14 open reading frame 2	14.2	142	6	9.4
20		AF013758		polyadenylate binding protein-interactin	7.1	71	1	6.2
		BE169531		TAK1-binding protein 2; KIAA0733 protein	5	64	13	6.3
		AF220050		uncharacterized hematopoietic stem/proge	5.2	75	15	6.4
		NM_015344		teptin receptor overlapping transcript-l	3.7	39	11	3.2
0.5		NM_014918			9.5	95	1	8.5
25		AL049538		ras association (RalGDS/AF-6) domain con	7.6	. 92	12	1.4
		BE220806		Homo sapiens clone 23785 mRNA sequence	7.1	150	21	14.5
		BE219987		phosphatidylinositol glycan, class F	3.9	54	14	5.1
		X61959	Hs.207776	aspartylglucosaminidase	3.6	36	1	2.7
20		NM_005754		Ras-GTPase-activating protein SH3-domain	4	40	4	3.2
30		AW964541		hypothetical protein FLJ21127	4.6	199	44	2.3
		N30436	Hs.11556	Homo sapiens cDNA FLJ12566 fis, clone NT	4.2	42	1	3.8
		M26939	Hs.119571	collagen, type III, alpha 1 (Ehlers-Dani	6.4	1111	175	5
		BE242144		ATP-binding cassette, sub-family E (OABP	4.8	48	8	3.8
25		NM_001415		eukaryotic translation Initiation factor	5.8	171	30	2.9
35		BE165866		nuclear receptor subfamily 1, group I, m	4.5	45	1	2.4
		R42216	Hs.12342	Homo sapiens clone 24538 mRNA sequence	5.3	53	9 2	3.6 2.5
		R39246	Hs.239666	Homo sapiens cDNA FLJ13495 fis, clone PL	3.1	31	1	10
		AB028945		cortactin SH3 domain-binding protein	11.4 4.7	114 556	119	4.5
40		A1222069	Hs.13015	hypothetical protein similar to mouse Dn	3.1	31	3	3
40		T71333 NM_000399	Hs.13854	ESTs early growth response 2 (Krox-20 (Drosop	3.2	32	1	0.2
		BE061916		chromosome 8 open reading frame 2	6.7	67	i	5.7
		AF027153		solute carrier family 5 (inositol transp	1	1	i	1
		AK001635		hypothetical protein FLJ10773	14.6	219	15	7.6
45		T47294	Hs.149923	X-box binding protein 1	3.1	1336	434	1.4
7.7		AW977534		calcium/calmodulin-dependent serine prot	5.3	53	9	3.2
		U38847	Hs.151518	TAR (HIV) RNA-binding protein 1	4.2	46 ·	11	1.1
		AB040914		KIAA1481 protein	13.2	331	25	12.4
		AF127577		nuclear receptor interacting protein 1	3.3	354	108	4
50		AL135301		hypothetical protein FLJ10849	8.1	81	9	5.5
		AW067800		stanniocalcin 2	72.2	722	1	1.9
		BE385099		hypothetical protein MGC3017	6.5	65	4	5.3
		AW163518		huntingtin interacting protein 2	3.5	79	23	2.5
			Hs.155637	protein kinase, DNA-activated, catalytic	6.1	61	1	5.7
55	130455	D90041	Hs.155956	N-acetyltransferase 1 (arylamine N-acety	10.8	706	66	9.2
		W19744	Hs.180059	Homo sapiens cDNA FLJ20653 fis, clone KA	3.9	39	1	1.9
	130526	AW876523		hypothetical protein FLJ12910	3.9	39	1	2.6
		AA383092		replication protein A3 (14kD)	4.4	44	1	4.1
		AA383256		estrogen receptor 1	32.2	322	1	4.7
60		Al354355	Hs.16697	down-regulator of transcription 1, TBP-b	5.2	251	48	21
		M90516	Hs.1674	glutamine-fructose-6-phosphate transamin	10	100	1	7.6
	130619	AI963376	Hs.12532	chromosome 1 open reading frame 21	3.9	39	1	3.4
		AF176012	Hs.260720	J domain containing protein 1	10.5	105	1	9
		AL161961	Hs.17767	KIAA1554 protein	6.8	129	19	12.1
65		R62676	Hs.17820	Rho-associated, colled-coil containing p	4.1	41	1	3.6
		R68537	Hs.17962	ESTs	9.2	234	26	16.8
	130712	AJ271881	Hs.279762	bromodomain-containing 7	17.5	175	2	12.8

	420700 pro47070	11- 40440		0.4	04	•	2.8
	130723 BE247676		E-1 enzyme	8.1	81	3 1	
	130751 AF052105		chromosome 12 open reading frame	4.9	49		4.3
	130780 AA197226		hypothetical protein MGC11321	3.6	100	28	6.6
_	130863 Y10805	Hs.20521	HMT1 (hnRNP methyltransferase, S. cerevi	3.4	525	154	5.3
5	130871 AF080158		inhibitor of kappa light polypeptide gen	10.5	121	12	1.6
	130888 AL044315		Homo saplens mRNA for KIAA1750 protein,	6	202	34	3.7
	130974 NM_00352	8Hs.2178	H2B histone family, member Q	7.1	100	14	7.5
	130979 NM_01244	6Hs.169833	single-stranded-DNA-binding protein	3.2	87	27	1.7
	130987 BE613269	Hs.21893	hypothetical protein DKFZp761N0624	3.5	124	35	6.5
10	130993 T97401	Hs.21929	ESTs	4.5	45	1	2.5
	131076 AA749230	Hs.26433	dolichyl-phosphate (UDP-N-acetylglucosam	3.2	210	66	3.8
	131085 BE207357	Hs.3454	KIAA1821 protein	3.8	42	11	0.6
	131126 NM_016156	6Hs.181326	KIAA1073 protein	6.7	67	6	1.9
	131129 BE541042		Homo saplens cDNA: FLJ21848 fis, clone H	5.8	115	20	2.5
15	131148 AW953575	Hs.303125	p53-induced protein PIGPC1	3.8	585	153	3.7
	131164 AW013807	Hs.182265	keratin 19	5.2	1320	256	3.2
	131176 AA465113		ESTs, Weakly similar to A34615 profilagg	3.8	38	1	3.3
	131200 BE540516	Hs.293732	hypothetical protein MGC3195	4.8	48	1	4.1
	131216 AI815486	Hs.243901	Homo sapiens cDNA FLJ20738 fis, done HE	6.1	343	56	16.4
20	131245 AL080080		thloredoxin domain-containing	8	100	13	2.9
	131248 AI038989	Hs.332633	Bardet-Biedl syndrome 2	4	95	24	1.1
	131273 AW206008		Homo sapiens cDNA: FLJ21778 fis, clone H	4.6	239	53	3.5
	131319 NM_00315		stanniocalcin 1	3.5	402	114	2.1
•		Hs.173933	nuclear factor I/A	3.3	775	233	2.4
25	131375 AW293165		ESTs	3.8	38	1	3
23	131379 AK001123		hypothetical protein FLJ10261	3.9	116	30	0.5
	131388 NM_014810		KIAA0480 gene product	7.6	76	1	5
	131475 AA992841		KIAA1458 protein	5.1	113	22	6.1
	131492 Al452601	Hs.288869	nuclear receptor subfamily 2, group F, m	8.4	169	20	4.6
30	131501 AV661958		GK001 protein	3.1	197	63	18.7
50	131535 N22120	Hs.75277	hypothetical protein FLJ13910	5.9	59	1	4.4
				5.1	51	i	3.9
	131544 AL355715		programmed cell death 9 (PDCD9)	3.8	79	21	6.9
	131546 AA093668		muscleblind (Drosophila)-like				3
35	131562 NM_003513		H2A histone family, member L	4	350	88	
22	131564 T93500	Hs.28792	Homo sapiens cDNA FLJ11041 fis, clone PL	4.7	381	81	6.4
	131604 AA306477		hypothetical protein FLJ10687	4.6	46	7	3.8
	131684 NM_002104		granzyme K (serine protease, granzyme 3;	3.2	82	26	6.6
	131687 BE297635		heat shock 70kD protein 9B (mortalin-2)	6.7	93	14	8.4
40	131689 AB012124		transcription factor-like 5 (basic helix	3.8	51	14	1.7
40	131693 AW963776		SAR1 protein	7.2	72	4	5.7
	131739 AF017986		secreted frizzled-related protein 2	2.1	1561	757	1.7
	131742 AA961420		ESTs	11.7	117	1	10.1
	131775 AB014548		KIAA0648 protein	4.8	48	1	4.6
45	131787 D87077	Hs.196275	KIAA0240 protein	3.2	207	64	5.5
45	131798 X86098	Hs.301449	adenovirus 5 E1A binding protein	3.4	115	34	9.1
•	131836 W00712	Hs.32990	DKFZP566F084 protein	5.8	91	16	1.4
	131853 A1681917	Hs.3321	ESTs, Highly similar to IRX1_HUMAN IROQU	4.9	632	129	1.7
	131877 J04088	Hs.156346	topoisomerase (DNA) Il alpha (170kD)	6.8	68	1	5.6
5 0	131881 AW361018		upstream regulatory element binding prot	4	140	35	1.8
50	131885 BE502341		ESTs	5.7	57	1_	4.5
	131904 AF078866		Homo sapiens cDNA: FLJ22993 fis, clone K	5.5	90	17	2.9
	131919 T15803	Hs.272458	protein phosphatase 3 (formerly 2B), cat	5.6	95	17	9.1
	131941 BE252983		ubiquitin specific protease 1	7.4	103	14	6.5
	131945 NM_00291		replication factor C (activator 1) 4 (37	3.7	37	1	3.4
55	131949 AK000010		hypothetical protein FLJ20003	3.5	35	1	2.5
	131965 W79283	Hs.35962	ESTs	5.5	168	31	4.4
	131977 U90441	Hs.3622	procollagen-profine, 2-oxoglutarate 4-dl	3.7	37	9	2.8
	131985 AA503020		hypothetical protein FLJ22418	40.2	402	1	4
	131993 Al878910		cisplatin resistance-associated overexpr	7.3	73	1	1.2
60	132064 AA121098	Hs.3838	serum-Inducible kinase	22.6	226	10	0.9
	132094 NM_01604	5Hs.3945	CGI-107 protein	3.1	227	73	16.8
	132109 AW190902	Hs.40098	cysteine knot superfamily 1, BMP antagon	3.5	73	21	6.3
	132116 AW960474	Hs.40289	ESTs	3.6	141	39	12.6
	132143 D52059	Hs.7972	KIAA0871 protein	4.9	49	1	4.1
65	132160 W26406	Hs.295923	seven in absentia (Drosophila) homolog 1	4.4	53	12	2.1
	132164 Al752235	Hs.41270	procollagen-lysine, 2-oxoglutarate 5-dio	5	225	45	9.1
	132180 NM_00446		fibroblast activation protein, alpha	10.7	433	41	7.2
	_						

	122107	AJC00400	U- 40454	ESTs	3.4	58	17	4
		Al699482 Al078645	Hs.42151		3.4 4.2	42	ĭ	2.2
			Hs.431	murine leukemia viral (bmi-1) oncogene h cytokine receptor-like molecule 9	3.4	34	2	3
		NM_01598 U28831	Hs.44566	KIAA1641 protein	18.6	186	10	1.5
5		N37065	Hs.44856	hypothetical protein FLJ12116	5.5	323	59	10.5
3		NM_00354		H4 histone family, member G	3.3	979	298	2.2
		AA312135		HSPCO34 protein	3.6	36	1	3.1
		W32624	Hs.278626	Arg/Abi-interacting protein ArgBP2	5.9	186	32	3.7
		AL135094		hypothetical protein FLJ 14495	4.2	159	38	7.1
10		BE613126		B aggressive lymphoma gene	4.6	46	1	4.3
		N87549	Hs.125287	zinc finger protein ZNF140-like protein	3.6	146	41	1.1
		AB020699		KIAA0892 protein	3.3	33	4	2.9
	132465	AW169847	Hs.49169	KIAA1634 protein	8.3	145	18	3.7
	132522	AB023164	Hs.5070	KIAA0947 protein	4.6	46	1	4.4
15	132528	T78736	Hs.50758	SMC4 (structural maintenance of chromoso	9.3	93	1	8.4
	132530	AA306105	Hs.50785	SEC22, vesicle trafficking protein (S. c	4.9	49	1	4.4
	132543	BE568452	Hs.5101	protein regulator of cytokinesis 1	11.8	201	17	19.1
	132572	Al929659	Hs.237825	signal recognition particle 72kD	3.8	38	1	3
	132592	AW803564	Hs.288850	Homo sapiens cDNA: FLJ22528 fis, done H	4.8	93	20	3.1
20	132602	AW606927	Hs.5306	hypothetical protein DKFZp586F1122 simil	6.1	61	2	5.9
	132616	BE262677	Hs.283558	hypothetical protein PRO1855	3.4	193	58	12.3
	132617	AF037335	Hs.5338	carbonic anhydrase XII	14.2	390	28	22.5
		AL050025		hypothetical protein FLJ20151	3.3	909	274	3.2
0.5		AU076916		guanine monphosphate synthetase	5	50	1.	4.1
25		AB018319		KIAA0776 protein	4.2	171	41	12.6
		AA025480		ESTs, Weakly similar to T33468 hypotheti	6.5	65	1	5.6
		AW242243		peroxisomal famesylated protein	3.7	37	1	2.2
		U25435	Hs.57419	CCCTC-binding factor (zinc finger protei	7	115	17	5.4
20		AL120050		Homo sapiens cDNA: FLJ23005 fis, done L	3.3	61	19	5.1
30		NM_00144		glypican 4	4.8	48	1	3.6
		BE077155		hypothetical protein DKFZp761B1514	12.6	126 187	8 17	9.9 10.4
•		A1936442	Hs.59838	hypothetical protein FLJ10808	11 3.3	106	33	2.6
		BE613337	Hs.60293	geminin	3.5	110	32	2.1
35 .				Homo sapiens clone 122482 unknown mRNA	4.1	62	15	4.9
33		AF234532 AA093322		myosin X RNA binding motif protein 3	22.1	221	9	17.8
		X77343	Hs.334334	transcription factor AP-2 alpha (activat	12.7	311	25	2.4
		AA112748		done HQ0310 PRO0310p1	3	380	127	5.5
		NM_00637		sema domain, immunoglobulin domain (lg),	7.3	271	37	2.3
40		AJ002744		UDP-N-acetyl-alpha-D-galactosamine:polyp	4.6	427	93	10.4
••		U92649	Hs.64311	a disintegrin and metalloproteinase doma	3.6	36	1	3.1
		AK001628		KIAA0483 protein	5.2	117	23	5
		AA218564		vacuolar protein sorting 26 (yeast homol	3.1	359	118	2.5
		AI275243	Hs.180201	hypothetical protein FLJ20671	5.1	58	12	5.7
45		AF231981		homolog of yeast long chain polyunsatura	3	816	275	3.9
		W32474	Hs.301746	RAP2A, member of RAS oncogene family	3.1	234	76	8.6
	133240	AK001489	Hs.242894	ADP-ribosylation factor-like 1	8.1	81	1	4.6
	133271	Z48633	Hs.283742	H.sapiens mRNA for retrotransposon	12.4	124	6	10.8
	133291	BE297855	Hs.69855	NRAS-related gene	3.3	33	1	2.9
50		AJ001388	Hs.69997	zinc finger protein 238	7.9	234	30	18.9
		A1499220	Hs.71573	hypothetical protein FLJ10074	4.6	46	5	3.5
		AK001519		CGI-74 protein	5	110	22	9.7
		AF245505		DKFZP564I1922 protein	3.2	725	227	3.2
		AF017987		secreted frizzled-related protein 1	4.1	374	91	1.1
55		AB033061		KIAA1235 protein	4.3	43	1	3.9
		Al929357	Hs.323966	Homo sapiens done H63 unknown mRNA	5.5	186	34	16.5
		W01556	Hs.238797	ESTs, Moderately similar to 138022 hypot	3.5	35	7	2.1 0.4
		AW998046		arginine-glutamic acid dipeptide (RE) re	3.6	39	11	3
60		NM_00441		desmoplakin (DPI, DPII)	4.1	640 351	158 111	5.2
OU		NM_00016		gap junction protein, alpha 1, 43kD (con	3.2 3.2	226	71	2.8
		W25797 AU077050	Hs.177486	amyloid beta (A4) precursor protein (pro translin	3.4	178	53	8.8
		D21262	Hs.75337	nucleolar and colled-body phosphprotein	4.7	47	1	4
		AW246428		ubiquitin-conjugating enzyme E2N (homolo	8.5	85	i	7.2
65			5Hs.166975	splicing factor, arginine/serine-rich 5	3.6	36	1	0.4
55		Al352558		tyrosine 3-monooxygenase/tryptophan 5-mo	3.4	234	68	10.7
		AW410035		MAD (mothers against decapentaplegic, Dr	9.3	93	1	7.8
	,55, 10							

	122700	1400404	U. 75000	andharin 44 time 2 OR andharin (astach	2.2	ECO	474	26
		M62194	Hs.75929	cadherin 11, type 2, OB-cadherin (osteob	3.2	560 144	174 27	2.6 13.3
		AA557660		decorin	5.4			4.1
		BE622743			4.7	47	1	4.1
5		NM_002462		myxovirus (influenza) resistance 1, homo	3.3	380	114 46	7.8
)		AW630088		Homo sapiens mRNA; cDNA DKFZp564B1264 (I		304		
		AA147026		ESTs	6.2	600	97	4.1
		AU076964		calumenin	3.3	889	267	5
		AA355986		transcription factor 8 (represses interl	3.7	91	25	2.6
10		R48316	Hs.7822	Homo saplens mRNA; cDNA DKFZp564C1216 (I		91	27	8.5
10		AA535244		RAB2, member RAS oncogene family	7.8	78	1	5.6
		NM_005025		serine (or cystelne) proteinase inhibito	5.9	59	1	3.3
		AF091622	Hs.78893	KIAA0244 protein	5.8	58	1	4.9
	134087	U51166	Hs.173824	thymine-DNA glycosylase	6.4	100	16	4.4
	134089	R51273	Hs.79029	ESTs	5.1	51	9	3.8
15		NM_004354		cyclin G2	5	50	1	3.2
	134098	BE513171	Hs.79086	mitochondrial ribosomal protein L3	4.8	246	51	3.9
	134110	U41060	Hs.79136	LIV-1 protein, estrogen regulated	4.5	1472	330	2.1
	134125	NM_014781	Hs.50421	KIAA0203 gene product	4.6	69	15	5.8
	134246	D28459	Hs.80612	ubiquitin-conjugating enzyme E2A (RAD6 h	7	97	14	7.5
20	134257	C05768	Hs.8078	Homo saplens clone FBD3 Cri-du-chat crit	3.4	34	5	2.6
		X76040	Hs.278614	protease, serine, 15	3.6	36	1	2.8
		R45621	Hs.81057	hypothetical protein MGC2718	6.7	67	9	5.7
		AI022650	Hs.8117	erbb2-interacting protein ERBIN	4.5	137	31	12
		BE538082		ESTs, Moderately similar to A46010 X-lin	5.2	52	1	4.9
25		AW903838		chondroitin sulfate proteoglycan 2 (vers	8.6	568	66	22.4
23		AW959281		ESTs	4.8	53	11	3.7
		AW291946		interleukin 6 signal transducer (gp130,	7.1	71	4	6.4
					3	68	23	2.8
		NM_001982 AA339449		v-erb-b2 avian erythroblastic leukemia v	4.4	44	1	4.1
30				phosphoribosylglycinamide formyltransfer	13.3	445	34	6
30		N22687	Hs.8236	ESTs	4.5	445	2	3.4
		AU077143		minichromosome maintenance deficient (S.				
		AA456539		tysosomal	6	60	5	5.9
		Al916662		kinectin 1 (kinesin receptor)	4.1	301	73	6.1
25		AW067903		collagen, type XI, alpha 1	4.6	1216	267	4.4
35			Hs.82911	protein tyrosine phosphatase type IVA, m	4.9	163	34	15.1
		NM_006416		solute carrier family 35 (CMP-sialic aci	4.9	49	3	3.8
		W95642	Hs.82961	trefoil factor 3 (intestinal)	3.2	1872	592	3.3
		AU077196		collagen, type V, alpha 2	6.3	1075	171	3.8
40		U29344	Hs.83190	fatty acid synthase	3.3	710	217	2
40		X82153	Hs.83942	cathepsin K (pycnodysostosis)	34.3	411	12 .	5.1
	134487	AF061739	Hs.83954	protein associated with PRK1	4.8	153	32	4.3
		D63477	Hs.84087	KIAA0143 protein	3.1	147	48	12.7
	134520	BE091005	Hs.74861	activated RNA polymerase II transcriptio	3.3	33	1	2
	134542	M14156	Hs.85112	insulin-like growth factor 1 (somatomed)	4.2	42	5	2.6
45	134570	U66615	Hs.172280	SWI/SNF related, matrix associated, acti	3.9	39	1	2.5
	134590	AW903849	Hs.173840	HUEL (C4orf1)-interacting protein	3.7	41	11	0.6
	134604	NM_002884	Hs.865	RAP1A, member of RAS oncogene family	5.2	52	1	3
	134612	AW068223	Hs.171581	ubiquitin C-terminal hydrolase UCH37	4.9	49	1	3.7
	134643	AW299723	Hs.87223	bone morphogenetic protein receptor, typ	5.2	52	5	3.5
50	134654	AK001741	Hs.8739	hypothetical protein FLJ10879	6.4	64	1 .	5.1
	134656	A1750878	Hs.87409	thrombospondin 1	12.6	126	1	10.8
	134672	AF271212	Hs.322901	disrupter of silencing 10	5.4	81	15	2.6
		AK000606		golgi SNAP receptor complex member 1	3.4	179	52	1.5
	134711		Hs.88974	cytochrome b-245, beta polypeptide (chro	3.2	143	45	13.9
55		AF129536		F-box only protein 6	7	70	6	6
		BE281128		TONDU	3.1	31	1	2.3
		AI879195	Hs.90606	15 kDa selenoprotein	5.7	57	1	5
		X87241	Hs.166994	FAT tumor suppressor (Drosophila) homolo	3.2	153	48	4.7
		AL137491		Homo sapiens mRNA; cDNA DKFZp434P1530 (i		452	114	2
60		AK002085		Homo sapiens cDNA FLJ11223 fis, clone PL	5.1	150	30	7.2
00		AW968058		nudix (nucleoside diphosphate linked moi	8.2	114	14	9.9
		H58818	Hs.187579	hydroxysteroid (17-beta) dehydrogenase 7	11.5	115	1	10
		AL034344		forkhead box C1	5.4	259	48	1.4
			Hs.284186	SRY (sex determining region Y)-box 4	3.3	1296	394	2.2
65		A1272141	Hs.83484			240	5 54 64	3.2
65		AK000967		KIAA1682 protein	3.8		13	7.9
		W55956	Hs.94030	Homo sapiens mRNA; cDNA DKFZp586E1624 (101	13	2.6
	135098	AW274526	ns.2///21	ovarian carcinoma antigen CA125	3.3	33	1	2.0

•	135117	W52493	Hs.94694	Homo sapiens cDNA FLJ10561 fis, clone NT	5.3	53	1	4.1	
	`135144	NM 01625	5Hs.95260	Autosomal Highly Conserved Protein	7.4	74	5	2.4	
	135154	AK001835	Hs.267812	sorting nextin 4	6.6	69	11	6.3	
		Al207958	Hs.166556	Homo sapiens, Similar to TEA domain fami	6.1	61	1	5.1	
5		AB028956	Hs.12144	KIAA1033 protein	3.4	88	26	1.4	
	135242	AI583187	Hs.9700	cyclin E1	3.1	31	1	2.3	
	135243	BE463721	Hs.97101	putative G protein-coupled receptor	3.4	169	50	9.1	
	135269	NM_00340	3Hs.97496	YY1 transcription factor	3.4	475	142	2.5	
	135356	BE312948	Hs.18104	hypothetical protein FLJ11274	3.1	31	10	1.7	
10	135357	AI565004	Hs.79572	cathepsin D (lysosomal aspartyl protease	4.7	710	151	2.5	•
	135389	U05237	Hs.99872	fetal Alzheimer antigen	20.6	206	4	19.1	
	135397	L14922	Hs.166563	replication factor C (activator 1) 1 (14	3.2	32	1	2.4	
	-135400	X78592	Hs.99915	androgen receptor (dihydrotestosterone r	3.2	117	37	9.4	
	٠.	AI471525	Hs.247486	ESTs	3.8	58	16	5.5	
15		X70683	Hs.93668	ESTs	1.8	1047	596	1.6	
	•	L14922	Hs.82128	5T4 oncofetal trophoblast glycoprotein	5	285	58	1.2	
		M23263	Hs.904	amylo-1;6-glucosidase; 4-alpha-glucanotransfera	S	3.1	31	1	2.6
		Al267886	Hs.148027	polymerase (RNA) II (DNA directed) polypeptide	В	7.8	137	18	11.9
		AA044840	Hs.241676	stromal cell-derived factor 1	4.7	114	25	0.9	
20		N90960	Hs.227459	ESTs; Moderately similar to !!!! ALU SUBFAMILY		4.7	151	32	9.3
		AA873285	Hs.137947	ESTs	4.7	47	3	4.4	
		T56679	Hs.865	RAP1A; member of RAS oncogene family	4	40	1	3.4	
. *		AA305536		"EST176522 Colon carcinoma (Caco-2) cell line		3.6	121	34	11.8
		Al369384		arylsulfatase D	3.5	113	33	1.7	
25		AA219081	Hs.242396	ESTs: Moderately similar to IIII ALU SUBFAMILY	7	3.4	107	32	9.9

TABLE 10A

Table 10 A shows the accession numbers for those pkeys lacking unigeneID's for Table 10. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

1	"	
1	v	
_	_	

30

35

40

Pkey:

15	CAT nui Accessi		er number occession numbers	
	Pkey	CAT number	Accession	
	123619	371681_1	AA602964 AA609200	
20	104602	524482_2	H47610 R86920	
	- 121581	283769_1	AA416568 AA442889 AA417233 AA442223	
	123523	genbank_AA608588	AA608588	
	100821	tigr_HT4306	M26460 U09116	
	125091	genbank_T91518	T91518	
.25	125150	NOT_FOUND_entre	z_W38240 W38240	
	118475	genbank_N66845	N66845	
	104787	genbank_AA027317	' AA027317	
	106055	genbank_AA417034	AA417034	
	113702	cenhank T97307	T97307	

K01160

M21305

M55998

R01073

H61560

N98488

N22414

R44538

R51818

Unique Eos probeset Identifier number

101046 entrez_K01160

101447 entrez_M21305

101624 entrez_M55998

124677 genbank_R01073

110581 genbank_H61560

119023 genbank_N98488

110775 genbank_N22414

112092 genbank_R44538

112253 genbank_R51818

TABLE 11: Figure 11 from BRCA 001-3 PCT

5 Table 11 depicts a preferred group of genes upregulated in tumor tissue compared to normal breast tissue.

10 15	Pkey: ExAccn; Unigene Unigene R1: R2: R3: R4:	Exem ID: Unige Title: Unige Ratio Ratio Ratio	plar Accessione number and gene title of tumor to ro of 90th perce of 75th perce	set Identifier number on number, Genbank accession number normal body tissue entile tumor to normal body entile normal body to tumor normal breast tissue				
20	Pkey	ExAccn	UnigeneiD	Unigene Title	R1	R2	R3	R4
20	100147 100522	D12485 D13666 X51501	Hs.99949	ectonucleotide pyrophosphatase/phosphodi osteoblast specific factor 2 (fasciclin prolactin-induced protein	13.2 15.7 22.7	244 1030 760	34	9.9 5 1.4
25	101478	AW862258 NM_002890	Hs.169266)Hs.758	CD44 antigen (homing function and Indian neuropeptide Y receptor Y1 RAS p21 protein activator (GTPase activa	8.5 15.3 9.6	85 153 96	1 1 1	3.2 14.1 8.5
•	101888	S70114 AL049610	Hs.95243	bullous pemphigoid antigen 1 (230/240kD) TIA1 cytotoxic granule-associated RNA-bi transcription elongation factor A (SII)-	9.4 8.9 7.3	94 89 73	1 5 1	0.3 8 5.3
30	102304 102348 102457	AF015224 U37519 NM_001394	Hs.46452 Hs.87539 1Hs.2359	death associated protein 3 mammaglobin 1 aldehyde dehydrogenase 3 family, member dual specificity phosphatase 4	9.3 8.5 6.4 20.2	93 2058 428 202	67 5	8 1.4 2.3 1.3
35	102823 103557	U63830 D85390 AL133415 NM_000346	Hs.5057 Hs.297753	TRAF family member-associated NFKB activ carboxypeptidase D vimentin SRY (sex determining region Y)-box 9 (ca	8.2 5.6 7.5 7.3	82 56 136 73	1 1 18 1	6.8 5.3 3.4 5.2
40	104115 104667	AF183810 AI239923 AI858702		opposite strand to trichorhinophalangeal ESTs ESTs, Weakly similar to N-WASP [H.sapien	29 14.9 7.7	290 149 77	1	26.8 6.4 5.1
	104807 104896 104943	AI139058 AW015318 AF072873	Hs.125790 Hs.23165 Hs.114218	leucine-rich repeat-containing 2 ESTs frizzled (Drosophila) homolog 6	7 7.4 16.2 5.5	70 74 162 55	1 1 1	6.5 6 4.2 5.2
45	105329 105500	AW503733 AA234561 AW602166 AK001269	Hs.22862 Hs.222399	KIAA1488 protein ESTs CEGP1 protein hypothetical protein FLJ10407	2.8 25.4 8.3	131 508 83		3.9 3 1.8
50	106012 106095	AW377314 Al240665 AF115402	Hs.8895 Hs.11713	DKFZP5641052 protein ESTs E74-like factor 5 (ets domain transcript	6.9 21.2 26.3 9.9	69 212 356 483	1 6 14 49	4.4 17.4 1 1.8
	107102 107136	AA425414 AB037765 AV661958 AW378065	Hs.30652 Hs.8207	nuclear factor I/B KIAA1344 protein GK001 protein ESTs	6.3 2.5 15.6	63 392 156	1 155 7	5.4 4.3 10.8
55	107922 108339 109112	BE153855 AW151340 AW419196	Hs.61460 Hs.51615 Hs.257924	ig superfamily receptor LNIR ESTS, Weakly stmilar to ALU7_HUMAN ALU S hypothetical protein FLJ13782 KJAA1702 protein	9 18.7 4.1 7.1	90 187 334 71	1 1 82 1	5.5 17 3.4 6.5
60	109415 109912 110009	U80736 AW390822 BE075297	Hs.110826 Hs.301528	trinucleotide repeat containing 9 L-kynurenine/alpha-aminoadipate aminotra ESTs, Weakly similar to A43932 mucin 2 p	12.3 14.2 6.3 20.9	123 142 693 209	1 1 110 1	11.3 9.5 7.2 19.5
		N46180		Homo sapiens cONA FLJ13289 fis, clone OV	7.7	77	1	5

	111179	AK000136	Hs.10760	asporin (LRR class 1)	25.1	288	12	6.7
	111190	AK002055	Hs.151046	hypothetical protein FLJ11193	6.3	63	1	5.8
				KIAA1866 protein	3.6	402	112	4.9
_		BE314949		hypothetical protein FLJ23309	3.8	425	111	4
5		AB029000		KIAA1077 protein	5.7	567	100	6.7
		A1571940	Hs.7549	ESTS	9.6	124	13	9
		T97307	U- 405040	gb:ye53h05.s1 Soares fetal liver spleen	12.3 24.2	129 242	11 10	11.7 5.6
		W57554 AW384793		lymphoid nuclear protein (LAF-4) mRNA Homo sapiens mRNA; cDNA DKFZp434E033 (fr		242 67	1	6.3
10			Hs.182339	ets homologous factor	13.7	137	ί	8.9
10			Hs.42179	bromodomain and PHD finger containing, 3	9.1	91	i	7.6
		AI733881	Hs.72472	BMP-R18	35.9	359	10	29.7
		AA251089		gb:zs04f05.s1 NCI_CGAP_GCB1 Homo sapiens		115	1	6.9
		AW183695	Hs.186572		5.8	58	1	5
15	115719	AW992405	Hs.59622	Homo sapiens, clone IMAGE:3507281, mRNA,	7.6	144	19	13.9
		Al373062		hypothetical protein MGC5370	6.2 ·	62	1	5.4
		Al272141	Hs.83484	SRY (sex determining region Y)-box 4	1.8	1047		1.6
		H25836		ESTs, Moderately similar to unknown [H.s	22.8		9	12.4
20		M18217		Homo sapiens cDNA: FLJ21409 fis, done C	3.9		83	4.4
20		N32536 AL157545	Hs.42645 Hs.42179	solute carrier family 16 (monocarboxylic	17.4 14.5		9 1	6.9 2.4
		ALIS7545 AI061118	Hs.65328	bromodomain and PHD finger containing, 3 Fanconi anemia, complementation group F	8.2	82	1	6.4
	•	AI905687	Hs.2533	EST -	3.5	2073		2.1
•				hypothetical protein FLJ10330	8.5		15	1.6
25				hypothetical protein FLJ20275	10.3		1	9.3
		AA243499			2.9	214	74	3.7
	122963	AA478446	Hs.69559	KIAA1096 protein	7.2	72	1	5.7
		A1073913	Hs.100686	ESTs, Weakly similar to JE0350 Anterior	9.9		36	13.9
20		AA602964		gb:no97c02.s1 NCI_CGAP_Pr2 Homo sapiens	8.5	85	1	4.3
30			Hs.112742		3.9	60	16	4.8
		Al147155	Hs.270016		5.8		55 05	17
				ESTs, Weakly similar to S64054 hypotheti	10.4 10.5		85 1	5.3 9.9
		AW401809		ribosomal protein S6 KIAA1150 protein	13.1	131	'n	5.1
35			Hs.164950		6.7	67	i	6
		D60237	Hs.14368	SH3 domain binding glutamic acid-rich pr	30.6		4	26.5
				matrix Gla protein	7.5	75	1	6.5
	128482	A1694143	Hs.296251	programmed cell death 4	7.2	72	1	5.8
	128790 -	AF026692	Hs.105700	secreted frizzled-related protein 4	17.4		24	7.8
40		R67419	Hs.21851	Homo sapiens cDNA FLJ12900 fis, clone NT	7.1		56	3.6
		AA115333			8.2	82	1	7.4
٠				polyadenylate binding protein-interactin	7.1 9.5	71 95	1 1	6.2 8.5
				KIAA0990 protein Homo sapiens clone 23785 mRNA sequence	7.1		21	14.5
45		AB028945		cortactin SH3 domain-binding protein	11.4	114	1	10
				chromosome 8 open reading frame 2	6.7	67	1	5.7
*-				solute carrier family 5 (Inositol transp	1	1	1	1
	130095	AK001635	Hs.14838	hypothetical protein FLJ10773	14.6	219	15	7.6
50				KIAA1481 protein	13.2	331	25	12.4
50				stanniocalcin 2	72.2	722	1	1.9
				hypothetical protein MGC3017	6.5	65	4	5.3
		U63630 D90041		protein kinase, DNA-activated, catalytic N-acetyitransferase 1 (arylamine N-acety	6.1 10.8	61 706	1 · 66	5.7 9.2
			He 1657	estrogen receptor 1	32.2		1	4.7
55		M90516	Hs.1674	glutamine-fructose-6-phosphate transamin	10		i	7.6
-			Hs.279762	bromodomain-containing 7	17.5		2	12.8
		AW953575		p53-induced protein PIGPC1	3.8	585	153	3.7
•	131388	NM_014810	Hs.92200	KIAA0480 gene product	7.6	76	1	5
		T93500	Hs.28792	Homo sapiens cDNA FLJ11041 fis, clone PL	4.7	381	81	6.4
60		AA961420		ESTs	11.7	117	1	10.1
		J04088		topoisomerase (DNA) II alpha (170kD)	6.8	68	1	5.6
		AA503020	Hs.36563	hypothetical protein FLJ22418	40.2	402	1	4
		U28831 T78736	Hs.44566	KIAA1641 protein	18.6 9.3	186 93	10 1	1.5
65		AA025480	Hs.50758	SMC4 (structural maintenance of chromoso ESTs, Weakly similar to T33468 hypotheti	6.5	65	i	8.4 5.6
05		X77343		transcription factor AP-2 alpha (activat	12.7	311	25	2.4
		AJ002744		UDP-N-acetyl-alpha-D-galactosamine:polyp	4.6	427	93	10.4
				• • •				

	133199	AF231981	Hs.250175	homolog of yeast long chain polyunsatura	3	816	275	3.9
	133240	AK001489	Hs.242894	ADP-ribosylation factor-like 1	8.1	81	1	4.6
	133271	Z48633	Hs.283742	H.saplens mRNA for retrotransposon	12.4	124	6	10.8
	133640	AW246428	Hs.75355	ubiquitin-conjugating enzyme E2N (homolo	8.5	85	1	7.2
5	133746	AW410035	Hs.75862	MAD (mothers against decapentaplegic, Dr	9.3	93	1	7.8
	133999	AA535244	Hs.78305	RAB2, member RAS oncogene family	7.8	78	1	5.6
	134110	U41060	Hs.79136	LIV-1 protein, estrogen regulated	4.5	1472	330	2.1
	134485	X82153	Hs.83942	cathepsin K (pycnodysostosis)	34.3	411	12	5.1
	134654	AK001741	Hs.8739	hypothetical protein FLJ10879	6.4	64	1	5.1
10	134880	AI879195	Hs.90606	15 kDa selenoprotein	5.7	57	1	5
	135029	H58818	Hs.187579	hydroxysteroid (17-beta) dehydrogenase 7	11.5	115	1	10
	135389	U05237	Hs.99872	fetal Alzheimer antigen	20.6	206	4	19.1
	128305	AIGSAGER	He 279009	matrix Gla protein	94	94	3	5.3

TABLE 11A

Table 11A shows the accession numbers for those pkeys lacking unigeneID's for Table 11. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

5

Pkey: CAT number: Unique Eos probeset identifier number

Accession:

Gene cluster number Genbank accession numbers

15

Pkey CAT number Accession

20 123619 371681_1 AA602964 AA609200 113702 genbank_T97307 T97307 114988 genbank_AA251089 AA251089

TABLE 12: Figure 12 from BRCA 001-3 PCT

Table 12 depicts a preferred group of genes upregulated in tumor tissue compared to normal breast tissue.

10	ExAccn: Exemplar Acce UnigenelD: Unigene numbe Unigene Title: Unigene gene t		xemplar Acco nigene numb nigene gene	title .				
	R1:	н		to normal body tissue				
15	R2:			90th percentile tumor to body				-
13	R3:			75th percentile body to tumor				
	R4:		Rago of	tumor to normal breast tissue				
	Pkey	ExAccn	UnigenelD	Unigene Title	R1	R2	R3	R4
20	100131	D12485	Hs.11951	phosphodiesterase I (PC-1)	13.2	244	19	9.9
	105500	AW602168	Hs.222399		25.4	508	20	3
	112244	AB029000	Hs.70823	KIAA1077 protein	5.7	567	100	6.7
	114124	W57554	Hs.125019	ESTs .	24.2	242	10	5.6
	119771	AJ905687	Hs.2533	ESTs	3.5	2073	595	2.1
25	121723	AA243499	Hs.104800	ESTs	2.9	214	74	3.7
	128790	AF026692	Hs.105700	secreted frizzled-related protein 4	17.4	409	24	7.8
	131148	AW953575	Hs.303125		3.8	585	153	3.7
	131985	AA503020	Hs.36563	ESTs	40.2	402	1	4
	133199	AF231981	Hs.250175	Homo sapiens clone 23904 mRNA sequence	3	816	275	3.9

TABLE 13: Table 1 from BRCA 001-5 US

5 Table 13 depicts a preferred group of genes upregulated in breast cancer cells.

						•
	Pkey:		Unique Eos probeset identifier number			
10	ExAccn:		Exemplar Accession number, Genbank accession number			
	UnigenelD:		Unigene number			
	Unigene	e Titte: U	nigene gene titl	e ·		
	R1:	R	atio of tumor to	normal body tissue		
15		•				
15	Pkey	ExAccn	UniGene ID	Unigene Title		R1
		M97935		control		16.7
00		M97935		control		6.3
20		M97935		control	-	8.3
		M97935	11a 4000	control		14.8 7.5
		AB003103	Hs.4295 Hs.111783	proteasome (prosome; macropain) 26S sub Lsm1 protein		4.9
		AF0060177		actin related protein 2/3 complex; subunit		4.7
25		AF007875		dolichyl-phosphate mannosyltransferase p		13.4
		D00596	Hs.82962	thymidylate synthetase		15.9
		D10495	Hs.155342	protein kinase C; delta		4.6
		D10523	Hs.168669	oxoglutarate dehydrogenase (lipoamide)		7.5
		D11094	Hs.61153	proteasome (prosome; macropain) 26S sub		4.4
30	100131	D12485	Hs.11951	phosphodiesterase l/nucleotide pyrophosp		8.7
	100137	D13627	Hs.15071	chaperonin containing TCP1; subunit 8 (t		9.5
	100144	D13643	Hs.75616	Human mRNA for KIAA0018 gene; comp		6
		D13666	Hs.136348	osteoblast specific factor 2 (fasciclin l-like		8.5
25		D14657	Hs.81892	KIAA0101 gene product		10.5
35		D14812	Hs.173714	MORF-related gene X		4.6
		D14878	Hs.82043	D123 gene product		7.9
		D21090	Hs.178658	RAD23 (S. cerevisiae) homolog B		5.6 9.9
		D25538	Hs.172199 Hs.76289	adenylate cyclase 7 biliverdin reductase B (flavin reductase (N		4.9
40		D26308 D26598	Hs.82793	proteasome (prosome; macropain) subunit		14.2
70		D26599	Hs.1390	proteasome (prosome; macropain) subunit		11.3
		D28137	Hs.118110	bone marrow stromal cell antigen 2		5.7
		D28915	Hs.82316	interferon-induced; hepatitis C-associated		5.7
		D31888	Hs.78398	KIAA0071 protein		7.4
45		D43950	Hs.1600	chaperonin containing TCP1; subunit 5 (e		5.6
	100294	D49396	Hs.75454	antioxidant protein 1		12.9
	100307	D50525	Hs.699	hypothetical protein		8.4
		D63391	Hs.6793	platelet-activating factor acetylhydrolase;		6.8
50		D63487	Hs.82563	KIAA0153 protein		4.4
50		D78129	Hs.71465	Homo sapiens mRNA for squalene epoxid		12.6
		D78514	Hs.78563	ubiquitin-conjugating enzyme E2G 1 (hom		4.6
		D79987	Hs.153479	extra spindle poles; S. cerevisiae; homolo		6.5 8.4
		D79997 D80004	Hs.184339	KIAA0175 gene product KIAA0182 protein		4.5
55		D82060	Hs.75909 Hs.278721	Ke4 gene; mouse; human homolog of		8.1
55		D83777	Hs.75137	KIAA0193 gene product		10.7
		D84145	Hs.39913	novel RGD-containing protein		7.2
		D84557	Hs.155462	minichromosome maintenance deficient (m		7.2
		D86425	Hs.82733	nidogen 2		5.4
60		D86479	Hs.118397	AE-binding protein 1		4.3
		D86957	Hs.80712	KIAA0202 protein		11.9
	100421	D86985	Hs.79276	Human mRNA for KIAA0232 gene; comp		9.7
		D87464	Hs.10037	KIAA0274 gene product		6.4
		D87465	Hs.74583	KIAA0275 gene product		10
65	100448	D87469	Hs.57652	EGF-like-domain; multiple 2		6.2

	100467	Deoves	Uc 7476	ATRaca: H+ transporting: brosomal (gara)	7.5
		D89052 D89289	Hs.7476 Hs.118722	ATPase; H+ transporting; lysosomal (vacu fucosyltransferase 8 (alpha (1;6) fucosyltr	5
		HT1112	Hs.10842	Ras-Like Protein Tc4	16.9
		HT1400	Hs.79137	Carboxyl Methyltransferase, Aspartate, A	5.6
5		HT2710	Hs.114599	Collagen, Type Viii, Alpha 1	7.5
		HT3018	Hs.132748	Ribosomal Protein L39 Homolog	4.4
		HT3127	Hs.169610	Epican, Alt. Splice 11	4.6
		HT3938	Hs.169610	Epican, Alt. Splice 12	4.4
		HT3742	Hs.287820	Fibronectin, Alt. Splice 1	9
10	100775	HT26388	Hs.89603	Mucin 1, Epithelial, Alt. Splice 9	4.7
	100783	HT4018	Hs.191356	Basic Transcription Factor, 44 Kda Subun	13.7
	100829	HT4343	Hs.278544	Cytosolic Acetoacetyi-Coenzyme A Thio	10.6
	100830	HT4344	Hs.4756	Rad2	5.5
1.5		HT4392	Hs.183418	Protein Kinase Pitslre, Alpha, Alt. Splice	4.1
15	100850		Hs.297939	Cathepsin B	4
		HT4582	Hs.75113	Transcription Factor Ilia	4.9
		HT5158	Hs.5398	Guanosine 5'-Monophosphate Synthase	8.7
	100914		Hs.324178	Ras Inhibitor Inf	7.2 5.9
20	100916		Hs.73946	Endothelial Cell Growth Factor 1	4.6
20	100945 100975		Hs.180686 Hs.76506	Oncogene E6-Ap, Papillomavirus lymphocyte cytosolic protein 1 (L-plastin	30.1
	100973		Hs.76480	ubiquitin-like 4	8.3
	100996		Hs.14623	Interferon; gamma-inducible protein 30	6.9
	100999		Hs.80706	diaphorase (NADH/NADPH) (cytochrom	4.3
25	101011		Hs.1211	acid phosphatase 5; tartrate resistant	5.9
	101017		Hs.821	biglycan	5.1
	101031		Hs.151738	matrix metalloproteinase 9 (gelatinase B;	37.2
	101038	J05249	Hs.79411	replication protein A2 (32kD)	6.1
		K02405	Hs.73931	Human MHC class II HLA-DQ-beta mRN	4.3
30		K03515	Hs.180532	glucose phosphate isomerase	4.3
		L06132	Hs.149155	voltage-dependent anion channel 1	7.4
		L06797	Hs.89414	chemokine (C-X-C motif); receptor 4 (fus	4.6
		L07615	Hs.169266	Human neuropeptide Y receptor Y1 (NPY	18.3 17.4
35		L12723	Hs.90093	heat shock 70kD protein 4	7.6
33		L13800 L19779	Hs.9884 Hs.795	Homo sapiens liver expressed protein gen H2A histone family; member O	10.9
		L25876	Hs.84113	cyclin-dependent kinase inhibitor 3 (CDK	7.4
		L29008	Hs.878	sorbitol dehydrogenase	14.6
		L33801	Hs.78802	glycogen synthase kinase 3 beta	7.5
40		L38810	Hs.79387	proteasome (prosome; macropain) 26S sub	4.4
	101326	L42572	Hs.78504	inner membrane protein; mitochondrial (m	5.8
	101332	L47276	Hs.156346	Homo sapiens (cell line HL-6) alpha topo	18.9
	101348	L77213	Hs.30954	phosphomevalonate kinase	7.5
		L77701	Hs.16297	COX17 (yeast) homolog; cytochrome c ox	9.3
45 .		M13755	Hs.833	interferon-stimulated protein, 15 kDa	18.1
		M15796	Hs.78996	proliferating cell nuclear antigen	8.6
		M16342	Hs.182447	heterogeneous nuclear ribonucleoprotein C	4.5 6.1
		M20902	Hs.268571	apolipoprotein C-I NADH dehydrogenase (ubiquinone) flavo	8.7
50		M22538 M22877	Hs.51299 Hs.169248	Human somatic cytochrome c (HCS) gene	4.2
50		M22960	Hs.118126	protective protein for beta-galactosidase (6.5
		M23379	Hs.758	RAS p21 protein activator (GTPase activa	14
		M24594	Hs.20315	Interferon-induced protein 56	9.2
		M30818	Hs.926	myxovirus (influenza) resistance 2; homol	5.1
55		M30938	Hs.84981	X-ray repair complementing defective rep	4.7
		M31169		Human propionyl-CoA carboxylase beta-s	5.5
	101552	M31642	Hs.82314	hypoxanthine phosphoribosyltransferase 1	8.5
		M34677	Hs.83363	DNA segment on chromosome X (unique)	4.5
60		M37583	Hs.119192	H2A histone family; member Z	5.7
60		M60750	Hs.2178	H2B histone family; member A	5.8
		M60752	Hs.121017	H2A histone family; member A	13.5
		M60858	Hs.79110	nucleolin cerebellar degeneration-related protein (62	4 7.6
		M63256	Hs.75124 Hs.179574	protein phosphatase 2 (formerly 2A); regu	4.2
65		M64929 M77142	Hs.239489	TIA1 cytotoxic granute-associated RNA-b	4.5
0,5		M77836	Hs.79217	pyrroline-5-carboxylate reductase 1	5.7
		M81057	Hs.180884	carboxypeptidase B1 (tissue)	21.7

	404770	1404004	11. 70000	Land of the state of the first of the A 101%. A	4.0
		M81601	Hs.78869	transcription elongation factor A (SII); 1	4.6
		M83822	Hs.62354	cell division cycle 4-like	9.7
		M86546	Hs.155691	pre-B-cell leukemia transcription factor 1	5.5
_	101809	M86849	Hs.323733	Homo sapiens connexin 26 (GJB2) mRNA	22.5
5	101839	M93036	Hs.692	membrane component; chromosomal 4; su	4
	101851	M94250	Hs.82045	midkine (neurite growth-promoting factor	7.6
	101888	M99701	Hs.95243	transcription elongation factor A (SII)-like	11.4
		S82597	Hs.80120	UDP-N-acetyl-alpha-D-galactosamine:po	4.6
		U00968	Hs.166	Human SREBP-1 mRNA; complete cds	4.1
10		U02680	Hs.82643	protein tyrosine kinase 9	4.4
		U03911	Hs.78934	mutS (E. coli) homolog 2 (colon cancer; n	4
		U07158	Hs.83734	syntaxin 4A (placental)	6.1
		U07550	Hs.1197	heat shock 10kD protein 1 (chaperonin 10	4.4
			Hs.75117		10.4
15		U10323		interleukin enhancer binding factor 2; 45k	9.5
13		U11313	Hs.75760	sterol carrier protein 2	
		U15009	Hs.1575	small nuclear ribonucleoprotein D3 polyp	6.6
		U15173	Hs.155596	BCL2/adenovirus E1B 19kD-interacting p	4.3
		U16954	Hs.75823	ALL1-fused gene from chromosome 1q	6.9
••		U19713	Hs.76364	allograft inflammatory factor 1	4.8
20	102180	U19718	Hs.83551	microfibrillar-associated protein 2	7.2
	102193	U20758	Hs.313	secreted phosphoprotein 1 (osteopontin; b	7.2
	102198	U21090	Hs.74598	polymerase (DNA directed); delta 2; regu	4.3
	102202	U21931	Hs.574	fructose-bisphosphatase 1	4.5
	102209	U22970	Hs.265827	interferon; alpha-inducible protein (clone	9.9
25		U23070	Hs.78776	putative transmembrane protein	4.9
		U24389	Hs.65436	lysyl oxidase-like 1	8.5
		U24704	Hs.148495	proteasome (prosome; macropain) 26S sub	5.4
		U26312	Hs.278554	chromobox homolog 3 (Drosophila HP1 g	7.7
		U28014	Hs.74122	caspase 4; apoptosis-related cysteine prot	5.4
30		U28386	Hs.159557	karyopherin alpha 2 (RAG cohort 1; impo	6.3
50		U28488			5.7
			Hs.155935	complement component 3a receptor 1	6.1
		U30888	Hs.75981	ubiquitin specific protease 14 (tRNA-guan	
		U32849	Hs.54483	N-myc (and STAT) interactor	4.1
25		U33052	Hs.69171	protein kinase C-like 2	4.3
35		U33286	Hs.90073	chromosome segregation 1 (yeast homolo	5.4
		U34683	Hs.82327	glutathione synthetase	4.1
		U35451	Hs.77254	chromobox homolog 1 (Drosophila HP1 b	4
	102348	U37519	Hs.87539	aldehyde dehydrogenase 8	9.4
	102361	U39400	Hs.75859	chromosome 11 open reading frame 4	5.2
40	102362	U39412	Hs.75932	N-ethylmaleimide-sensitive factor attachm	9.3
	102369	U39840	Hs.299867	hepatocyte nuclear factor 3; alpha	7.7
	102395	U41767	Hs.92208	a disintegrin and metalloproteinase domai	10.4
		U43286	Hs.118725	selenophosphate synthetase 2	6.2
		U43923	Hs.79058	suppressor of Ty (S.cerevisiae) 4 homolog	4.1
45		U44772	Hs.3873	palmitoyl-protein thioesterase (ceroid-lipo	4.8
		U48807	Hs.2359	dual specificity phosphatase 4	6.3
		U49352	Hs.81548	2;4-dienoyl CoA reductase 1; mitochondri	9.4
		U51240	Hs.79356	Lysosomal-associated multispanning mem	6.5
		U56833	Hs.198307	von Hippel-Lindau binding protein 1	8.6
50		U57877		succinate dehydrogenase complex; subuni	4.3
50			Hs.3577		6.3
		U58046	Hs.198899	eukaryotic translation initiation factor 3; s	
		U58766	Hs.264428	tissue specific transplantation antigen P35	5 6
		U59309	Hs.75653	fumarate hydratase	
		U59877	Hs.223025	RAB31; member RAS oncogene family	9.1
55		U60808	Hs.152981	CDP-diacylglycerol synthase (phosphatid	7.9
		U61145	Hs.77256	enhancer of zeste (Drosophila) homolog 2	7.6
		U62136	Hs.79300	Homo sapiens enterocyte differentiation a	7
	102591	U62325	Hs.324125	amyloid beta (A4) precursor protein-bindi	4
_		U62389	Hs.11223	Human putative cytosolic NADP-depende	5
60		U65928	Hs.198767	Jun activation domain binding protein	6.1
- •		U65932	Hs.81071	extracellular matrix protein 1	23.2
		U67319	Hs.9216	caspase 7; apoptosis-related cysteine prot	8.9
		U70322	Hs.168075	karyopherin (importin) beta 2	7.1
		U70660	Hs.279910	ATX1 (antioxidant protein 1; yeast) homo	4.7
65		U72661	Hs.11342	ninjurin 1; nerve injury-induced protein-1	4.7
05		U73379	Hs.93002	ubiquitin carrier protein E2-C	7.7
		U76638	Hs.54089	BRCA1 associated RING domain 1	5.6
	102704	010000	110.07000	PITOTT GOODGOO ITITO GOIDBIT I	4.0

PCT/US02/02242

					`
		U77180	Hs.50002	small inducible cytokine subfamily A (Cy	11.8
	102721	U79241	Hs.118666	Human clone 23759 mRNA; partial cds	15
	102729	U79254	Hs.181311	asparaginyi-tRNA synthetase	5
	102739	U79282	Hs.155572	Human clone 23801 mRNA sequence	6
5	102742	U79293	Hs.159264	Human done 23948 mRNA sequence	13.1
-	102761	U82130	Hs.118910	tumor susceptibility gene 101	7
		U86602	Hs.74407	nucleolar protein p40	4.1
		U87269	Hs.154196	E4F transcription factor 1	7.1
		U89606	Hs.38041	pyridoxal (pyridoxine; vitamin B6) kinase	4.7
10		U90426	Hs.179606	nuclear RNA helicase; DECD variant of D	7.5
10		U90904	Hs.83724	Human clone 23773 mRNA sequence	15.2
		U90914	Hs.5057	carboxypeptidase D	6.6
		U91327		chaperonin containing TCP1; subunit 2 (b	6
			Hs.6456		6.1
15		U94592	Hs.80658	Human uncoupling protein homolog (UCP	4.2
15		U95006	Hs.37616	Human D9 splice variant B mRNA; comp	6.8
		U96113	Hs.324275	Homo sapiens Nedd-4-like ubiquitin-prot	
		X02419	Hs.77274	plasminogen activator, urokinase	4
		X06985	Hs.202833	heme oxygenase (decycling) 1	22.7
		X12447 .		aldolase A; fructose-bisphosphate	9.9
20		X13238	Hs.74649	cytochrome c oxidase subunit VIc	5.4
	102973	X16663	Hs.14601	hematopoietic cell-specific Lyn substrate	4.8
	102983	X17620	Hs.118638	non-metastatic cells 1; protein (NM23A)	4.6
	102985	X17644	Hs.2707	G1 to S phase transition 1	20.6
	103003	X52003	Hs.1406	trefoil factor 1 (breast cancer, estrogen-ind	10.7
25	103018	X53296	Hs.81134	interleukin 1 receptor antagonist	5.8
	103023	X53793	Hs.117950	multifunctional polypeptide similar to SA	4
	103036	X54925	Hs.83169	matrix metalloproteinase 1 (Interstitial col	7.3
		X57766	Hs.155324	matrix metalloproteinase 11 (stromelysin	17.8
		X59417	Hs.74077	proteasome (prosome; macropain) subunit	5.6
30		X59543	Hs.2934	ribonucleotide reductase M1 polypeptide	4.2
50		X59798	Hs.82932	cyclin D1 (PRAD1: parathyroid adenomat	6.7
		X60787	Hs.296281	interleukin enhancer binding factor 1	5.7
		X61970	Hs.76913	proteasome (prosome; macropain) subunit	5.8
		X63679	Hs.4147	translocating chain-associating membrane	4.2
35		X66363	Hs.171834	PCTAIRE protein kinase 1	12
33		X69433	Hs.5337	Isocitrate dehydrogenase 2 (NADP+); mit	18.9
				intercellular adhesion molecule 3	10.7
		X69819	Hs.99995		4.1
		X70040	Hs.2942	macrophage stimulating 1 receptor (c-met	10.7
40		X70218	Hs.2903	protein phosphatase 4 (formerly X); cataly	8.2
40		X70476	Hs.75724	coatomer protein complex; subunit beta 2	13.7
		X70649	Hs.78580	DEAD/H (Asp-Glu-Ala-Asp/His) box pol	13.4
		X70940	Hs.2642		.13.4
		X72755	Hs.77367	monokine induced by gamma interferon	15.1
45		X72790		Human endogenous retrovirus mRNA for	5.3
45		X72841	Hs.31314	retinoblastoma-binding protein 7	12.3
		X74262	Hs.16003	retinoblastoma-binding protein 4	4.1
		X75042	Hs.44313	v-rel avian reticuloendotheliosis viral onco	6.9
		X75861	Hs.74637	testis enhanced gene transcript	7.9
		X78565	Hs.289114	hexabrachion (tenascin C; cytotactin)	5
50	103278	X79882	Hs.80680	lung resistance-related protein	5.7
	103297	X81788	Hs.9078	immature colon carcinoma transcript 1	4.6
	103302	X82103	Hs.3059	coatomer protein complex; subunit beta	4.5
	103316	X83301	Hs.324728	SMA5	7.1
	103330	X85373	Hs.77496	small nuclear ribonucleoprotein polypepti	4
55	103349	X89059		serine/threonine kinase 9	4.7
		X89398	Hs.78853	uracil-DNA glycosylase	5.3
	103364	X90872	Hs.279929	SULT1C sulfotransferase	4
		X91788	Hs.84974	chloride channel; nucleotide-sensitive; 1A	4.2
		X92396	Hs.24167	synaptobrevin-like 1	13.6
60		X94754	Hs.279946	methionine-tRNA synthetase	14.2
O		X95404	Hs.180370	cofilin 1 (non-muscle)	4.6
		X96506	Hs.295362	DR1-associated protein 1 (negative cofact	8.3
		X97065	Hs.173497	Sec23 (S. cerevisiae) homolog B	4.9
		X97074	Hs.119591	adaptor-related protein complex 2; sigma	5
65		X97303	Hs.250655	H.sapiens mRNA for Ptg-12 protein	7
UJ				translocase of inner mitochondrial membr	4.5
		X97544	Hs.20716	M-phase phosphoprotein 6	4.5
	103438	X98263	Hs.152720	Mahinda hinohindani a	7.0

	103464	Y00285	Hs.76473	Insulin-like growth factor 2 receptor	4.2
	103470	Y00796	Hs.174103	integrin; alpha L (antigen CD11A (p180);	4.5
		Y08991	Hs.83050	phosphatidylinositol 3-kinase-associated p	4.1
		Y09912	Hs.33102	transcription factor AP-2 beta (activating	4.5
5		Z14982	Hs.180062	proteasome (prosome; macropain) subunit	4.3
,		Z15115	Hs.75248	topoisomerase (DNA) II beta (180kD)	4
					7.6
		Z22548	Hs.146354	thioredoxin-dependent peroxide reductase	
		Z29083	Hs.82128	5T4 oncofetal trophoblast glycoprotein	14.6
• •		Z47727	Hs.150675	polymerase (RNA) II (DNA directed) pol	6.3
10	103622	Z48042	Hs.278672	membrane component; chromosome 11; s	4.4
	103658	Z74615	Hs.172928	collagen; type I; alpha 1	5.9
	103680	Z93784		Homo sapiens DNA sequence from PAC	4.4
	103772	AA092473	Hs.278554	chromobox homolog 3 (Drosophila HP1 g	4.9
		AA092898		ESTs; Weakly similar to R07G3.8 [C.eleg	6.1
15			Hs.198793	KIAA0750 gene product	23.3
10		AA172215		ESTs; Moderately similar to TRANSCRIP	4
				ESTs; Weakly similar to gene 9306 protel	4.9
			Hs.105737		7.8
		AA236843		ESTs; Weakly similar to unknown [S.cere	4.8
20			Hs.239189	ESTS	
20		AA393432		hypothetical protein	5.3
		AA428090		ESTs	28.7
			Hs.268371	zv68f6.r1 Soares_total_fetus_Nb2HF8_9w	5.7
	104147	AA451992	Hs.283037	ESTs; Highly similar to HSPC039 protein	6.9
	104173	AA476564	Hs.76561	ESTs; Weakly similar to finger protein HZ	5.2
25	104181	AA479521	Hs.283740	ESTs	7.8
	104183	AA480838	Hs.114309	ESTs	5.1
		AA486946		Homo sapiens mRNA; cDNA DKFZp564	4.3
		AB000221		small inducible cytokine subfamily A (Cy	12.3
			Hs.168212	kinesin family member 3B	6.2
30		C01687	Hs.7381	ATP synthase; H+ transporting; mitochon	4.2
50		C02582	Hs.109253	ESTs; Highly similar to N-terminal acetyl	4.5
		D52818		endosulfine alpha	4.7
			Hs.111680		4.2
		D55869	Hs.284123	Homo sapiens mRNA full length insert cD	
25		H19378	Hs.21851	Homo sapiens mRNA; cONA DKFZp586	6.4
35		L44497	Hs.7351	ESTs	4.9
		M19169	Hs.123114	cystatin SN	11.6
		N33807	Hs.324275	protease; serine; 15	5.6
		R56678	Hs.88959	Human DNA sequence from clone 967N2	6.3
	104592	R81003	Hs.325820	serine protease; umbilical endothelium	13.6
40	104634	AA004274	Hs.19151	ESTs	6.3
	104636	AA004415	Hs.106106	ESTs	10.1
	104658	AA007145	Hs.27268	Homo sapiens mRNA; cDNA DKFZp564	4.3
	104667	AA007234	Hs.30098	ESTs	16.6
			Hs.301553	ESTs; Moderately similar to IIII ALU SU	4.6
45		AA025534		ESTs	4.8
		AA027163		ESTs	8.1
			Hs.301871	ESTs; Moderately similar to cAMP induc	10.9
		AA031357		ESTs; Weakly similar to N-WASP [H.sap	5.5
		AA032147		ESTS	10.4
50					4.6
50		AA039469		ESTs; Weakly similar to KIAA0299 [H.s Homo sapiens mRNA; cDNA DKFZp564	4.3
			Hs.241507	Uman and from DAC 27M47 and 205D	
			Hs.225979	Human gene from PACs 37M17 and 305B	4.5
		AA053021		SCO (cytochrome oxidase deficient, yeast	4.7
~ ~		AA055809		ESTs; Weakly similar to phosphoprotein [8.8
55		AA057193		ESTs	5.5
		AA057839		ESTs	4.2
• •	104926	AA058846	Hs.33363	DKFZP434N093 protein	7
	104938	AA064627	Hs.318725	ESTs; Highly similar to CGI-72 protein [H	7.1
			Hs.114218	ESTs	5.7
60	104957	AA074919	Hs.10026	ESTs; Weakly similar to ORF YJL063c [S	4.7
		AA076672		ESTs	5.5
		AA084602		ESTs	4.3
	104975	AA086071	Hs.50758	chromosome-associated polypeptide C	8.3
	10/077	AA088228	Hs.18272	ESTs	6.2
65		AA088458		ESTs	6.7
00		AA101723		ESTs	9.2
			Hs.182704	ESTs; Moderately similar to alternatively	6.9
	103002	W1 10500	10.102107	20.01 section of the section of	

	105012	AA116036	Hs.9329	chromosome 20 open reading frame 1	10.7
		AA121879		proteasome (prosome; macropain) subunit	5.7
		AA126855		ESTs	4.4
			Hs.274329	TP53 target gene 1	6.3
5	105035	AA128486	Hs.8859	ESTs	6.5
		AA130349		ESTs	4
	105062	AA134968	Hs.36529	ESTs .	4.3
	105076	AA142858	Hs.37810	ESTs	6.4
	105087	AA147884	Hs.9812	ESTs	9.2
10	105091	AA148859	Hs.179909	ESTs; Weakly similar to !!!! ALU SUBFA	5.7
		AA149051		ESTs	6.3
		AA152302		DKFZP566G223 protein	6.2
		AA158132		ESTs; Weakly similar to contains similar	5.7
1.5		AA159501		HBV associated factor	4.2
15		AA165333		ESTs	4.7
		AA171736		methyl-CpG binding domain protein 4	9
		AA176690		KIAA1025 protein	9.1
		AA191512		Homo sapiens mRNA; cDNA DKFZp564	19.3 7.4
20			Hs.227743	KIAA0980 protein	
20		AA211388		ESTs: Modelty elimites to VIA A0512 amto	5.1 11.1
		AA227428 AA227448		ESTs; Weakly similar to KIAA0512 prote	6.4
		AA227871		KIAA0456 protein MEK partner 1	9.1
		AA227926		ESTs ·	6.7
25			Hs.281866	ATPase; H+ transporting; lysosomal (vacu	5.3
23			Hs.183858	transcriptional intermediary factor 1	8.7
		AA233790		ESTs; Weakly similar to cDNA EST yk38	7.4
		AA233854		S-phase kinase-associated protein 2 (p45)	5.8
			Hs.157078	ESTs	4.5
30		AA236559		ESTs; Weakly similar to IIII ALU SUBFA	5.8
-		AA236950		ESTs	5.5
		AA242868		ESTs; Weakly similar to house-keeping p	7.7
	105399	AA243007	Hs.16420	ESTs; Highly similar to SH3 domain-bind	5.6
	105400	AA243052	Hs.65648	RNA binding motif protein 8	5.8
35	105404	AA243303	Hs.21187	ESTs	9.1
	105409	AA243562	Hs.301855	ESTs	4.4
			Hs.237856	ESTs; Moderately similar to cAMP induc	5.1
		AA255874		ESTs	4.9
40		AA256268		ESTs	6
40		AA256317		Homo sapiens mRNA; cDNA DKFZp586	5.2
			Hs.301997	DKFZP434N126 protein	8.7
			Hs.222399	CGI-96 protein	9.5 4.1
			Hs.226318	ESTs; Moderately similar to CCR4-associ	4.1
45		AA258860		ring finger protein (C3H2C3 type) 6	8
43		AA261954	Hs.268281	ESTs ESTs; Weakly similar to 62D9.a [D.melan	8.1
		AA262417		ESTs Weakly Sittman to 02052a [D.Meialt	4.6
		AA262477		ribonuclease HI; large subunit	9.1
			Hs.306915	ESTs	4.5
50		AA278302		ESTs; Weakly similar to partial CDS [C.e	4.2
50		AA278323		Homo sapiens clone 24606 mRNA sequen	11.9
		AA278717		ESTs	5.9
		AA279012		ESTs; Weakly similar to KIAA0665 prote	4.4
		AA279418		ESTs	4
55		AA279787		ESTs; Moderately similar to putative pho	5.6
	105610	AA279991	Hs.99872	ESTs; Weakly similar to trithorax homolo	5.3
	105621	AA280865	Hs.6375	Homo sapiens mRNA; cDNA DKFZp564	4.8
		AA281245		ESTs	7.5
			Hs.247817	Homo sapiens mRNA for for histone H2B	5.9
60		AA282138		ESTs	6.4
		AA282347		ESTs; Highly similar to HSPC003 [H.sap	11.3
		AA283930		ESTS (CALIFORNIA OF TOTAL)	4.7
			Hs.279789	CDW52 antigen (CAMPATH-1 antigen)	8
C F		AA286809		ESTS	7.1
65		AA287643		ESTs; Weakly similar to hypothetical pro	4.9
		AA290767 AA291268	Hs.101282	Homo sapiens mRNA; cDNA DKFZp434 DKFZP586L0724 protein	8 6.8
	102109	MAZ31200	113.20101	DIN 21 300E0124 PIOREIN	0.0

	105731	AA292711	Hs 29131	ESTs	6.4
			Hs.110857	ESTs	7
		AA348014		ESTs	7.1
		AA350771		ESTs	13.4
5		AA358038		SH3-binding domain glutamic acid-rich p	4.3
-		AA393803		ESTs; Moderately similar to COLLAGEN	5.3
		AA393808		KIAA0438 gene product	4.1
	105812	AA394126	Hs.20814	ESTs; Highly similar to CGI-27 protein [H	14.6
	105813	AA394140	Hs.18585	ESTs	4.9
10	105819	AA397920	Hs.28783	Homo sapiens mRNA; cDNA DKFZp564	4.9
	105870	AA399623	Hs.101067	ESTs	4.8
	105874	AA400074	Hs.171118	ESTs	4
		AA400999		Human ring zinc-finger protein (ZNF127-	4.8
		AA404248		ESTs	5.2
15		AA404277		ESTs; Weakly similar to bisphosphate 3'-	4
		AA406105		adaptor-related protein complex 1; gamma	8.3
		AA406321		KIAA0895 protein	4.6
		AA410336		ESTs; Weakly similar to PROBABLE AT	4.5
20		AA410510		ESTs	4.9
20		AA410972		ESTs	5.8
		AA411462		ESTs; Wealthy similar to vell 1 [H.sapiens	6.9
		AA411819		KIAA0898 protein	5
		AA412473 AA412700		ESTs	6.6
25				ubiquitin-conjugating enzyme E2L 6	4.6
45		AA417067 AA417558		ESTs ESTs	4.5 12.3
		AA417556		Homo sapiens clone 24416 mRNA sequen	5
		AA421104		ESTs	15.4
		AA424006		ESTs; Moderately similar to H5AR (M.m	6.4
30		AA425304		ESTS	5.1
-		AA425367		ESTs	11.1
		AA425872		NADH dehydrogenase (ubiquinone) 1 alp	19.3
		AA428024		ESTs	4.7
		AA428239		ESTs	5.7
35		AA428582		ESTs; Moderately similar to metargidin p	7.7
		AA429951		ESTs	8
		AA430074		ESTs; Wealty similar to YIr218cp [S.cere	4.4
	106263	AA431462	Hs.28329	ESTs	4.9
	106288	AA435536	Hs.24336	ESTs	8.8
40	106293	AA435591	Hs.301444	signal sequence receptor; gamma (transloc	8.7
		AA436244		ESTs	4.5
		AA436568		ESTs	4
		AA436705		KIAA0766 gene product	4.4
A.E		AA441798		ESTs; Moderately similar to plL2 hypoth	23.7
45		AA442253		ESTs	4.7
		AA442763		cyclin B2	6.1
		AA443923		ESTs	6.8
		AA446949 AA447223		ESTs Homo sapiens clone 25142 mRNA sequen	4.7 4.4
50		AA448282		ESTs; Weakly similar to F55C12.5 [C.ele	4.5
50		AA449741		glioma-amplified sequence-41	4.8
		AA449912		ESTs; Highly similar to CGI-77 protein [H	5.2
		AA450047		ESTs	6.8
		AA450351		ESTs	12.4
55		AA452108		transcription factor AP-2 alpha (activating	4.5
		AA452411		ESTs; Highly similar to mediator [H.sapie	5.1
		AA452584		protein phosphatase 1; regulatory (Inhibito	4.9
	106533	AA453786	Hs.145998	ESTs	8.3
		AA455970		patched related protein translocated in ren	7.6
60		AA456598		ESTs	8.2
		AA456646		ESTs	4.8
		AA457730		Homo sapiens clone 23851 mRNA sequen	4.4
		AA458904		ESTs; Weakly similar to torsinA [H.sapie	7
<i>C</i> 5		AA458934		ESTs	4.5
65		AA459657		Homo sapiens clone 23570 mRNA sequen	6.5
		AA459961		ESTs	5.5
	106644	AA460239	HS.12680	ESTs	4.4

	400004	A A 400000	U- 7510	witness and retails bloom library id	8.4
		AA460969		mitogen-activated protein kinase kinase ki	
		AA463745		ESTs; Weakly similar to PROBABLE AT	5.3
	106719	AA465171	Hs.236844	ESTs	5.6
	106726	AA465339	Hs.3886	ESTs	10.1
5	106747	AA476473	Hs.171957	triple functional domain (PTPRF interacti	10.4
•		AA477263		ESTs	4.2
			Hs.306117	interleukin 13 receptor; alpha 1	6.9
					5.1
			Hs.227913	API5-like 1	
		AA482014		centrin; EF-hand protein; 3 (CDC31 yeast	5.1
10	106836	AA482112	Hs.238707	ESTs	4.8
	106840	AA482548	Hs.5534	ESTs	10.3
	106856	AA486183	Hs.285123	ESTs; Weakly similar to similar to oxyste	6.2
		AA487228		ESTs	4.5
		AA488872		f	7.9
15				Homo sapiens mRNA; cDNA DKFZp586	6.4
13		AA489101		oxysterol binding protein	
		AA489665		ESTs	4.6
	106909	AA490323	Hs.250747	SUMO-1 activating enzyme subunit 1	4.2
	106919	AA490885	Hs.21766	ESTs	12.3
		AA490899		ESTs	6.2
20		AA496204		ESTs	4
20					4.8
		AA496347		retinoblastoma-binding protein 7	
		AA496788		KIAA0532 protein	4.
		AA504631		ESTs; Weakly similar to hypothetical 43.2	4.4
	106973	AA505141	Hs.11923	Human DNA sequence from clone 167A1	5.4
25	106980	AA521121	Hs.8858	bromodomain adjacent to zinc finger dom	4.1
		AA521157		ESTs	5.7
			Hs.195464	insulin-like growth factor binding protein	18.7
					6.2
		AA598710		ESTs	
~~		AA599214		ESTs	4.1
30	107032	AA599472	Hs.247309	succinate-CoA ligase; GDP-forming; beta	5.3
	107052	AA600134	Hs.12482	glyceronephosphate O-acyltransferase	4.8
		AA600147		ESTs; Weakly similar to NADH-cytochro	5.8
		AA600310		programmed cell death 8 (apoptosis-induc	4.9
				ESTs	8.4
25		AA609210			
35		AA609723		ESTs	8
		AA609943		ESTs	9.5
	107129	AA620553	Hs.4756	flap structure-specific endonuclease 1	4.9
	107132	AA620598	Hs.9052	ESTs	5.3
	107136	AA620795	Hs.8207	ESTs	4
40			Hs.170088	ESTs	6.7
10		AA621169		ESTs	19
					8.1
		AA621340		ESTs; Weakly similar to ORF YKR081c [
		AA621714		ESTs	8.5
	107217	D51095	Hs.35861	DKFZP586E1621 protein	7.2
45	107252	D59971	Hs.25925	ESTs	·7. 9
		T34527	Hs.80120	UDP-N-acetyl-alpha-D-galactosamine:po	5.6
		T40327	Hs.30661	lung resistance-related protein	8.4
		T81665	Hs.278422		7.5
				DKFZP586G1122 protein	4.7
50		U85625	Hs.8297	ribonuclease 6 precursor	
50		U85773	Hs.154695	phosphomannomutase 2	4.8
•	107481	W58247	Hs.279766	Homo sapiens kinesin superfamily motor	6.3
	107531	Y13936	Hs.17883	protein phosphatase 1G (formerly 2C); ma	8.3
	107859	AA024835	Hs.47584	potassium voltage-gated channel; delayed	7.3
		AA026030		ESTs; Weakly similar to CALPAIN 2; LA	7.3
55		AA026894		ESTs	4.9
55					
		AA041341		ESTs	5.4
			Hs.159971	ESTs	8.4
		AA046424		ESTs; Weakly similar to HYPOTHETICA	6.6
	108217	AA058686	Hs.62588	ESTs	7.7
60			Hs.172608	ESTs	4
-		AA071514		ESTs	4
		AA100694		Human DNA sequence from BAC 15E1 o	5.5
		AA112396		ESTs; Moderately similar to HOMEOBO	14.3
			Hs.274417	Homo sapiens mRNA; cDNA DKFZp564	5.2
65	108687	AA120785	Hs.54347	ESTs	5.6
	108695	AA121315	Hs.70823	KIAA1077 protein	10.5
	108733	AA126422		zn84f1.s1 Stratagene lung carcinoma 9372	4.4
	-			▼	

	400				4.0
	108774	AA128125	Hs.71040	ESTs; Moderately similar to CELL GROW	4.6
	108828	AA131584	Hs.273344	DKFZP564O0463 protein	5.5
	108872	AA134063	Hs.111680	ESTs	7.2
		AA134958		ESTs	11.3
5					8.9
J		AA135894		retinolc acid induced 3	
	109008	AA156360	Hs.87128	ESTs	14.7
	109010	AA156460	Hs.44229	dual specificity phosphatase 12	4.9
	109011	AA156542	Hs.72127	ESTs	4.6
		AA159525		Homo sapiens DNA from chromosome 19	7.2
10					4
10		AA166695		tumor necrosis factor (ligand) superfamily	
		AA167006		ESTs	5.9
	109101	AA167708	Hs.52184	ESTs	4.2
	109112	AA169379	Hs.257924	ESTs	4
		AA179387		DKFZP434N126 protein	4
15		AA179845		RAB6 interacting; kinesin-like (rabkinesin	13.6
13					
		AA181600		ESTS	11.8
	109179	AA181902	Hs.192789	ESTs; Weakly similar to IIII ALU SUBFA	5.4
	109261	AA195255	Hs.61779	ESTs	6.7
	109270	AA195515	Hs.3585	ESTs; Weakly similar to alternatively spli	4.9
20		AA196332		ESTs	5.4
20					
		AA206800		ESTs; Moderately similar to zinc finger p	5.5
	109415	AA227219	Hs.110826	trinucleotide repeat containing 9	20.1
	109454	AA232255	Hs.295232	ESTs	4.7
		AA232904		ESTs	6.8
25		AA233342		ESTs; Weakly similar to WD40 protein C	10.6
45					8
		AA233892		ESTs; Weakly similar to !!!! ALU SUBFA	
			Hs.262346	ESTs; Weakly similar to ORF2: function	8.2
	109572	F02027	Hs.171937	ESTs	4.8
	109632	F04165	Hs.235873	ESTs; Weakly similar to K11C4.2 [C.eleg	5.2
30		F04477	Hs.291531	ESTs; Moderately similar to GLYCERAL	6.6
50		F09684	Hs.24792	ESTs; Weakly similar to ORF YOR283w	7.1
				•	
		F10009	Hs.9196	ESTs	5_
	109747	F10161	Hs.22969	ESTs	4.7
	109799	F10770	Hs.180378	Homo sapiens clone 669 unknown mRNA	4.5
35		F10979	Hs.153106	Homo sapiens clone 23728 mRNA sequen	8.7
-		H20543	Hs.6278	DKFZP586B1621 protein	16.6
					6.2
		H25577	Hs.176588	ESTs; Weakly similar to CYTOCHROME	
		H29285	Hs.32468	ESTs	4.5
	110520	H56965	Hs.4082	yr09f06.s1 Soares fetal liver spleen 1NFL	5.7
40	110561	H59617	Hs.5199	ESTs; Weakly similar to UBIQUITIN-CO	19.5
. •		H95079	Hs.15617	ESTs; Weakly similar to IIII ALU SUBFA	6.2
		H98714	Hs.24131	ESTs	30.2
					5.8
		N22262	Hs.131705	ESTs	
	110780	N23174	Hs.22891	solute carrier family 7 (cationic amino aci	8.2
45	110787	N24716	Hs.12244	ESTs; Weakly similar to C44B9.1 [C.eleg	6.7
	110794	N25262	Hs.27931	ESTs	5.9
		N26101	Hs.323401	Human ring zinc-finger protein (ZNF127-	4
		N29454	Hs.27552	ESTs; Weakly similar to putative p150 [H	4.3
					12.8
50		N30856	Hs.30246	solute carrier family 19 (thiamine transpo	
50		N31952	Hs.167531	Homo sapiens mRNA full length insert cD	10.1
	110854	N32919	Hs.27931	ESTs	4.7
	110856	N33063		ESTs; Weakly similar to S164 [H.sapiens	4.2
		N33438	Hs.170065	ESTs	12.5
		N39148		DKFZP434D156 protein	4
55			HS.6880		23.2
23		N46252	Hs.29724	ESTs	
		N48787	Hs.305979	protease inhibitor 1 (anti-elastase); alpha-	4.8
	110970	N51374	Hs.96870	Homo sapiens mRNA full length insert cD	5.4
•		N53375	Hs.166146	Homer, neuronal immediate early gene; 3	4.7
		N53388	Hs.7222	ESTs	13.3
60			Hs.3628	mitogen-activated protein kinase kinase ki	5.7
W		N54067			8.3
		N59543	Hs.15456	PDZ domain containing 1	
		N62522	Hs.20450	ESTs	14.3
	111125	N63823	Hs.269115	ESTs	7.9
		N64378	Hs.83293	ESTs; Highly similar to unknown function	4.4
65		N64683	Hs.290943	ESTs	6
05		N66857	Hs.14808	ESTs; Weakly similar to !!!! ALU CLASS	4.1
				Homo sapiens mRNA: cDNA DKFZo586	5.5
	111172	N67102	Hs.21851	HUID SAPIERS HIKINA, CUNA UKEAPSOS	5.5

	414470	N67227	Un 24022	ESTs	5.7
		N67239	Hs.24633 Hs.10760	ESTs	37
		N67278	Hs.171802	ESTs; Weakly similar to hypothetical pro	5.6
		N67437	Hs.243901	Homo sapiens mRNA; cDNA DKFZp564	8.7
5		N68869	Hs.15119	ESTs	7.3
•		N68921	Hs.297939	ESTs; Weakly similar to neogenin (H.sap	9
		N69113	Hs.110855	ESTs	8.9
		N69514	Hs.288880	ESTs; Weakly similar to CGI-82 protein [6.9
		N70481	Hs.26118	Homo sapiens done 24766 mRNA sequen	4.5
10		N73275	Hs.21275	ESTs; Weakly similar to ubiquitin-conjug	5.6
		N73808	Hs.24936	ESTs	8.5
		N79565	Hs.29894	ESTs	6.7
		N91023	Hs.87128	ESTs	15
		N92915	Hs.94631	brefeldin A-inhibited guanine nucleotide-e	5.2
15	111806	R33468	Hs.279008	ESTs	10
,		R35885	Hs.286148	stromal antigen 1	4.5
		R36228	Hs.25119	ESTs	7.2
	111890	R38678	Hs.12365	ESTs	17.3
	111923	R39995	Hs.25925	Homo sapiens clone 23860 mRNA sequen	7.3
20	111942	R40576	Hs.21590	ESTs	9.2
	111987	R42036	Hs.6763	KIAA0942 protein	10.6
	112101	R44793	Hs.296341	adenytyl cyclase-associated protein 2	5.3
•	112134	R46025	Hs.7413	ESTS	17.4
		R49482	Hs.5637	ESTs	4.4
25		R51309	Hs.70823	KIAA1077 protein	11
	112253	R51818		Homo sapiens mRNA; cDNA DKFZp566	9.3
		R54822	Hs.26244	ESTs	4.4
		R63802	Hs.124186	ring finger protein 2	6.3
		R66534	Hs.285885	ESTs	4.9
30		R68631	Hs.11861	ESTs	14.3
		R79392	Hs.23643	ESTs	5.2
		R88741	Hs.91065	ESTs; Moderately similar to proliferation	4.6
		R93507	Hs.8207	ESTs	5.6
25		R97486	Hs.157160	protein kinase; DNA-activated; catalytic p	8.7
35		T03313	Hs.4747	dyskeratosis congenita 1; dyskerin	5.9
		T03352	Hs.12285	ESTs	5.8
		T10065	Hs.3530	TLS-associated serine-arginine protein	4.1
		T17119	Hs.102548	glucocorticoid receptor DNA binding fact	5.7
40		T17185	Hs.83883	ESTs	6.4 9.1
40		T23528	Hs.7155	ESTs; Weakly similar to TYKi protein [M	5.4
		T25867	Hs.7549	ESTS	5.7
		T34660	Hs.6986	ESTs; Weakly similar to !!!! ALU SUBFA ESTs	5.8
		T47819 T58044	Hs.159153 Hs.241471	ESTS; Moderately similar to IIII ALU SU	6.4
45 .		T63857	N3.241471	yc16e1.s1 Stratagene lung (#93721) Homo	4.6
75 .		T64896	Hs.287420	ESTs	6.9
			Hs.11774	protein (peptidyl-prolyl cis/trans isomeras	5.6
		T65802	Hs.11135	yc11h10.s1 Stratagene lung (#937210) Ho	4.5
		T86121	Hs.191445	ESTs	6.4
50		T90037	Hs.95549	ESTs	6.4
50		T92735	Hs.296083	ESTs	8.7
		T97307		ESTs; Moderately similar to IIII ALU SU	9.5
		W19222	Hs.7041	ESTs; Weakly similar to IIII ALU SUBFA	5.2
		W37382	Hs.11090	ESTs	11.9
55		W44735	Hs.9286	ESTs	16.7
7.7		W44928	Hs.6994	ESTs	4
		W47350	Hs.17466	retinoic acid receptor responder (tazaroten	4.8
		W47388	Hs.55099	rab6 GTPase activating protein (GAP and	4
		W56792	Hs.12040	ESTs; Weakly similar to KIAA0881 prote	4.1
60	113857	W65477	Hs.5297	Homo sapiens mRNA; cDNA DKFZp564	4.3
		W72471	Hs.23920	ESTs	4.6
		W73738	Hs.12921	ESTs	7.1
	113923	W80763	Hs.3849	ESTs; Weakly similar to FK508-binding p	6.8
	113931	W81205	Hs.3496	ESTs	6.1
65	113950	W85765	Hs.30504	Homo sapiens mRNA; cDNA DKFZp434	14
		W86748	Hs.8109	ESTs .	15
	114051	W94942	Hs.177534	dual specificity phosphatase 10	5.4

	44400-	11100000	11. 04400	FOT-	4.0
		W96222	Hs.34192	ESTs	4.8
		Z38266	Hs.288649	Homo sapiens PAC clone DJ0777O23 fro	5.1
		Z38347	Hs.118338	ESTs; Weakly similar to similar to S. cere	6.2
-		Z38435	Hs.184108	ribosomal protein L21	4.6
5		Z38595	Hs.125019	ESTs; Highly similar to KIAA0886 prote	22
		Z38763	Hs.15740	amyloid beta (A4) precursor protein-bindi	8.8
		Z38814	Hs.27196	ESTs	4
		Z38909	Hs.22265	ESTs	7.2
	114177	Z39062	Hs.23740	ESTs	5. 3
10	114196	Z39211	Hs.150926	fucose-1-phosphate guanylyitransferase	4.4
	114208	Z39301	Hs.7859	ESTs	5.1
	114250	Z39897	Hs.13297	ESTs	7.2
	114251	Z39898	Hs.21948	ESTs	14.7
	114292	Z40715	Hs.184641	delta-6 fatty acid desaturase	19,4
15	114297	Z40758	Hs.173091	DKFZP434K151 protein	8.9
•	114334	Z41342	Hs.22941	ESTs	13.7
	114460	AA024604	Hs.26102	ESTs .	10.1
	114471	AA028074	Hs.104613	ESTs	5.7
	114480	AA032243	Hs.151678	UDP-N-acetyl-alpha-D-galactosamine:po	7.3
20		AA046407		suppressor of var1 (S.cerevisiae) 3-like 1	4.3
		AA055768		ESTs	11.7
		AA056484		ESTs	7.3
		AA101416		ESTs; Weakly similar to PTB-ASSOCIAT	6.1
		AA113303		transmembrane 4 superfamily member (te	4.3
25		AA126951		ESTs; Highly similar to putative DNA-dir	7.1
		AA148885		minichromosome maintenance deficient (S	5.3
			Hs.109929	ESTs	4.2
			Hs.269956	ESTs	4.8
		AA161161		multiple inositol polyphosphate phosphata	7.1
30		AA165313		ESTs	4.4
		AA235035		ESTs; Moderately similar to ubiquitin spe	5
			Hs.196437	ESTs; Weakly similar to R26660_1; parti	16.9
		AA236359		ESTs	5.1
		AA243012		ESTs	8.5
35		AA250737		ESTs	35.1
		AA252627		homeo box B5	5.7
	115054	AA252863	Hs.87729	ESTs	6.2
	115061	AA253217	Hs.41271	ESTs	13
	115082	AA255557	Hs.198269	NADH dehydrogenase (ubiquinone) 1 alp	28.2
40	115116	AA256486	Hs.62275	ESTs	8.8
	115140	AA258030	Hs.279938	ESTs; Weakly similar to supported by GE	4.1
	115205	AA262470	Hs.284216	ESTs	8.3
	115206	AA262491	Hs.186572	ESTs	5.1
	115239	AA278650	Hs.73291	ESTs; Weakly similar to similar to the bet	4.6
45	115242	AA278755	Hs.283732	ESTs	8.3
	115249	AA278961	Hs.71124	ESTs	10.1
	115259	AA279071	Hs.13453	splicing factor 3b; subunit 1; 155kD	9.5
	115285	AA279799	Hs.293736	ESTs	5.8
	115291	AA279943	Hs.122579	ESTs	5.1
50	115357	AA281793	Hs.72988	ESTs	5
			Hs.193063	ESTs	6.1
	115400	AA283198	Hs.89113	ESTs	4.9
			Hs.193090	ESTs	5.8
	115471	AA287138	Hs.59346	ESTs; Weakly similar to ASPARTYL-TR	11.7
55 ·	115506	AA292537	Hs.45207	Human DNA sequence from clone 620E1	6.8
	115522	AA331393	Hs.47378	ESTs	5.8
	115572	AA398392	Hs.59594	ESTs; Weakly similar to F33G12.3 gene p	9.7
	115587	AA399264	Hs.283037	ESTs; Highly similar to HSPC039 protein	8.7
	115600	AA400247	Hs.42173	ESTs	4
60	115612	AA400948	Hs.71243	ESTs; Weakly similar to zinc finger prote	8.4
	115646	AA404352	Hs.305971	ESTs	5.3
		AA405098		ESTs	16.1
	115657	AA405620	Hs.55158	ESTs; Weakly similar to weak similarity t	4.7
	115658	AA405625	Hs.183056	Human DNA sequence from clone 34B21	5.1
65	115675	AA406546	Hs.82065	Homo sapiens mRNA; cDNA DKFZp564	20.5
	115721	AA417102	Hs.90960	ESTs	4.8
	115763	AA421560		ESTs	7

				•	
	115764	AA421562	Hs.91011	anterior gradient 2 (Xenepus laevis) homo	41.6
	115835	AA428576	Hs.41371	ESTs	4.2
		AA430124		ESTs	11.9
		AA433943		ESTs: Weakly similar to Weak similarity	33.5
5		AA435839		KIAA0887 protein	7.2
,				ESTs; Weakly similar to KIAA0926 prote	5.1
		AA441911			
		AA443602		ESTs	4.8
		AA443793		ESTs	8.3
	115948	AA443798	Hs.43445	poly(A)-specific ribonuclease (deadenylat	13.5
10	115951	AA443918	Hs.301048	cofilin 1 (non-muscle)	7.5
	115967	AA446887	Hs.42911	ESTs	8.8
		AA447687		ESTs	13.1
		AA449448		ESTs	5.5
		AA451748		Human DNA sequence from clone 718J7	7.5
15					
15		AA452112		thioredoxin-like	12.7
		AA453656		ESTs	7.2
	116097	AA456099	Hs.176376	ESTs	11.8
	116108	AA457566	Hs.28777	ESTs	4.5
	116121	AA459254	Hs.48855	ESTs	4.5
20			Hs.279884	v-myc avian myelocytomatosis viral onco	4.3
		AA459956		ESTs; Highly similar to putative ribonucle	7.6
		AA460649			4.8
				ESTs	
			Hs.108646	ESTs	6.8
~ ~		AA478397		ESTs	4.9
25	116222	AA478415	Hs.89986	ESTs	4
	116238	AA479362	Hs.47144	DKFZP586N0819 protein	4.6
	116246	AA479961	Hs.250646	ESTs; Highly similar to ubiquitin-conjuga	4
		AA480886		ESTs	18.5
		AA480975		ESTs	10.8
30		AA481146		ESTs; Weakly similar to OXYSTEROL-B	9.1
50					
		AA481256		ESTs; Weakly similar to lysophospholipa	8.4
			Hs.272239	Homo sapiens mRNA; cDNA DKFZp586	7.2
		AA482595		ESTs; Weakly similar to F25B5.3 [C.eleg	11.1
	116282	AA486550	Hs.204501	ESTs; Weakly similar to Wiskott-Aldrich	6.2
35	116298	AA489046	Hs.94109	ESTs	4.9
		AA489194		ESTs; Weakly similar to snRNP protein B	4.6
		AA490959		Homo saplens mRNA; cDNA DKFZp564	5.8
		AA491457		ESTs	4.3
		AA496127		ESTs	8.4
40					
40		AA504116		Homo sapiens mRNA; cDNA DKFZp434	5.3
		AA504806		Homo sapiens clone 23620 mRNA sequen	5.2
	116415	AA609204	Hs.27973	KIAA0874 protein	6.6
	116443	AA620313	Hs.190488	ESTs; Weakly similar to KERATIN; TYP	4.5
	116470	C13992	Hs.83484	ESTs	4.5
45		C14088		glyceraldehyde-3-phosphate dehydrogena	5.6
		D51272	Hs.75337	nucleolar phosphoprotein p130	4.1
	•	D51276	Hs.81915	leukemia-associated phosphoprotein p18	5.8
					4.9
		F02028	Hs.81907	ESTS	
50		F03069	Hs.15395	ESTs; Weakly similar to ARGINYL-TRN	6.1
50		F04816	Hs.92127	ESTs	10.6
	116680	F08813	Hs.273829	LINE retrotransposable element 1	4.2
	116700	F09983	Hs.317589	ESTs	13
	116724	F13665	Hs.65641	ESTs	8.5
	116726	F13681	Hs.53913	ESTs	5.6
55	116732	F13779	Hs.165909	ESTs	11.6
55					
		F13789	Hs.93796	DKFZP586D2223 protein	5.4
		H11054	Hs.155342	protein kinase C; delta	4.3
		H22566	Hs.30098	ESTs	5.7
		H25836	Hs.301527	tumor necrosis factor (ligand) superfamily	8.8
60	116787	H28581	Hs.15641	ESTs	8.6
	116790	H29532	Hs.101174	microtubule-associated protein tau	22.2
		H47357	Hs.109701	ESTs; Moderately similar to weak similar	6.7
		H68116	Hs.168732	ESTs	6.5
		H72948	Hs.821	biglycan	20.7
65		N20083	Hs.42792	ESTs	4.4
00				ESTs	
		N20579	Hs.61153		7.4
	11/284	N22162	Hs.183779	ESTs; Weakly similar to cDNA EST yk33	4.1

	117344	N24046	Hs.210706	ECTo		7.4
				ESTs		10.5
		N24954	Hs.42502	ESTS		
		N26175	Hs.93405	ESTS		5.8
5		N26257	Hs.39871	KIAA0727 protein		8.4
3		N26722	Hs.42645	ESTS		18.1
		N31726	Hs.44268	ESTs; Highly similar to myelin gene expr		5.8
		N33920	Hs.44532	diubiquitin		12.3
	117634		Hs.13323	ESTs; Weakly similar to SODIUM-AND		4.4
10		N36923	Hs.44833	ESTs		6
10		N47469	Hs.59757	ESTs		7.6
	117852	N49408	Hs.136102	KIAA0853 protein		5.9
		N50050	Hs.303025	ESTs; Weakly similar to keratin; 67K typ		7.9
	117924	N51056	Hs.38891	ESTs		7.9
	117950	N51394	Hs.75478	KIAA0956 protein		5
15	117992	N52000	Hs.172089	Homo sapiens mRNA; cDNA DKFZp586		7
	118138	N57773	Hs.93560	ESTs; Weakly similar to trg [R.norvegicu		4.8
	118215	N62195	Hs.77910	3-hydroxy-3-methylglutaryl-Coenzyme A		13.4
	118229	N62339	Hs.166254	heat shock 90kD protein 1; alpha		5.4
	118265	N62827	Hs.48645	EST		4.2
20	118336	N63604	Hs.47166	ESTs		7.2
		N64168	Hs.48938	ESTs		6
		N66158	Hs.74649	ESTs		4.1
		N66769	Hs.291033	ESTs		5.4
		N66818	Hs.42179	ESTs		10.8
25		N66845		ESTs; Weakly similar to IIII ALU CLASS		4.5
		N67149	Hs.50115	ESTs		5.3
		N67889	Hs.49397	ESTs		10.4
		N68010	Hs.49427	ESTs		7.9
		N69222	10.70721	ESTs		9.2
30		N71781	Hs.50081	Homo sapiens mRNA full length insert cD		9.8
50		N72113	Hs.50187	ESTs		4.3
	118901		Hs.94445	ESTs		8.1
		N92966	NS.54440		•	12.5
	110502	Nazado		ESTs; Highly similar to CGI-90 protein [H		12.0
	440070	MOSCOO	Un 02204 ·	CCTo		5
35		N93629	Hs.93391	ESTS		5 73
35	118986	N94362	Hs.125830	ESTs		7.3
	118986 118989	N94362 N94439	Hs.125830 Hs.45105	ESTs ESTs		7.3 8.2
	118986 118989 119027	N94362 N94439 N99256	Hs.125830 Hs.45105 Hs.114611	ESTs ESTs ESTs	, *-	7.3 8.2 5
	118986 118989 119027 119042	N94362 N94439 N99256 R05316	Hs.125830 Hs.45105 Hs.114611 Hs.5472	ESTS ESTS ESTS ESTS	, *	7.3 8.2 5 4
	118986 118989 119027 119042 119075	N94362 N94439 N99256 R05316 R36451	Hs.125830 Hs.45105 Hs.114611 Hs.5472 Hs.287820	ESTS ESTS ESTS ESTS fibronectin 1) **	7.3 8.2 5 4 6
	118986 118989 119027 119042 119075 119260	N94362 N94439 N99256 R05316 R36451 T15916	Hs.125830 Hs.45105 Hs.114611 Hs.5472 Hs.287820 Hs.102950	ESTs ESTs ESTs ESTs fibronectin 1 ESTs; Highly similar to coat protein gamm	÷	7.3 8.2 5 4 6 4.1
	118986 118989 119027 119042 119075 119260 119271	N94362 N94439 N99256 R05316 R36451 T15916 T16387	Hs.125830 Hs.45105 Hs.114611 Hs.5472 Hs.287820 Hs.102950 Hs.65328	ESTs ESTs ESTs ESTs fibronectin 1 ESTs; Highly similar to coat protein gamm ESTs	.)	7.3 8.2 5 4 6 4.1 12.1
	118986 118989 119027 119042 119075 119260 119271 119298	N94362 N94439 N99256 R05316 R36451 T15916 T16387 T23820	Hs.125830 Hs.45105 Hs.114611 Hs.5472 Hs.287820 Hs.102950	ESTs ESTs ESTs ESTs fibronectin 1 ESTs; Highly similar to coat protein gamm ESTs cyclin T2) *	7.3 8.2 5 4 6 4.1 12.1 5.6
	118986 118989 119027 119042 119075 119260 119271 119298 119302	N94362 N94439 N99256 R05316 R36451 T15916 T16387 T23820 T25725	Hs.125830 Hs.45105 Hs.114611 Hs.5472 Hs.287820 Hs.102950 Hs.65328 Hs.155478	ESTs ESTs ESTs ESTs ESTs ESTs: Highry similar to coat protein gamm ESTs cyclin T2 ESTs	7.7	7.3 8.2 5 4 6 4.1 12.1 5.6 14.3
40	118986 118989 119027 119042 119075 119260 119271 119298 119302 119341	N94362 N94439 N99256 R05316 R36451 T15916 T16387 T23820 T25725 T62571	Hs.125830 Hs.45105 Hs.114611 Hs.5472 Hs.287820 Hs.102950 Hs.65328 Hs.155478 Hs.146388	ESTs ESTs ESTs ESTs fibronectin 1 ESTs; Highly similar to coat protein gamm ESTe cyclin T2 ESTs microtubule-associated protein 7	7	7.3 8.2 5 4 6 4.1 12.1 5.6 14.3
	118986 118989 119027 119042 119075 119260 119271 119298 119302 119341 119495	N94362 N94439 N99256 R05316 R36451 T15916 T16387 T23820 T25725 T62571 W35390	Hs.125830 Hs.45105 Hs.114611 Hs.5472 Hs.287820 Hs.102950 Hs.65328 Hs.155478 Hs.146388 Hs.55533	ESTs ESTs ESTs ESTs fibronectin 1 ESTs; Highly similar to coat protein gamm ESTs cyclin T2 ESTs microtubule-associated protein 7 ESTs	÷	7.3 8.2 5 4 6 4.1 12.1 5.6 14.3 4 5.3
40	118986 118989 119027 119042 119075 119260 119271 119298 119302 119341 119495 119580	N94362 N94439 N99256 R05316 R36451 T15916 T16387 T23820 T25725 T62571 W35390 W42451	Hs.125830 Hs.45105 Hs.114611 Hs.5472 Hs.287820 Hs.102950 Hs.65328 Hs.155478 Hs.146388 Hs.55533 Hs.92260	ESTs ESTs ESTs ESTs fibronectin 1 ESTs; Highly similar to coat protein gamm ESTs cyclin T2 ESTs microtubule-associated protein 7 ESTs high-mobility group protein 2-like 1	÷	7.3 8.2 5 4 6 4.1 12.1 5.6 14.3 4 5.3 5.6
40	118986 118989 119027 119042 119075 119260 119271 119298 119302 119341 119495 119580 119602	N94362 N94439 N99256 R05316 R36451 T15916 T16387 T23820 T25725 T62571 W35390 W42451 W46286	Hs.125830 Hs.45105 Hs.114611 Hs.5472 Hs.287820 Hs.102950 Hs.65328 Hs.155478 Hs.146388 Hs.55533 Hs.92260 Hs.233694	ESTs ESTs ESTs ESTs ESTs ESTs; Highly similar to coat protein gamm ESTs cyclin T2 ESTs microtubule-associated protein 7 ESTs high-mobility group protein 2-like 1 ESTs; Weakly similar to ZK1058.5 [C.ele)	7.3 8.2 5 4 6 4.1 12.1 5.6 14.3 4 5.3 5.6 6.5
40	118986 118989 119027 119042 119075 119260 119271 119298 119302 119341 119495 119580 119602 119620	N94362 N94439 N99256 R05316 R36451 T15916 T16387 T23820 T25725 T62571 W35390 W42451 W46286 W47620	Hs.125830 Hs.45105 Hs.114611 Hs.5472 Hs.287820 Hs.102950 Hs.65328 Hs.155478 Hs.146388 Hs.55533 Hs.92260 Hs.233694 Hs.56009	ESTs ESTs ESTs ESTs ESTs ESTs fibronectin 1 ESTs; Highly similar to coat protein gamm ESTs cyclin T2 ESTs microtubule-associated protein 7 ESTs high-mobility group protein 2-like 1 ESTs; Weakly similar to ZK1058.5 [C.ele 2'-5'oligoadenylate synthetase 3		7.3 8.2 5 4 6 4.1 12.1 5.6 14.3 4 5.3 5.6 6.5 8.1
40 45	118986 118989 119027 119042 119075 119260 119271 119298 119304 119495 119580 119602 119620 119676	N94362 N94439 N99256 R05316 R36451 T15916 T16387 T23820 T25725 T62571 W35390 W42451 W46286 W47620 W60473	Hs.125830 Hs.45105 Hs.114611 Hs.5472 Hs.287820 Hs.102950 Hs.65328 Hs.155478 Hs.146388 Hs.55533 Hs.55533 Hs.92260 Hs.233694 Hs.56009 Hs.57787	ESTs ESTs ESTs ESTs ESTs ESTs fibronectin 1 ESTs; Highly similar to coat protein gamm ESTs cyclin T2 ESTs microtubule-associated protein 7 ESTs high-mobility group protein 2-fike 1 ESTs; Weakly similar to ZK1058.5 [C.ele 2'-5'oligoadenylate synthetase 3 ESTs		7.3 8.2 5 4 6 4.1 12.1 5.6 14.3 4 5.3 5.6 6.5 8.1 5.5
40	118986 118989 119027 119042 119075 119260 119271 119298 119302 119341 119495 119580 119620 119676 119717	N94362 N94439 N99256 R95316 R36451 T15916 T16387 T23820 T25725 T62571 W35390 W42451 W46286 W47620 W60473 W69134	Hs.125830 Hs.45105 Hs.114611 Hs.5472 Hs.287820 Hs.102950 Hs.65328 Hs.155478 Hs.146388 Hs.55533 Hs.92260 Hs.233694 Hs.56009 Hs.57787 Hs.57987	ESTs ESTs ESTs ESTs fibronectin 1 ESTs; Highly similar to coat protein gamm ESTs cyclin T2 ESTs microtubule-associated protein 7 ESTs high-mobility group protein 2-fike 1 ESTs; Weakly similar to ZK1058.5 [C.ele 2-5'oligoadenylate synthetase 3 ESTs ESTs	· ·	7.3 8.2 5 4 6 4.1 12.1 5.6 14.3 4 5.3 5.6 6.5 8.1 5.5 4.6
40 45	118986 118989 119027 119042 119075 119261 119271 119298 119302 119341 119495 119580 119602 119676 119676 119777	N94362 N94439 N99256 R05316 R36451 T15916 T16387 T23820 T25725 T62571 W35390 W42451 W46286 W47620 W60473 W69747	Hs.125830 Hs.45105 Hs.114611 Hs.5472 Hs.287820 Hs.102950 Hs.65328 Hs.155478 Hs.146388 Hs.55533 Hs.92260 Hs.233694 Hs.57787 Hs.57787 Hs.57987 Hs.57987	ESTs ESTs ESTs ESTs ESTs fibronectin 1 ESTs; Highly similar to coat protein gamm ESTs cyclin T2 ESTs microtubule-associated protein 7 ESTs high-mobility group protein 2-fike 1 ESTs; Weakly similar to ZK1058.5 [C.ele 2-5-oilgoadenylate synthetase 3 ESTs ESTs ESTs ESTs ESTs KIAA1062 protein		7.3 8.2 5 4 6 4.1 12.1 5.6 14.3 4 5.3 5.6 6.5 8.1 5.5 4.6
40 45	118986 118989 119027 119042 119075 119260 119271 119298 119302 119302 119305 119620 119676 119717 119729 119805	N94362 N94439 N99256 R05316 R36451 T15916 T16387 T23820 T25725 T62571 W35390 W42451 W46286 W47620 W60473 W69134 W69747 W73788	Hs.125830 Hs.45105 Hs.114611 Hs.5472 Hs.287820 Hs.102950 Hs.65328 Hs.155478 Hs.146388 Hs.55533 Hs.92260 Hs.233694 Hs.57787 Hs.57787 Hs.57987 Hs.94806 Hs.43213	ESTs ESTs ESTs ESTs ESTs fibronectin 1 ESTs; Highly similar to coat protein gamm ESTs cyclin T2 ESTs microtubule-associated protein 7 ESTs high-mobility group protein 2-fike 1 ESTs; Weakly similar to ZK1058.5 [C.ele 2-5'oligoadenylate synthetase 3 ESTs ESTs ESTs KIAA1062 protein ESTs		7.3 8.2 5 4 6 4.1 12.1 5.6 14.3 4 5.3 5.6 6.5 8.1 5.5 4 4
40 45	118986 118989 119027 119042 119075 119260 119271 119298 119302 119341 119495 119580 119602 119676 119777 119779 119805 119859	N94362 N94439 N99256 R05316 R36451 T15916 T16387 T23820 T25725 T62571 W35390 W42451 W46286 W47620 W60473 W69134 W69747 W73788 W80702	Hs.125830 Hs.45105 Hs.114611 Hs.5472 Hs.287820 Hs.102950 Hs.65328 Hs.155478 Hs.146388 Hs.55533 Hs.92260 Hs.233694 Hs.57787 Hs.57787 Hs.57987 Hs.94806 Hs.43213 Hs.43213 Hs.43213	ESTs ESTs ESTs ESTs ESTs ESTs fibronectin 1 ESTs; Highly similar to coat protein gamm ESTs cyclin T2 ESTs microtubule-associated protein 7 ESTs high-mobility group protein 2-like 1 ESTs; Weakly similar to ZK1058.5 [C.ele 2'-5'oligoadenylate synthetase 3 ESTs ESTs ESTs ESTs ESTs ESTs ESTs ESTs		7.3 8.2 5 4 6 4.1 12.1 5.6 14.3 4 5.3 5.6 6.5 8.1 5.5 4 4 4 4 4 4 8
40 45 50	118986 118989 119027 119042 119076 119271 119288 119302 119341 119450 119602 119676 119717 119729 119805 119859 119867	N94362 N94439 N99256 R05316 R36451 T15916 T16387 T23820 T25725 T62571 W35390 W42451 W46286 W47620 W60473 W69134 W69747 W73788 W80702 W80852	Hs.125830 Hs.45105 Hs.114611 Hs.5472 Hs.287820 Hs.102950 Hs.65328 Hs.155478 Hs.146388 Hs.55533 Hs.92260 Hs.233694 Hs.56009 Hs.57787 Hs.57987 Hs.94806 Hs.43213 Hs.556661 Hs.250696	ESTs ESTs ESTs ESTs ESTs ESTs fibronectin 1 ESTs; Highly similar to coat protein gamm ESTs cyclin T2 ESTs microtubule-associated protein 7 ESTs high-mobility group protein 2-fike 1 ESTs; Weakly similar to ZK1058.5 [C.ele 2'-5'oligoadenylate synthetase 3 ESTs ESTs ESTs ESTs KIAA1062 protein ESTs ESTs KOEL (Lys-Asp-Glu-Leu) endoplasmic re		7.3 8.2 5 4 6 4.1 12.1 5.6 5.6 6.5 8.1 5.5 4 4 4.8 4.2
40 45	118986 118989 119027 119042 119075 119260 119271 119298 119302 119580 119602 119676 119717 119729 119805 119805 119867 119873	N94362 N94439 N99256 R95316 R36451 T15916 T16387 T23820 T25725 T62571 W35390 W42451 W46286 W47620 W60473 W69134 W69747 W73788 W80702 W80852 W81129	Hs.125830 Hs.45105 Hs.114611 Hs.5472 Hs.287820 Hs.102950 Hs.65328 Hs.155478 Hs.146388 Hs.55533 Hs.92260 Hs.233694 Hs.56009 Hs.57787 Hs.57987 Hs.57987 Hs.548661 Hs.550696 Hs.44865	ESTs ESTs ESTs ESTs ESTs fibronectin 1 ESTs; Highly similar to coat protein gamm ESTe cyclin T2 ESTs microtubule-associated protein 7 ESTs high-mobility group protein 2-fike 1 ESTs; Weakly similar to ZK1058.5 [C.ele 2'-5'oligoadenylate synthetase 3 ESTs ESTs ESTs KIAA1062 protein ESTs ESTs KIAA062 protein ESTs ESTs KOEL (Lys-Asp-Glu-Leu) endoplasmic re Homo sapiens mRNA; cDNA DKFZp586		7.3 8.2 5.4 6.4.1 12.1 5.5 6.5 8.1 5.5 6.5 8.1 5.5 4.4 4.8 4.2 4.8
40 45 50	118986 118989 119027 119045 119045 119260 119271 119298 119302 119495 119520 119620 119620 119670 119859 119859 119873 119873	N94362 N94439 N99256 R05316 R36451 T15916 T16387 T23820 T25725 T62571 W35390 W42451 W46286 W47620 W60473 W69747 W73788 W80702 W80852 W81129 W84767	Hs.125830 Hs.45105 Hs.114611 Hs.5472 Hs.287820 Hs.102950 Hs.65328 Hs.155478 Hs.146388 Hs.55533 Hs.92260 Hs.233694 Hs.57987 Hs.57987 Hs.57987 Hs.54661 Hs.4865 Hs.4865 Hs.4865 Hs.4865 Hs.4865	ESTs ESTs ESTs ESTs ESTs fibronectin 1 ESTs; Highly similar to coat protein gamm ESTs cyclin T2 ESTs microtubule-associated protein 7 ESTs high-mobility group protein 2-fike 1 ESTs; Weakly similar to ZK1058.5 [C.ele 2'-5'oligoadenylate synthetase 3 ESTs ESTs ESTs KIAA1062 protein ESTs ESTs ESTs ESTs ESTs ESTs ESTs ESTs		7.3 8.2 5.4 6.4.1 1.2.1 5.6 5.6 5.5 6.5 8.1 5.5 4.4 4.2 4.8 5.9
40 45 50	118986 118989 119027 119042 119076 119260 119271 119298 119302 119341 119495 119520 119620 119670 11977 119729 119857 119873 119873 119899 119840	N94362 N94439 N99256 R05316 R36451 T15916 T16387 T23820 T25725 T62571 W35390 W42451 W46286 W47620 W60473 W69134 W69747 W73788 W80702 W80702 W80702 W80707 W80779	Hs.125830 Hs.45105 Hs.114611 Hs.5472 Hs.287820 Hs.102950 Hs.65328 Hs.155478 Hs.146388 Hs.55533 Hs.92260 Hs.233694 Hs.56009 Hs.57787 Hs.57787 Hs.5787 Hs.5787 Hs.54866 Hs.43213 Hs.58461 Hs.246865 Hs.25898 Hs.58898 Hs.58898	ESTs ESTs ESTs ESTs ESTs ESTs fibronectin 1 ESTs; Highly similar to coat protein gamm ESTs cyclin T2 ESTs microtubule-associated protein 7 ESTs high-mobility group protein 2-like 1 ESTs; Weakly similar to ZK1058.5 [C.ele 2-5'oligoadenylate synthetase 3 ESTs ESTs KIAA1062 protein ESTs ESTs KDEL (Lys-Asp-Glu-Leu) endoplasmic re Homo sapiens mRNA; cDNA DKFZp586 ESTs ESTS		7.3 8.2 5 4 6 4.1 12.1 5.6 14.3 4 5.3 5.6 5.5 4.6 4 4 4 4 4 8 4 8 5.9 9
40 45 50	118986 118989 119027 119042 119075 119260 119271 119298 119302 119302 119580 119620 119676 119772 119859 119857 119873 119893 119894 119940 119943	N94362 N94439 N99256 R05316 R36451 T15916 T16387 T23820 T25725 T62571 W35390 W42451 W46286 W47620 W60473 W69134 W69134 W69747 W73788 W80702 W80702 W804767 W80779 W86835	Hs.125830 Hs.45105 Hs.114611 Hs.5472 Hs.102950 Hs.65328 Hs.155478 Hs.146388 Hs.55533 Hs.92260 Hs.233694 Hs.57787 Hs.57987 Hs.57987 Hs.59460 Hs.43213 Hs.250696 Hs.43213 Hs.250696 Hs.458698 Hs.58698 Hs.272531 Hs.14158	ESTs ESTs ESTs ESTs ESTs ESTs fibronectin 1 ESTs; Highly similar to coat protein gamm ESTs cyclin T2 ESTs microtubule-associated protein 7 ESTs high-mobility group protein 2-like 1 ESTs; Weakly similar to ZK1058.5 [C.ele 2-5'oligoadenylate synthetase 3 ESTs ESTs KIAA1062 protein ESTs ESTs KDEL (Lys-Asp-Glu-Leu) endoplasmic re Homo sapiens mRNA; cDNA DKFZp586 ESTs DKFZP586B0319 protein copine III		7.3 8.2 5.4 6.4.1 1.5.6 14.3 4.5.6 6.5 1.4.3 4.4.8 4.8 4.8 9.4 8.9 9.4.8
40 45 50 55	118986 118989 119027 119042 119075 119260 119271 119298 119302 119341 119495 119602 119676 119777 119805 119859 119859 119873 1198940 119943 119940	N94362 N94439 N99256 R05316 R36451 T15916 T16387 T23820 T25725 T62571 W35390 W42451 W46286 W47620 W60473 W69134 W69747 W73788 W80702 W80852 W81129 W84767 W86779 W86835 W87812	Hs.125830 Hs.45105 Hs.114611 Hs.5472 Hs.287820 Hs.102950 Hs.65328 Hs.155478 Hs.146388 Hs.55533 Hs.92260 Hs.25533694 Hs.57787 Hs.57987 Hs.94806 Hs.43213 Hs.58698 Hs.4865 Hs.4865 Hs.250696 Hs.4865 Hs.250696 Hs.272531 Hs.14158 Hs.272531	ESTs ESTs ESTs ESTs ESTs fibronectin 1 ESTs; Highly similar to coat protein gamm EST6 cyclin T2 ESTs microtubule-associated protein 7 ESTs high-mobility group protein 2-like 1 ESTs; Weakly similar to ZK1058.5 [C.ele 2'-5'oligoadenylate synthetase 3 ESTs ESTs KIAA1062 protein ESTs ESTs KDEL (Lys-Asp-Glu-Leu) endoplasmic re Homo sapiens mRNA; cDNA DKFZp586 ESTs DKFZP586B0319 protein copine III Homo sapiens mRNA; cDNA DKFZp586		7.3 8.5 4 6.4.1 15.6 14.3 4 5.5 6.5 14.3 4 4.8 4.8 9 4.8 9 4.8
40 45 50	118986 118989 119027 119042 119075 119260 119271 119298 119302 119602 119620 119620 119670 119873 119899 119873 119899 119940 119970 119970 119970 119970	N94362 N94439 N99256 R95316 R36451 T15916 T16387 T23820 T25725 T62571 W35390 W42451 W46286 W47620 W60473 W69747 W73788 W80702 W80852 W81129 W84767 W86852 W8129 W86855 W87679 W86835 W87612 Z38656	Hs.125830 Hs.45105 Hs.114611 Hs.5472 Hs.287820 Hs.102950 Hs.65328 Hs.155478 Hs.146388 Hs.55533 Hs.92260 Hs.233694 Hs.57787 Hs.57987 Hs.57987 Hs.54806 Hs.43213 Hs.56696 Hs.44865 Hs.250696 Hs.44865 Hs.250696 Hs.24865 Hs.250696 Hs.272531 Hs.14158 Hs.14158 Hs.14158	ESTs ESTs ESTs ESTs ESTs fibronectin 1 ESTs; Highly similar to coat protein gamm ESTe cyclin T2 ESTs microtubule-associated protein 7 ESTs high-mobility group protein 2-fike 1 ESTs; Weakly similar to ZK1058.5 [C.ele 2'-5'oligoadenylate synthetase 3 ESTs ESTs ESTs KIAA1062 protein ESTs ESTs KIAA1062 protein ESTs ESTs KDEL (Lys-Asp-Glu-Leu) endoplasmic re Homo sapiens mRNA; cDNA DKFZp586 ESTs DKFZP586B0319 protein copine III Homo sapiens mRNA; cDNA DKFZp586 coatomer protein complex; subunit alpha		7.3 8.5 4 6 4.1 12.1 5.6 6.5 14 5.6 6.5 14 4.2 4.8 5.9 8.4 4.4 8.9 9.4 8.4 8.9 9.4 8.9 9.9 9.9 9.9 9.9 9.9 9.9 9.9 9.9 9.9
40 45 50 55	118986 118989 119027 119045 119075 119260 119271 119298 119304 119495 119520 119620 119620 119670 119805 119805 119805 119867 119873 119899 119940 119943	N94362 N94439 N99256 R95316 R35451 T15916 T16387 T23820 T5725 T62571 W35390 W42451 W46286 W47620 W60473 W69134 W69747 W73788 W80702 W80852 W81129 W84767 W86779 W86779 W86779 W86835 W87612 Z38656 Z39549	Hs.125830 Hs.45105 Hs.114611 Hs.5472 Hs.287820 Hs.102950 Hs.65328 Hs.155478 Hs.146388 Hs.55533 Hs.92260 Hs.233694 Hs.57987 Hs.57987 Hs.57987 Hs.57987 Hs.58461 Hs.4865 Hs.4865 Hs.250696 Hs.44865 Hs.250696 Hs.44865 Hs.250898 Hs.272531 Hs.14158 Hs.93581 Hs.93581 Hs.93581 Hs.93581 Hs.75887 Hs.153746	ESTs ESTs ESTs ESTs ESTs fibronectin 1 ESTs; Highly similar to coat protein gamm ESTs cyclin T2 ESTs microtubule-associated protein 7 ESTs htgh-mobility group protein 2-fike 1 ESTs; Weakly similar to ZK1058.5 [C.ele 2'-5'oligoadenylate synthetase 3 ESTs ESTs ESTs ESTs KIAA1062 protein ESTs ESTs ESTs ESTs ESTs ESTs ESTs ESTs		7.3 8.2 5.4 6 4.1 12.1 5.6 6.5 1.4 5.6 6.5 1.4 5.6 6.5 1.4 5.6 6.5 1.4 5.6 6.5 1.4 5.6 6.5 1.4 5.6 6.5 1.4 6.6 6.6 6.6 6.6 6.6 6.6 6.6 6.6 6.6 6
40 45 50 55	118986 118989 119027 119042 119075 119260 119271 119298 119302 119302 119520 119620 119620 119670 119873 119899 119873 119899 119940 119943 119970 120150 120206	N94362 N94439 N99256 R05316 R36451 T15916 T16387 T23820 T25725 T62571 W35390 W42451 W46286 W47620 W60473 W69747 W73788 W80702 W80852 W8129 W84767 W86779 W86779 W86835 W8779 W86835 W87812 Z38656 Z39549 Z40805	Hs.125830 Hs.45105 Hs.114611 Hs.5472 Hs.287820 Hs.102950 Hs.65328 Hs.155478 Hs.146388 Hs.55533 Hs.92260 Hs.233694 Hs.57587 Hs.57787 Hs.57787 Hs.57787 Hs.57887 Hs.256461 Hs.2569696 Hs.2569696 Hs.2569696 Hs.25688 Hs.272531 Hs.14158 Hs.98887 Hs.153746 Hs.93581 Hs.153746 Hs.93688	ESTs ESTs ESTs ESTs ESTs fibronectin 1 ESTs; Highly similar to coat protein gamm ESTs cyclin T2 ESTs high-mobility group protein 2-like 1 ESTs; Weakly similar to ZK1058.5 [C.ele 2'-5'oligoadenylate synthetase 3 ESTs ESTs KIAA1062 protein ESTs ESTs KDEL (Lys-Asp-Glu-Leu) endoplasmic re Homo sapiens mRNA; cDNA DKFZp586 ESTs DKFZP586B0319 protein copine III Homo sapiens mRNA; cDNA DKFZp586 coatomer protein complex; subunit alpha ESTs ESTs		7.3 8.5 4 6 4.1 1.5 6.5 1.4 4 4 4.8 5.9 8.1 5.4 4 4 4.8 5.9 8.1 5.4 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1
40 45 50 55	118986 118989 119027 119042 119075 119260 119271 119298 119302 119302 119495 119620 119676 11977 119729 119857 119857 119873 119893 119940 119943 119940 119943 119940 120206 120241	N94362 N94439 N99256 R05316 R36451 T15916 T16387 T23820 T25725 T62571 W35390 W42451 W46286 W47620 W60473 W69734 W69747 W73788 W80702 W80702 W80702 W81129 W84767 W86835 W87612 Z38656 Z39549 Z40805 Z41815	Hs.125830 Hs.45105 Hs.114611 Hs.5472 Hs.102950 Hs.65328 Hs.155478 Hs.146388 Hs.55533 Hs.92260 Hs.233694 Hs.556009 Hs.57787 Hs.57987 Hs.57987 Hs.59461 Hs.250696 Hs.43213 Hs.56461 Hs.250696 Hs.43213 Hs.56898 Hs.272531 Hs.14158 Hs.93581 Hs.75887 Hs.153746 Hs.153746 Hs.153746 Hs.153746 Hs.153746 Hs.91668 Hs.91668	ESTs ESTs ESTs ESTs ESTs ESTs fibronectin 1 ESTs; Highly similar to coat protein gamm ESTs cyclin T2 ESTs microtubule-associated protein 7 ESTs high-mobility group protein 2-fike 1 ESTs; Weakly similar to ZK1058.5 [C.ele 2-5'oligoadenylate synthetase 3 ESTs ESTs KIAA1062 protein ESTs ESTs KDEL (Lys-Asp-Glu-Leu) endoplasmic re Homo sapiens mRNA; cDNA DKFZp586 ESTs DKFZP586B0319 protein copine III Homo sapiens mRNA; cDNA DKFZp586 coatomer protein complex; subunit alpha ESTs ESTs ESTs		7.3 8.5 4 6 4.1 1.5 6.5 1.4 4 5 3 6.5 8.1 5 5 6 8.1 5 5 6 8 4 4 4 8 8 4 8 9 4 8 9 4 8 1
40 45 50 55	118986 118989 119027 119042 119075 119260 119271 119298 119302 119602 119602 119676 119676 119777 119805 119805 119807 119807 119807 119807 119807 119807 119807 119807 119807 119940 11	N94362 N94439 N99256 R95316 R36451 T15916 T16387 T23820 T25725 T62571 W35390 W42451 W46286 W47620 W60473 W69747 W73788 W80702 W80852 W81129 W84767 W86852 W81129 W84767 W86855 W876815 Z38656 Z39549 Z40805 Z41815 AA169752	Hs.125830 Hs.45105 Hs.114611 Hs.5472 Hs.287820 Hs.102950 Hs.65328 Hs.155478 Hs.146388 Hs.55533 Hs.92260 Hs.253694 Hs.57787 Hs.57987 Hs.57987 Hs.57987 Hs.58698 Hs.250696 Hs.44865 Hs.4865 Hs.4865 Hs.145888 Hs.250696 Hs.44865 Hs.145888 Hs.250696 Hs.44865 Hs.145888 Hs.250696 Hs.145888 Hs.250696 Hs.145888 Hs.250696 Hs.145888 Hs.250696 Hs.145884 Hs.165946 Hs.165946 Hs.565946 Hs.565946	ESTs ESTs ESTs ESTs ESTs fibronectin 1 ESTs; Highly similar to coat protein gamm EST6 cyclin T2 ESTs microtubule-associated protein 7 ESTs high-mobility group protein 2-like 1 ESTs; Weakly similar to ZK1058.5 [C.ele 2'-5'oligoadenylate synthetase 3 ESTs ESTs KIAA1062 protein ESTs ESTs KDEL (Lys-Asp-Glu-Leu) endoplasmic re Homo sapiens mRNA; cDNA DKFZp586 ESTs DKFZP586B0319 protein copine III Homo sapiens mRNA; cDNA DKFZp586 coatomer protein complex; subunit alpha ESTs ESTs ESTs ESTs ESTs ESTs ESTs		7.3 8.5 4 6.4.1.1 5.6.3 4 4.3 5.5.6 5.5.6 4 4 4.8 9 4.8 1.2 1.6 1.6 1.2 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6
40 45 50 55	118986 118989 119027 119045 119075 119260 119271 119298 119302 119602 119602 119676 119873 119805 119805 119805 119873 119899 119940 119940 119940 119941 119026 120206 120206 120245 120245 120245	N94362 N94439 N99256 R95316 R35451 T15916 T16387 T23820 T25725 T62571 W35390 W42451 W46286 W47620 W60473 W69134 W69747 W73788 W80702 W80852 W81129 W84767 W868779 W86835 W8767 W86835 W8767 W86835 W8767 W86835 W8767 W86835 W8767 W86835 W8767 W86835 W8767 W86835 W8767 W86835 W8767 W86835 W8767 W86835 W8767 W86835 W8767 W86835 W8767 W86835 W8767 W86835 W8767 W86835 W8761 W86835 W8767 W86835 W8761 W8761 W8	Hs.125830 Hs.45105 Hs.114611 Hs.5472 Hs.287820 Hs.102950 Hs.65328 Hs.155478 Hs.146388 Hs.55533 Hs.92260 Hs.233694 Hs.56009 Hs.57787 Hs.57987 Hs.57987 Hs.54806 Hs.43213 Hs.58698 Hs.272531 Hs.14865 Hs.155898 Hs.272531 Hs.14158 Hs.1558461 Hs.14158 Hs.155887 Hs.153746 Hs.93581 Hs.93581 Hs.93581 Hs.93581 Hs.93581 Hs.93581 Hs.93581 Hs.95946 Hs.95946 Hs.5672 Hs.5672 Hs.5672	ESTs ESTs ESTs ESTs ESTs fibronectin 1 ESTs; Highly similar to coat protein gamm EST6 cyclin T2 ESTs microtubule-associated protein 7 ESTs high-mobility group protein 2-like 1 ESTs; Weakly similar to ZK1058.5 [C.ele 2'-5'oligoadenylate synthetase 3 ESTs ESTs KIAA1062 protein ESTs ESTs KIAA1062 protein ESTs ESTs KDEL (Lys-Asp-Glu-Leu) endoplasmic re Homo sapiens mRNA; cDNA DKFZp586 ESTs DKFZP586B0319 protein copine III Homo sapiens mRNA; cDNA DKFZp586 coatomer protein complex; subunit alpha ESTs ESTs ESTs ESTs ESTs ESTs ESTs ESTs		7.3 8.5 4 6 4.1 1.5 1.4 5.6 5.6 5.6 5.6 5.6 5.6 5.6 5.6 5.6 5.6
40 45 50 55	118986 118989 119027 119045 119260 119271 119298 119302 119304 119495 119520 119620 119620 119620 119620 119717 119729 119859 119873 119873 119899 119940 119943 119940 1190206 120241 120256 120241 120256 120214	N94362 N94439 N99256 R05316 R35451 T15916 T16387 T23820 T25725 T62571 W35390 W42451 W46286 W47620 W60473 W69747 W73788 W80702 W80852 W81129 W84767 W86779 W86835 W87620 W80852 W81129 W84767 W86779 W86835 W87812 Z38656 Z39549 Z40805 Z41815 AA195651	Hs.125830 Hs.45105 Hs.114611 Hs.5472 Hs.287820 Hs.102950 Hs.65328 Hs.155478 Hs.146388 Hs.55533 Hs.92260 Hs.253694 Hs.57787 Hs.57987 Hs.57987 Hs.57987 Hs.58698 Hs.250696 Hs.44865 Hs.4865 Hs.4865 Hs.145888 Hs.250696 Hs.44865 Hs.145888 Hs.250696 Hs.44865 Hs.145888 Hs.250696 Hs.145888 Hs.250696 Hs.145888 Hs.250696 Hs.145888 Hs.250696 Hs.145884 Hs.165946 Hs.165946 Hs.565946 Hs.565946	ESTs ESTs ESTs ESTs ESTs fibronectin 1 ESTs; Highly similar to coat protein gamm EST6 cyclin T2 ESTs microtubule-associated protein 7 ESTs high-mobility group protein 2-like 1 ESTs; Weakly similar to ZK1058.5 [C.ele 2'-5'oligoadenylate synthetase 3 ESTs ESTs KIAA1062 protein ESTs ESTs KDEL (Lys-Asp-Glu-Leu) endoplasmic re Homo sapiens mRNA; cDNA DKFZp586 ESTs DKFZP586B0319 protein copine III Homo sapiens mRNA; cDNA DKFZp586 coatomer protein complex; subunit alpha ESTs ESTs ESTs ESTs ESTs ESTs ESTs		7.3 8.5 4 6.4.1.1 5.6.3 4 4.3 5.5.6 5.5.6 4 4 4.8 9 4.8 1.2 1.6 1.6 1.2 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6

PCT/US02/02242

	120428	AA236822	Hs.173694	KIAA1097 protein	5.6
	120524	AA261852	Hs.192905	ESTs	5.6
			Hs.104413	ESTs	4.5
_		AA280738		ESTs	4.9
5			Hs.192843	ESTs	4.5
			Hs.238205	ESTs	6.7
			Hs.292913	ESTs	8.3
			Hs.102506	eukaryotic translation Initiation factor 2 al	4.6
		AA292655		ESTs	10.6
10			Hs.100747	ESTs	5.4
		AA358015		EST	7.1
			Hs.301872	ESTs; Moderately similar to IIII ALU SU	4.6
			Hs.301444	ESTs	8.2
			Hs.104650	ESTs; Highly similar to similar to mago n	8.6
15			Hs.129206	casein kinase 1; gamma 3	10.5
	120977	AA398155	Hs.97600	ESTs	10.9
	121103	AA398936	Hs.97697	EST	7.4
	121291	AA401753	Hs.8186	lung cancer candidate	5.3
	121320	AA403008	Hs.301927	T-cell receptor; alpha (V;D;J;C)	13.5
20	121463	AA411745	Hs.239681	ESTs; Weakly similar to KIAA0554 prote	8.9
			Hs.174104	ESTs	22.6
			Hs.104800	ESTs; Weakly similar to Mouse 19.5 mRN	8
	121748	AA421171	Hs.234545	ESTs	5.6
	122125	AA434411	Hs.98806	ESTs	5.3
25		AA449444		ESTs	4
	122655	AA454756	Hs.97837	ESTs	4
		AA456326		ESTs	6.2
		AA459894		ESTs	5.3
• •		AA463740		Src-like-adapter	13.1
30			Hs.108812	ESTs; Weakly similar to B0041.5 [C.eleg	5.5
			Hs.101840	ESTs	6.3
			Hs.194215	ESTs	6
			Hs.106290	Kelch motif containing protein	12.5
	123016	AA480103	Hs.323231	ESTs; Weakly similar to alternatively spli	4.4
35			Hs.104207	ESTs ·	8.3
			Hs.191721	ESTs	4.2
			Hs.129928	ESTs; Moderately similar to KIAA0454 p	5.2
			Hs.194024	ESTs	4.2
4.4	123137	AA487468	Hs.100686	ESTs; Weakly similar to secreted cement	14.6
40		AA488892		ESTs; Weakly similar to Gag-Pol polypro	4.5
		AA489020		ESTs ·	5.2
			Hs.187585	ESTs	4
			Hs.223014	protease; serine; 15	7.3
4-			Hs.111496	ESTs	5.9
45			Hs.112493	Homo sapiens mRNA; cDNA DKFZp564	4.1
			Hs.112110	ESTs	4 .
			Hs.293156	ESTs	12.8
		AA608751		ESTs; Weakly similar to !!!! ALU SUBFA	7.9
		AA609200		ESTs	23.1
50			Hs.158549	ESTs	6.6
			Hs.278672	membrane component; chromosome 11; s	4.7
	123819	AA620636	Hs.112264	ESTs	4
			Hs.287733	methylmalonate-semialdehyde dehydroge	7.6
~-		D57317	Hs.74861	activated RNA polymerase II transcription	4.4
55		D60302	Hs.270016	ESTs	20.6
		D80240	Hs.241471	HUM5G11A Human fetal brain (TFujiwa	6.7
		F02859	Hs.13974	ESTs	4.7
		F10523	Hs.74519	primase; polypeptide 2A (58kD)	4.7
		F13673	Hs.283713	ESTs	7.7
60		H66710	Hs.133525	ESTs	5.5
		H93575	Hs.241507	Homo sapiens mRNA; cDNA DKFZp564	11.4
	124314	H94877 .	Hs.215766	GTP-binding protein	13.7
		H94892	Hs.288757	v-ral simian leukemia viral oncogene hom	14
		N21359	Hs.101282	Homo sapiens mRNA; cDNA DKFZp434	8.6
65		N21626	Hs.102406	ESTs	7.2
		N22401		yw37g07.s1 Morton Fetal Cochlea Homo	5.2
	124390	N29325	Hs.7535	ESTs; Highly similar to COBW-like place	7.9

	124438	N40188	Hs.11090	ESTs	9.5
		N48000		Homo sapiens mRNA; cDNA DKFZp586	4.8
		N50114	Hs.266175	ESTs	6.1
		N63172	Hs.146409	cell division cycle 42 (GTP-binding prote	5.6
5	124626	N74604	Hs.11090	ESTs	12.8
		N79515	Hs.306117	interleukin 13 receptor, alpha 1	6.4
	124644	N91279	Hs.109654	ESTs; Moderately similar to outer membr	8.3
	124676	R01037	Hs.181013	phosphoglycerate mutase 1 (brain)	12.3
	124677	R01073		ESTs; Weakly similar to !!!! ALU CLASS	5.4
10	124724	R12405	Hs.112423	Homo sapiens mRNA; cDNA DKFZp586	6.6
		R40923	Hs.106604	ESTs	4.9
		R41933		ESTs	7.2
		R44357	Hs.48712	ESTs; Weakly similar to cDNA EST EMB	8.6
16		R63652	Hs.137190	ESTs	4.9
15		R88992	Hs.180612	ESTs	4.7
		T10598	Hs.324841	ESTs; Weakly similar to IIII ALU SUBFA	4.4
		T11134	Hs.431	murine leukemia viral (bmi-1) oncogene h	12.6 4.1
		T78089	Hs.270134	ESTs	14.8
20		T92544	Hs.137548	CD84 antigen (leukocyte antigen)	6.7
20		W15495 W37999	Hs.129781	chromosome 21 open reading frame 5	4.8
		W38419	Hs.24336	ESTs ESTs	5.3
		W86423	Hs.105413	ESTs	6.6
		W93640	Hs.4779	ESTs; Moderately similar to similar to AD	5.8
25		Z39436	Hs.102720	ESTS .	12.2
2.7		Z39821	Hs.288193	ESTs	10.2
		Z39833	Hs.124940	GTP-binding protein	6.8
		AA151216		tyrosine 3-monooxygenase/tryptophan 5-m	8
		AA044232		ESTs	5.4
30		AA126504		sorting nexin 4	4.1
	125582	AA507383	Hs.74649	cytochrome c oxidase subunit VIc	11.5
	.125670	AI432621	Hs.82685	CD47 antigen (Rh-related antigen; integri	4
	125698	AA748483	Hs.191356	general transcription factor IIH; polypepti	9.4 '
		Al283493			6.2
35 .		H09290	Hs.76550	Homo sapiens mRNA; cDNA DKFZp564	25.9
		AA434562		ESTs	4.1
		N90960	Hs.265398	ESTs; Weakly similar to transformation-r	16.4
		N99638	Hs.124084	tumor necrosis factor receptor superfamily	9.5
40		AJ066486		similar to S. cerevisiae RER1	5.6 7.5
40		U46278	Hs.122489	ESTs	4.1
		W40262 W78968	Hs.146310 Hs.181307	ESTs; Weakly similar to putative p150 [H H3 histone; family 3A	4.5
		AA205862		ESTs	5.2
			Hs.125359	Thy-1 cell surface antigen	4.4
45		AI334393		ESTs	4.6
		Al203334		ESTs	11.7
		AA305536		ESTs	4
•		AJ052047		ESTs	·7
	126991	R31652	Hs.821	biglycan	5.6
50	127479	AA513722	Hs.179729	collagen; type X; alpha 1 (Schmid metaph	14.3
	127514	AA826926	Hs.204214	ESTs	4.5
		W07286	Hs.10340	ESTs; Wealdy similar to weak similarity t	5.1
		AA916752		ESTs; Highly similar to MEM3 [M.muscu	17.3
		AA761755		ESTs; Weakly similar to V4-1 [H.sapiens	4.1
55			Hs.311054	ESTs	5.5 5.8
			Hs.166229	ESTs	5.8
		H02682	Hs.292154	ESTs; Moderately similar to recombinatio EST	7.4
		D59653 U83908	Hs.241471 Hs.296251	programmed cell death 4	5.8
60			Hs.100861	ESTs; Weakly similar to p60 katanin [H.s	8.3
UU			Hs.183475	Homo sapiens clone 25061 mRNA sequen	6.6
			Hs.101448	metastasis associated 1	5.2
		AA412048		keratin 8	5.1
		U31875	Hs.152677	short-chain alcohol dehydrogenase family	27.1
65		L38608	Hs.10247	activated leucocyte cell adhesion molecule	13.2
	128629	AA399187	Hs.102708	DKFZP434A043 protein	6.7
	128649	AA142853	Hs.103106	Homo sapiens mRNA for G7b protein (G	4.5

	400054	4.4.4.0000	11- 400405	FOT-	6.4
		AA446990		ESTs	6.1 4.4
		R48943	Hs.10315	solute carrier family 7 (cationic amino aci	14.3
		AA458542 T30617	Hs.10320	coatomer protein complex; subunit epsilon Homo sapiens mRNA; cDNA DKFZp566	24.5
5		M64174	Hs.50651	Janus kinase 1 (a protein tyrosine kinase)	7.3
,		N49308	Hs.104938	ESTs; Weakly similar to alpha 1(XVIII) c	9.2
		X85372	Hs.105465	small nuclear ribonucleoprotein polypepti	5.4
		W93562	Hs.105749	KIAA0553 protein	4.6
		W15528	Hs.106390	Homo sapiens mRNA; cDNA DKFZp586	4
10		AA455658		basement membrane-induced gene	6.9
		AA400271		Homo saplens mRNA for putative Ca2+-t	4.5
		AA252023		ESTs; Weakly similar to HRIHFB2157 [H	6.4
		D61676	Hs.21851	Homo sapiens mRNA; cDNA DKFZp586	6.4
	128938	AA410325	Hs.107260	ESTs	7
15	128946	N29353	Hs.107318	kynurenine 3-monooxygenase (kynurenin	5.2
		AA485655	Hs.223025	proteasome (prosome; macropain) subunit	13.1
		F10290	Hs.185807	Homo sapiens clone 24758 mRNA sequen	5.8
		AA460049		ESTs; Weakly similar to SODIUM- AND	12.6
00		AA131421		ESTs	9.8
20		H13108	Hs.107968	ESTs	13.9
		X62466	Hs.276770	CDW52 antigen (CAMPATH-1 antigen)	10.7
		AA129465		ESTs	4.7 4.4
		L12350	Hs.108623	thrombospondin 2 N-ethylmaleimide-sensitive factor	20.7
25		AA234530 AA131252		•	5.9
23		AA282183		ESTs ESTs	5.8
		R40556	Hs.318401	ESTs; Highly similar to HSPC039 protein	7.6
		X89109	Hs.109606	coronin; actin-binding protein; 1A	12
		AA211941		polyadenylate binding protein-interacting	7.9
30		W24360	Hs.237868	interleukin 7 receptor	5.3
-		AA435665		ESTs; Moderately similar to HN1 [M.mus	8.4
		H88033	Hs.109727	KIAA0733 protein	7.8
		AA151574		pilin-like transcription factor	6.4
		AA090695		ESTs	6.2
35		Z35227	Hs.109918	ras homolog gene family; member H	5.4
	129281	AA026318	Hs.289101	glucose regulated protein; 58kD	4.4
		C20976	Hs.110165	ESTs; Highly similar to ribosomal protein	5.7
		N93155	Hs.285976	calmodulin 1 (phosphorylase kinase; delta	7.7
40		AA037467		ESTs	6
40		AA167268		Human ras inhibitor mRNA; 3' end	9.3
		H18027	Hs.184697	piexin C1	18.2
		W92984	Hs.288224	ESTs	5.9 4.1
		AA151621		ESTs discs; large (Drosophila) homolog 3 (neur	10.9
45	129391		Hs.11101 Hs.317584	ESTs	5.3
43		N23707	Hs.111138	KIAA0712 gene product	4
		AA412087		EST; Highly similar to protein inhibitor o	8 .
		AA421213		Lsm3 protein	5.5
		C00225	Hs.305163	ESTs; Weakly similar to fos39554_1 [H.s	5.5
50		AA298786		ESTs	6.8
	129606	R21443	Hs.166254	heat shock 90kD protein 1; alpha	5
	129622	AA278243	Hs.323949	ESTs	6.8
•	129626	AA447410	Hs.111334	ESTs; Weakly similar to IIII ALU SUBFA	5.1
		AA258308		Homo sapiens mRNA; cDNA DKFZp564	5.3
55		U26727	Hs.1174	cyclin-dependent kinase inhibitor 2A (mel	8.2
		R50008	Hs.11806	7-dehydrocholesterol reductase	4.3
		AA442768		translocase of inner mitochondrial membr	4.4
		M88458	Hs.118778	KDEL (Lys-Asp-Glu-Leu) endoplasmic re collagen; type III; alpha 1 (Ehlers-Danlos	4 6
60		X06700	Hs.119571	associated molecule with the SH3 domain	
UU		AA454618		**********	6.4 7.7
	120000	AA252436 AA452161	HS. 12040	hysophospholipase I YME1 (S.cerevisiae)-like 1	7.7 5
		N20593	Hs.288932	GDP dissociation Inhibitor 2	6.9
		AA102520		ESTs; Weakly similar to heat shock prote	5
65	129896	AA043021	Hs.13225	UDP-GalibetaGloNAc beta 1;4- galactosy	6.6
		M87789		immunoglobulin gamma 3 (Gm marker)	4
			Hs.140452	cargo selection protein (mannose 6 phosp	5.8

	420020	A A 22C 442	Un 220540	ECTs: Madamtaly similar to DET27 B4 m	5.6
		AA236412 M90696	Hs.181301	ESTs; Moderately similar to PFT27 (M.m cathepsin S	5.4
		AA195260		ESTs; Moderately similar to IIII ALU SU	7.4
		AA055896		collagen; type V; alpha 1	7.6
5		T24055	Hs.91379	ribosomal protein L26	4
-		X14850	Hs.147097	H2A histone family; member X	12.1
	130098	AA223874	Hs.197955	KIAA0704 protein	5
		AA234717		ESTs	7.8
10		M36803	Hs.1504	hemopexin	7.2
10		M61764	Hs.21635	tubulin; gamma 1	5.6
		AA610070		calcium/calmodulin-dependent serine pro	7.5
		D43947	Hs.151761	KIAA0100 gene product	6.4 6.4
		AA620556 D50840	Hs.23703	peroxisomal D3;D2-enoyl-CoA isomerase UDP-glucose ceramide glucosyltransferas	4.5
15		X14046	Hs.153053	CD37 antigen	9.1
10		S75295	Hs.169149	karyopherin alpha 1 (importin alpha 5)	8.6
		L13738	Hs.153937	activated p21cdc42Hs kinase	5
		AA620323	Hs.154320	ubiquitin-activating enzyme E1C (homolo	6.1
	130314	D86967	Hs.154332	KIAA0212 gene product	10
20		AA135673		KIAA0391 gene product	6.1
		X84373	Hs.155017	nuclear receptor interacting protein 1	10.6
		Z38501	Hs.8768	ESTs; Weakly similar to IIII ALU SUBFA	8.3
		T47333	Hs.155188	TATA box binding protein (TBP)-associa	7.1 5.6
25		X66364 D13630	Hs.166071 Hs.155291	cyclin-dependent kinase 5 KIAA0005 gene product	4.1
23		AA449417		Homo sapiens mRNA for putative glucosy	4.6
		N29888	Hs.155410	ESTs	7
		M21121	Hs.241392	small inducible cytokine A5 (RANTES)	4.1
		U58522	Hs.155485	huntingtin-interacting protein 2	7.9
30	130421	D21260	Hs.178710	clathrin; heavy polypeptide-like 2	4
		U35835	Hs.155637	protein kinase; DNA-activated; catalytic p	6.8
		X17059	Hs.155956	N-acetyltransferase 1 (arylamine N-acetyl	26.4
٠.		L38951	Hs.180446	karyopherin (Importin) beta 1	4.8
35		AA416723	Hs.158286	Homo sapiens mRNA for KIAA0446 prot	6.1 8.3
33		L32137 AA430032	Hs.1584	cartilage oligomeric matrix protein (pseud pitultary tumor-transforming 1	7.5
		H96654	Hs.15984	ESTs; Weakly similar to gene pp21 protei	5.6
		AA232535		ESTs; Highly similar to CGI-13 protein [H	4
		W24957	Hs.293907	ESTs; Moderately similar to similar to C.e	13.3
40	130585	H66211	Hs.16331	ESTs	10.1
		X03635	Hs.1657	estrogen receptor 1	39.9
		AA132007		ESTs	5.1
		AA477739		ESTs	5.9
45		AA235247		ESTs; Weakly similar to cytochrome P45	4.1
43		F03969	Hs.260720	matrix metalloproteinase 2 (gelatinase A; matrix metalloproteinase 12 (macrophage	8.3 10.3
		L23808 M60346	Hs.1695 Hs.1697	ATPase; H+ transporting; lysosomal (vacu	7
		M87503	Hs.1706	interferon-stimulated transcription factor	5.5
		D59711	Hs.17132	ESTs	7.2
50		H17861	Hs.17767	ESTs	13.5
	130681	D82808	Hs.17820	Rho-associated; coiled-coil containing pro	6
		AA487202		ESTs	6.1
		N63295	Hs.18103	ESTs	4.3
55			Hs.201673	comichon-like	4 5.1
23		X92896	Hs.279762 Hs.18212	adenylate cyclase 7 DNA segment on chromosome X (unique)	8.4
		T98227	Hs.171952	occludin	5.7
		AA203527		POP7 (processing of precursor, S. cerevis	6.2
		AA471293		ESTs	8.2
60	130751	AA435633		Homo sapiens clone 23965 mRNA sequen	8.3
		R39390	Hs.19525	ESTs	4.5
•		AA223386		ESTs; Weakly similar to katanin p80 subu	7.7
			Hs.143323	putative DNA/chromatin binding motif	4.3
65		AA287327		ceroid-lipofuscinosis; neuronal 2; late infa	9.8 4.3
65		M58028 D14678	Hs.2055 Hs.20830	ubiquitin-activating enzyme E1 (A1S9T a kinesin-like 2	4.5
		D31891	Hs.20991	SET domain; bifurcated; 1	4.5
	,50001	20.001			•

PCT/US02/02242

	40000=	4 4 5 5 6 4 6 5	11 400000		
	-	AA056489		ESTs	8.7
		W03592	Hs.21198	translocase of outer mitochondrial membr	20.9
	-	AA291710		collagen; type IV; alpha 3 (Goodpasture a	9 5.3
5		AA074596		bromodomain adjacent to zinc finger dom	18.8
,		M97935 X57985	Hs.21486 Hs.2178	signal transducer and activator of transcrip	13.4
		R45698	Hs.21893	H2B histone family; member Q ESTs; Weakly similar to cAMP inducible	8.5
		N48963	Hs.21992	KIAA0689 protein	7.2
		AA435748		ESTs; Weakly similar to phosphatidic acid	5.2
10		X02530	Hs.2248	small inducible cytokine subfamily B (Cy	10.1
10		T35341	Hs.22880	ESTs; Highly similar to dipeptidyl peptid	6.3
		H11760	Hs.23606	ESTs	7.3
		M25753	Hs.23960	cyclin B1	6.2
		AA609427		ESTs; Moderately similar to !!!! ALU SU	4.3
15		AA044078		ESTs	5.5
15		AA430047		ESTs	7.1
		AA429472		OKFZP434P106 protein	5.6
		D38076	Hs.24763	RAN binding protein 1	5.5
		AA620599		DKFZP564E1962 protein	6.7
20		AA256042		ESTs	5.8
		U25997	Hs.25590	stanniocalcin	8.9
		AA463450		Nijmegen breakage syndrome 1 (nibrin)	6.5
		R34531	Hs.92200	KIAA0480 gene product	9.2
		H84658	Hs.279836	ESTs	12.1
25		AA608962		calcyclin binding protein	18.1
		Z39053	Hs.27263	ESTs	7.5
		AA121127		H3 histone; family 3A	5.5
		X02152	Hs.2795	lactate dehydrogenase A	5.1
		N39152	Hs.301804	ESTs	4.3
30		D60856	Hs.28309	UDP-glucose dehydrogenase	8.4
	131544	N33236	Hs.28555	ESTs; Weakly similar to B0511.8 [C.eleg	5.6
	131557	D30946	Hs.28707	signal sequence receptor; gamma (transloc	8.7
	131562	U90551	Hs.28777	H2A histone family; member L	18.8
	131564	AA491465	Hs.28792	ESTs	11.8
35	131586	AA235385	Hs.26966	ESTs; Moderately similar to alternatively	4.7
	131587	M15182	Hs.183868	glucuronidase; beta	5.2
	131589	U52100	Hs.29191	epithelial membrane protein 2	4.4
	131615	D14533	Hs.192803	xeroderma pigmentosum; complementatio	4.6
4.0	131664	AA136126	Hs.30327	mitogen-activated protein kinase-activated	4.3
40		AA136660	Hs.30579	ESTs	9.4
		U26174	Hs.3066	granzyme K (serine protease; granzyme 3	9.7
		L11066	Hs.3069	heat shock 70kD protein 9B (mortalin-2)	6.2
		AA599653		transcription factor-like 5 (basic helix-loo	8.3
4.5		W60913	Hs.110796	ESTs; Weakly similar to cDNA EST yk45	9
45		AA233225		MRS1 protein	5.2
		D49738	Hs.31053	cytoskeleton-associated protein 1	6.6
		D31352	Hs.31433	ESTs	11
		H46831	Hs.107767	ESTs; Moderately similar to CaM-KII inh	4.9
50		AA460450			9.2
20		N32724	Hs.32317	Sox-like transcriptional factor	4.5
		L76517	Hs.3260	preseniiin 1 (Alzheimer disease 3)	5.4 4
		AA437226		interleukin 10 receptor, alpha	6.7
		AA091932		dynamin-like protein	
55		J04088 AA044095	Hs.156346	topoisomerase (DNA) II alpha (170kD)	5 11.1
55				ESTs heterogeneous nuclear protein similar to r	5.6
		AA158258		ESTs; Weakly similar to RING finger pro	4.5
		AA248470		ESTs, Weakly Similian to Kindo miger pro	14.3
		AA205460 D62657	Hs.35086	ubiquitin-specific protease 1	6.2
60		W90146	Hs.35962	ESTs .	6.3
J		D86960	Hs.3610	KIAA0205 gene product	4.2
		R70167	Hs.154938	ESTs	4.3
		AA410424		Homo sapiens mRNA; cDNA DKFZp586	4.6
		F09788	Hs.3622	procollagen-proline; 2-oxoglutarate 4-diox	6.4
65		AA479515		Human DNA sequence from clone 703H1	12
		D82399	Hs.136644	Homo sapiens clone 23714 mRNA sequen	10
		W67251	Hs.267659	Homo sapiens vav 3 oncogene (VAV3) m	4.7
				• • • • • • • • • • • • • • • • • • • •	

PCT/US02/02242

	132021	T68246	Hs.306079	chaperonin containing TCP1; subunit 5 (e		5.2
	132065	D82226	Hs.211594	proteasome (prosome; macropain) 26S sub		8.5
	132085	D44466	Hs.3887	proteasome (prosome; macropain) 26S sub		13.5
	132089	AA131971	Hs.39122	ESTs		4.8
5	132109	AA599801	Hs.40098	ESTs		6.2
	132143	AA257056	Hs.7972	KIAA0871 protein		14.6
	132149	T10822	Hs,324743	ESTs		5.3
	132153	N90141	Hs.41066	ESTs; Moderately similar to ELONGATI		9.2
		AA281770		seven in absentia (Drosophila) homolog 1		5.5
10		U84573	Hs.41270	procollagen-lysine; 2-oxoglutarate 5-dioxy		8.1
		AA405569		fibroblast activation protein; alpha; sepras		15.4
	132183		Hs.199695	hypothetical protein		12.2
		AA128980	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	ESTs		5.6
		AA412620	He 4248	ESTs		6.7
15		F09058	Hs.42656	ESTs		6.2
10		AA608856		murine leukemla viral (bmi-1) oncogene h		6
		N41849	Hs.7120	Homo sapiens cytokine receptor related p		5.6
		AA285290		small EDRK-rich factor 2		6.8
		N37065	Hs.44856	ESTs ESTS		4.7
20		AA479933		Human DNA sequence from clone 167A1		4.2
20		R70914	Hs.281434	heat shock 70kD protein 1		9.1
						4 .
		W85888	Hs.47334	ESTs; Moderately similar to IIII ALU SU		15
		F09979	Hs.4774	ESTs		8
25		AA431459		ESTS		4
25		AA132969		KIAA1104 protein		
		AA426218		ESTs		5.3
		AA047896		ESTs		15.4
		AA429478		ESTs; Highly similar to CGI-49 protein [H		9
20		T03749	Hs.4990	KIAA1089 protein		8.5
30		AA283006		chromosome-associated polypeptide C		4.3
		AA488987		synaptogyrin 2	-	9.8
		AA417152		protein regulator of cytokinesis 1		10.1
		L37042	Hs.283738	casein kinase 1; alpha 1		5.9
		AA412452		DKFZP434N024 protein		4.2
35		AA199588		ARP3 (actin-related protein 3; yeast) hom		4.2
	132616	AA386264	Hs.283558	isocitrate dehydrogenase 2 (NADP+); mit	,	5.2
	132617	AA171913	Hs.5338	carbonic anhydrase XII		10.1
	: 132618	AA253330	Hs.279916	adaptor-related protein complex 1; gamma		4.8
	132640	U33821	Hs.5437	Tax1 (human T-cell leukemia virus type I	•	5.7
40	132668	AA453614	Hs.5460	KIAA0776 protein		4.4
	132694	M60830	Hs.5509	ecotropic viral integration site 2B	•	15.6
	132700	N47109	Hs.5521	ESTs		7
	132724	AA417962	Hs.55498	geranylgeranyl diphosphate synthase 1		5.6
	132738	W42674	Hs.264636	ESTs; Moderately similar to neuronal thre		4.9
45	132742	AA490862	Hs.292812	ESTs; Weakly similar to C43H8.1 [C.eleg		7.9
	132744	X54326	Hs.55921	glutamyl-prolyl-tRNA synthetase		4.1
		H99152	Hs.57079	ESTs		8
•	132807	AA331777		mutL (E. coli) homolog 1 (colon cancer; n		8
		U25435	Hs.57419	transcriptional repressor		4
50		AB004884		tousled-like kinase 2		6.5
- •		N23817	Hs.5807	Homo sapiens clone 23675 mRNA sequen		5.6
		D62588	Hs.5813	ESTs		12.4
		T48195	Hs.58189	eukarvotic translation initiation factor 3: s		7
		W79865	Hs.58367	glypican 4		6.2
55		N26855	Hs.203961	ESTs		6.5
-		AA425776		ESTs		5.6
		AA444369		ESTs		7.2
		D82422	Hs.5944	ESTs		7.5
		N56451	Hs.5978	LIM domain only 7		4.4
60		AA235404		Homo sapiens clone 25186 mRNA sequen		9.1
50		X83618	Hs.59889	3-hydroxy-3-methylglutaryl-Coenzyme A		10.7
			Hs.234896	ESTs; Highly similar to geminin [H.saple		10.2
				ESTs		4.7
		AA496037		KIAA0616 protein		7.1
65		AA252605		KIAA0307 gene product		8.3
03		AB002305		microfibrillar-associated protein 1		4.3
		U04209	Hs.61418	Human gene from PAC 753P9; chromoso		13.2
	13293/	AA234791	ri5.0 (403	numen gene nom EAO 130E3, Gnomusu		

WO 02/059377

	132959	AA028103	Hs.61472	ESTs; Weakly similar to unknown [S.cere	18.9
		N77151	Hs.61638	myosin X	5.8
		H80409	Hs.62112	zinc finger protein 207	4.3
_		AA458761		transcription factor AP-2 alpha (activating	4.2
5		AA505133		solute carrier family 2 (facilitated glucose	26.4
		Y00062	Hs.170121	protein tyrosine phosphatase; receptor typ	4.4
		AF006082		ARP2 (actin-related protein 2; yeast) hom	4.7 6.6
		C21400 AA047036	Hs.278605	KIAA0970 protein ESTs	7.9
10		W81298	Hs.6289	growth factor receptor-bound protein 2	5.2
10		X62055	Hs.63489	protein tyrosine phosphatase; non-recepto	4
		S67325	Hs.63788	propionyl Coenzyme A carboxylase; beta	5.2
		AA071387		jumping translocation breakpoint	5
		R33663	Hs.64056	ESTs	5.4
15		N70633	Hs.6456	chaperonin containing TCP1; subunit 2 (b	6
	133091	AA122147	Hs.64691	KIAA0483 protein	5
	133093	AA598749	Hs.285996	ESTs	5.6
		AA156049		ESTs	4.1
00		D16469	Hs.6551	ATPase; H+ transporting; lysosomal (vacu	6.2
20		R37367	Hs.6727	Ras-GTPase activating protein SH3 doma	5.1
		Y10659	Hs.285115	interleukin 13 receptor, alpha 1	6.2
		Z41415	Hs.6823	ESTs; Weakly similar to intrinsic factor-B	8.3
		N90029	Hs.6831	Homo sapiens clone 1400 unknown prote	4.7 5.5
25		AA059405 D31161		Homo sapiens done 24655 mRNA sequen ESTs	9
23		AF006086	Hs.242894	actin related protein 2/3 complex; subunit	7.7
		W72187	Hs.69192	ESTs; Weakly similar to cDNA EST yk37	6.7
		AA488886		ESTs	4.2
		AA421079		ESTs; Weakly similar to Sox-like transcri	4.9
30		AA410507		ESTs	4.3
		L15702	Hs.69771 .	B-factor; properdin	9.3
		R79723	Hs.69997	zinc finger protein 238	30.4
	133297	AA600057	Hs.70266	KIAA0905 protein	10.4
		AA256168	Hs.152316	ESTs	8.5
35		H06195	Hs.7194	ESTs; Highly similar to CGI-59 protein [H	14
		AA156897		DKFZP564I1922 protein	5
		X57579	Hs.727	Inhibin; beta A (activin A; activin AB alp	13.9
		AA491296		ESTs	4.3
40		N79516	Hs.73287	ESTs; Weakly similar to eyelid [D.melano	. 4.5
40		AA255438		Homo sapiens mRNA; cDNA DKFZp566	8 5
		T23983 AA094989	Hs.323966	ESTS	8.7
		X03068	Hs.73931	voltage-dependent anion channel 3 major histocompatibility complex; class II	5
		X78710	Hs.211581	metal-regulatory transcription factor 1	5,3
45		AA316868		ESTs; Weakly similar to 140G11.h [D.me	6.8
			Hs.74471	gap junction protein; alpha 1; 43kD (conn	5.7
		D63480	Hs.278634	KIAA0146 protein	4.8
		AA313977		transcription elongation factor B (SIII); po	9.5
		W94333	Hs.279915	translocase of inner mitochondrial membr	5
50	133577	F03717	Hs.75063	human immunodeficiency virus type I enh	7.4
		L37368	Hs.75104	RNA-binding protein S1; serine-rich dom	5
		D13315	Hs.75207	glyoxalase I	4.2
		AA148318		KIAA0069 protein	4.5
E E		U09587	Hs.75280	glycyl-tRNA synthetase	10
55		D21262	Hs.75337	nucleolar phosphoprotein p130	4.5
		U24166	Hs.234279	microtubule-associated protein; RP/EB fa	15.2
		D83004	Hs.75355 Hs.75367	ubiquitin-conjugating enzyme E2N (homo Src-like-adapter	9.1
		D89077 AA479139		acid phosphatase 1; soluble	6.4 4.8
60		AA287383		ESTs	4.2
00		AA458946		ESTs	4.3
		K01396	Hs.297681	protease inhibitor 1 (anti-elastase); alpha-	8.3
		N21648	Hs.75659	MpV17 transgene; murine homolog; glom	4.6
		Y00282	Hs.75722	ribophorin II	7.5
65		L27841	Hs.75737	pericentriolar material 1	9.4
		U49278	Hs.75875	ubiquitin-conjugating enzyme E2 variant	4.5
	133765	D21255	Hs.75929	cadherin 11 (OB-cadherin; osteoblast)	6.4

		W73693	Hs,76038	isopentenyl-diphosphate delta isomerase	7.9
		Z23090	Hs.76067	heat shock 27kD protein 1	4.1
	133776		Hs.177766	ADP-ribosyltransferase (NAD+; poly (AD	13
_		AA214305		ESTs	5.2
5		M33882	Hs.76391	myxovirus (influenza) resistance 1; homol	11.7
		AA453783		Homo sapiens mRNA; cDNA DKFZp564	9.4
		AA147510		serine protease; umbilical endothellum	4.8
		M59815	Hs.170250	complement component 4A	6.7
10		U73477	Hs.285013	putative human HLA class II associated p	7.1
10		T68510	Hs.76704	ESTs	6.3
•		U86782	Hs.178761	26S proteasome-associated pad1 homolog	13.7
		D43948	Hs.76989	KIAA0097 geлe product	4.1
		U58090	Hs.183874	cullin 4A	4
1.5		AA454597		ESTs	4.7
15		X01060	Hs.77356	transferrin receptor (p90; CD71)	8.3
		N32811	Hs.77542	ESTs	5
		W72783	Hs.58382	ESTs; Weakly similar to C13F10.5 [C.ele	4.5
		AA045870		Homo sapiens mRNA; cDNA DKFZp564	6.3
••		AA156565		4-nitrophenylphosphatase domain and non	6.4
20	133963	L34587	Hs.184693	transcription elongation factor B (SIII); po	6.3
		D00760	Hs.250811	proteasome (prosome; macropain) subunit	11.9
		C02374	Hs.7822	Homo sapiens mRNA; cDNA DKFZp564	8.2
	133999	M28213	Hs.78305	RAB2; member RAS oncogene family	5.2
		J03077	Hs.78575	prosaposin (variant Gaucher disease and v	4.6
25		Z81326	Hs.78589	protease inhibitor 12 (neuroserpin)	6.5
	134045		Hs.78768	BB1	11.9
	134046	D28473	Hs.172801	isoleucine-tRNA synthetase	5.2
		D87685	Hs.78893	KIAA0244 protein	7.3
	134070	H98621	Hs.78946	cullin 3	4.7
30		U51166	Hs.173824	thymine-DNA glycosylase	7
	134090	M22382	Hs.79037	heat shock 60kD protein 1 (chaperonin)	4.5
		X06323	Hs.79086	ribosomal protein; mitochondrial; L3	9.4
	134110	U41060	Hs.79136	LIV-1 protein; estrogen regulated	4.4
	134132	U32519	Hs.220689	Ras-GTPase-activating protein SH3-doma	6.6
35	134168	AA398908	Hs.181634	Human Chromosome 16 BAC clone CIT9	8.6
		M63138	Hs.79572	cathepsin D (lysosomal aspartyl protease)	9.3
		U88871	Hs.79993	peroxisomal biogenesis factor 7	6.3
		L28010	Hs.808	heterogeneous nuclear ribonucleoprotein F	4.3
40		AA430008		ESTs	6.9
40		AA313414		Homo sapiens clone 24856 mRNA sequen	7.4
		U16306	Hs.81800	chondroitin suitate proteogrycan 2 (versic	6.1
		D38551	Hs.81848	RAD21 (S. pombe) homolog	8.6
			Hs.111222	ESTs; Weakly similar to CGI-128 protein	6.1
		R82074	Hs.82109	syndecan 1	4.4
45 .		L43575	Hs.82171	Human clone 19187 placenta expressed m	6.6
•		M37033	Hs.82212	CD53 antigen	5.3
		X54199	Hs.82285	phosphoribosylglycinamide formyltransfe	4.8
		D62633	Hs.8236	ESTs	15.2
~~		AA412720		ESTs; Highly similar to CGI-118 protein	7.2
50		X02874	Hs.82396	2';5'-oligoadenylate synthetase 1	6.4
		U56637	Hs.184270	capping protein (actin filament) muscle Z-	4
		M15841	Hs.82575	small nuclear ribonucleoprotein polypepti	5.7
		L09717	Hs.8262	lysosomal-associated membrane protein 2	6.9
		H99801	Hs.82689	tumor rejection antigen (gp96) 1	4.5
55			Hs.211577	kinectin 1 (kinesin receptor)	11.2
		J04177	Hs.82772	collagen; type XI; alpha 1	15.3
		AA329274		protein tyrosine phosphatasa type IVA; m	4.1
		D87969	Hs.82921	solute carrier family 35 (CMP-sialic acid t	4.2
C C		L08044	Hs.82961	trefoil factor 3 (intestinal)	5.9
60		AA122386		collagen; type V; alpha 2	5.8
		W96151	Hs.83006	ESTs; Highly similar to CGI-139 protein	4.4
		AA449984		ESTs; Highly similar to proteine kinase JN	7
		T25732	Hs.83419	KIAA0252 protein	4.6
		X70683	Hs.83484	SRY (sex determining region Y)-box 4	5.1
65		X54942	Hs.83758	CDC28 protein kinase 2	20.3
		R38185	Hs.83954	Homo sapiens unknown mRNA	5
	134495	D63477	Hs.84087	KIAA0143 protein-	16.1

	134498	M63180	Hs.84131	threonyl-IRNA synthetase	6.1
		U45328	Hs.84285	ubiquitin-conjugating enzyme E2I (homol	4.6
	134529	H24460	Hs.848	FK506-binding protein 4 (59kD)	6.2
_		U66615	Hs.172280	SWI/SNF related; matrix associated; actin	4.8
5	134582	AA234966	Hs.86041	CGG triplet repeat blinding protein 1	4.7
	134600	R68884	Hs.86347	ESTs; Weakly similar to predicted using G	5.8
	134623	X74496	Hs.86978	prolyl endopeptidase	4.5
	134654	W23625	Hs.8739	ESTs; Weakly similar to ORF YGR200c [13.7
_	134655	AA454070	Hs.123090	ESTs	5.8
10	134675	AA250745	Hs.87773	protein kinase; cAMP-dependent; catalyti	8.9
	134711	X04011	Hs.88974	cytochrome b-245; beta polypeptide (chro	6.8
	134714	U89922	Hs.890	lymphotoxin beta (TNF superfamily; mem	35.7
	134722	W47183	Hs.284226	ESTs; Weakly similar to neural F box pro	8.1
	134776	J05582	Hs.89603	mucin 1; transmembrane	6.2
·15	134806	Z49099	Hs.89718	spermine synthase	4.2
	134810	M27394	Hs.89751	membrane-spanning 4-domains; subfamily	7
	134840	U51477	Hs.89981	diacylglycerol kinase; zeta (104kD)	4.1
	134843	H60595	Hs.90061	progesterone binding protein	4.7
	134853	D82348	Hs.90280	5-aminoimidazote-4-carboxamide ribonuc	10.2
20	134866	U84011	Hs.904	amylo-1;6-glucosidase; 4-alpha-glucanotr	12.1
	134868	Z39762	Hs.90419	KIAA0882 protein	6
	134885	N27670	Hs.9071	progesterone membrane binding protein	5
	134982	N46086	Hs.92308	ESTs	4.1
	134989	AA236324		Homo sapiens mRNA; chromosome 1 spe	16.8
25		H05625	Hs.5831	ESTs	4
	134993	AA282343	Hs.301005	purine-rich element binding protein B	4.4
	135010	D59675	Hs.92927	ESTs	7
	135015	U54999	Hs.278338	LGN protein	4.8
	135029	AA224180		ESTs; Moderately similar to 17-beta-hydr	13.6
30	135032	AA243497	Hs.173685	Human DNA sequence from clone 30M3	4
	135037	U77948	Hs.278589	general transcription factor II; i	8
	135059	AA598449		Homo sapiens clone 24483 unknown mRN	5.4
	135071	L08069	Hs.94	heat shock protein; DNAJ-like 2	9.3
	135083	AA495950	Hs.94262	ESTs	6.7
35		W52493	Hs.94694	Homo sapiens clone 24837 mRNA sequen	10.2
	135144	AA044842	Hs.95260	Homo sapiens mRNA; cDNA DKFZp586	6.6
	135154	AA126433	Hs.267812	sorting nextn 4	7.4
	135218	D31157	Hs.324277	ESTs; Weakly similar to growth factor-res	6.2
	135237	AA454930	Hs.9691	ESTs	19.5
40	135243	AA215333	Hs.97101	putative G protein-coupled receptor	8.8
	135335	H20989	Hs.198281	pyruvate kinase; muscle	12.4
	135349	D83174	Hs.9930	collagen-binding protein 2 (colligen 2)	5.5
	135367	AA480109	Hs.9963	TYRO protein tyrosine kinase binding pro	5.4
	135389	U05237	Hs.99872	fetal Alzheimer antigen	7.8
45	135400	M23263	Hs.99915	androgen receptor (dihydrotestosterone re	9.1
	135411	L10333	Hs.99947	reticulon 1	5.3
		M97935		AFFX control: STAT1	8.3
	300021	M97935	•	AFFX control: STAT1	7
	300022	M97935		AFFX control: STAT1	14
50			Hs.208275	ESTs; Weakly similar to !!!! ALU CLASS	9.1
	300107	A1694585	Hs.270464	ESTs; Weakly similar to IIII ALU CLASS	7.4
		AW079607		ESTs; Weakly similar to ZnT-3 [H.sapien	30.1
	300328	AW015860	Hs.224623	ESTs	11.9
		AA699328	Hs.298119	ESTs	5. 5
55	300711	Al492179	Hs.166244	ESTs; Weakly similar to cONA EST yk40	11
	300921	AW293224	Hs.232165	ESTs	11
	301124	T79326	Hs.298262	ESTs; Weakly similar to dJ88J8.1 [H.sapl	8.8
•	301165	N85789	Hs.150186	ESTs; Weakly similar to PTERIN-4-ALP	6
60		Al682905	Hs.270431	ESTs; Weakly similar to !!!! ALU SUBFA	4.7
60		AA373124		ESTs; Weakly similar to C17G10.1 [C.ele	8
		AA526313	Hs.293691	ESTs	4.2
		N99399	Hs.143046	EST cluster (not in UniGene) with exon h	18
		AA312082		GDNF family receptor alpha 1	20.7
~~		NM_004694		EST duster (not in UniGene) with exon h	11.6
65		AF013956		chromobox homolog 4 (Drosophila Pc da	9.2
		NM_001992	2Hs.128087	EST cluster (not in UniGene) with exon h	4.3
	302067	H05698	Hs.222399	ESTs; Weakly similar to protein-tyrosine	7.8

PCT/US02/02242

	302145	NM_00361	3Hs.151407	EST cluster (not in UniGene) with exon h	15.1
		Al128606		zinc finger protein 161	25.8
		NM_00444		EST duster (not in UniGene) with exon h	21.6
_		AL117607		Homo sapiens mRNA; cDNA DKFZp564	41.4
5		NM_00427		EST duster (not in UniGene) with exon h	8.9
		AB023141		KIAA0924 protein	5.4
		AL117406		Homo sapiens mRNA; cDNA DKFZp434	8.9
		AB021227		matrix metalloprotelnase 24 (membrane-in	5.2
10		AF129530		EST cluster (not in UniGene) with exon h	5.3
10		AF022726		EST cluster (not in UniGene) with exon h	9.9
		AL049650		multiple UniGene matches	4.3
		L36149	Hs.248116	chemokine (C molif) XC receptor 1	4.9
		AA463798		ESTs; Weakly similar to C11D2.4 [C.eleg	5.3
15		AW293005		ESTs	8.4 4.5
13		AA343696	Hs.85844	ESTs; Weakly similar to putative [H.sapie	6.8
		X04588		EST cluster (not in UniGene) with exon h	8.4
		U66049 N58545	Hs.82171	EST cluster (not in UniGene) with exon h histone deacetylase 3	22.8
		AW263124	Hs.42346	EST duster (not in UniGene) with exon h	6.8
20		N46406	Hs.84700	EST cluster (not in UniGene) with exon h	8.9
20		AA478876		pallid (mouse) homolog; pallidin	10.1
		AF140242		EST cluster (not in UniGene) with exon h	24.4
		AW081061		actin-like 6	6.3
		Al929819		ESTs	17.7
25		U09759	Hs.246857	mitogen-activated protein kinase 9	11.4
		AA908797		ESTs	15.8
		Al815990	Hs.293515	ESTs	7.2
		AA488528		EST cluster (not in UniGene) with exon h	5.3
		T07216	Hs.301226	EST cluster (not in UniGene) with exon h	16.2
30	303620	AA397546	Hs.119151	ESTs	8.9
		A1953377		ESTs; Weakly similar to predicted using G	12
	303642	AW299459	Hs.111977	EST cluster (not in UniGene) with exon h	4.2
	303654	AA436942	Hs.288529	ESTs	8.4
		AW502498		ESTs; Weakly similar to zinc finger prote	5.2
35		Al424014		ESTs; Moderately similar to KIAA0456 p	28.4
		C75094	Hs.199839	ESTs; Highly similar to NG22 [H.sapiens	4.4
		Al337304		ESTs; Weakly similar to similar to PDZ d	8.1
		AW475081	Hs.172928	collagen; type I; alpha 1	7.5
40		AA421948		EST singleton (not in UniGene) with exon	6.5
40		AA456426		EST classicates (and in) in Comp) with over	5.4
		AA505702		EST singleton (not in UniGene) with exon	9.8 7.5
		AA507875		EST singleton (not in UniGene) with exon	7.5
		AA533185 AA630582	Un 460476	EST singleton (not in UniGene) with exon glyceraldehyde-3-phosphate dehydrogena	12.4
45		AA653159		EST singleton (not in UniGene) with exon	8.7
73		AA725116		EST singleton (not in UniGene) with exon	5.3
•		AA738110	110.70400	EST singleton (not in UniGene) with exon	4.1
		AA872838		keratin 8	7.7
		AA876109		EST singleton (not in UniGene) with exon	6.3
50		AA884479		EST singleton (not in UniGene) with exon	5.6
		AA889992	Hs.2186	EST singleton (not in UniGene) with exon	13.2
		AA894560		EST singleton (not in UniGene) with exon	4.4
	306060	AA906161	Hs.76277	EST singleton (not in UniGene) with exon	4.6
	306398	AA970548	Hs.297681	EST singleton (not in UniGene) with exon	7.6
55	306505	AA987722	Hs.172928	EST singleton (not in UniGene) with exon	19.7
	306576	AA995761	Hs.276092	EST singleton (not in UniGene) with exon	5.5
		AJ184111	Hs.76067	heat shock 27kD protein 1	7.7
		Al185516	Hs.172928	collagen; type i; alpha 1	8.8
CC		Al190870	Hs.276417	EST singleton (not in UniGene) with exon	4.1
60		A1280859	Hs.62954	EST singleton (not in UniGene) with exon	6
		Al281603	Hs.172928	EST singleton (not in UniGene) with exon	10.8
		Al351739	Hs.276726	EST singleton (not in UniGene) with exon	4.7
		Al472733	Hs.270208	ESTs	4.2
65		AI581398	Hs.172928	collagen; type I; alpha 1	5.4
65		A1687580	Hs.169476	EST singleton (not in UniGene) with exon	10.1
		AI738593 AI761173	Hs.101774	EST singleton (not in UniGene) with exon EST singleton (not in UniGene) with exon	15.1 4.6
	3000//	W101113		Co. audicini funt in ornoanal Milit 6x00	4.0

PCT/US02/02242

				0.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1	
		AI829848	Hs.182937	peptidylprotyl isomerase A (cyclophilin A	5.9
		A1872290	Hs.300697	immunoglobulin gamma 3 (Gm marker)	4.5
	308981	AI873242		EST singleton (not in UniGene) with exon	7.6
_	308995	AI880172		EST singleton (not in UniGene) with exon	6.6
5	309177	Al951118		EST singleton (not in UniGene) with exon	24.3
	309186	A1952723	Hs.90207	EST singleton (not in UniGene) with exon	6.1
	309198	AI955915		major histocompatibility complex; class I;	5.6
	309226	AI969897		EST singleton (not in UniGene) with exon	6.2
		Al990102		EST singleton (not in UniGene) with exon	7.9
10		AW170035		EST	64.5
		AW191929	Hs 252989	EST	5.3
		AW192764		collagen; type I; alpha 1	6.9
		AW194230		EST	11,4
					4.3
15		AW238461		ribosomal protein; large; P0 Homo sapiens clone 24703 beta-tubulin m	11.9
13		AW241170			4.2
		AI335004		ESTs	
		AW450967		ESTs	5.7
		AW080778		ESTs	4.8
20		AW022192		ESTs	39.1
20		Al281848		ESTs	4.9
	310583	AW205632	Hs.211198	ESTs	7
	310877	T47784	Hs.188955	ESTs	4.1
	311067	AI587332	Hs.209115	ESTs	11.2
	311166	A1821294	Hs.118599	ESTs .	24.1
25		T57896	Hs.191095	EST cluster (not in UniGene)	5.7
		A1758660		ESTs	15.7
		AI828254	Hs.271019	ESTs	6.4
		AA700870		ESTs	6.2
		AI056769	Hs.133512	ESTs	5
30			Hs.189679	ESTs	5.9
50		AA216387	115.105073	EST cluster (not in UniGene)	5.5
		N51511	U= 400440		5.2
			Hs.188449	ESTs	4.3
		A1435650	Hs.128778	ESTs	14.7
25		AA588275		ESTs	
35		T89855	Hs.195648	EST cluster (not in UniGene)	9.8
		AA759250		cytochrome b-561	27.1 -
		T92251	Hs.198882	ESTs	4.2
		Al222168	Hs.191168	ESTs	6.1
40		Al796815		ESTs; Weakly similar to ubiquitous TPR	5.5
40		AW451893		ESTs	18.4
		A1080505	Hs.134529	ESTs	11.9
		AA582039	Hs.173884	Homo sapiens mRNA; chromosome 1 spe	4
	312407	R46180	Hs.153485	ESTs	13.6
	312430	AW139117	Hs.117494	ESTs	4.1
45	312470	AW451347	Hs.175862	ESTs	4.6
	312483	Al417526	Hs.7753	ESTs	15.3
	312521	AA033609	Hs.319093	ESTs	12.5
	312544	AI498371	Hs.183526	ESTs	14.6
		AW439195		ESTs	5.3
50		R99834	Hs.250383	ESTs	8.4
		H63791		EST cluster (not in UniGene)	4.3
		AA699325	Hs 269880	ESTs	8.3
		AW292286		ESTs	7.1
		AA846353		ESTs	5.9
55				EST cluster (not in UniGene)	4.1
55		AA828713		•	7.3
		AA088446		ESTS	
		AI422367		ESTs	6.1
		AA732534		ESTs	4.2
60		AA720887		EST cluster (not in UniGene)	18.1
60		N59284	Hs.288010	ESTs	17
		Al738851		ESTs	12.9
		N74924	Hs.182099	ESTs	7.1
	313258	AW068358	Hs.183918	ESTs	13.7
	313328	AW449211	Hs.105445	ESTs	27.9
65	313352	AW292127	Hs.144758	ESTs	9.8
		AA741151		ESTs	8.2
		AW081702		ESTs	6.9

	313590	AA804410	Hs.291677	EST duster (not in UniGene)	5.3
		AI953261		ESTs	7.6
	313667	U69201	Hs.13684	ESTs; Weakly similar to choline kinase is	12.5
	313749	AW450376	Hs.119004	ESTs	5.5
5		AW271022		ESTs	4.3
,					
	313881	AA535580	Hs.16331	ESTs	7.7
	313915	AI969390	Hs.163443	ESTs	27.1
					5.7
•		AI858884	Hs.270647	ESTs	
	313974	Al310151	Hs.173524	ESTs	4.3
10	314097	AA648744	Hs 269493	ESTs .	14.5
10					
		AA228366		ESTs	9.5
	314359	AA205569	Hs.194193	ESTs	5.4
	314384	AA535840	Hs 162203	ESTs; Weakly similar to alternatively spli	5.3
			Hs.130816	ESTs .	13.2
15	314462	AA347951	Hs.326413	ESTs	6.2
	314465	AA602917	He 156074	ESTs	18.1
		A1934422		ESTs !	4.2
	314488	AA358265	Hs.182890	ESTs	6.1
		AA833655		ESTs	27.8
20					
20			Hs.190080	ESTs	9.5
	314558	A1873274	Hs.190721	ESTs	22.5
•		AA436432		EST duster (not in UniGene)	13.3
		AW207206		ESTs	21.4
	314754	AW026761	Hs.134374	ESTs	4.4
25	31/1775	AI149880	He 188800	ESTs	4.4
20					
		A1476797		cell division cycle 2; G1 to S and G2 to M	18.4
	314961	AW008061	Hs.231994	ESTs	10.2
		AI689617	Hs.200934	ESTs	5.3
		AI538613		ESTs	20.7
30	315010	AA531082	Hs.240049	ESTs	5
	315010	AA532807	He 105822	ESTs	6.1
		A1493046		ESTs	12
	315036	AA534953	Hs.163297	ESTs	8.3
		AW205863		ESTs; Weakly similar to gene MAC25 pr	6.1
25					
3 <i>5</i>	315051	AW292425	HS.163484	EST	12.7
	315054	A1968598	Hs.78768	ESTs	7.6
		AW452948		ESTs	13.9
	315080	AA744550	HS.136345	ESTs	4.4
	315083	Al221325	Hs.205442	ESTs	5.1
40		AA557351		ESTs; Moderately similar to MULTIFUN	4.7
70					
		AI025842	Hs.152530	ESTs	11.9
	315196	AA972756	Hs.44898	ESTs	28.8
		AA876905		ESTs	16.1
4.5		AW194364		ESTs; Weakly similar to FIG-1 PROTEIN	25.7
45	315352	AA604799	Hs.136528	ESTs; Moderately similar to IIII ALU SU	12.3
	315364	AA643602	He 155485	ESTs; Highly similar to serine protease [H	4.6
					4.8
		AW291563		ESTs	
	- 315390	Al801565	Hs.200113	ESTs; Weakly similar to alternatively spli	4.4
	315408	AW273261	Hs 216292	ESTs	5
50					7.6
J U		AA872000		ESTs	
	315472	AA828850	Hs.165469	ESTs	4.9
	315478	AA665612	Hs 120874	ESTs	5.2
				ESTs; Moderately similar to IIII ALU SU	4.8
		AA628539			
	315527	Al791138	Hs.116768	ESTs .	4.4
55	315530	AI200852	Hs.127780	ESTs .	22.4
		AA737415		ESTs	5.9
	313302	AA/3/413	AS. 132020		
		AA837085		ESTs	8.8
		AA648983		ESTs	15
		AI521489	Hs.3053	ESTs	6.3
CO					
60	315676	AW002565	Hs.124660	ESTs	9.2
	315680	AA814309	Hs.123583	ESTs	8.1
			Hs.155111	ESTs	13.4
		AI831760			
	315741	AA812168	HS.122559	ESTs	5.4
	315769	AA744875	Hs.189413	ESTs	4.4
65		AA830893		ESTs	10.4
UJ					
		A1015862		ESTs	5
	316042	AW297979	Hs.170698	ESTs .	14.7
				•	

	316136	AA830808	Hs.124356	ESTs	4
	316177	Al908272	Hs.293102	EST cluster (not in UniGene)	32.6
		AA741300		ESTs	4.8
_		AA757900		ESTs	4.8
5	316480	Al749921	Hs.205377	ESTs	12.9
	316564	Al743571	Hs.168799	ESTs; Weakly similar to IIII ALU SUBFA	8.1
		AA809792		ESTs	5
	316/15	A1440266	HS.170673	ESTs	4.2
	316828	AA828116	Hs.173076	ESTs	5.2
10		A1954880		ESTs	13.3
10					
	316905	AW138241	HS.210846	ESTs	6.2
	316943	AW014875	Hs.137007	ESTs	5.3
		AA856749		ESTs	7.2
		AW051597		ESTs	4.1
15	317028	AA962623	Hs.189144	ESTs; Weakly similar to RENAL SODIU	4.2
-	317067	Al805392	He 325335	ESTs	4.5
		AI732892	HS.190469	ESTs	6.4
	317210	AA490718		EST duster (not in UniGene)	4.4
	317298	AI922374	Hs 158549	ESTs	5.9
20					4.6
20		AW139077		ESTs	
	317674	AW294909	Hs.132208	ESTs	5.2
	317685	AI798630	Hs.149997	ESTs	4.3
		AA983913			12.4
				ESTs	
	317881	Al827248	Hs.224398	ESTs	12.1
25	317902	AI828602	Hs.211265	ESTs	8.8
		Al565071	Hs.159983	ESTs	12.6
		AW294522		ESTs	5.6
	318053	A1074465	Hs.133469	ESTs	4
		AW296888		ESTs	5.2
20					
30		Al024594		ESTs	4.7
	318073	AW167087	Hs.131562	ESTs	15.7
	318146	Al040125	Hs 150521	ESTs	5.9
		AW016773		ESTs	5.3
	318481	A1291584	Hs.145921	ESTs; Weakly similar to HYPOTHETICA	7.6
35	318566	Al335361	Hs.226376	ESTs	5.8
-		AW247252			11.1
				nucleoside phosphorylase	
		A1285898		ESTs	16.3
	318691	AW192139	Hs.181307	H3 histone; family 3A	4
		NM_002543		EST cluster (not in UniGene)	21.3
40					
40	318/44	AI793124	Hs.1444/9	ESTs	35
	318948	AA317274	Hs.13996	ESTs	11.7
		F15257	Hs.27	glydine dehydrogenase (decarboxylating;	7
		R06841	Hs.270307	EST cluster (not in UniGene)	8.9
	319545	R83716	Hs.14355	ESTs	8.2
45		NM_00273		EST cluster (not in UniGene)	25.4
					7
		AA460775		ESTs	
	319913	AA179304	Hs.271586	ESTs; Moderately similar to IIII ALU SU	8.7
	319936	W22152	Hs.282929	EST duster (not in UniGene)	5.6
		AA307665		ESTs	4.9
50					
50		H06350	Hs.135056	ESTs	9.2
	319977	AA632632		EST duster (not in UniGene)	4.6
		AA321166	He 278233	EST cluster (not in UniGene)	16.7
		AF022799		calpain 9 (nCL-4)	5.4
	320107	AA836461	Hs.291712	EST cluster (not in UniGene)	5.3
55	320133	D63271		EST cluster (not in UniGene)	5.5
			Ha 00700	EST cluster (not in UniGene)	15
		AA984373			
		T99949	Hs.303428	EST duster (not in UniGene)	6.7
	320211	AL039402	Hs.125783	DEME-6 protein	24.3
		U90449	Hs.152717	nucleoside diphosphate kinase type 6 (inh	10
60					
60		AI884396		ESTs	5.4
	320488	R31386	Hs.191791	EST duster (not in UniGene)	4.9
	320521	N31464	Hs.24743	ESTs	9.5
		AA864846		EST duster (not in UniGene)	6.6
		R61576	Hs.313951	hypothetical protein	5.9
65	320699	R63161	Hs.118249	EST duster (not in UniGene)	4
_		U96044	Hs.181125	EST cluster (not in UniGene)	45.3
	330003	AL050145	Un 20E00e	Homo sapiens mRNA; cDNA DKFZp586	7.2
	J2U333	CP1 WWW.	19.557300	HOMO SEPICIO HILATO, ADIAN DIA EPOCO	٠.٤

	321012	AA737314	He 194324	EST cluster (not in UniGene)	6.1
		AW393497	113.104024	EST duster (not in UniGene)	5
		AF134149	Hs 240395	EST duster (not in UniGene)	11.4
•		AI769410	Hs.221461	ESTs	7.7
5		AA295304		ESTs; Weakly similar to neogenin [H.sap	5.5
•		AA078493		EST cluster (not in UniGene)	16.9
	321387		Hs.141278	ESTs; Weakly similar to !!!! ALU SUBFA	4.2
		AW366305		EST cluster (not In UniGene)	6.3
		AW392474		ESTs; Moderately similar to IIII ALU SU	9
10	321539		Hs.42915	ARP2 (actin-related protein 2; yeast) horn	11.3
	321593		Hs.253197	ESTs	10.4
	321666		Hs.272897	EST cluster (not in UniGene)	19.9
		AW157424		ESTs	5.6
	321910		Hs.271530	ESTs; Weakly similar to IIII ALU SUBFA	5.4
15	321953	AW058268	Hs.292833	ESTs; Weakly similar to IIII ALU CLASS	6.5
	321978	N77342	Hs.21851	EST cluster (not in UniGene)	10.2
	322017	AA310039	Hs.9192	ESTs	9.8
	322026	AA233527	Hs.283675	low density lipoprotein receptor (familial	27.8
	322035	AL137517	Hs.306201	EST cluster (not in UniGene)	40.2
20	322171	AF085968	Hs.48474	EST cluster (not in UniGene)	5.7
	322175	AF085975		EST cluster (not in UniGene)	7.7
	322236	AL134970	Hs.104222	follistatin-like 1	14.4
		W07459	Hs.157601	EST cluster (not in UniGene)	13.4
	322735	AA086123	Hs.297856	EST cluster (not in UniGene)	7.6
25	322777	AA679082	Hs.269947	ESTs	4.4
		AW043782		ESTs	21
		AW248508	Hs.279727	DiGeorge syndrome critical region gene 2	15.3
	322975			EST cluster (not in UniGene)	21.3
20	322991		Hs.159473	ESTs	11.7
30		AA580288		EST cluster (not in UniGene)	8.9
		AW014094		ESTs	10.8
		Al301107	Hs.150790	ESTs	6.5
		AL120351		EST cluster (not in UniGene)	5.5
25		AL120862		ESTs	17.9
35		AI064982	Hs.117950	multifunctional polypeptide similar to SA	5.8
		AL049370		Homo sapiens mRNA; cDNA DKFZp586	11.6 6.4
		AA203135		ESTs	7.3
		W44372	Hs.110771	EST duster (not in UniGene)	15.8
40	323244		Hs.193620	EST cluster (not in UniGene)	4.8
40		AA228078 Al829520	Hs.227513	EST cluster (not in UniGene) ESTs	20.2
		AA228883		EST duster (not in UniGene)	8.8
		AL038623		ESTs; Weakly similar to IIII ALU SUBFA	5
		Al751438	Hs.41271	ESTs; Weakly similar to IIII ALU SUBFA	6.5
45		AA344205		EST duster (not in UniGene)	7.1
		AA327102		EST cluster (not in UniGene)	6.1
		AA410943		EST cluster (not in UniGene)	16.8
		AI684674	Hs.41127	ESTs; Weakly similar to waclaw [D.melan	10.1
		AA570698		ESTs	6.4
50		AA844907		EST cluster (not in UniGene)	8
•		AA378201		EST cluster (not in UniGene)	6.3
		AL044891		EST cluster (not in UniGene)	50.1
		AA543008		ESTs; Weakly similar to IIII ALU SUBFA	5.7
	324338	AL138357	Hs.145078	ESTs	9.5
55 ·	324344	AW502000	Hs.46677	EST duster (not in UniGene)	4.4
	324432	AA464510	Hs.152812	EST duster (not in UniGene)	16.7
•	324495	AW501411	Hs.122489	ESTs; Weakly similar to IIII ALU CLASS	5.5
			Hs.136340	ESTs	5.4
			Hs.163986	ESTs	8.8
60			Hs.292934	ESTs	23.1
		AA448021		EST duster (not in UniGene)	21.2
		AI610425		ESTs	5
			Hs.132586	ESTs	5
~			Hs.200994	EST duster (not in UniGene)	4.1
65			Hs.224624	ESTs	6.3
			Hs.143842	ESTs	11.7
	324902	D31323	Hs.271492	ESTs	4.8

	324961 AA613792		EST cluster (not in UniGene)		13.3
	324987 T06882	Hs.172634	ESTs		19.6
	324988 T06997	Hs.121028	EST cluster (not in UniGene)		24.5
5	325146 AJ064690	MS.1/11/6	ESTS	*-	4.6 5.2
5	325622 326213		CH.14_hs gi 5867000 CH.17_hs gi 5867224		8.1
	326474		CH.19_hs gij5867405		12.7
	326816		CH.20_hs gi[6552458		9.4
	326817		CH.20_hs gij6552458		11.7
10	327110		CH.21_hs gi 6117842		14.7
- •	327196		CH.01_hs gij5867446		5.1
	327283		CH.01_hs gij5867478		4.3
	327313		CH.01_hs gij5867501		4.8
	327450		CH.02_hs gij5867766		4.1
15	328059		CH.06_hs gij6117819		6.2
	328304		CH.07_hs gi[6004478		5.4
	328492		CH.07_hs gij5868455		7
	328857		CH.07_hs gi[6381927		5.2
20	329367		CH.X_hs gi 5868842		7.6
20	329373		CH.X_hs gi 6682537		12 4
	329655		CH.14_p2 gij6448516		4
	329899 329960		CH.15_p2 gi[6563505 CH.16_p2 gi[5091594		7.6
	330084		CH.19_p2 gi[6015302		4
25	330384 M23263		androgen receptor (dihydrotestosterone re		5.8
	330385 AA449749		ESTs; Highly similar to secreted apoptosi		10.2
	330387 H14624		ESTs; Highly similar to secreted apoptosi		4.4
	330388 X03363		HER2 receptor tyrosine kinase (c-erbB-2;		17.7
	330409 D50692	Hs.78221	c-myc binding protein		10.1
30	330460 TIGR:HT54	14	Hs.73946		Endothelial Cell Growth Factor 1 5.5
	330486 M13755	Hs.833	interferon-stimulated protein; 15 kDa		67
	330494 M29696	Hs.237868	Interleukin 7 receptor		6
	330500 M34423	Hs.79222	galactosidase; beta 1		13.1
25	330510 M75099	Hs.227729	FK506-binding protein 2 (13kD)		29
35	330513 M81057	Hs.180884	carboxypeptidase B1 (tissue)		38.5
	330541 U22970	Hs.265827	multiple UniGene matches		7.4
	330542 U23942	Hs.226213	cytochrome P450; 51 (lanosterol 14-alpha		15 11
	330547 U32989	Hs.183671	tryptophan 2;3-dioxygenase		6.5
40	330551 U39840 330562 U49082	Hs.299867 Hs.76460	hepatocyte nuclear factor 3; alpha		7.7
40	330573 U62800	Hs.83393	transporter protein cystatin E/M		4
	330673 D57823	Hs.321403	Sec23 (S. cerevisiae) homolog A		10.5
	330711 AA164687		mannosyl (alpha-1;3-)-glycoprotein beta-1		24.3
	330814 AA015730		ESTs; Weakly similar to transformation-r		44.1
45	330850 AA075298		ESTs		4.4
	330874 AA127474		ESTs; Weakly similar to IIII ALU SUBFA		8.1
	330884 AA133457		ESTs		5.2
	330912 AA195936		general transcription factor IIA; 1 (37kD a		5
	330924 AA232136	Hs.159737	Homo sapiens mRNA; cDNA DKFZp434		9.1
50	330997 H55762	Hs.9302	ESTs		7.6
	331014 H98597	Hs.30340	ESTs		13.5
	331024 N32919	Hs.27931	ESTs		9.1
	331046 N66563	Hs.191358	ESTs		10.5
55	331135 R61398	Hs.4197	ESTS		7.4 41.9
22	331145 R72427 331148 R73816	Hs.129873 Hs.17385	ESTs; Weakly similar to CYTOCHROME		4.7
	331222 T98531	Hs.173904	ESTs ESTs		4.1
	331230 W69807	Hs.16537	hypothetical protein; similar to (U06944)		4.9
	331306 AA252079		dachshund (Drosophila) homolog		15.1
60	331327 AA281076	Hs.109221	ESTs		4.8
00	331337 AA287662		ESTs		7.6
	331341 AA303125		ESTs; Weakly similar to IIII ALU SUBFA		13
	331344 AA357927		ESTs		12.4
	331362 AA417956		ESTs		6.5
65	331363 AA421562		anterior gradient 2 (Xenepus laevis) homo		28.2
	331376 AA443802	Hs.41007	ESTs; Weakly similar to cDNA EST yk47		15.1
	331384 AA456001	Hs.93847	ESTs		7.9

PCT/US02/02242

	331478	N26608	Hs.40639	ESTs	7
	331526	N49967	Hs.46624	ESTs	19.8
	331533	N51517	Hs.47282	ESTs	6.5
	331681	W85712	Hs.119571	collagen; type III; alpha 1 (Ehlers-Danlos	13.8
5	331686	W88502	Hs.182258	ESTs	9.9
	331750	AA284372	Hs.111471	ESTs	5.6
	331751	AA284840	Hs.143818	ESTs	5.8
•	331760	AA292721	Hs.154434	ESTs; Weakly similar to unknown [H.sap	7.4
	331763	AA312861	Hs.96704	ESTs	7.8
10	331825	AA411144	Hs.292882	ESTs	15.2
	331890	AA432166	Hs.3577	succinate dehydrogenase complex; subuni	24.3
	331952	AA454756	Hs.97837	ESTs	5
	332015	AA487910	Hs.208800	ESTs; Weakly similar to !!!! ALU CLASS	10.5
	332043	AA490831	Hs.125056	ESTs	11.4
15	332060	AA504779	Hs.191402	ESTs	13.6
	332071	AA598594	Hs.205293	ESTs	9.1
		AA608794		ESTs	8.8
		AA620669		EST	9
00		N22508	Hs.139315	ESTs	7.1
20		N33213	Hs.100425	ESTs	12.2
		N57927	Hs.120777	ESTs; Weakly similar to RNA POLYME	15.6
		N58172	Hs.109370	ESTs	16.9
		N70088	Hs.138467	ESTs	4
25		N91279	Hs.109654	ESTs; Moderately similar to outer membr	8.2 7.7
25		T96130	Hs.137551	ESTs	14.1
		W15495 W60326	Hs.129781 Hs.288684	chromosome 21 open reading frame 5 ESTs	4.4
		W93640	Hs.4779	ESTs; Moderately similar to similar to AD	16.9
		AA489630		KiAA0665 gene product	4.8
30		M12036	Hs.323910	Human tyrosine kinase-type receptor (HE	10.4
50		AA018182		deiodinase; lodothyronine; type II	5.8
		AA281753		inositol 1;4;5-triphosphate receptor, type	19
		N63192	Hs.1892	EST; Highly similar to PHENYLETHAN	15.3
		AA234896		E1A binding protein p300	12.3
35		R41791	Hs.36566	LIM domain kinase 1	11.1
		AA417152			18.2
		AA262768		KIAA1067 protein	15.2
		H93968	Hs.75725	transgelin 2	4.7
		T59161	Hs.76293	thymosin; beta 10	5.5
40	332749	AA479968	Hs.88251	aryisulfatase A	9.8
	332927			CH22_FGENES.38_1	17.7
	332929			CH22_FGENES.38_3	4.7
	332930			CH22_FGENES.38_4	7.4
	332955			CH22_FGENES.48_12	5.4
45	332958			CH22_FGENES.48_15	17.8
	332961			CH22_FGENES.48_18	10.6
	332983			CH22_FGENES.54_5	4.3
	333009		•	CH22_FGENES.61_1	5.2
~^	333010			CH22_FGENES.61_2	8.1
50	333013			CH22_FGENES.61_5	8.5
	333108			CH22_FGENES.79_14	5.6
	333139			CH22_FGENES.83_16	6.3
	333254			CH22_FGENES.118_2	6.8
55	333305			CH22_FGENES.137_2	11.4
55	333343			CH22_FGENES.139_12	5.1 12.7
	333388			CH22_FGENES.144_3	4.2
	333456 333459			CH22_FGENES.157_5 CH22_FGENES.157_8	7.6
				CH22_FGENES.173_2	8.2
60	333517 333585			CH22_FGENES.203_4	5
JU	333679			CH22_FGENES.247_6	4.3
	333743			CH22_FGENES.264_1	13.4
	333758			CH22_FGENES.268_1	4
	333767			CH22_FGENES.271_6	5.6
65	333768			CH22_FGENES.271_7	12.2
	333769			CH22_FGENES.271_8	48.3
	333795			CH22_FGENES.275_1	6.1

	333796	CH22_FGENES.275_3	6.8
	333892	CH22_FGENES.292_14	4.4
	333904	CH22_FGENES.294_2	6.5
_	333905	CH22_FGENES.294_3	9.3
5	333921	CH22_FGENES.296_12	9.6
	333968	CH22_FGENES.307_4	15.9
	334102	CH22_FGENES.327_60	7.1
	334222	CH22_FGENES.360_3	6.7
	334223	CH22_FGENES.360_4	33.5
10	334264	CH22_FGENES.367_15	18.5
	334343	CH22_FGENES.375_25	6.1
	334360	CH22_FGENES.378_5	6.1
	334784	CH22_FGENES.432_9	4.8
	334789	CH22_FGENES.432_14	5.1
15	334794	CH22_FGENES.434_2	7
	334889	CH22_FGENES.452_3	12.4
	335004	CH22_FGENES.472_8	7.9
	335115	CH22_FGENES.496_2	18.8
	335287	CH22_FGENES.526_11	4.5
20	335342	CH22_FGENES.536_1	5.3
	335491	CH22_FGENES.570_23	24
	335495	CH22_FGENES.570_28	7
	335498	CH22_FGENES.571_7	12.2
	335544	CH22_FGENES.576_5	8.4
25	335610	CH22_FGENES.583_4	12.9
	335653	CH22_FGENES.590_4	6.7
	335682	CH22_FGENES.595_2	12.1
	335687	CH22_FGENES.596_2	13.9
	335755	CH22_FGENES.604_4	11.5
30	335782	CH22_FGENES.609_4	17.9
	335791	CH22_FGENES.611_7	27.3
	335809	CH22_FGENES.617_6	19.2
	335822	CH22_FGENES.619_7	19.1
	335823	CH22_FGENES.619_8	4.5
35	335824	CH22_FGENES.619_11	40.2
-	335825	CH22_FGENES.619_12	34.3
	335895	CH22_FGENES.635_3	10.2
	335917	CH22_FGENES.636_13	6
	335920	CH22_FGENES.636_16	8.8
40	336035	CH22_FGENES.678_6	5.9
	336042	CH22_FGENES.679_4	5.8
	336093	CH22_FGENES.691_2	11.6
	336096	CH22_FGENES.691_5	7.6
	336150	CH22_FGENES.706_6	6.3
45	336152	CH22_FGENES.706_9	10.5
•	336416	CH22_FGENES.823_38	5
	336444	CH22_FGENES.827_10	4.8
	336449	CH22_FGENES.829_6	13.6
	336471	·CH22_FGENES.829_30	6.9
50	336512	CH22_FGENES.834_7	21.4
	336558	CH22_FGENES.842_3	8.2
	336560	CH22_FGENES.842_5	9
	336676	CH22 FGENES.43-4	9.4
	336959	CH22_FGENES.367-13	19
55 .	337968	CH22 EM:AC005500.GENSCAN.103-2	13.4
	338008	CH22 EM:AC005500.GENSCAN.127-9	15.2
	338057	CH22_EM:AC005500.GENSCAN.160-1	13.9
	338410	CH22_EM:AC005500.GENSCAN.341-6	8
	338451	CH22_EM:AC005500.GENSCAN.359-3	11.6
60	338588	CH22 EM:AC005500.GENSCAN.432-1	10.3
	338665	CH22_EM:AC005500.GENSCAN.464-2	4.8
	338689	CH22 EM:AC005500.GENSCAN.475-3	6.7
	338832	CH22_DJ246D7.GENSCAN.6-9	4.8
	338980	CH22 DA59H18.GENSCAN.2-4	5.1
65	339352	CH22_BA354I12.GENSCAN.29-7	6.9
~	339373	CH22_BA232E17.GENSCAN.1-29	4.3

TABLE 13A

Table 13 A shows the accession numbers for those pkeys lacking unigeneID's for Table 13. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

Pkey:

Unique Eos probeset identifier number

CAT number: Accession: Gene cluster number Genbank accession numbers

15

35

40

45

50

55

60

10

Pkey CAT number Accession

20	123619 371681_1 103207 30635_4	AA602964 AA609200 X72790
	103349 11052 -2	X89059
	110856 19346_14	AA992380 N33063 N21418 H79958 R21911 H79957
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	113248 328626_1	T63857 AW971220 AA493469 T63699
	123169 44573 2	AJ950087 N70208 R97040 N36809 AJ308119 AW967677 N35320 Al251473 H59397 AW971573 R97278 W01059 AW967671
25		AA908598 AA251875 Al820501 Al820532 W87891 T85904 U71456 T82391 BE328571 T75102 R34725 AA884922 BE328517
23		AI219788 AA884444 N92578 F13493 AA927794 AI560251 AW874068 AL134043 AW235363 AA663345 AW008282 AA488964
		AA283144 AI890387 AI950344 AI741346 AI689062 AA282915 AW102898 AI872193 AI763273 AW173586 AW150329 AI653832
		AI762688 AA988777 AA488892 AI356394 AW103813 AI539642 AA642789 AA856975 AW505512 AI961530 AW629970
		BE612881 AW276997 AW513601 AW512843 AA044209 AW856538 AA180009 AA337499 AW961101 AA251669 AA251874
20		
30		AI819225 AW205862 AI683338 AI858509 AW276905 AI633006 AA972584 AA908741 AW072629 AW513996 AA293273
		AA969759 N75628 N22388 H84729 H60052 T92487 A1022058 AA780419 AA551005 W80701 AW613456 A1373032 A1564269
		F00531 H83488 W37181 W78802 R66056 Al002839 R67840 AA300207 AW959581 T63226 F04005
	122523 gonbank AA	608751 AA608751

		1 00001	1100700 1101 10
	123533	genbank_AA608751	AA608751
-	116480	genbank_C14088	C14088
	132225	genbank_AA128980	AA128980
	125154	genbank_W38419	W38419
		genbank N66845	N66845

102919 25180_2

M21191 AL035748 AA021266 AA323126 AA180515 Al613029 D28356 NM_000034 M11560 AW401425 AW248248 AA012956 AA323294 W04965 H38759 AA206622 AA580747 AI541172 AA381075 AA354229 AW402353 AW405575 AW404021 AW406207 AA075752 AW176066 AA287222 AA195818 T20243 R87945 AA295539 AA402533 AA232419 AA224515 AW401583 AA331367 AW402140 AW249079 R31488 AA075757 X05236 AW239490 AA338036 AW239495 AA357262 AA431005 AA306726 R33804 AA216544 AW275288 AA227044 AL038124 AA243300 C03242 AA315615 AL035840 R64336 AA313917 AA018963 AA001385 AA054395 H30840 AW498825 AA086141 Al557324 AA121576 H39128 R77161 AA019688 AA380987 AA348140 AA348257 AW176086 AA362432 AA171389 AA362416 AA299938 AA319093 AA337972 CO4921 AA345696 R89640 AA085425 AA481708 AA313637 AL039229 H84490 H86153 F00656 AA326668 AA347304 R65890 H41949 AA339309 AW402002 AW404854 AA192582 AA112802 H09248 N83165 H38367 AA356339 AA455763 R66853 AA294935 H85911 AA310414 H93436 N87014 AA001186 H83640 AA411328 AA317929 C04192 AW406288 U46335 AA323179 AA427649 AI366131 H14328 AA197161 AA379497 AA311816 AA017206 AA001137 AA017420 AA012990 AW163775 AA021397 AA295513 AA355248 AA374921 AW380419 AA345864 AA318058 AA371711 AA363255 AA057094 R88057 AA394045 AW362741 AA479579 AW362789 AW362775 AA223624 AW362809 AW362746 AW362753 AW380412 AA057104 AA295271 X06352 AW362771 X12447 R59553 R87925 AA292864 R83920 F01120 AA496740 AA852551 AL039209 AA093339 AA333961 N86416 C03325 C03831 AA194750 AA359270 AA359460 AW245492 AA339400 AA330784 AI908970 N89223 AW361938 AI940063 AA134323 AA371741 F01267 AW372970 AA341973 AA346098 AW372969 AA337549 AA327342 H93855 AJ074079 F29118 AA852940 F35696 AA345963 AA079578 AA113785 C02989 AA095945 C03145 C05199 AA346024 AA190506 AW361659 Al909845 AW374374 AW374382 AW374401 AW374373 AW374370 AI909831 AW374367 AA353658 F01041 C02843 AA375948 AW374414 AA213946 AI525039 H13744 R31007 AA112044 AA134404 H47935 AW177018 AA429768 AA336873 AA112875 H46393 AA191267 D59131 AW406037 AA055244 AA341880 AA179024 AA308537 AW406985 AW327311 H30301 AA300705 H43788 AW364149 AA806213 AA481936 C04941 AW375299 M21190 AA410818 AA250940 AI354547 AA317422 AA250903 AI865497 AA890603 AA366197 AW498538 M78072 AW406461 C03092 F00308 H56488 AA336320 AW406501 AA354102 AA382942 AA096393 AW376830 AA383446 F01259 AW081388 T94036 AA379643 H43842 AI524063 AA621727 AA379099 AA371417 R66811 H44129 N84794 F01135 AA477852 AA293062 AW361595 H27194 AI831650 H43253 H24797 AI564680 AA380090 W20057 AI921586 AI192549 AW090808 H25967 AA918121 AI626060 H20221 AA812572 H42178 AA887222 H96000 C03180 F00946

	C03986 Al318091 Al860172 AA582179 Al633388 AA557193 R68075 F24105 AW518239 W56622 Al625219 Al925243
	AW468046 AJ921828 AA339164 AI144391 AA643334 AA459631 AA873247 AW373432 AA604384 H27600 AI680458 AA159956 AA610836 AA364298 AW373435 AA604225 W73754 AW087924 AA599776 N89227 AI630871 AI633128 AW514329 AA010455
	AA510835 AA364286 AW373435 AA604225 W73754 AW007924 AA599776 N69227 Al650512 AW514525 AA610455 AA563928 Al571596 Al128394 W73707 Al423575 AA583809 AA657988 Al950837 AA169782 AA660009 Al885540 AA771884
5	AJ978829 AA505408 AA533937 AA481469 AA610869 AA775241 AW273870 AW070909 AI905695 AA480115 AA574051
3	AI889185 AA773167 AA331375 AA001437 AA194324 AA194300 AA558632 AI038538 AA411329 AA781570 AI833176
	AA935520 AW074197 AA583063 AW073099 AW001198 AA948025 AA587857 AA191540 AI450085 AA193244 AI538037
	AA515572 AA758587 A1149311 AA508610 AA206409 AA534004 AA994600 AA827543 AI916349 AW245129 AW517804 D25663
	AA781985 AA284536 AI819422 H16040 H27531 AA456564 AA845555 AI423596 AA012908 AA889439 AA716311 AA968868
10	AA320508 AA725731 AA834202 AA935997 AA724815 AA769353 AA594803 F00827 Al342442 Al003519 Al002503 Al347597
	A1040946 AA197162 AA987883 AA292865 AW001944 A1640711 AW244044 AA456784 F30588 AA290829 H24754 A1978683
	AA483686 AA583939 AA121382 AA833831 AA477102 AA977322 AA666379 F35456 AA993537 AI749610 AA226934 AA716204
	AW513025 AA628543 AA583705 F25702 Al368748 Al124097 Al880086 AA477513 Al758834 Al690753 AA477746 F37761
	AA642243 AA159957 AA250844 AA459406 AA427566 F25054 Al569314 AA961665 Al922050 Al759000 AA555236 AA514432
15	AA293474 AA001129 AA826789 AA641390 AA134405 F35585 AA477416 AW193359 AI361315 AA284988 F36340 AI361322
	F26969 AA991922 AA021267 F26973 AI361314 F35891 AI918509 AA250964 AA190992 AA577139 AA865535 AA134324
•	AW192842 AI224046 F18975 AA779626 AA856894 AW269997 AW014614 H95554 F31378 AA374868 F26343 AA654007
•	AI830942 AA113195 F26432 W56652 AA464690 AA055263 AA340654 AA031448 AA976399 AA972526 AA063476 R83921 T16240 AA533290 N91545 H44053 AA883451 AA513761 AA086477 H09249 F20482 F26737 AA054148 AA857063 AA017259
. 20	AA179789 AA088908 H43704 AA194320 F35950 Al880127 F20441 F32878 AA962483 H39094 H56489 H44621 F19390
. 20	A1302232 F25162 AA826965 AA086052 AA917410 AA454513 R59554 AA196755 AA086369 AA079530 H28106 AA243301
	A)025737 AA101239 AA088887 A)214910 AA974886 F16089 F26054 AA515092 F33436 F32829 M78061 AA235645 F19715
	F37529 AI811549 AA665180 AA708200 F01124 F32382 AA346220 AA627361 F30741 F30010 F28543 AA211715 F20245
	AA331222 F25634 F21996 W28215 F21911 R65793 AI192566 H20130 H84491 AA719223 AA557435 F16967 F26989 F30353
25	AA857159 AA291918 F28234 F20840 F25176 F22437 T27904 AA480355 F19528 R87926 H14286 F27532 AW337864 F28411
	H13692 F25651 AA975454 F24229 F29657 F18024 AA464779 F17588 F34954 AA947328 F18063 AA657777 AA459644 N91455
	F27850 F29608 F27206 F18418 F31459 F18564 F33496 F16376 F29740 F29843 F29904 F29866 F19135 AW276602 T40337
	F24835 F34672 F26474 Al926215 AA464185 F18217 N26193 AL043256 T41197 F33055 F00386 F29500 F34191 F33297
20	AI937207 F22724 F15909 F26232 F18889 AA318627 F29085 AA872104 F17509 F23373 F15660 F17552 F17412 F18863
30	F34033 F21515 F17364 F18383 F16546 F17561 F17260 AA292000 F15723 T47438 F16798 F18046 F18319 F17978 F17566
	F34230 F33258 F20860 F17998 Al695701
	118600 genbank_N69222 N69222 118952 genbank_N92966 N92966
	120873 genbank_AA358015 AA358015
35	113702 genbank_T97307 T97307
55	129982 221, 267 Z14221 AW381862 M97920 AW401444 Z66542 M29470 AW406502 X61011 M34024 AA327072 Z14166 Z14167 Z14165
	AW403806 Z14200 AA383972 Z14205 Z14201 M18513 Z14202 AW403684 X14584 AF062221 U43760 X65892 X65883 X62107
	Z80847 X65885 X65893 AF062142 X65891 X17675 Z47274 Z47277 Z47276 X65888 Z47275 X62109 AF062140 L01278
	AF062134 AF062139 X81723 Z80840 X81733 X81743 X81744 X81732 Z80843 AW402942 AW403516 X65919 AF062190
40	AF062177 AF062222 AF062115 Z47240 AF062253 AF062261 AF062223 AF062211 Z47238 AW401714 AW404008 AW404991
	AF062280 M99595 Z47214 Z47232 Z47218 M26995 AF062184 X65895 L38433 X81731 Z11946 Z47226 AF062205 AF174012
	L01276 AF062168 AF062136 X81755 X81748 AF174019 AF062285 L06924 L11699 AW402665 L09070 L28049 L08090
	AW407843 Z14171 AW402944 L08083 AW405627 L33035 L26907 M17750 L28052 M17751 AJ239360 U19885 L14821 X56526 AB014341 L12087 L12098 U68231 L12184 AF062242 AF022000 U64499 U00570 Al268604 Y15773 X64239 X62969 U00506
45	X73605 X99360 U00577 D83677 AB021539 AF035796 Z33899 U00588 AJ239353 AF174062 Z33901 X98899 AF174058 X63080
45	D83676 AB021529 Z18318 U00488 L01412 X81746 U21262 U21272 U00560 AF174060 U00547 U00561 Z18321 S73957
	M26435 AF115130 AF115117 Z92896 U21254 Z92895 AF115112 AF062290 T28938 Y09386 AF174067 U27189 Y09384
	U77373 AF174057 M17749 X69692 AF174038 U64478 U64486 AF174098 X99365 AF174077 AF174083 AF174089 AF015133
	AF127792 AJ006171 U00510 U58144 AF004323 AF115109 AF004324 AF015130 AF090414 AF090418 AB021536 AB021519
50	Z96957 AF021986 Z92898 Z96956 L34164 AF062251 AF052524 U00549 U00541 D83687 AF052522 AF087420 AF052520
	AF022011 L43085 U00536 L19915 L43083 AF090420 AB021530 AB021534 Z96955 Z96954 Z33903 X62964 AF103282 U00509
	AF062298 AF062289 AF062307 AW408326 L33037 L04337 L04328 X81742 L04336 L03385 AF032360 S56184 AF062191
	AF191092 AI906954 AF103184 L04343 AW364860 AF001424 AF103163 Z98717 AF103143 AJ008250 L04323 AF103321
	AF103335 L04342 L03818 L03817 AW404978 AW403690 U86801 AF103150 AJ010334 AF035027 AJ007327 AF103115
55	AF017458 AJ008207 AJ008183 AJ008196 AJ008241 AJ008208 AF103210 AF068668 AF068670 AF068671 AF068664
	AF068669 AF068666 AF068665 AF068672 AW371244 AW403670 AW408074 AW404575 AW362153 AW403803 AW406702
	AW351514 D78345 T29140 J00231 NM_002179 AW405146 AA301091 X04646 H64660 AW402990 AW406534 T93007 AJ857980 AW368899 AJ905833 AW406586 AA482084 AJ872299 AA715266 AW404328 AJ831674 AJ709348 AA603112
	AW514864 AA485775 H64492 AW404789 AA487630 AA715498 AA295885 T27613 T98113
60	115763 genbank_AA421560 AA421560 AA421560
oo	124357 genbank_N22401 N22401
	108733 504187_1 AA121022 AA126422
	101544 entrez_M31169 M31169
	124447 genbank N48000 N48000
65	124677 genbank R01073 R01073
	124777 genbank_R41933 R41933
	119302 genbank T25725 T25725
	113002 genban_120120 120120

```
103680 entrez_Z93784Z93784
              135029 H58818_at H58818
             112253 genbank_R51818
                                                         R51818
                        CAT number Accession
             Pkey
             322175 46877_1
323011 139750_1
    5
                                           AF085975 H53458 H53459
                                           AA580288 AA315655 AA133031 AA377748
C16391 C16413
             322975 1510563_1
             317210 211994_1
                                           AW881145 AA490718 M85637 AA304575 T06067 AA331991
             323817 233566_1
                                           AA410943 AW948953 AA334202 AA332882
             309583 1046029_-2
324961 376239_1
 10
                                           AW170035
                                           AA613792 AW182329 T05304 AW858385
                                           BE174240 AA488528 AL042253
BE151746 BE336853 D63271 T94955 AA774994
             303502 325188_1
             320133 447553_1
             311935 174129_1
                                           AA216387 T63548 AA228676
 15
             321050 502195_1
                                           C05928 AW393497
                                           AA534222 AA632632 TB1234
AW962299 AA310349 AW962294 H63791 H63751
             319977 345248_1
             312772 4380_7
             321354 116028_-2
                                          AA078493
             336512 CH22_3941FG_834_7_LINK_DJ
 20
             336558 CH22_3992FG_842_3_LINK_DJ
             336560 CH22_3994FG_842_5_LINK_DJ
             329367 c_x_hs
             329373 c.x.hs
336676 CH22_4154FG_43_4_
338008 CH22_6490FG_LINK_EM:AC00
 25
             338057 CH22_6558FG__LINK_EM:AC00
             329655 c14 p2
             336959 CH22_4764FG_367_13_
329899 c15_p2
            329990 c16_p2
329900 c16_p2
338410 CH22_7087FG__LINK_EM:AC00
338451 CH22_7124FG__LINK_EM:AC00
338588 CH22_7331FG__LINK_EM:AC00
338665 CH22_7438FG__LINK_EM:AC00
338689 CH22_7464FG__LINK_EM:AC00
 30
. 35
             308677 Al761173
             338832 CH22_7678FG__LINK_DJ246D7
338980 CH22_7859FG__LINK_DA59H18
             333009 CH22_233FG_61_1_LINK_EM:A
333010 CH22_234FG_61_2_LINK_EM:A
333013 CH22_237FG_61_5_LINK_EM:A
 40
             308981 Al873242
308995 Al880172
             333108 CH22_336FG_79_14_LINK_EM:
 45
             333139 CH22_368FG_83_16_LINK_EM:
             333254 CH22_495FG_118_2_LINK_EM:
333255 CH22_55FG_137_2_LINK_EM:
333343 CH22_589FG_139_12_LINK_EM:
333388 CH22_634FG_144_3_LINK_EM:
 50
              326213 c17_hs
              333456 CH22_706FG_157_5_LINK_EM:
             333459 CH22_709FG_157_8_LINK_EM:
3334517 CH22_773FG_173_2_LINK_EM:
333585 CH22_846FG_203_4_LINK_EM:
333679 CH22_941FG_247_6_LINK_EM:
 55
              326474 c19_hs
              333743 CH22_1009FG_264_1_LINK_EM
              333758 CH22_1024FG_268_1_LINK_EM
             333767 CH22_1034FG_271_6_LINK_EM
333768 CH22_1035FG_271_7_LINK_EM
333769 CH22_1036FG_271_8_LINK_EM
333795 CH22_1063FG_275_1_LINK_EM
 60
              333796 CH22_1065FG_275_3_LINK_EM
              335004 CH22_2326FG_472_8_LINK_EM
             333892 CH22_1163FG_292_14_LINK_E
335115 CH22_2447FG_496_2_LINK_EM
333904 CH22_1176FG_294_2_LINK_EM
 65
```

	333905	CH22_1177FG_294_3_LINK_EM
	333921 333968	CH22_1194FG_296_12_LINK_E
	328059	CH22_1245FG_307_4_LINK_EM c 6 hs
5	335287	CH22_2629FG_526_11_LINK_E
,	326816	c20_hs
	326817	c20_hs
	335342	CH22_2689FG_536_1_LINK_EM
	335491	CH22_2843FG_570_23_LINK_E
10	335495	CH22_2847FG_570_28_LINK_E
	335498	CH22_2850FG_571_7_LINK_EM
	328304	c_7_hs .
	305453	AA738110
15	335544	CH22_2899FG_576_5_LINK_EM
13	335610	CH22_2969FG_583_4_LINK_EM CH22_3013FG_590_4_LINK_EM
	335682	CH22_3043FG_595_2_LINK_EM
	335687	CH22_3048FG_596_2_LINK_EM
	328492	c_7_hs
20	335755	CH22 3122FG 604 4 LINK EM
	335782	CH22_3151FG_609_4_LINK_EM
	335791	CH22_3160FG_611_7_LINK_EM
	335809	CH22_3181FG_617_6_LINK_EM
	335822	CH22_3195FG_619_7_LINK_EM
25	335823	CH22_3196FG_619_8_LINK_EM
	335824	CH22_3197FG_619_11_LINK_E
	335825	CH22_3198FG_619_12_LINK_E
	335895	CH22_3272FG_635_3_LINK_EM
20	335917	CH22_3294FG_636_13_LINK_E
30	335920	CH22_3297FG_636_16_LINK_E
	305898 305913	AA872838 AA876109
	305950	AA884479
	328857	c_7_hs
35	330084	c19_p2
•	337968	CH22_6419FGLINK_EM:AC00
	309177	Al951118
	309198	AI955915
	309226	Al969897
40 ·	339352	CH22_8317FGLINK_BA354I1
	309279	Al990102
	339373	CH22_8348FGLINK_BA232E1
	325622	c14_hs
45	334102 332927	CH22_1380FG_327_60_LINK_E CH22_148FG_38_1_LINK_C20H
43	332929	CH22_150FG_38_3_LINK_C20H
	332930	CH22_150FG_36_5_LINK_C20H
	332955	CH22_179FG_48_12_LINK_EM:
	332958	CH22_182FG_48_15_LINK_EM:
50	332961	CH22_185FG_48_18_LINK_EM:
	332983	CH22_207FG_54_5_LINK_EM:A
	334222	CH22_1506FG_360_3_LINK_EM
	334223	CH22_1507FG_360_4_LINK_EM
		CH22_1551FG_367_15_LINK_E
55		c21_hs
	334343	
		CH22_1654FG_378_5_LINK_EM
	327196 327283	
60	327313	
50	304465	AA421948
	304507	
	327450	
	304591	
65	304601	
		AA533185
	334784	CH22_2096FG_432_9_LINK_EM

	334789	CH22_2101FG_432_14_LINK_E
	334794	CH22_2106FG_434_2_LINK_EM
	336035	CH22_3420FG_678_6_LINK_DJ
	336042	CH22_3427FG_679_4_LINK_DJ
5	336093	CH22_3481FG_691_2_LINK_DJ
	336096	CH22_3484FG_691_5_LINK_DJ
	334889	CH22_2206FG_452_3_LINK_EM
	336150	CH22_3540FG_706_6_LINK_DA
	336152	CH22_3543FG_706_9_LINK_DA
10	336416	CH22_3833FG_823_38_LINK_B
	336444	CH22_3864FG_827_10_LINK_D
	336449	CH22_3870FG_829_6_LINK_DJ
	336471	CH22_3894FG_829_30_LINK_D

TABLE 13B

Table 13B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 13B. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

10	Pkey: Ref:	Unique number corresponding to an Eos probeset Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.
	Strand: Nt_position:	Indicates DNA strand from which exons were predicted. Indicates nucleotide positions of predicted exons.

15				
10	Pkey	Ref	Strand	Nt_position
	332955	Dunham, I. et.al.	Plus	2508896-2508992
	332958	Dunham, I. et.al.	Plus	2516164-2516310
20	332961	Dunham, I. et.al.	Plus	2521424-2521555
	333139	Dunham, I. et.al.	Plus	3369495-3369571
	333254	Dunham, I. et.al.	Plus	2521424-2521555
	333305	Dunham, I. et.al.	Plus	4630388-4630645
	333388	Dunham, I. et.al.	Plus	4913749-4913805
25	333517	Dunham, I. et al.	Plus	5570729-5570925
	333585	Dunham, I. et.al.	Plus	6234778-6234894
	333679	Dunham, I. et.al.	Plus	7068795-7068896
	333767	Dunham, I. et al.	Plus	7694407-7694623
	333768	Dunham, I. et.al.	Plus	7695440-7695697
30	333769	Dunham, I. et al.	Plus	7696625-7696707
	333795	Dunham, I. et.al.	Plus	7807688-7807795
	333796	Dunham, I. et.al.	Plus	7808253-7808319
	333892	Dunham, I. et.al.	Plus	8156825-8157001
	333921	Dunham, I. et.al.	Plus	8380325-8380441
35	333968	Dunham, I. et.al.	Plus	8681004-8681241
	334102	Dunham, I. et.al.	Plus	9995140-9996373
	334264	Dunham, I. et al.	Plus	13234447-13234544
	334343	Dunham, I. et.al.	Plus	13655828-13656307
	334794	Dunham, I. et.al.	Plus	16374312-16374458
40	334889	Dunham, I. et.al.	Plus	19286024-19286515
	335287	Dunham, I. et.al.	Plus	22299047-22299299
	335491	Dunham, I. et.al.	Plus	24128651-24128827
	335495	Dunham, I. et.al.	Plus	24140688-24140872
	335498	Dunham, I. et.al.	Plus	24172082-24172161
45	335653	Dunham, I. et.al.	Plus	25329710-25329802
	335687	Dunham, I. et.al.	Plus	25445952-25446064
	335809	Dunham, I. et.al.	Plus	26310772-26310909
	335822	Dunham, I. et.al.	Plus	26364087-26364196
~~	335823	Dunham, I. et.al.	Plus	26365925-26366004
50	335824	Dunham, I. et.al.	Plus	26376860-26376942
	335825	Dunham, I. et.al.	Plus	26378175-26378268
	336035	Dunham, I. et.al.	Plus	29016748-29017410
	336093	Dunham, I. et.al.	Plus	29556922-29557002
<i></i>	336096	Dunham, I. et.al.	Plus	29578878-29579047
55	336444	Dunham, I. et.al.	Plus	34190585-34190718
	336959	Dunham, I. et.ai.	Plus	13233040-13233126
	338008	Dunham, I. et.al.	Plus	7697068-7697236
	338057	Dunham, I. et al.	Plus .	8526397-8526522
۲0	338410	Dunham, I. et.al.	Plus	19292807-19292916
60	338588	Dunham, I. et.al.	Plus	22896767-22896920
	338665	Dunham, I. et.al.	Plus	24472654-24472853
	338832	Dunham, I. et.al.	Plus	27775128-27775290
	338980	Dunham, I. et.al.	Plus	29896789-29896874
	339352	Dunham, I. et.al.	Plus	33544784-33545121

	332929	Dunham, I. et.al.	Minus	2020758-2020664
	332930	Dunham, I. et.al.	Minus	2022565-2022497
	332983	Dunham, I. et.al.	Minus	2631933-2631797
	333009	Dunham, I. et.al.	Minus	2766043-2765856
5	333010	Dunham, I. et.al.	Minus	2766207-2766119
_	333013	Dunham, I. et.al.	Minus	2772278-2772039
	333108	Dunham, I. et.al.	Minus	3240494-3240389
	333343	Dunham, I. et.al.	Minus	4692886-4692753
	333456	Dunham, I. et.al.	Minus	2631933-2631797
10	333459	Dunham, I. et al.	Minus	5144548-5144344
	333743	Dunham, I. et al.	Minus	7573218-7573060
	333758	Dunham, I. et.al.	Minus	7666413-7666091
	333904	Dunham, I. et al.	Minus	8217374-8217261
	333905	Dunham, I. et al.	Minus	8217796-8217670
15	334222	Dunham, l. etal.	Minus	12732417-12732289
	334223	Dunham, I. et.al.	Minus	12734365-12734269
	334360	Dunham, I. et al.	Minus	13728850-13728751
	334784	Dunham, I. et al.	Minus	16294548-16294360
	334789	Dunham, I. et.al.	Minus	16306095-16305998
20	335004	Dunham, I. et al.	Minus	20581911-20581794
	335115	Dunham, I. et.al.	Minus	21388250-21388146
	335342	Dunham, I. et al.	Minus	22597448-22597284
	335544	Dunham, I. etal.	Minus	24650505-24650403
~ ~	335610	Dunham, I. etal.	Minus	25068943-25068841
25	335682	Dunham, I. et.al.	Minus	25421215-25421093
	335755	Dunham, I. et al.	Minus	25763806-25763747
	335782	Dunham, I. et.al.	Minus	25908578-25908440
	335791	Dunham, I. et.al.	Minus	25948563-25948411
20	335895	Dunham, I. et.al.	Minus	26975307-26975239
30	335917	Dunham, I. et.al.	Minus	27028481-27028377
	335920	Dunham, I. et.al.	Minus	27034927-27034811
	336042	Dunham, I. et.al.	Minus	29041694-29041500
	336150	Dunham, I. et.al.	Minus	30150423-30150256
25	336152	Dunham, I. et.al.	Minus	30156053-30155870
35	336416	Dunham, I. et.al.	Minus	34047408-34047311
	336449	Dunham, I. et.al.	Minus	34204707-34204577
	336471	Dunham, I. et.al.	Minus `	34215091-34214978
	336512	Dunham, I. et al.	Minus	34278373-34278275
40	336558	Dunham, I. et al.	Minus	34375825-34375698
40	336560	Dunham, I. et.al.	Minus	34376814-34376596 2022565-2022497
	336676	Dunham, I. et al.	Minus Minus	7095797-7095680
	337968	Dunham, I. et al.	Minus	20174286-20174193
	338451 338689	Dunham, I. et.al. Dunham, I. et.al.	Minus	24893073-24892972
45	339373	Dunham, I. et al.	Minus	33860127-33860047
73	325622	5867000	Plus	69994-70075
	329655	6448516		35565-35843
	329899	6563505	Minus	111058-111783
	329960	5091594	Minus	1031-1162
50	326213	5867224	Minus	60751-60927
• •	326474	5867405	Pius	16995-18101
	330084	6015302	Minus	57019-59337
	326816	6552458	Plus	198354-198436
	326817	6552458	Plus	199909-200001
55	327110		Plus	94608-94785
	327196	5867446	Plus	180921-181333
	327283	5867478	Minus	567-962
	327313	5867501	Minus	89734-89838
	327450	5867766	Minus	47928-48076
60	328059		Plus	37052-37204
	328492		Minus	46094-46241
	328304		Minus	3884-3952
	328857		Minus	80557-81051
	329367		Minus	87201-87587
65	329373	6682537	Minus	38950-39301

TABLE 14: Table 2 from BRCA 001-5 US

Table 14, a subset of table 13, depicts a preferred group of genes highly upregulated in breast cancer cells.

10	Pkey: ExAcon: Unigene!D: Unigene Title: R1:	Unique Eos probeset identifier number Exemplar Accession number, Genbank Unigene number Unigene gene title Ratio of tumor to normal breast tissue	accession number
----	---	---	------------------

15	Pkey	ExAccn	UniGene ID	Unigene Title	R1
	100038	M97935		AFFX control: STAT1	16.7
		D00596	Hs.82962	thymidylate synthetase	15.9
		J02923	Hs.76506	lymphocyte cytosolic protein 1 (L-plastin)	30.1
20		J05070	Hs.151738	matrix metalloproteinase 9 (gelatinase B; 9	37.2
		L07615	Hs.169266	Human neuropeptide Y receptor Y1 (NPYY	18.3
		L12723	Hs.90093	heat shock 70kD protein 4	17:4
		L47276	Hs.156346	Homo sapiens (cell line HL-6) alpha topols	18.9
		M13755	Hs.833	interferon-stimulated protein; 15 kDa	18.1
25		M86849	Hs.323733	Homo sapiens connexin 26 (GJB2) mRNA	22.5
		U65932	Hs.81071	extracellular matrix protein 1	23.2
		U79241	Hs.118666	Human clone 23759 mRNA; partial cds	15
		U90904	Hs.83724	Human clone 23773 mRNA sequence	15.2
		X06985	Hs.202833	heme oxygenase (decycling) 1	22.7
30		X17644	Hs.2707	G1 to S phase transition 1	20.6
		X57766	Hs.155324	matrix metalloproteinase 11 (stromelysin 3	17.8
		X69433	Hs.5337	isocitrate dehydrogenase 2 (NADP+); mito	18.9
		X72755	Hs.77367	monokine induced by gamma interferon	15.1
			Hs.198793	KIAA0750 gene product	23.3
35		AA428090		ESTs	28.7
		AA007234		ESTs	16.6
		AA191512		Homo sapiens mRNA; cDNA DKFZp564G	19.3
		AA421104		ESTs	15.4
		AA621169		ESTs	19
40			Hs.110826	trinucleotide repeat containing 9	20.1
		H20543	Hs.6278	DKFZP586B1621 protein	16.6
	110561	H59617	Hs.5199	ESTs; Weakly similar to UBIQUITIN-CON	19.5
• •		H98714	Hs.24131	ESTs	30.2
•	110915	N46252	Hs.29724	ESTs	23.2
45		N67239	Hs.10760	ESTs	37
		N91023	Hs.87128	ESTs	15
	112134	R46025	Hs.7413	ESTs .	17.4
		W86748	Hs.8109	ESTs	15
	114124	Z38595	Hs.125019	ESTs; Highly similar to KIAA0886 protein	22
50	114292	Z40715	Hs.184641	delta-6 fatty acid desaturase	19.4
	114901	AA236276	Hs.196437	ESTs; Weakly similar to R26660_1; partial	16.9
	114965	AA250737	Hs.72472	ESTs	35.1
	115652	AA405098	Hs.38178	ESTs	16.1
	115875	AA433943	Hs.43946	ESTs; Weakly similar to Weak similarity t	33.5
55	116790	H29532	Hs.101174	microtubule-associated protein tau	22.2
	116921	H72948	Hs.821	biglycan	20.7
	117412	N26722	Hs.42645	EŠTs	18.1
	120241	Z41815	Hs.65946	ESTs	15.6
	120325	AA195651	Hs.104106	ESTs	15.2
60	121596	AA416740	Hs.174104	ESTS	22.6
	123619	AA609200		ESTs	23.1
	124006	D60302	Hs.270016	ESTs	20.6
	125852	H09290	Hs.76550	Homo sapiens mRNA; cDNA DKFZp564B	25.9
	126160	N90960	Hs.265398	ESTs; Weakly similar to transformation-rel	16.4

	4070			TOTAL 13 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	47.0
	127677 A			ESTs; Highly similar to MEM3 [M.muscul	17.3
	128595 U3		Hs.152677	short-chain alcohol dehydrogenase family m	27.1
	128717 T3	30617	Hs.104222	Homo sapiens mRNA; cDNA DKFZp566L	24.5
_	129124 AA	A234530	Hs.108802	N-ethylmaleimide-sensitive factor	20.7
5	129366 H1	18027	Hs.184697	plexin C1	18.2
	130455 X1	17059	Hs.155956	N-acetyltransferase 1 (arylamine N-acetylt	26.4
	130604 X0	03635	Hs.1657	estrogen receptor 1	39.9
	130913 W	03592	Hs.21198	translocase of outer mitochondrial membra	20.9
	130944 MS	97935	Hs.21486	signal transducer and activator of transcript	18.8
10	131472 AA	A608962	Hs.27258	calcyclin binding protein	18.1
	131562 US		Hs.28777	H2A histone family; member L	18.8
	132180 AA			fibroblast activation protein; alpha; seprase	15.4
	132406 F0		Hs.4774	ESTs	15
	132465 AA			ESTs	15.4
15	132994 AA			solute carrier family 2 (facilitated glucose t	26.4
1.5	133294 R7		Hs.69997	zinc finger protein 238	30.4
	133634 U2		Hs.234279	microtubule-associated protein; RP/EB fam	15.2
	134374 D8		Hs.8236	ESTs	15.2
					15.3
20	134405 J0 134470 X5		Hs.82772	collagen; type XI; alpha 1	20.3
20			Hs.83758	CDC28 protein kinase 2	16.1
	134495 D6		Hs.84087	KIAA0143 protein	
	134714 U8		Hs.890	7p, , , , , , , , , , , , , , ,	35.7
	135237 A/			ESTs	19.5
05	301884 AA			The state of the s	20.7
25	302276 N			EST cluster (not in UniGene) with exon hit	21.6
	302290 AL		Hs.175563	Homo sapiens mRNA; cDNA DKFZp564N	41.4
	309177 Al			,,,,,,,,,	24.3
	309583 AV		•		64.5
	310438 AV	W022192	Hs.200197	ESTs	39.1
30	311166 Al			ESTs	24.1
	312153 AA	A759250	Hs.153028	cytochrome b-561 .	27.1
	313915 Al	1969390	Hs.163443	ESTs	27.1
	314506 A/	A833655	Hs.206868	ESTs	27.8
	314558 Al	873274	Hs.190721	ESTs	22.5
35	314691 AV	W207206	Hs.136319	ESTs	21.4
	314943 Al	1476797	Hs.184572	cell division cycle 2; G1 to S and G2 to M	18.4
	315196 AA	A972756	Hs.44898	ESTs	28.8
	316177 AI	908272	Hs.293102	EST cluster (not in UniGene)	32.6
	318073 AV	W167087	Hs.131562	ESTs	15.7
40	318662 Al	285898	Hs.294014	ESTs	16.3
• •	318740 NI			EST duster (not in UniGene)	21.3
	318744 AI			ESTs	35
	319668 NI				25.4
	320074 A			EST cluster (not in UniGene)	16.7
45	320211 AL			DEME-6 protein	24.3
15	320727 US		Hs.181125	EST duster (not in UniGene)	15.3
	322818 AV			ESTs	21
	322882 AV			DiGeorge syndrome critical region gene 2	15.3
	324261 Al			EST duster (not in UniGene)	50.1
50	324432 A			EST cluster (not in UniGene)	16.7
50	324603 A\			ESTs	23.1
	324620 A			EST cluster (not in UniGene)	21.2
				1	24.5
	324988 TO		Hs.121028	EST duster (not in UniGene)	
55	330388 X		II- 000	HER2 receptor tyrosine kinase (c-erbB-2; E interferon-stimulated protein; 15 kDa	17.7
33	330486 M		Hs.833		67
	330814 A/			ESTs; Weakly similar to transformation-rel	44.1
	331145 R		Hs.129873	ESTs; Weakly similar to CYTOCHROME	41.9
	331306 A			dachshund (Drosophila) homolog	15.1
60	331890 A			succinate dehydrogenase complex; subunit	24.3
60	332526 A			inositol 1:4:5-triphosphate receptor, type 3	19
	332532 N		Hs.1892	EST; Highly similar to PHENYLETHANO	15.3
		A262768	Hs.243901	KIAA1067 protein	15.2
	332958			CH22_FGENES.48_15	17.8
	333769			CH22_FGENES.271_8	48.3
65	333968			CH22_FGENES.307_4	15.9
	334223			CH22_FGENES.360_4	33.5
	334264			CH22_FGENES.367_15	18.5

335791	CH22_FGENES.611_7	27.3
336512	CH22_FGENES.834_7	21.4
338008	CH22_EM:AC005500.GENSCAN.127-9	15.2

TABLE 14A

Table 14A shows the accession numbers for those pkeys lacking unigeneID's for Table 14. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

Pkey: Unique Eos probeset identifier number
CAT number: Gene duster number
Accession: Genbank accession numbers

15

	Pkey	CAT number	Accession
20	336512 338008	10460292 CH22_3941FG_ CH22_6490FG_ CH22_1036FG_	834_7_LINK_DJ _LINK_EM:AC00
25	333968 335791	CH22_1036FG_ CH22_1245FG_ CH22_3160FG_ Al951118	307_4_LINK_EM
	334223 334264	CH22_182FG_4 CH22_1507FG_ CH22_1551FG_ 371681_1	360_4_LINK_EM

TABLE 14B

Table 14B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 14. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

10 15	10 Pkey: Ref: Strand: Nt_position:		number corresponding to an Eos probeset ce source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication thitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495. S DNA strand from which exons were predicted. In a nucleotide positions of predicted exons.				
	Pkey	Ref	Strand	Nt_position			
20	332958	Dunham, I. et.al.	Plus	2516164-2516310			

	Pkey	Ref	Strand	Nt_position
	332958	Dunham, I. et.al.	Plus	2516164-2516310
20	333769	Dunham, I. et.al.	Plus	7696625-7696707
	333968	Dunham, I. et.al.	Plus	8681004-8681241
	334264	Dunham, I. et.al.	Plus	13234447-13234544
	338008	Dunham, I. et.al.	Plus	7697068-7697236
	334223	Dunham, I. et.al.	Minus	12734365-12734269
25	335791	Dunham, I. et.al.	Minus	25948563-25948411
	336512	Dunham, I. et.al.	Minus	34278373-34278275

TABLE 15: Table 3 from BRCA 001-5 US

Table 15 shows genes downregulated in breast cancer cells.

5

Pkey: ExAcon: UnigeneID: Unigene Title: R1:

Unique Eos probeset Identifier number Exemplar Accession number, Genbank accession number Unigene number Unigene gene title Ratio of normal breast tissue to tumor

	1/1. I/dad of hornial predat loade to tulino					
	Dkov	EvAces	UniCone II	Ministera Titla	R1	
15	Pkey	ExAccn	UniGene iL	OUnigene Title	KI	
1.5	100115	D00632	Hs.172153	glutathione peroxidase 3 (plasma)	1.7	
		TIGR:HT1428		•	1.5	
				Adrenal-Specific Protein Pg2	2.3	
		TIGR:HT4268		L-Glycerol-3-Phosphate:Nad+ Oxidoreduct	1.7	
20		L10373	Hs.82749	transmembrane 4 superfamily member 2	1.5	
		M12963	Hs.4	alcohol dehydrogenase 1 (class I); alpha po	2.9	
		M15856		lipoprotein lipase	1.6	
		M98399	Hs.75613	CD36 antigen (collagen type I receptor, thr	1.6	
		U25138	Hs.93841	potassium large conductance caldium-activ	1.6	
25	102857	X00129	Hs.76461	retinol-binding protein 4; interstitial	3	
	103211	X73079	Hs.288579	polymeric immunoglobulin receptor	1.8	
	103496	Y09267	Hs.132821	flavin containing monooxygenase 2	1.5	
	103562	Z21966	Hs.2815	POU domain; class 6; transcription factor 1	1.8	
		AA007629		glycerol-3-phosphate dehydrogenase 1 (sol	2.4	
30	105083	AA146619	Hs.18791	ESTs; Weakly similar to CALCIUM-BIND	1.7	
	105138	AA164519	Hs.15248	ESTs	1.5	
	106075	AA417915	Hs.25930	ESTs	1.5	
	106870	AA487576	Hs.26530	serum deprivation response (phosphatidyls	1.6	
	107099	AA609645	Hs.211568	eukaryotic translation initiation factor 4 gam	2.7	
35	107616	AA004901	Hs.261164	ESTs	1.6	
	107997	AA037388	Hs.82223	Human DNA sequence from clone 141H5 o	1.7	
	108604	AA099820	Hs.49696	ESTs	2.4	
	111130	N64265	Hs.19515	yz44h12.s1 Morton Fetal Cochlea Homo sa	1.7	
	111837	R36447	Hs.24453	ESTs	1.6	
40		R70255		ESTs	1.9	
		R97970	Hs.281022		1.5	
		T40652		DKFZP434C171 protein	1.9	
		AA418033 -	Hs.283559	=	1.6	
4.5		AA443800	Hs.43125	ESTs	2	
45		AA446661	Hs.173233		2.2	
		N20300	Hs.218707		1.7	
		N32174	Hs.44317	SRY (sex-determining region Y)-box 10	1.7	
		R15436	Hs.77889	Friedreich ataxia region gene X123	1.7	
50		R71792		ESTs; Weakly similar to cell death activato	2.8	
50		T71021 .	Hs.285681		1.9	
		W73386	Hs.249129		3 1.6	
		AA365784	Hs.97044	ESTS		
		AA405747	Hs.97984	ESTs; Weakly similar to WASP-family pro	1.8 1.5	
55		AA421184	Hs.97549	ESTS	2.5	
<i>)</i>		AA434447	Hs.106771 Hs.293410		2.1	
		AA443695 AA448300	Hs.160318	=.F1	1.5	
		AA598841		phospholemman natriuretic peptide receptor Alguanylate cy	1.8	
		AA600135	113.10/302	ESTs; Moderately similar to !!!! ALU SUB	1.5	
60		W94688	Hs.103253	northin	1.7	
00		D81972	1 13. 143233	HUM427D08B Human fetal brain (TFujiw	1.8	
		R72515	Hs 160318	phospholemman	1.6	
		AA309765		ESTs; Weakly similar to KIAA0795 protei	1.5	
		AA452788	Hs.75432	zx39g11.r1 Scares_total_fetus_Nb2HF8_9	1.7	
	121301	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	. 10.1 0702	THE AS I I'M I COMEST TOTAL II OF A	•••	

	127638	AA634405	Hs.122608	ESTs	1.5
	128213	AA972780	Hs.129194	ESTs; Weakly similar to IIII ALU SUBFA	1.5
		AI092391	Hs.134886		1.5
		N44757	Hs.20340	ESTs	1.6
5		R71403	Hs.75309	eukaryotic translation elongation factor 2	1.7
,				DKFZP586P1422 protein	1.5
		AA459944			
	129285		Hs.11006	ESTs	2.1
		N93465		ESTs; Highly similar to CGI-38 protein [H	1.5
•		M62402		insulin-like growth factor binding protein 6	1.7
10	130400	M25079		hemoglobln; beta	1.7
	131267	AA211776	Hs.2504	myomesin 1 (skelemin) (185kD)	3.8
	131277	AA131466	Hs.23767	ESTs	1.9
	131282	M12272	Hs.4	alcohol dehydrogenase 3 (class I); gamma p	2.2
		AA295848	Hs.25475	aquaporin 7	1.7
15		D49487		leptin (murine obesity homolog)	2.5
		AA045503	Hs.56874	ESTs; Weakly similar to Homo sapiens p2	1.6
		Z41452	Hs.6090	deleted in bladder cancer chromosome regi	1.5
	133120		Hs.65424	tetranectin (plasminogen-binding protein)	2
		U95367	Hs.70725	gamma-aminobutyric acid (GABA) A recep	1.5
20					1.7
20		X74295	Hs.74369	integrin; alpha 7	2.3
		S95936	Hs.284176		
		N56898	Hs.75652	glutathione S-transferase M5	1.9
		N79674	Hs.8022	TU3A protein	4.6
25	•	U56814	Hs.88646	deoxyribonuclease I-like 3	1.5
25		L10955	Hs.89485	carbonic anhydrase IV	1.6
		M72885	Hs.95910	Human GOS2 protein gene; complete cds	1.9
	300132	AW027556	Hs.156286	ESTs	1.7
	300732	Al369956	Hs.257891	ESTs	1.5
	300750	AA514805	Hs.293055	ESTs	1.8
30	301140	AI807692	Hs.129129	ESTs	1.6
	301396	AA923549	Hs.224121	ESTs	2,1
		N77976	Hs.251577	hemoglobin; alpha 1	1.8
		V00505	Hs.36977	hemoglobin; delta	1.6
		T04868	Hs.46780	EST cluster (not in UniGene) with exon hit	1.7
35		U94362	Hs.58589	glycogenin 2	1.5
55		H91086	1 15,5000	EST singleton (not in UniGene) with exon	1.5
		AA516384		EST singleton (not in UniGene) with exon	1.5
		AA550994		EST singleton (not in UniGene) with exon	1.7
		AA782347	Un 272572	EST singleton (not in UniGene) with exon	1.5
40			113.212312	EST singleton (not in UniGene) with exon	1.5
+0		AA923457			1.6
		Al192534		EST singleton (not in UniGene) with exon	
		Al222691		EST singleton (not in UniGene) with exon	1.5
		Al452732		EST singleton (not in UniGene) with exon	1.9
4 5		Al612774	Hs.79372	retinoid X receptor; beta	1.5
45		AW296073	Hs.255504		1.5
•		A1720978	Hs.148006	ESTs; Moderately similar to alternatively s	1.8
	311671	AW241947	Hs.232478		1.6
	311794	AW238092	Hs.254759	ESTs -	2.1
	312082	T79860	Hs.118180	ESTs	1.9
50	312575	H25237	Hs.306814	ESTs	2.3
	313076	N49684	Hs.143040	ESTs	1.8
	313283	W32480	Hs.157099	ESTs	2.2
		AW328672	Hs.132760	ESTs	1.9
		A1754634	Hs.131987	ESTs	1.7
55		AA759098	Hs.192007		1.8
-		AA680055	Hs.264885		1.5
	316249	AA948612	Hs.130414		1,6
		A1205077	Hs.294085		1.7
		AA837079	Hs.24647	ESTs	1.5
60		A1480204	Hs.177131		1.5
UU					1.6
		AI650625	Hs.300756		
	31/951	AW206520	Hs.129621		1.5 1.7
	319400	W26902	Hs.154085	EG13 .	
65	320757	H22654	Hs.6382	EST cluster (not in UniGene)	1.5
65	321594	AA021402	Hs.11067	ESTS	1.7
•	322102	H45589	11. 044000	EST cluster (not in UniGene)	1.5
	322814	A1824495	Hs.211038	E912	2.2

	322929	A1365585	Hs.146246	ESTs	2.3
	323831	AA335715	Hs.200299	ESTs	1.7
	324044	AL045752	Hs.22350	ESTs	1.8
	324675	AW014734	Hs.157969	ESTs	2.2
5	325272			CH.11_hs gl 5866902	1.5
_	325558	•		CH.12_hs gij6056302	1.6
	325656			CH.14_hs gi 6056305	1.6
	326120			CH.17_hs gl 5867194	1.5
	326139			CH.17_hs gij5867203	1.5
10	326855			CH.20_hs gi 6552460	1.5
	327438			CH.02_hs gi 6004454	1.6
	329733			CH.14_p2 gij6065783	1.6
		F01443	Hs.284256		4.6
	331591	N71677	Hs.42146	ESTs	1.9
15	332159	AA621393	Hs.112984	EST	1.5
	332364	W94688	Hs.103253	perilipin	2.1
	332502	H21819	Hs.14896	Homo sapiens clone 24590 mRNA sequenc	1.5
	334175			CH22_FGENES.349_10	1.5
	334347			CH22_FGENES.375_31	1.8
20	334737			CH22_FGENES.424_12	1.8
	335352			CH22_FGENES.539_5	1.5
	335639			CH22_FGENES.584_19	1.6
	336244			CH22_FGENES.746_2	1.5
	336336			CH22_FGENES.814_8	1.7
25	336865			CH22_FGENES.305-1	1.6
	337494			CH22_FGENES.799-12	1.6
	337764			CH22_EM:AC000097.GENSCAN.119-1	1.8
	337983			CH22_EM:AC005500.GENSCAN.110-1	2
	338192			CH22_EM:AC005500.GENSCAN.228-1	1.5
30	339366			CH22_BA354112.GENSCAN.34-2	1.5

TABLE 15A

Table 15A shows the accession numbers for those pkeys lacking unigeneID's for Table 15. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

Pkey: Unique Eos probeset identifier number
CAT number: Gene cluster number
Accession: Genbank accession numbers

15

Pkey CAT number Accession

```
126300 250375_2 D81972 BE003132
112538 504579_1 AA908813 R70255
123505 genbank_AA600135 AA600135 AA6000135 AA60000135
```

25 322102 46708_1 H45589 H19807 AF075038 H19808 H42437 336865 CH22_4590FG_305_1_

338192 CH22_6755FG__LINK_EM:AC00 329733 c14_p2 326120 c17_hs

30 326139 c17_hs 326855 c20_hs 335352 CH22_2699FG_539_5_LINK_EM

335639 CH22_2999FG_584_19_LINK_E 307206 Al192534 35 307377 Al222691 337494 CH22_5727FG_799_12_

337764 CH22_6115FG_LINK_EM:AC00 337983 CH22_6438FG_LINK_EM:AC00 339366 CH22_8336FG_LINK_BA35411

339366 CH22_8336FG_LINK_BA354I1 40 325272 c11_hs 325558 c12_hs 325656 c14_hs 334175 CH22_1455FG_349_10_LINK_E

304182 H91086 45 334347 CH22_1640FG_375_31_LINK_E 327438 c_2_hs 304622 AA516384 334737 CH22_2049FG_424_12_LINK_E

304682 AA550994 336244 CH22_3642FG_746_2_LINK_DA 306193 AA923457 336336 CH22_3746FG_814_8_LINK_BA

TABLE 15B

Table 15B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 15. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

10	Pkey: Ref: Strand:	Unique number corresponding to an Eos probeset Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495. Indicates DNA strand from which exons were predicted.
15	Nt_position:	Indicates nucleotide positions of predicted exons.
	Pkev Ref	Strand Nt position

15				
13	Pkey	Ref	Strand	Nt_position
	334347	Dunham, I. et.al.	Plus	13663814-13663926
	334737	Dunham, I. et.al.	Plus	15998517-15998685
20	335639	Dunham, I. et al.	Plus	25173591-25173696
	337494	Dunham, I. et.al.	Plus	33339024-33339148
	334175	Dunham, I. et.al.	Minus	11668659-11668597
•	335352	Dunham, I. et.al.	Minus	22681512-22681384
	336244	Dunham, l. et.al.	Minus	31402729-31402583
25	336336	Dunham, I. et.al.	Minus	33797209-33797076
	336865	Dunham, I. et.al.	Minus	8622405-8622289
	337764	Dunham, I. et.al.	Minus	4035640-4035446
	337983	Dunham, I. et.al.	Minus	7275495-7275271
	338192	Dunham, I. et.al.	Minus	13248453-13248277
30	339366	Dunham, I. et.al.	Minus	33647431-33647293
	325272	5866902	Minus	13247-13312
	325558	6056302	Plus	70930-71030
	325656	6056305	Minus	78190-78707
	329733	6065783	Plus	163237-163450
35	326120	5867194	Plus	36116-36276
	326139	5867203	Minus	218901-218960
	326855	6552460	Minus	111390-111463
	327438	6004454	Minus	199569-199692

TABLE 16: Table 4 from BRCA 001-5 US

Table 16, a subset of table 15, depicts a preferred group of genes highly downregulated in breast cancer cells.

Pkey: Unique Eos probeset identifier number
ExAcon: Exemplar Accession number, Genbank accession number
UnigeneID: Unigene number
Unigene Title: Unigene gene title
R1: Ratio of normal breast tissue to tumor

15	Pkey	ExAccn	UniGene (D	Unigene Title	R1
	100502	TIGR:HT1496	Hs.169228	Adrenal-Specific Protein Pg2	2.3
	101367	M12963	Hs.4	alcohol dehydrogenase 1 (class I); alpha	2.9
20	102857	X00129	Hs.76461	retinol-binding protein 4; Interstitial	3
20	104672	AA007629	11-044500	glycerol-3-phosphate dehydrogenase 1	2.4
	107099	AA609645	Hs.211568	eukaryotic translation Initiation factor 4 gam	2.7
	108604	AA099820	Hs.49696	ESTs	2.4
		AA443800	Hs.43125	ESTs	2
25		AA446661	Hs.173233	ESTs	2.2
23	119175	R71792	Hs.301002	ESTs; Weakly similar to cell death activator	2.8
	119798	W73386	Hs.249129	ESTs	3
	122127	AA434447 AA443695	Hs.106771	ESTs	2.5
		T62068	Hs.293410	ESTs ESTs	2.1
30		AA211776	Hs.11006		2.1
50		M12272	Hs.2504	myomesin 1 (skelemin) (185kD)	3.8
	131810	D49487	Hs.4	alcohol dehydrogenase 3 (class I); gamma	2:2
	133120	X64559	Hs.194236 Hs.65424	leptin (murine obesity homolog)	2.5
	133601		Hs.284176	tetranectin (plasminogen-binding protein) transferrin	2 2.3
35		N79674	Hs.8022	TU3A protein	4.6
33		AA923549	Hs.224121	ESTs	2.1
		AW238092	Hs.254759	ESTs	2.1
		H25237	Hs.306814	ESTs	2.3
		W32480	Hs.157099	ESTs	2.2
40		Al824495	Hs.211038	ESTs	2.2
	322929	Al365585	Hs.146246	ESTs	2.2
		AW014734	Hs.157969	ESTS	2.2
	330931	F01443	Hs.284256	ESTs	4.6
	332364	W94688	Hs.103253	perilipin	2.1
45	337983			CH22_EM:AC005500.GENSCAN.110-1	2

TABLE 16A

Table 16A shows the accession numbers for those pkeys lacking unigeneID's for Table 16. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

5

Pkey: CAT number: Unique Eos probeset identifier number

Accession:

Gene cluster number Genbank accession numbers

15

20

Pkey CAT number Accession

104672 6735 7

AA349095 Al368018 F21390 F17759 R48772 Al421485 Al300352 H43971 Al378525 F33652 R47898 Al264177 F22289 N28263 Al276281 R48205 Al245302 Al190036 Al281050 AW242903 H42892 AA910870 AW473816 H25721 AW451438 F19647 F22375

H45809 F33447 AA774528 AA007629 H42537 C01077 F32386

TABLE 17: Table 1 from BRCA 014 P

Table 17 shows accession numbers representing 759 sequences of breast cancer genes or fragments thereof encoding breast cancer modulating proteins. For each overexpressed gene identified, a ratio of the relative amount of expression in breast tumors versus normal breast tissue.

10		. 43%
	Pkey:	Unique Eos probeset identifier number
	ExAcon:	Exemplar Accession number, Genbank accession number
	UnigenelD:	Unigene number
	Unigene Title:	Unigene gene title
15	R1:	Ratio of tumor to normal breast tissue

	Pkey	ExAcon	UnigeneiD	Unigene Title	R1
20	100227	AV654694	Hs.82316	Interferon-induced, hepatitis C-associat	3
	100405	AW291587	Hs.82733	nidogen 2	3.2
	100406	AI962060	Hs.118397	AE-binding protein 1	3.6
	100420	D86983	Hs.118893	Melanoma associated gene	3.2
		X83300	Hs.289103		5.2
25	100960	J00124	Hs.117729	keratin 14 (epidermolysis bullosa simple	4.3
		BE387036	Hs.1211	acid phosphatase 5, tartrate resistant	3
	101183	AA442324	Hs.795	H2A histone family, member O	3.2
	101194		Hs.188	phosphodiesterase 4B, cAMP-specific (dun	3
		U66042	Hs.82171	Homo sapiens clone 191B7 placenta expres	4.1
30		BE563085	Hs.833	interferon-stimulated protein, 15 kDa	5.3
		R07566	Hs.73817	small inducible cytokine A3 (homologous	3.9
		M25809	Hs.64173	ATPase, H+ transporting, lysosomal (vacu	4.5
		M29874	Hs.1360	cytochrome P450, subfamily IIB (phenobar	9
		AA353776	Hs.901	CD48 antigen (B-cell membrane protein)	3.4
35		NM_003528	Hs.2178	H2B histone family, member Q	5.6
		BE019494	Hs.79217	pyrroline-5-carboxylate reductase 1	3.6
		M81057		carboxypeptidase B1 (tissue)	12
		M89907		SWI/SNF related, matrix associated, acti	3.2
40		BE260964	Hs.82045		4.1
40		M97815		cellular retinoic acid-binding protein 2	6.5
		NM_002038		interferon, alpha-inducible protein (clo	3
		U23752	Hs.32964	SRY (sex determining region Y)-box 11	3
		NM_001504		G protein-coupled receptor 9	3.7
A.E		NM_005824		37 kDa leucine-rich repeat (LRR) protein	3.7
45		NM_005651		tryptophan 2,3-dioxygenase	5.2
		AL043202	Hs.90073		3.5
		U39840		hepatocyte nuclear factor 3, alpha	3.9
		U62325		amyloid beta (A4) precursor protein-bind	4
50		H16646		hypothetical protein PP591	3.5
30		AA363025	HS.1555/2	Human clone 23801 mRNA sequence	3.2
		AF080229		gb:Human endogenous retrovirus K clone 1	3
		NM_002318	Hs.83354	lysyl oxidase-like 2	3.2
		M73779		retinolc acid receptor, alpha	3.3
55		X52509		tyrosine aminotransferase	12.4 4.5
22		T81656	Hs.252259		4.5 3
		X63578	HS.295449	parvalbumin	3 5.9
		X72790	11- 77000	gb:Human endogenous retrovirus mRNA for	
		BE390551	Hs.77628	steroidogenic acute regulatory protein r	3.9
60		AI751601	Hs.8375	TNF receptor-associated factor 4	3.3 3.1
60		X85134	Hs.72984	retinoblastoma-binding protein 5 gp25L2 protein	3.1
		X90872	Hs.279929		3.4
		NM_007069	Hs.37189	similar to rat HREV107 papillary renal cell carcinoma (transloc	3.4
	103430	AA496425	Hs.9629	papillary renal cell carcillonia (uansioc	3.2

		Y09306	Hs.30148	homeodomain-interacting protein kinase 3	3.4
		BE616547	Hs.2785	keratin 17 Activin A receptor, type I (ACVR1) (ALK	3.7 3.2
	103563	BE336654	Hs.70937	H3 histone family, member A	4.5
5		AI571835	Hs.55468	ESTs	4
•		AW779318	Hs.88417	ESTs	3.8
		AW021102	Hs.21509	ESTs	4.3
	104115	AF183810	Hs.26102	opposite strand to trichorhinophalangeal	7.6
	.104168	AA461618	Hs.31704	ESTs, Weakly similar to KIAA0227 [H.sapi	3.6
10		AA084273	Hs.76561	ESTs, Weakly similar to S47072 finger pr	4
		AF173296		DC6 protein	3
		AB040927		KIAA1494 protein	3.2
		AI559444 AI929700	Hs.293960		4.3 3.1
15		H20816	He 112/22	endosuifine alpha Homo sapiens mRNA; cDNA DKFZp586I1420 (f	3.2
13		AV650851	Hs.96900	hypothetical protein; KIAA1830 protein	4.4
		AA360954		Homo saplens cDNA: FLJ21933 fis, done H	3.2
		AA015879	Hs.33536	ESTs	3.2
	104755	T49951	Hs.9029	DKFZP434G032 protein *	4.5
20	104825	AA035613	Hs.141883		6.9
		AW294092	Hs.21594	hypothetical protein MGC15754	11.1
	104865		Hs.22575	B-cell CLL/lymphoma 6, member B (zinc fi	3.5
		BE298684	Hs.26802	protein kinase domains containing protei	6.5
25		H78517	Hs.33905	ESTs	3.6 4.5
.25		AW503733	Hs.9414	KIAA1488 protein Homo sapiens cDNA FLJ11027 fis, clone PL	3.8
		H58589 AA148982	Hs.35156 Hs.29068	ESTs	3
		AL137566	Hs.32405	Homo sapiens mRNA; cDNA DKFZp586G0321 (f	4.8
		AW134924	Hs.190325		8.2
30		AA814807	Hs.7395	hypothetical protein FLJ23182	3.1
	105409	AW505076		DiGeorge syndrome critical region gene 8	4.2
	105431	AA252033	Hs.242413	hypothetical protein DKFZp434K1421	4.4
	-	AA256750	Hs.28802	centaurin-alpha 2 protein	3.2
25		AA279439		hypothetical protein FLJ10504	3.5
35		W16741	Hs.25635		3.7
		Al299139	Hs.17517	ESTs CCI 101 protein	5.5 3.5
		AI133161 AW973653	Hs.20104	hypothetical protein FLJ00052	3.3
		AA195191	Hs.5111	hypothetical protein FLJ20729	3.2
40		AA131657	Hs.23830	ESTs	3.3
		AL117474	Hs.41181	Homo sapiens mRNA; cDNA DKFZp727C191 (fr	3.2
		W28948	Hs.10762	ESTs	3.3
		N39842	Hs.301444		4.1
4.5		BE397649	Hs.94109	Homo saplens cDNA FLJ13634 fis, clone PL	3.1
45		BE383668	Hs.42484	hypothetical protein FLJ10618	3.2
		AA351978	Hs.4943	hepatocellular carcinoma associated prot	7.8
		AL134708 AA648459	Hs.145998	hypothetical protein AF301222	3 3.8
		AW958037	Hs.286	ribosomal protein L4	3.3
50		AW499914	Hs.7579	hypothetical protein FLJ10402	3
50		BE613328	Hs.21938	hypothetical protein FLJ12492	4.2
		AA485055		sperm associated antigen 6	3.4
		AJ311928		gb:qo89h04.x1 NCI_CGAP_Kid5 Homo sapiens	4.4
	106865	AW192535	Hs.19479	ESTs	3.6
55		AW472981		hypothetical protein MGC2771	4.1
		AA995351	Hs.31314	retinoblastoma-binding protein 7	3.6
		AF216751	Hs.26813	CDA14	5.3
		AW963419 N32849		stanniocalcin 2 hypothetical protein FLJ12586	3.4 3.1
60		AW263124	Hs.31844	nuclear receptor co-repressor/HDAC3 comp	5.9
00		BE379594	Hs.49136	ESTs, Moderately similar to ALU7_HUMAN A	3.9
		AW961576	Hs.60178	ESTs	4.6
		Al955040	Hs.265398	ESTs, Wealty similar to transformation-r	3
	107890	AA025386	Hs.61311	ESTs, Weakly similar to S10590 cysteine	3.1
65		T40064	Hs.71968	Homo sapiens mRNA; cDNA DKFZp564F053 (fr	4.8
		A1263307		H2B histone family, member L	3.3
	108217	AA058686	Hs.62588	ESTs .	3.8

	108435	TR2427	He 194101	Homo sapiens cDNA: FLJ20869 fis, clone A	3
		AB033073	Hs.43857	similar to glucosamine-6-sulfatases	3.3
		AA121022		gb:zn84f10.r1 Stratagene lung carcinoma	3.9
	108771	AF068290	Hs.79741	hypothetical protein FLJ10116	6.1
5	108819	AA011449	Hs.271627	ESTs	3.6
		AA136674	Hs.118681	EST	3.9
		AF186114		tumor necrosis factor (ligand) superfami	3.7
		AK000584		hypothetical protein FLJ22104	3.1
10		AI970536	Hs.16603	hypothetical protein FLJ13163	3.7 4.5
10		N23235 AA196443	Hs.30567 Hs.86043	ESTs, Weakly similar to B34087 hypotheti Homo saplens cDNA FLJ13558 fis, clone PL	3.7
		AW504732	Hs.21275	hypothetical protein FLJ11011	4.6
		AA232255		ESTs, Moderately similar to A46010 X-lin	6.4
		AA234087	Hs.262346	ESTs, Weakly similar to S72482 hypotheti	4.8
15		R45584	Hs.23025	ESTs, Weakly similar to ALU5_HUMAN ALU S	3.3
	109632	AA325138	Hs.235873		3
	109644	AW973964	Hs.291531	ESTs, Highly similar to 1203217A dehydro	3
	109700			gb:HSC33H092 normalized infant brain cDN	3.2
20		F06838	Hs.14763	ESTs	3.2
20		R43646	Hs.12422	ESTs .	3.8 3.3
		AW818436 AK001680	Hs.23590 Hs.30488	solute carrier family 16 (monocarboxylic DKFZP434F091 protein	3.6
		AW973152	Hs.31050	ESTs	4.2
		AA379597	Hs.5199	HSPC150 protein similar to ubiquitin-con	5.1
25		H89355		adrenergic, alpha-2A-, receptor	5.3
	110707	A1239832	Hs.15617	ESTs, Weakly similar to ALU4_HUMAN ALU S	3.7
	110915	BE092285	Hs.29724	hypothetical protein FLJ13187	3.7
		N64683	Hs.290943		4
20		N66563	Hs.191358		3.1
30		A1767435	Hs.29822	ESTS	4.5 5.4
		A1457338 R07856	Hs.29894 Hs.16355	ESTs ESTs	3.2
		R08440	115.10555	gb:yf19f09.s1 Soares fetal liver spleen	3.1
		AA602004	Hs.23260	ESTs	3.2
35		R35252	Hs.24944	ESTs, Weakly similar to 2109260A B cell	3.3
		R38239		ESTs, Weakly similar to putative p150 [H	3.1
	111892	AA421081	Hs.12388	ESTs	3.4
		AF070526	Hs.13429	Homo sapiens clone 24787 mRNA sequence	3.3
40		AW379029		ESTs, Weakly similar to unnamed protein	4.4
40		BE246743		hypothetical protein FLJ22635	7.3 3.2
		AB033064 H24334	Hs.26125	KIAA1238 protein	4.4
		R54797	113.20123	gb:yg87b07.s1 Soares infant brain 1NIB H	3.4
		R66067	Hs.28664	ESTs	8.2
45		Al791493		ESTs, Weakly similar to A36036 cytochrom	5.5
		R82040		gb:yj06b06.s1 Soares placenta Nb2HP Homo	3.9
	112637	R82331	Hs.164599		5.4
		AW844878	Hs.19769	hypothetical protein MGC4174	3.2
50		Al418466	Hs.33665	ESTS	4.7 3.7
50		AA082465		choline/ethanolaminephosphotransferase KIAA1151 protein	3.1
		AB032977 AA828380	Hs.6298 Hs.126733		3.4
		AW813731	Hs.159153	ESTs, Moderately similar to \$65657 alpha	3.4
		BE613410	Hs.31575	SEC63, endoplasmic reticulum translocon	3.2
55		T57773	Hs.10263	ESTs	3.5
		BE262470	Hs.241471	RNB6	6.2
		T79925		ESTs, Weakly similar to ALU1_HUMAN ALU S	3.7
		U54727	Hs.191445		3 3.4
60		T91451	Hs.86538	ESTs	3.4
60		AW367788 AI702609	Hs.323954 Hs.15713	postmelotic segregation increased 2-like hypothetical protein MGC2776	3.1
		NM_004585	Hs.17466	retinoic acid receptor responder (tazaro	3.9
		AI912410	Hs.27475	Homo sapiens cDNA FLJ12749 fis, clone NT	3
		W81598		gb:zd88g02.s1 Soares_fetal_heart_NbHH19W	4.6
65	113947	W84768		gb:zh53d03.s1 Soares_fetal_liver_spleen_	3.1
		W27249	Hs.8109	hypothetical protein FLJ21080	6.9
	114086	AA378776	Hs.288649	hypothetical protein MGC3077	4.3

PCT/US02/02242

	114148	AW470411	Hs.288433	neurotrimin	4.1
		AW780192	Hs.267596		3.4
		AW163267		suppressor of var1 (S.cerevisiae) 3-like	3.1
_		A1979168		glycoprotein (transmembrane) nmb	4.8
5		AI733881		BMP-R1B	10.1
		AA769266	Hs.193657		3.6
		AI634549	Hs.88155	ESTs Highly similar to A55713 inositol	3.2 4.2
		AW968073 AA749209		hypothetical protein	3
10		BE149845		hypothetical protein MGC4126	3.6
10		AA814100	Hs.86693	ESTs	3.9
		N46436	Hs.109221		3.4
		AA281636	Hs.334827	ESTs	4.8
	115657	AA405620	Hs.55158	ESTs, Weakly similar to T29520 hypotheti	3.5
15		AA953006	Hs.88143	ESTs	9.3
		AW293849	Hs.58279	ESTs, Weakly similar to ALU7_HUMAN ALU S	3.4
		AA417812	Hs.38775	ESTS	4 3.1
		Al126772	Hs.40479 Hs.86434	ESTs	3.6
20	-	AW970529 AA521410	Hs.41371	hypothetical protein FLJ21816 ESTs	3.1
20		NM_014937		KIAA0966 protein	3
		AK001500		hypothetical protein FLJ13852	3.2
		AA354549	Hs.41181	Homo sapiens mRNA; cDNA DKFZp727C191 (fr	3
	115948	AL042465	Hs.43445	poly(A)-specific ribonuclease (deadenyla	3.1
25		AB041035		NM_016931:Homo sapiens NADPH oxidase 4 (6.7
		AL042355	Hs.70202	WD repeat domain 10	3.6
		AW450737		CGI-09 protein	3.1
		AA464976	Hs.62528	ESTs, Moderately similar to A46010 X-lin ESTs, Moderately similar to ALU8_HUMAN A	3.3 3.2
30		AJ219083 AF265555	Hs.42532	baculoviral IAP repeat-containing 6	3.6
50		AW962196		LBP protein 32	4.1
		AJ272141	Hs.83484	SRY (sex determining region Y)-box 4	4.1
	116726	AK001114	Hs.53913	hypothetical protein FLJ10252	8.6
	116845	AA649530		gb:ns44f05.s1 NCI_CGAP_Alv1 Homo sapiens	3.2
35		H88256	Hs.50456	ESTs, Moderately similar to ZN75_HUMAN Z	3.5
		AI569804	Hs.42792	ESTs, Weakly similar to 178885 serine/th	3.1
		AL133427	Hs.42506	Homo sapiens mRNA full length insert cDN	3.2 4.7
		H84455 AB040959	Hs.40639 Hs.93836	ESTs DKFZP434N014 protein	3
40		AW968941		hypothetical protein DKFZp566l133	3.3
40		AI183838	Hs.48938	hypothetical protein FLJ21802	4.3
		N66028	Hs.49105	FKBP-associated protein	3.1
	118470	AW970584	Hs.291033		3.4
4.0		AL157488	Hs.50150	Homo sapiens mRNA; cDNA DKFZp564B182 (fr	5.2
45		AK000465	Hs.50081	KIAA1199 protein	3.4
		N92293		ESTs, Moderately similar to ALU8_HUMAN A	3.3 19.7
		BE003760 R95872	Hs.55209	Homo sapiens mRNA; cDNA DKFZp434K0514 (f chemokine binding protein 2	3.7
		R16833	Hs.53106		4.1
50		M10905		fibronectin 1	3.2
-		W47620	Hs.56009	2'-5'-oligoadenylate synthetase 3 (100 k	3.3
	119741	AF041853	Hs.43670	kinesin family member 3A	3.1
		A1970797	Hs.64859	ESTs	5
		AL037824		ras homolog gene family, member I	3.8
55		AW449064	Hs.1195/1 Hs.59529	collagen, type III, alpha 1 (Ehlers-Dani ESTs, Moderately similar to ALU1_HUMAN A	3.1 8.4
		W94472 AA825686		ESTs, Weakly similar to S65824 reverse t	3.6
		AA196300	Hs.21145	hypothetical protein RG083M05.2	3.2
		AA225084		gb:nc21d06.rl NCI_CGAP_Pr1 Homo sapiens	3.6
60	120870	AA357172	Hs.292581	ESTs, Moderately similar to ALU1_HUMAN A	5.8
		AA365515		hypothetical protein MGC4840	3
		AA398118	Hs.97579	ESTs, Weakly similar to A46010 X-linked	3.7
		AW976570	Hs.97387	ESTS Home canions mBNA for KIAA1657 pmtain	5.3 4
65		AA320134 AA398936	Hs.196029 Hs.97697	Homo sapiens mRNA for KIAA1657 protein, EST	3.5
UJ		AA399371		similar to SALL1 (sal (Drosophila)-like	6.3
		AW885727	Hs.301570		4.7

PCT/US02/02242

	121351	AW206227	Hs.287727	hypothetical protein FLJ23132	5
		M31669	Hs.1735	inhibin, beta B (activin AB beta polypep	3.6
		AA640987	Hs.193767		5.6
	121770	NM_015902		progestin induced protein	3.4
5		AK000492	Hs.98806	hypothetical protein	4.1
		AA443311	Hs.98998	ESTs.	3_
		AA446965	Hs.112092		4.7
		A1767879	Hs.99214		3.8
10		AW973253	Hs.292689		3 5.6
10		AA323296 AA526911	Hs.97837 Hs.82772	Homo sapiens mRNA; cDNA DKFZp547J047 (fr collagen, type XI, alpha 1	3.2
		AW205931	Hs.99598		8.6
		AA487809		catenin (cadherin-associated protein), d	3
		AA228776	Hs.191721		6.9
15	123249	AA371307	Hs.125056	ESTs .	3.6
	123273	AA491253	Hs.173611	Empirically selected from AFFX single pr	7
		BE149685	Hs.17767		3.1
		T66087		Homo sapiens unknown mRNA sequence	3.4
20		Al308876		hypothetical protein DKFZp761D112	3.1 3.8
20		AI675944 AA580082	Hs.112264	Homo sapiens cDNA FLJ12033 fis, clone HE	4.7
		AA352723	Hs.241471		3.8
		H69125	Hs.133525		4.1
		N22401	, 101190020	gb:yw37g07.s1 Morton Fetal Cochlea Homo	4.1
25		N22508	Hs.139315	Homo sapiens cDNA: FLJ21479 fis, clone C	3.6
	124567	AW451645	Hs.151504	Homo sapiens cDNA FLJ11973 fis, clone HE	3.1
		N34151		interferon induced transmembrane protein	3.5
		R41396		hypothetical protein FLJ23045	4.3
20		BE065136	Hs.145696	splicing factor (CC1.3)	6
30		T78906		ESTs, Moderately similar to ALU1_HUMAN A	8.1 4.7
		W60326 AW970536	Hs.105413	Homo sapiens cDNA FLJ11750 fis, clone HE	3.1
		AF086534	Hs 187561	ESTs, Moderately similar to ALU1_HUMAN A	3.3
		AL359573		GTP-binding protein	3
35		AW880562	Hs.114574		3
	125331	Al422996	Hs.161378	ESTs	3.2
		AI924630	Hs.4943	hepatocellular carcinoma associated prot	3.2
		N99638		gb:za39g11.r1 Soares fetal liver spleen	4
40		AW975814		Homo sapiens clone IMAGE:713177, mRNA se	4 3.8
40		AA648886 AW450979	Hs.151999	gb:UI-H-BI3-ata-a-12-0-UI.s1 NCI_CGAP_Su	3.0
		AW771958	Hs 175437	ESTs, Moderately similar to PC4259 ferri	3.6
		AA961459	Hs.125644		4.1
		AW068311		Homo sapiens mRNA full length insert cDN	3.3
45	128420	AA650274	Hs.41296	fibronectin leucine rich transmembrane p	4.6
		NM_003616		survival of motor neuron protein interac	3.9
		Y13153		kynurenine 3-monoxygenase (kynurenine 3	3.1
		AA775076 D56365		Homo saptens, Similar to PRO0478 protein	3.9 3.3
50		AA357185	Hs.63525	poly(rC)-binding protein 2 ras homolog gene family, member H	3.1
30		AF182277	Hs.330780	cytochrome P450, subfamily IIB (phenobar	3.9
		AA172106		Rag C protein	6.2
		AA209534		tetraspan NET-6 protein	3.4
		AK000398	Hs.11747	hypothetical protein FLJ20391	3
55		X56411	Hs.1219	alcohol dehydrogenase 4 (class II), pi p	3.2
		AI754813	Hs.146428	collagen, type V, alpha 1	5.4
		X03363		v-erb-b2 avian erythrobiastic leukemia v	4.4 4.6
		Al347487 NM_003450		class I cytokine receptor zinc finger protein 174	5.6
60		Al582291	Hs.16846	ESTs, Weakly similar to O4HUD1 debrisoqu	3.0
00		R77776	Hs.18103	ESTs .	3.8
		AA809875	Hs.25933	ESTs	4.2
		AB014544	Hs.21572	KIAA0644 gene product	4.7
		Al399653	Hs.22917	ESTs	4.3
65		H09048	Hs.23606	ESTs	3.8
		R71802	Hs.24853	ESTS	3.5 3.6
	1313/2	AW293399	ms. 144504	nuclear receptor co-repressor 1	3.0

	404507	41000000	VI- 07700	FOT- West defends to MOAT LUBANIANTOC	3.2
		AI826268	Hs.27769	ESTs, Weakly similar to MCAT_HUMAN MITOC	3.1
		AI695549		glucuronidase, beta	3.2
		AF017986	Hs.31386	secreted frizzled-related protein 2	3.2
5		BE501849	Hs.32317	high-mobility group 208	3.6
3		D86960	Hs.3610	KIAA0205 gene product	3.2
		NM_002314	Hs.36566	LIM domain kinase 1	
		AA400091	Hs.39421	ESTs	3.2
		AA426202	Hs.40403	Cbp/p300-interacting transactivator, wit	3
10		D76435	Hs.41154	Zic family member 1 (odd-paired Drosophi	3.2
10		AA192669	Hs.45032	ESTs	3.5
		AL133731	Hs.4774	Homo sapiens mRNA; cDNA DKFZp761C1712 (f	9.2
		AV660345		CGI-49 protein	8.2
	132543	BE568452	Hs.5101	protein regulator of cytokinesis 1	3.4
	132624	AA326108	Hs.33829	bHLH protein DEC2	3.2
15	132700	AA319233 •	Hs.5521	ESTs	4.8
	132725	NM_006276		splicing factor, arginine/serine-rich 7	3.6
	132799	W73311	Hs.169407	SAC2 (suppressor of actin mutations 2, y	3.2
	132847	T48195	Hs.58189	eukaryotic translation initiation factor	3.5
	132857	Y00272	Hs.184572	cell division cycle 2, G1 to S and G2 to	4.4
20	132936	AL120659	Hs.6111	aryl-hydrocarbon receptor nuclear transl	4.8
	133130	Al128606	Hs.6557	zinc finger protein 161	3.3
	133142	AW952412	Hs.65874	ESTs, Weakly similar to A40348 Elav/Sex-	3.5
	133167	AW162840	Hs.6641	kinesin family member 5C	4.5
	133225	AW600291	Hs.6823	hypothetical protein FLJ10430	3.3
25		AA085191	Hs.6949	hypothetical protein MGC11275	3
		Z93241	Hs.239934	CGI-96 protein	4.5
		AW797437	Hs.69771	B-factor, properdin	4.1
		BE618768	Hs.7232	acetyl-Coenzyme A carboxylase alpha	5.1
		AW675064	Hs.73875	fumarylacetoacetate hydrolase (fumarylac	3
30		AW162919		RAB2, member RAS oncogene family-like	3.4
-		BE274552	Hs.76578	protein inhibitor of activated STAT3	3.9
		Al908165		GATA-binding protein 3 (T-cell receptor	6.2
		BE391929	Hs.8752	transmembrane protein 4	3.1
		Al433797	Hs.8889	serine hydroxymethyltransferase 1 (solub	3
35		D89377	Hs.89404	msh (Drosophila) homeo box homolog 2	5.8
		J05582	Hs.89603	mucin 1, transmembrane	4
		AF064804	Hs.96757	suppressor of Ty (S.cerevisiae) 3 homolo	3.2
		R61253	Hs.98265	KIAA1877 protein	3.3
	135400	X78592	Hs.99915	androgen receptor (dihydrotestosterone r	4.8
40	135411	L10333	Hs.99947	reticulon 1	3.8
		Al199738	Hs.208275	ESTs, Weakly similar to ALUA_HUMAN !!!!	3.8
	300233	AW614220	Hs.189402		4.2
		AW183618	Hs.55610	solute carrier family 30 (zinc transport	9.9
		AW591433	Hs.298241	Transmembrane protease, serine 3	4.9
45		Z45270		hypothetical protein FLJ22672	3.4
		AA572949	Hs.207566		3.5
•		R10799	Hs.191990		3.8
		AA887801	Hs.208229	G protein-coupled receptor	13.9
		AI091631		two pore potassium channel KT3.3	4.4
50	301884	AA312082	Hs.105445	GDNF family receptor alpha 1	5.7
		U79745		solute carrier family 16 (monocarboxylic	8.6
		T97905		gb:ye54c10.r1 Soares fetal liver spleen	3.9
		AB020711	Hs.278346	KIAA0904 protein	7.7
		BE542706		CEGP1 protein	7.3
55		AW749321	Hs.6786	ESTs	3.3
		AL049670		ribosomal protein L34 pseudogene 1	4.2
		NM_003613		cartilage intermediate layer protein, nu	7.9
		AL049987	Hs.166361	Homo sapiens mRNA; cDNA DKFZp564F112 (fr	5.6
		AW057736	Hs.323910	HER2 receptor tyrosine kinase (c-erb-b2,	5.4
60		AA179949		Homo sapiens mRNA; cDNA DKFZp564N0763 (f	34.1
		AL117406		ATP-binding cassette transporter MRP8	6.7
		AL109712		Homo sapiens mRNA full length insert cDN	4
		AI678059		synaptonemal complex protein 2	4.3
		AJ224172		lipophilin B (uteroglobin family member)	13.8
65		AW192334	Hs.38218	ESTs	9.6
	302830	A1038997	Hs.132921	ESTs	5
	302857	AF282265	Hs.44836	inner centromere protein antigens (135kD	3.4

PCT/US02/02242

				•	
	302892	AW176909	Hs.42346	calcineurin-binding protein calsarcin-1	3.4
	302970	W05608	Hs.312679	ESTs, Weakly similar to A49019 dynein he	5.1
	303271	AA652687	Hs.96151	Human DNA sequence from clone RP5-1103G7	3.7
_	303289	AL121460	Hs.272673	hypothetical protein FLJ20508	4.1
5	303357	AW006352	Hs.159643	ESTs, Weakly similar to T32554 hypotheti	4.2
	303540	AA355607	Hs.309490	ESTs, Weakly similar to putative WHSC1 p	4.3
	303563	AA367699	Hs.10082	potassium intermediate/small conductance	3.3
	303642	AW299459		gb:xs50d08.x1 NCI_CGAP_Kid11 Homo sapien	4.2
	303780	A1424014	Hs.18995	KIAA1304 protein	3.6
10	303797	AW629759		gb:hh70e05.y1 NCI_CGAP_GU1 Homo sapiens	4.9
	303852	R53434	Hs.90207	hypothetical protein MGC11138	3.7
	304328	AA149951	Hs.62112	zinc finger protein 207	3
		AA582081		qb:nn32h08.s1 NCI_CGAP_Gas1 Homo sapiens	4.1
		AA876109		gb:nx24h01.s1 NCI_CGAP_GC3 Homo sapiens	3
15		AA876469		gb:oe48b04.s1 NCI_CGAP_Pr25 Homo sapiens	3.1
		Al140014		gb:qa68f09.x1 Soares_fetal_heart_NbHH19W	3.5
		Al144243		gb:gb85b12.x1 Soares_fetal_heart_NbHH19W	3.9
		AI476803		gb:ti77e12.x1 Soares_NSF_F8_9W_OT_PA_P_S	4.3
		Al581398	Hs.172928	collagen, type I, alpha 1	4.6
20		AK000142		hypothetical protein FLJ23045	4.4
		Al951118		Homo sapiens breast cancer antigen NY-BR	17.3
		AW024348		EST, Weakly similar to A27217 glucose tr	3.2
		AW168083	110.200101	gb:xg59g04.x1 NCI_CGAP_Ut4 Homo sapiens	3.1
		AW170035	He 326736	Homo sapiens breast cancer antigen NY-BR	57.6
25		Al199712		ESTs, Weakly similar to 1917210A Pro/Arg	4.6
23		Al685841	Hs.161354		3.6
		AW022192	Hs.200197		4.6
		Al939456	Hs.160870		3.2
		AK000703		Homo sapiens mRNA for KIAA1551 protein,	3.6
30		AI380797	Hs.158992		10.2
50		AI955121		N-acetylgalactosamine-4-O-sulfotransfera	3.4
•		AI476732	Hs.263912		10.9
	-	Al671439		Homo sapiens mRNA for KIAA1657 protein,	3.1
			Hs.118599		10.8
35		A1821005		ESTs, Moderately similar to ALU1_HUMAN A	4.3
22		AA641098 AJ758660	Hs.206132		4.4
		A1828254		ESTs, Weakly similar to A47582 B-cell gr	5.1
		AW023595	Hs.232048		5.8
		AA700870	Hs.14304		3.3
40		AI056769	Hs.133512		3.9
		R12375	Hs.194600		3.3
		AA767342		ESTs, Weakly similar to PSF_HUMAN PTB-AS	3
		Al358522	Hs.270188		3
		T60843	Hs.189679		5.6
45		AA216387	110, [00070	gb:nc16b02.s1 NCI_CGAP_Pr1 Homo sapiens	5.2
15		AA373630	Hs.188750		3
		AA759263	Hs.14041	ESTs	3.4
		T78968	Hs.14411	ESTs	3.5
		T80177		similar to rat nuclear ubiquitous casein	3.8
50		Al633744		ESTs, Weakly similar to 138022 hypotheti	4.4
50		BE261944		hexokinase 1	5.2
		T92251	Hs.198882		3.3
		T94344	Hs.326263		3.3
		AA700439	Hs.188490		3.4
55	312107	AW438602	Hs.191179		3.9
55		H73505	Hs.117874		4
	312210	AA315703		ESTs, Weakly similar to ALUB_HUMAN !!!!	4.9
		AA972712	Hs.269737		5.7
	21253	AA516420		ESTs, Weakly similar to 138022 hypotheti	6.3
60		AW439195	Ha 256000	ESTs, Weakly similar to S65657 alpha-1C-	4.9
OU			Hs.185018		4.9
		AW291545 AW292286			4.4
		AA497043	Hs.255058 Hs.115685		3.1
		AI422023	Hs.161338		4.3
65		N76497	Hs.1787	proteolipid protein 1 (Pelizaeus-Merzbac	3.3
UJ	313000	AF026944	Hs.293797		5.8
		AW073310	He 187822	Homo sapiens cDNA FLJ14142 fis, clone MA	4.5
	2 12020	A1101.0010	1 13. 100000	Home Supreme Govern as 17 172 no, denie NA	7.0

PCT/US02/02242

	313126	AA746503	Hs.283313	ESTs	10
	313166	AI801098	Hs.151500	ESTs	3.5
		AW979008	Hs.222487		3.3
		AW960454	Hs.222830		4.7
5					
)		Al420611	Hs.127832		3.4
		AW449211		GDNF family receptor alpha 1	12.4
	313352	AW150945	Hs.144758	ESTs	4.1
	313385	A1032087	Hs.269819	ESTs	3
	313393	AI674685	Hs.200141	ESTs	5.2
10		AA741151	Hs.137323		3.5
10		W92070	115.107020	gb:zh48g05.r1 Soares_fetal_liver_spleen_	3.7
			11-405440		
		Al273419	HS.135146	hypothetical protein FLJ13984	. 3
		AA046309		gb:zf12f01.s1 Soares_fetal_heart_NbHH19W	5.6
	313615	AI540978 .	Hs.301997	hypothetical protein FLJ13033	3.2
15	313915	C18863	Hs.163443	Homo sapiens cDNA FLJ11576 fis, clone HE	26.3
	313975	AW175896	Hs.65114	keratin 18	3
		Al535895	Hs.221024		4.9
•		AV657317		hypothetical protein MGC3077	3.9
					3.1
20		AA827082	Hs.291872		
20			Hs.329700		8.3
		AA648744	Hs.269493		6.6
	314121	A1732083	Hs.187619	ESTs	6.2
	314129	AA228366	Hs.115122	ESTs ·	4
		AA740616		gb:ny97f11.s1 NCI_CGAP_GCB1 Homo sapiens	5.9
25			Hs.189023		3.1
		AL036450	Hs.103238	ESTo	4
				Homo sapiens cDNA FLJ13266 fis, clone OV	8
		Al280112			
		Al697901	Hs.192425		3.7
		AA907153	Hs.190060		3.3
30	314394	AW961597	Hs.130816	ESTs, Moderately similar to 138022 hypot	4.2
	314401	Al660412	Hs.234557	ESTs	3.3
		AA602917	Hs.156974	ESTs	4.7
		AA833655		Homo sapiens cDNA FLJ14056 fis, clone HE	8.5
		Al204418	Hs.190080		4
35					3.4
33		AW007211		hypothetical protein FLJ12876	
		AA399272	Hs.144341		6.7
		AI873274	Hs.190721		27.4
	314627	AA425310	Hs.155766	ESTs, Weakly similar to A47582 B-cell gr	4.4
	314648	AW979268		gb:EST391378 MAGE resequences, MAGP Homo	4.6
40	314691	AW207206	Hs.136319		20.7
		AA457367	Hs.191638		3.6
		AW026761	Hs.134374		3.6
		BE350122		ESTs, Weakly similar to 178885 serine/th	4.9
					4.3
15		AW971198	Hs.294068		
45		A1095087		ESTs, Moderately similar to S65657 alpha	3.7
		AA828032	Hs.189076		3.1
	314981	AW972359	Hs.293334		3
		AI538613	Hs.298241	Transmembrane protease, serine 3	10.9
	315021	AA533447	Hs.312989		5.3
50 ·		AW292425	Hs.163484		12.9
-		AA551104	He 1890AR	ESTs, Moderately similar to ALUC_HUMAN !	5.8
	245072	AW452948	Hs.257631		4.2
•					
	315080	AA744550	Hs.136345		3.7
	315175	Al025842	Hs.152530		6
55	315183	AW136134	Hs.220277		3.9
	315193	Al241331	Hs.131765	ESTs, Moderately similar to I38937 DNA/R	4.4
	315196	AI367347	Hs.44898	Homo saplens done TCCCTA00151 mRNA sequ	8.2
	315198	AI741506	Hs 165900	ESTs, Weakly similar to ALU1_HUMAN ALU S	3.6
	315240	R38772		myelin transcription factor 1-like	3.4
60 -					3.4
60 -		AW510994	Hs.220740		
		Al222165	Hs.144923		4.9
		AA876905	Hs.125286		4
		AB037745	Hs.104696	KIAA1324 protein	4.7
		AA218940	Hs.137516	fidgetin-like 1	3.1
65		AI378817	Hs.191847		3.1
		AA628539		ESTs, Moderately similar to ALU1_HUMAN A	3.2
		Al193043	Hs 128685	ESTs, Weakly similar to T17226 hypotheti	4.1
	J 1JUZO	~ 10000	143.120000	COTO, HEARY SHIRE IS I HEAV HIPOUND	7.1

	315530	AW015415	Hs.127780	FSTs	8.9
					5.5
		AA737415	Hs.152826		
	315634	AA837085	Hs.220585	ESTs	6.3
	315647	AA648983	Hs.212911	FSTs	3.6
5			Hs.161160		5.1
,		Al418055			
	315772	AW515373	Hs.271249	Homo sapiens cDNA FLJ13580 fis, clone PL	3.1
	315850	AW270550	Hs.116957	ESTs	3.8
		AA737345	Hs.294041		5
	315878	AA683336	Hs.189046	EST\$	3.1
10	315977	AW865916	Hs.151206	ESTs	4.7
		AA830893	Hs.119769		4.1
	315995	Al217477	Hs.194591		4.1
	316012	AA764950	Hs.119898	ESTs	7
		AI469960	Hs.170698	FSTe	4.9
1.5					
15	316052	A1962796	Hs.136754	ESIS	4.1
	316072	AW517524	Hs.135201	NOD2 protein	3.2
		AW975114	Hs.293273		3.8
		AW203986	Hs.213003		3.2
	316133	AJ187742	Hs.125562	ESTs	3.7
20		Al904982	Hs 293102	ESTs, Moderately similar to ALU1_HUMAN A	30.7
20			110.200102	abelicoade ut NCL CCAD Vidta Hama carion	
		AI433540		gb:ti69g05.x1 NCI_CGAP_Kid11 Homo sapien	3.1
	316244	A1640761	Hs.224988	ESTs	3.5
	316303	AA740994	Hs.209609	ESTs	3.8
		AA741300		ESTs, Weakly similar to I38022 hypotheti	4.4
25					
25	316364	AA747807	Hs.149500	ESTS	3.2
	316580	AA938198	Hs.146123	poly(A) polymerase gamma	9.4
		AW293174	Hs.252627		4.4
	316715	AJ440266	Hs.1/06/3	ESTs, Weakly similar to T24832 hypotheti	3
	316868	A1660898	Hs.195602	ESTs	3.2
30		A1954880	Hs.134604		3.2
50					4.4
		AA836331	Hs.134981		
	316897	AA838114	Hs.221612	ESTs	3.7
	316943	AW014875	Hs.137007	ESTs	4.6
					5.9
25		AI732892	Hs.190489		
35	317194	AW445167	Hs.126036	ESTS	4.1
	317360	Al125252	Hs.126419	ESTs	3.5
		AI806867	Hs.126594		5.1
	317452	AA972965	Hs.135568	ESIS	6.9
	317501	AI822034	Hs.137097	ESTs	4.6
40		AW294909	Hs.132208		4.3
70					
		AW664964	Hs.128899		6.1
	317834	X56348	Hs.287270	ret proto-oncogene (multiple endocrine n	3.1
	317850	AI681545		hypothetical protein FLJ13117	3.4
					9.6
15		A1827248		Homo sapiens cDNA FLJ11469 fis, clone HE	
45	317902	AW102941	Hs.211265	ESTS	4.1
	317916	A)565071	Hs.159983	ESTs	10,3
		AW294522	Hs.149991		3.1
		AI077540	Hs.134090		3.9
	318327	AW294013	Hs.200942	ESTs	3
50	318332	AI093930	Hs 163440	Homo sapiens cDNA: FLJ21000 fis, clone C	4.4
-					5.4
		AF107493		Homo sapiens LUCA-15 protein mRNA, splic	
	318558	AW402677	Hs.146381	RNA binding motif protein, X chromosome	4.4
	318625	AA526235	Hs.193162	Homo sapiens cDNA FLJ11983 fis, clone HE	5.9
	040004	#40C00	Hs.156832		4
EE		149598			
55	318740	NM_002543	HS.///29	oxidised low density lipoprotein (lectin	7.3
	318744	AJ793124	Hs.144479	ESTs	17.8
		F11802	Hs.6818	ESTs	3
		NM_012391	Hs.79414	prostate epithelium-specific Ets transcr	3.6
	319478	AI524124	Hs.270307	ESTS	4.6
60		W88532	Hs.254562		3.3
50			. 101207002		
		AA761668		gb:nz24c08.s1 NCI_CGAP_GCB1 Homo saplens	3.2
	319745	T79366	Hs.108258	actin binding protein; macrophin (microf	3.3
		AA071267		gb:zm61g01.r1 Stratagene fibroblast (937	6.2
		C19035	Hs.164259		3.3
65			113.107233		
65		AA534222		gb:nj21d02.s1 NCI_CGAP_AA1 Homo saplens	4.3
	320074	AA321166	Hs.278233	ESTs .	3.4
		AA984373	Hs.90790		4.1
	32010/	LAMOLIGI 9	113.001.00	. Invite achieve action to account to action to	

	320187	T99949	Hs.303428	Homo sapiens cDNA FLJ14832 fis, clone OV	5.3
		AL039402	Hs.125783	DEME-6 protein	9.2
		Al026984	Hs.293662		3.1
_		U78082		RNA polymerase II transcriptional regula	3.1
5		N50617 .		small nuclear ribonucleoprotein polypept	6.1
		Al160015	Hs.118112		3.5
		Al601188	Hs.120910		3
		AA214584	Hs.290167	ESIS	3.7
10		AI359144		Homo sapiens cDNA: FLJ23031 fis, clone L	3.1 3.3
10		BE144167	Hs.49994	hypothetical protein similar to RNA-bind	12.3
		Al732643 Al769410	Hs.144151 Hs.221461		3.3
		AA610649	Hs.333239		3
		AB033041		vang (van gogh, Drosophila)-like 2	3.9
15		Al432199	Hs.247084		3
		AW975944	Hs.237396		11.7
		Al471598	Hs.197531		3.8
	-	U29112	Hs.196151		4.4
		D80630		gb:HUM091D02B Human fetal brain (TFujiwa	3.2
20		R59890	Hs.83623		3.1
	321910	H67065		ESTs, Weakly similar to ALU7_HUMAN ALU S	4.7
	321937	AL049351	Hs.302058	Homo sapiens mRNA; cDNA DKFZp566C093 (fr	3.5
	321978	N77342	Hs.21851	Homo sapiens cDNA FLJ12900 fis, clone NT	5
-: -	322035	AL137517	Hs.334473	hypothetical protein DKFZp564O1278	19
25	322136	AF075083		gb:Homo sapiens full length Insert cDNA	3.6
		BE265745	Hs.194359	ESTs, Weakly similar to ALUC_HUMAN !!!!	3
		W76326		gb:zd60d04.r1 Soares_fetal_heart_NbHH19W	4.4
		Al357412	Hs.157601		11.5
20		AW963372	Hs.46677	PRO2000 protein	3
30	322520			gb:yb35f05.r1 Stratagene fetal spleen (9	3 4.2
		AF147347 AF155108	Un 256460	gb:Homo sapiens full length insert cDNA Homo sapiens, Similar to RIKEN cDNA 2810	4.2
		W92147	Hs.118394		5.4
		AA017656	113.110057	gb:ze39h01.r1 Soares retina N2b4HR Homo	3.1
35		AW068805	Hs.288467	Homo sapiens cDNA FLJ12280 fis, done MA	5.2
		AW043782	Hs.293616		7.6
		AW248508		Homo sapiens cDNA FLJ14035 fis, clone HE	5.9
		C16391	•	gb:C16391 Clontech human aorta polyA mRN	16.5
	323091	AI902456		ESTs, Weakly similar to 138022 hypotheti	4
40	323131	AK002088	Hs.270124	Homo sapiens cDNA FLJ11226 fis, done PL	3.3
		AL120862		programmed cell death 9 (PDCD9)	6.3
		AW675572	Hs.193620		4.6
		AL133990	Hs.190642		10.5
15		A1829520		gb:w119c06.x1 NCI_CGAP_Ut1 Homo sapiens	6.2
45		AV651680	Hs.208558		4.3
		AI655499	Hs.161712		9.2
		AW445014	Hs.197746	· · ·	3.1 4
		BE081058 AA317962	Hs.243023	ESTS, Moderately similar to PC4259 femi	3
50		AW961560	Hs.97600	ESTs, whole rately similar to PC4259 term	3.2
50		AA410943	113.37000	BMP-R1B	8.4
		AL043683	Hs.8173	hypothetical protein FLJ10803	3.3
		AI825204	Hs.211408		4.5
		AL044949	Hs.116298		4.5
55		AI472078	Hs.303662	ESTs	8.4
		BE069341		gb:QV3-BT0381-270100-073-c08 BT0381 Homo	49.4
		AA431159	Hs.122954		3
	324296	A1524039	Hs.192524		3
			. Hs.116369		3.3
60		AA464510	Hs.152812		16.5
	324585	AI823969	Hs.132678		3.3
		AW972227		Homo sapiens cDNA: FLJ22765 fis, clone K	5
	324603	AW993522	Hs.292934		10.4
65	324631	AA937116		ESTs, Weakly similar to I54374 gene NF2	3.3
65	324/16	BE169746		likely ortholog of mouse Arkadia	3.2 3
	324/48	AW974941 AA631739	Hs.335440	ESTs, Weakly similar to 178885 serine/th	3
	324//1	WW01199	113.333440	COI	•

	324823 324824	AI031771 AW516704 AI826999 AA704806	Hs.132586 Hs.208726 Hs.224624	ESTs	4.2 3.4 3.1 4.4		
5	324961 324987	AA613792 Al375572	Hs.172634	gb:no97h03.s1 NCI_CGAP_Pr2 Homo sapiens ESTs	3.9 18.8		
		AI805416	Hs.213897		3.3 4.2		
	325372	AI064690	Hs.171176	Phase 2 & 3 Exons	4.4		
10	325544			Phase 2 & 3 Exons	5.7		
	327075			Phase 2 & 3 Exons C22000007:gi]12314195[emb]CAB99338.1] (A	3.8 4.3		
•	332798 334223			NM_005080*:Homo sapiens X-box binding pr	26.2		
	334447		•	NM_012429*:Homo sapiens SEC14 (S. cerevi	3.9		
15	335809			NM_014509*:Homo saptens kraken-like (BK1	10.1 20		
	335824 338255			ENSP00000249072*:DJ222E13.1 (N-TERMINAL NM_014323*:Homo sapiens zinc finger prot	9		
	409430	R21945		splicing factor, arginine/serine-rich 5	4	•	
20		AW812795		ESTs, Moderately similar to I38022 hypot	4.6		
20	432558	R97268 AA731602	Hs.177269 Hs.120266		3.2 3.9	•	
		BE382657	Hs.21486		4.1		
		AW836724		Homo sapiens mRNA expressed only in plac	3.7		
25		M97935		AFFX control: STAT1	3.2		
25		M97935 M55150		AFFX control: STAT1 fumarylacetoacetate	3 3		
		M13755		interferon stimulated protein; 15 kDa	4.5		
		A1052047		ESTs	6.7		
30		AA252033		ESTs; Weakly similar to IIII ALU SUBFAMILY J	3.2 3.3		
30		AA401739 H18459		ESTs hepatocellular carcinoma associated protein;	3.3		
		R48744		ESTs	4.2		
		M31682		inhibin; beta B (activin AB beta polypeptide)	3		
35		AA416873 D80240		ESTs HUM5G11A Human fetal brain (TFujiwara) Homo	3 4		
55		R49590		ESTs	3.2		
				CH22_FGENES.678_5	16.8		
				CH22_FGENES.619_7 CH22_FGENES.619_12	12.9 11.3		
40		•		CH22_FGENES.015_12 CH22_EM:AC005500.GENSCAN.127 9	9.2		
				CH22_EM:AC005500.GENSCAN.304 2	8.5		
				CH22_FGENES.271_8	8.4		
		•		CH22_FGENES.619_13 CH22_FGENES.271_7	8 7.3		
45				CH22_FGENES.617_7	7.2		
				CH.07_hs gi 6004473	7.1		
		X03363		CH22_FGENES.264_1 HER2 receptor tyrosine kinase (c erbB 2; ERBB2; r	6.8 neu)	6.6	
		A00000		CH22_FGENES.617_9	6.5	0.0	
50				CH.07_hs gij5868264	5.8		
	٠.			CH.19_hs gij5867439 CH22_FGENES.6 3	5.7 5.3		•
				CH.17_hs gij5867230	5.1	•	
				CH.20_hs gi 6552458	5.1		
55				CH22_EM:AC005500.GENSCAN.148 22	4.7 4.6		
		AA034918		CH22_FGENES.669_10 KIAA1028 protein	4.6		
		, 0 100 1010		CH22_FGENES.48_12	4.5		
CO				CH22_FGENES.118_2	4.5		
60		AF049569 M13955		ESTs multiple UniGene matches	4.4 4.3		
		m10000 -		CH22_FGENES.619_8	4.3		
				CH22_FGENES.137	4.3		
65		HG4126 HT43	196	CH22_FGENES.360_3	Zinc Fit 4.3	nger Protein Hzf4	4.3
UJ				CH22_FGENES.706_9	4.3	•	
				CH.21_hs gl[6531965	4.2		

	•	CH.17_hs gij5867215	4.1	
		CH22_FGENES.669_8	4.1	
	HG2614 HT2710		Collagen, Type Viii, Alpha 1 4.1	
_		CH22_FGENES.48_18	4.1	
5	X83535	matrix metalloproteinase 14 (membrane inserted)	4	
		CH22_FGENES.271_6	3.9	
		CH22_FGENES.617_3	3.9	
		CH22_FGENES.290_8	3.8	
	HG4716 HT5158		Guanosine 5' Monophosphate Synthase	3.8
10		CH22_FGENES.13 5	3.8	
		CH22_FGENES.13 2	3.8	
		CH.14_hs gij6682474	3.8	
		CH.02_hs gi 5867750	3.8	
		. CH22_FGENES.617_8	3.7	
15	HG4677 HT5102		Oncogene Ret/Ptc2, Fusion Activated	3.7
		CH22_DJ32I10.GENSCAN.23 39	3.7	
		CH22_FGENES.543_20	3.7	
		CH22_EM:AC005500.GENSCAN.96 1	3.7	
	•	CH22_FGENES.204_2	3.5	
20		CH22_FGENES.619_4	3.5	
		CH.16_hs gi[5867087	3.5	
	AA714311	EST cluster (not in UniGene)	3.4	
		CH22_EM:AC005500.GENSCAN.149 9	3.4	
25		CH22_EM:AC005500.GENSCAN.421 5	3.4	
25		CH22_FGENES.13 4	3.3	
		CH.07_hs gi[6004478	3.3	
		CH22_FGENES.360_1	3.3	3.3
	HG2465 HT4871	01100 5051150 0 0	Ona Binding Protein Ap 2, Alt. Splice 3	3.3
20		CH22_FGENES.6_2	3.3 3.2	
30		CH22_C20H12.GENSCAN.16 2		
	4.4707770	CH22_C65E1.GENSCAN.8 1	3.2 3.1	
	AA707750	ESTs; Weakly similar to cis Golgi matrix	3.1	
		CH22_FGENES.307_4	3.1	
35	•	CH22_EM:AC005500.GENSCAN.248 14	3.1	
33		CH.06_hs gij5902482	3.1	
		CH22_FGENES.669_5	3.1	
		CH22_DJ32I10.GENSCAN.19 8	3.1	
		CH22_FGENES.527_6 CH22_FGENES.330_10	3.1	
40	•	CH22_FGENES.14 2	3.1	
40	AA976074	ESTs	3	
	AA970074	CH22_FGENES.226 7	3	
		CH22_FGENES.133	3	
		CH22_FGENES.153 CH22_EM:AC005500.GENSCAN.209 12	3	
45		CH22_FGENES.271_3	3 3	
73	•	OTRECT CHINEOUT LO	•	

TABLE 17A

Table 17A shows the accession numbers for those pkeys lacking unigeneID's for Table 17. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

Pkey:	Unique Eos probeset identifier number
CAT number:	Gene cluster number
Accession:	Genbank accession numbers

15

15		
	Pkey CAT number	er Accession
20	116845 393481_1 103207 30635_4 126257 182217_1 102791 37186_1	AA649530 AA659316 H64973 X72790 N99638 AW973750 AA328271 H90994 AA558020 AA234435 N59599 R94815 AF080229 AF080231 AF080230 AF080232 AF080233 AF080234 BE550633 Al636743 AW614951 BE467547 Al680833 Al633818 N29986 U87592 U87593 U87590 U87591 S46404 U87587 AA463992 AW206802 Al970376 Al583718 Al672574
25		N25695 AW665466 AlB18326 AA126128 Al480345 AW013827 AA248638 Al214968 AA204735 AA207155 AA206262 AA204833 AW003247 AW496808 Al080480 Al631703 Al651023 Al867418 AW818140 AA502500 Al206199 Al671282 Al332545 BE501030 Al652535 BE465762 AA206331 AW451866 AA471088 AA206342 AA204834 AA206100 AW021661 AA332922 N66048 AA703396 H92278 AW139734 H92683 U87589 U87595 H69001 U87594 BE466420 Al624817 BE466611 Al206344 AA574397 AA348354 Al493192
30	126872 142696_1 112631 1746257_1 120742 176835_1	AW450979 AA136653 AA136656 AW419381 AA984358 AA492073 BE168945 AA809054 AW238038 BE011212 BE011359 BE011367 BE011368 BE011362 BE011215 BE011365 BE011363 R82040 R70934 AA225084 AA302713
35	106864 324239_1 109700 genbank_F(111532 genbank_R(113938 genbank_W 113947 genbank_W	Al311928 AA936030 T51931 AA609816 AA487195 AA664207 19609 F09609 18440 R08440 81598 W81598
40	124357 genbank_N; 108733 504187_1 112303 genbank_R; 322136 46802_1 322296 47334_1 321811 1527481_1	22401 N22401 AA121022 AA126422 54797 R54797 AF075083 H52291 H52528 W76326 AF086341 W72300
45	314648 293660_1 322520 38916_1 322521 38917_1 322675 86787_1	AW979268 AA878419 AA431342 AA431628 T55958 T57205 AF147346 AF147347 T55426 T55503 AA017656 AA017374 AA019761 Al829520 Al791832 AA228414 Al791823 AA229211 AA229315
50	323332 179142_1 316186 425440_1 322975 1510563_1 324261 273265_1 323817 233566_1	Al433540 AA728984 AA804981 C16391 C16413 BE069341 AW748403 AL044891 Al908240 AA393080 AA410943 AW948953 AA334202 AA332882
55	301976 128835_1 324961 376239_1 303642 284260_1 303797 386364_1 319551 357371_1	T97905 AA101672 AA613792 AW182329 T05304 AW858385 AW299459 AA417112 AW629759 AW749955 AA633408 AI651005 AA761668 AW73621 R92814 R09670
60	311935 174129_1 319834 112523_1 319977 345248_1 314138 179960_1 313591 103087_1	AA216387 T63548 AA228678 AA071267 T65940 T64515 AA071334 AA534222 AA632632 T81234 AA740616 AA654854 AA229923 AA046309 Al263500 AA046397

```
308106 Al476803
338255 CH22_6856FG__LINK_EM:AC00
335809 CH22_3181FG_617_6_LINK_EM
335824 CH22_3197FG_619_11_LINK_E

5 307010 Al140014
307041 Al144243
305913 AA876109
305917 AA876469
309574 AW168083

10 325372 c12_hs
325544 c12_hs
332798 CH22_14FG_6_5_LINK_C4G1.G
334223 CH22_1507FG_360_4_LINK_EM
327075 c21_hs
327075 c21_hs
334447 CH22_1746FG_387_7_LINK_EM
304782 AA582081
304782 AA582081
313434 441798_1 W92070 AW019952 W92053
```

TABLE 17B

Table 17B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 17. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

10	Pkey: Ref:	Unique number corresponding to an Eos probesat Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.
	Strand: Nt_position:	Indicates DNA strand from which exons were predicted. Indicates nucleotide positions of predicted exons.

15	Pkey	Ref	Strand	Nt_position
20	335809 335824 332798	Dunham, I. et.al. Dunham, I. et.al. Dunham, I. et.al. Dunham, I. et.al. Dunham, I. et.al.	Plus Plus	14308764-14308824 26310772-26310909 26376860-26376942 232147-231974 12734365-12734269
25	325372 325544	Dunham, I. et.al. 5866920 6682452 6531965	Minus Minus Plus Plus	15242294-15242231 1117061-1117304 171228-171286 4041318-4041431

TABLE 18: Table 2 from BRCA 014 P

Table 18 shows genes with atleast five times the expression in breast tumor tissue than is

expressed in normal body tissues.

10	Pkey: ExAccn: UnigeneID: Unigene Title: R1:	Unique Eos probeset identifier number Exemplar Accession number, Genbank accession number Unigene number Unigene gene title Ratio of turnor to normal body tissue
----	---	---

15	Pkey	ExAcon	UnigenelD	Unigene Title	R1
	101378	BE563085	Hs.833	interferon-stimulated protein, 15 kDa	5.3
		M29874	Hs.1360	cytochrome P450, subfamily IIB (phenobar	9 .
		M81057	Hs.180884	carboxypeptidase B1 (fissue)	12
20		M97815	Hs.183650	cellular retinoic acid-binding protein 2	6.5
		X52509	Hs,161640	tyrosine aminotransferase	12.4
		AF183810		opposite strand to trichorhinophalangeal	7.6
			Hs.141883	ESTs	6.9
	107105	AW963419	Hs.155223	stanniocalcin 2	5.3
25	108819	AA011449	Hs.271627	ESTs	6.1
	112287	AB033064	Hs.334806	KIAA1238 protein	7.3
	112561	Al791493	Hs.129873	ESTs, Weakly similar to A36036 cytochrom	8.2
	112637	R82331	Hs.164599	ESTs	5.4
	113206	BE262470	Hs.241471	RNB6	6.2
30	113970	W27249	Hs.8109	hypothetical protein FLJ21080	6.9
	114965	A1733881	Hs.72472	BMP-R1B	10.1
	118925	N92293	Hs.206832	ESTs, Moderately similar to ALU8_HUMAN A	19.7
	119905	AW449064	Hs.119571	collagen, type III, alpha 1 (Ehlers-Danl	8.4
	121611	M31669	Hs.1735	inhibin, beta B (activin AB beta polypep	5.6
35		AF182277		cytochrome P450, subfamily IIB (phenobar	6.2
•		A1908165	Hs.169946	GATA-binding protein 3 (T-cell receptor	6.2
		D89377	Hs.89404	msh (Drosophila) homeo box homolog 2	5.8
		AW183618		solute carrier family 30 (zinc transport	9.9
40	• • • • • •		Hs.105445	GDNF family receptor alpha 1	5.7
40		AB020711		KIAA0904 protein	7.7
			Hs.222399	CEGP1 protein	7.3
			Hs.323910	HER2 receptor tyrosine kinase (c-erb-b2,	5.4
		AA179949		Homo sapiens mRNA; cDNA DKFZp564N0763 (i	
A.E		AL117406		ATP-binding cassette transporter MRP8	6.7
45		AJ224172		lipophilin B (uteroglobin family member)	13.8
-		A1951118	Hs.326736	Homo saplens breast cancer antigen NY-BR	17.3 57.6
			Hs.326736 Hs.158992	Homo sapiens breast cancer antigen NY-BR ESTs	10.2
		Al380797 Al821005	Hs.118599	ESTS	10.2
50		AA216387	115.110099		.5.2
50 ,			Hs.118625	hexokinase 1	5.2
			Hs.105445	GDNF family receptor alpha 1	12.4
		C18863	Hs.163443	Homo sapiens cDNA FLJ11576 fis, clone HE	26.3
			Hs.269493	ESTs	6.6
55		AA740616	113.203733	gb:ny97f11.s1 NCI_CGAP_GCB1 Homo sapiens	
55			Hs.206868	Homo sapiens cDNA FLJ14056 fis, clone HE	8.5
		AI873274	Hs.190721	ESTs	27.4
			Hs.136319	ESTs	20.7
		AI538613	Hs.298241	Transmembrane protease, serine 3	10.9
60			Hs.312989	ESTs	5.3
	315051		Hs.163484	ESTs	12.9
			Hs.189048	ESTs, Moderately similar to ALUC_HUMAN I	5.8

PCT/US02/02242

	315196	AI367347	Hs.44898	Homo sapiens done TCCCTA00151 mRNA sequ	8.2	
		AW015415		ESTs	8.9	
		AA837085		ESTs	6.3	
		AA764950		ESTs	7	
5		AI904982		ESTs, Moderately similar to ALU1_HUMAN A	30.7	
_		AA938198		poly(A) polymerase gamma	9.4	
		AW664964		ESTs	6.1	
		AI827248		Homo sapiens cDNA FLJ11469 fis, clone HE	9.6	
		NM_002543		oxidised law density lipoprotein (lectin	7.3	•
10		Al793124		ESTs	17.8	
10		AL039402		DEME-6 protein	9.2	
		AI732643		ESTs	12.3	
		AW975944		ESTs	11.7	
		N77342	Hs.21851	Homo sapiens cDNA FLJ12900 fis, clone NT	5	
15		AL137517		hypothetical protein DKFZp564O1278	19	
13		AW068805		Homo sapiens cDNA FLJ12280 fis, done MA	5.2	
				ESTs	7.6	
		AW043782	NS.293010	gb:C16391 Clontech human aorta polyA mRN	16.5	
	322975	AL133990	U- 400040	ESTs	10.5	
20			HS. 19004Z		6.2	
20		AI829520		gb:wi19c06.x1 NCI_CGAP_Ut1 Homo sapiens BMP-R1B	8.4	
		AA410943				
		BE069341	11- 450040	gb:QV3-BT0381-270100-073-c08 BT0381 Homo	16.5	
		AA464510		ESTs	5	
25		AW972227		Homo sapiens cDNA: FLJ22765 fis, clone K	10.4	
25		AW993522		ESTs .		
		Al375572	Hs.172634	ESTs	18.8	
	325544			Phase 2 & 3 Exons	5.7	
	330388		Hs.46	HER2 receptor tyrosine kinase (c-erb-b2,	6.6	
20	334223			NM_005080*:Homo sapiens X-box binding pr	26.2	
30	335809			NM_014509*:Homo sapiens kraken-like (BK1	10.1	
	335824			ENSP00000249072*:DJ222E13.1 (N-TERMINAL		
		AI052047		ESTs; Weakly similar to CYTOCHROME P450	6.7	
		R72427		CH22_EM:AC005500.GENSCAN.127 9	5.5	
25				CH22_FGENES.619_13	9.2	
35				CH22_FGENES.617_9	8	
				CH22_FGENES.271_7	6.5	
				CH22_FGENES.619_7	7.3	
				CH22_FGENES.271_8	12.9	
40				CH22_FGENES.619_12	8.4	
40				CH22_EM:AC005500.GENSCAN.304 2	11.3	
				CH.07_hs gi 6004473	8.5	
				CH22_FGENES.617_7	7.1	
				CH22_FGENES.678_5	7.2	
				CH22_FGENES.678_5	16.8	

TABLE 18A

Table 18A shows the accession numbers for those pkeys lacking unigeneID's for Table 18. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

1(0
----	---

	Pkey:	Unique Eos probeset identifier number
•	CAT number:	Gene cluster number
	A cooppings	Contract concesion numbers

15

	Pkey	CAT number	Accession
20	322975 324261	179142_1 1510563_1 273265_1 233566_1	AI829520 AI791832 AA228414 AI791823 AA229211 AA229315 C16391 C16413 BE069341 AW748403 AL044891 AI908240 AA393080 AA410943 AW948953 AA334202 AA332882
	311935	174129_1 179960_1	AA216387 T63548 AA228676 AA740616 AA654854 AA229923
25	335809 335824	CH22_3181FG_ CH22_3197FG_	617_6_LINK_EM 619_11_LINK_E
		c12_hs CH22_1507FG_	.360_4_LINK_EM

TABLE 18B

Table 18B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 18. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

10	Pkey: Ref:	Sequen	ce source.	responding to an Eos probeset The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.				
15	Strand: Indicate		s DNA stra	A strand from which exons were predicted. eleotide positions of predicted exons.				
	Pkey	Ref	Strand	Nt_position .				
20	335824 334223	Dunham, I. et.al. Dunham, I. et.al. Dunham, I. et.al. 6682452	Plus	26310772-26310909 26376860-26376942 12734365-12734269 171228-171286				

TABLE 19: 1045 GENES UP-REGULATED IN BREAST CANCER COMPARED TO NORMAL ADULT TISSUES

Table 19 shows 1045 genes up-regulated in breast cancer compared to normal adult tissues. These were selected from 59680 probesets on the Affymetrix/Eos-Hu03 GeneChip array such that the ratio of "average" breast cancer to "average" normal adult tissues was greater than or equal to 2.5. The "average" breast cancer level was set to the 90th percentile value. The "average" normal adult tissue level was set to the 90th percentile value amongst 144 non-malignant tissues. In order to remove gene-specific background levels of non-specific hybridization, the 15th percentile value amongst the 144 non-malignant tissues was subtracted from both the numerator and the denominator before the ratio was evaluated.

15	Pkey:	Unique Eos probeset identifier number
	ExAccn:	Exemplar Accession number, Genbank accession number
	UnigenelD:	Unigene number
	Unigene Title:	Unigene gene title
	R1:	Ratio of tumor to normal body tissue

20	••••	, , ,		, , , , , , , , , , , , , , , , , , , ,	
	Pkey	ExAccn	UnigenelD	UnigeneTitle	R1
	408591	AF015224	Hs.46452	mammaglobin 1	137.6
25	406964	M21305		gb:Human alpha satellite and satellite 3	71.0
	400291	AA401369	Hs.190721	ESTs	68.4
	407277	AW170035		Homo sapiens breast cancer antigen NY-BR	54.2
	449746	AI668594	Hs.176588	ESTs, Weakly similar to CP4Y_HUMAN CYTOC	46.4
	426878	BE069341		gb:QV3-BT0381-270100-073-c08 BT0381 Homo	44.8
30	400292	AA250737	Hs.72472	BMP-R1B	37.4
	427585	D31152	Hs.179729	collagen, type X, alpha 1 (Schmid metaph	32.9
•	408045	AW138959	Hs.245123	ESTS	31.9
	407178	AA195651	Hs.104106	ESTs	30.4
	407377	C16391		gb:C16391 Clontech human aorta polyA mRN	27.7
35 .	450705	U90304	Hs.25351	iroquois homeobox protein 5	24.8
	407212	AA412108	Hs.269350	ESTs	22.0
	428848	NM_000230	Hs.194236	leptin (murine obesity homolog)	21.9
	404561			trichorhinophalangeal syndrome I (TRPS1)	21.8
		AA046309		gb:zf12f01.s1 Soares_fetal_heart_NbHH19W	19.8
40	447350	A1375572	Hs.172634		17.3
	450375	AA009647	Hs.8850	a disintegrin and metalloproteinase doma	16.6
		S73265	Hs.1473	gastrin-releasing peptide	16.5
		AW840171		ESTs, Weakly similar to transformation-r	16.0
	453160	A1263307		H2B histone family, member L	15.8
45		X51501	Hs.99949	prolactin-induced protein	15.8
		A1267700	Hs.317584		15.5
		AL120862		programmed cell death 9 (PDCD9)	14.8
		Al905687	Hs.2533	aldehyde dehydrogenase 9 family, member	14.5
		C18863	Hs.163443		13.7
50		AJ224172		lipophilin B (uteroglobin family member)	13.6
		AL133990	Hs.190642		13.5
		AB014544	Hs.21572	KIAA0644 gene product	13.0
		AA399272	Hs.144341		12.8
	402578			C1001134:gi]2117372 pir l65981 fatty ac	12.6
55		AA436989		H2A histone family, member A	12.2
		NM_003613	Hs.151407	cartilage intermediate layer protein, nu	12.0
		AA193450		gb:zr40e07.r1 Soares_NhHMPu_S1 Homo sapi	11.9
		Al351010	Hs.102267		11.9
	459587	AA031956		gb:zk15e04.s1 Soares_pregnant_uterus_NbH	11.5

	416208	AW291168	Hs.41295	ESTs, Weakly similar to MUC2_HUMAN MUCIN	11.5
	429170	NM_001394	Hs.2359	dual specificity phosphatase 4	11.5
		Al951118		Homo sapiens breast cancer antigen NY-BR	11.4
_		AW137148		Homo sapiens cDNA FLJ11382 fis, clone HE	11.3
5		AL035414	Hs.21068		11.1
		NM_007115 Al684808	Hs.29352	tumor necrosis factor, alpha-induced pro	11.0
		N78223		programmed cell death 9 (PDCD9) transcription factor	10.9 10.7
		AW873596		calmodulin 2 (phosphorylase kinase, delt	10.6
10		H87879		lysyl oxidase	10.5
	402606			NM_024626:Homo sapiens hypothetical prot	10.4
	409269	AA576953	Hs.22972	hypothetical protein FLJ13352	10.4
	447268	Al370413	Hs.36563	hypothetical protein FLJ22418	10.3
1.5		Al357412	Hs.157601		10.2
15		W72838	Hs.2533	aldehyde dehydrogenase 9 family, member	10.1
		NM_002497		NIMA (never in mitosis gene a)-related k	10.1
		AW292425	Hs.163484		9.9 9.9
		AI873274 H23789	Hs.190721 Hs.144530		9.8
20		BE218705		metallothionein-like 5, testis-specific	9.7
	425692			N-acetyltransferase 1 (arylamine N-acety	9.7
	411869	W20027	Hs.23439		9.6
		AL360204	Hs.283853	Homo saplens mRNA full length insert cDN	9.6
0.5		AI624342	Hs.170042		9.5
25		Al907673		gb:IL-BT152-080399-004 BT152 Homo sapien	9.3
		Al267652	Hs.30504	Homo sapiens mRNA; cDNA DKFZp434E082 (fr	
		AJ224741 AI127076	Hs.278461		9.1 9.1
		D60730	Hs.57471	ESTs	9.1
30		AA410943		gb:zt32h03.r1 Soares ovary tumor NbHOT H	9.1
	406348			Target Exon	9.0
	424735	U31875	Hs.272499	short-chain alcohol dehydrogenase family	9.0
	453392		Hs.32964	SRY (sex determining region Y)-box 11	9.0
35		AF026944	Hs.293797		8.8
33	405654	NA AA279490	Hs.86368	C12001521:gij7513934 pir T31081 cca3 pr calmegin	8.8 8.8
		A1955040		ESTs, Weakly similar to transformation-r	8.7
		AW732573	Hs.47584		8.5
		AB033025	Hs.50081	KIAA1199 protein	8.4
40		BE379594	Hs.49136		8.3
	451561	N52812	Hs.177403	ESTs	8.2
		W67883	Hs.137476		8.2
		NM_007050		protein tyrosine phosphatase, receptor t	8.1
45	423887	AL080207	HS.134565		8.1 8.1
73		AA236115	Hs.120785		8.0
		AF026941	Hs.17518	Homo sapiens cig5 mRNA, partial sequence	8.0
		BE242870	Hs.75379	solute carrier family 1 (glial high affi	8.0
	416747	AW876523	Hs.15929	hypothetical protein FLJ12910	8.0
50	415385		Hs.7535	COBW-like protein	7.9
		Al811202		Homo sapiens cDNA: FLJ23523 fis, clone L	7.9
		AF044197		small inducible cytokine B subfamily (Cy	7.9
	100000	M31126	HS.212020	matrix metalloproteinase 11 (MMP11; stro	7.8 7.7
55	400285		Hs.15929	hypothetical protein FLJ12910	7.6
		AW880562	Hs.114574		7.5
		AW976987	Hs.163327		7.5
	433426	H69125	Hs.133525		7.5
<i>(</i> 0		Al222020		CocoaCrisp	7.4
60		H59846		ESTs, Moderately similar to ALU7_HUMAN A	7.4
		Al380797	Hs.158992 Hs.130853		7.3 7.2
		AA948033 AW602166		CEGP1 protein	7.2
		AW368397		Homo sapiens cDNA FLJ14438 fis, clone HE	7.1
65		AW242243		peroxisomal famesylated protein	7.0
		AK001468	Hs.62180		6.9
	445885	AI734009	Hs.127699	KIAA1603 protein	6.9

429432 AISF8059 Hs.202676 synaptonemal complex protein 2 6.9 443788 AI732643 Hs.144451 ESTs 6.9 443788 AI732643 Hs.144451 ESTs 6.9 451398 AI793124 Hs.167271 ESTs 6.8 AI793124 Hs.144479 ESTs 6.9 451398 AI793124 Hs.144479 ESTs 6.9 420252 A321649 Hs.152273 Hs.144479 ESTs 6.9 420252 A321649 Hs.2248 mall inducible cytokine subfamily B (CX 6.6 Hs.131004 ESTs, Weakly similar to T17227 hypothetic 6.7 420256 BE545072 Hs.122579 hypothetical protein FLJ10461 6.6 ESTs 442580 AI733862 Hs.19073 ESTs 6.6 ESTs 442580 AI733862 Hs.19073 ESTs 6.6 ESTs 442580 AI733862 Hs.19073 ESTs buflous pemphigoid artigen 1 (2307240kD) 6.5 420757 X78592 Hs.39915 androgen receptor (dihydrotestosferone r 6.5 420735 AW0023462 Hs.7678 ESTs, Weakly similar to unknown protein 6.5 ESTs, 44342 NM, 014398 Hs.22832 Hs.36884 Hs.228320 Hs.23833 AW004848 Hs.228320 Hs.2383473 Hs.238320 Hs.238320 Hs.2383473 Hs.238320 Hs.238320 Hs.238320 Hs.238320 Hs.238320 Hs.238320 Hs.238320 Hs.238320 Hs.23833 AV004848 Hs.238320 Hs.238		420422	AICTOREO	Lie noneze	aurantenamal sempley portain 2	60
443788 AI732643 Hs.144151 ESTs 6.9 451398 AI793124 Hs.147479 ESTs 6.8 404023 441028 AI015591 Hs.157273 Hs.144479 ESTs 6.8 404023 426215 AW963419 Hs.155223 stannlocation 2 6.6 402256 BE545072 Hs.155223 stannlocation 2 6.6 411111 AW818127 Hs.12579						
5 451373 AAB08229 Hs.144479 ESTs 6.8 440233 440283 Hs.144479 ESTs MM. Q21058*Homo saplens H2B histone famil 6.8 440283 Alv16591 Hs.131004 ESTs, Weakly simifar to 117227 hypothetic of 6.6 6.6 422267 AV321649 Hs.2248 stanilocalical cyloride subfamily B (CX 6.6 411111 AW881127 Hs.122779 hypothetical protein Ful-10461 6.6 442580 Al733682 Hs.197075 ESTs 6.6 442580 Al733682 Hs.197075 ESTs 6.6 430099 BEO41395 Hs.283776 ESTs 6.6 4300301 M30355 Hs.28376 ESTs Audition thrown protein 6.5 441134 W29022 Hs.76778 Hs.158278 Human clone 23948 mRNA sequence 6.4 441134 W29022 Hs.30473 Hs.33473 Hs.33473 6.6 441134 W29022 Hs.35829 Hs.35829 Hs.35829 Human clone 23948 mRNA sequence 6.4						
5 451398, Aly 193124, Aly 194253 441098 Al015591 428215 Al9893419 410 422956 BE545072 411111 AW818127 411111 AW818127 411111 AW818127 411111 AW818127 412579 412579 412579 412579 412579 412579 412579 412579 412579 412579 412570						
404253	_					
441098 Alto 1593 Hs. 131004 ESTs Weakly similar to T17227 hypothetid 6.6 6.6 422956 ES545072 Hs. 155223 stannincalcin 2 6.6 6.6 422956 ES545072 Hs. 1512379 Hs. 152277 H	5		Al793124	Hs.144479		
428215 AW963419		404253			NM_021058*:Homo sapiens H2B histone fami	6.8
10 422956 BE545072 Hs. 122879 hypothetical protein FLJ10461 6.6 6.6 6.6 42880 Al736802 Hs. 197075 ESTs 6.6 6.6 448911 Al8703394 Hs. 283676 400301 X03635 Hs. 283676 400301 X03635 Hs. 283676 427356 AW0023482 Hs. 97849 ESTs 427356 AW0023482 Hs. 97849 ESTs 428902 NM_003866 Hs. 153687 Al87048 Al. 137517 Hs. 153687 Ala7148 Al. 137517 Hs. 334473 Alypothetical protein DKPZ-p56401278 6.2 441342 NM_014398 Hs. 132684 Hs. 132684 Hs. 132684 Hs. 132684 Hs. 132684 As588894 Hs. 132685 ESTs 6.0 Al87236 Al87236 Al87236 Al87236 Hs. 135668 ESTs 6.0 Al87236 Al87236 Al87236 Hs. 135688 ESTs 6.0 Al87236 A		441098	Al015591	Hs.131004	ESTs, Weakly similar to T17227 hypotheti	6.7
10		426215	AW963419	Hs.155223	stanniocalcin 2	6.6
10		428227	AA321649	Hs.2248	small inducible cytokine subfamily B (CX	6.6
411111 AW818127 gb:CMI-ST0277-Q61299-059-b07 ST0277 Home 6.6 442880 Al733882 Hs.181160 ESTs 6.6 6.6 442880 Al733882 Hs.1810739 ESTs 6.8 6.8 449811 Al970394 Hs.187039 ESTs 6.8 6.8 449811 Al970394 Hs.187039 ESTs 6.8 6.8 449811 Al970394 Hs.283676 ESTs, Weakly similar to unknown protein 6.5 6.5 400001 X03635 Hs.283676 ESTs, Weakly similar to unknown protein 6.5 ESTs, Weakly similar to Hundown 6.5 ESTs, Weakly similar to Municopy	10					
434988 A418055 Hs.181160 ESTs 6.6				110.122010		
Harmonia				He 161160		
49811 AI970394					-	
15					- : · -	
420757 X78592	1.5					
431089 BEO41395	13					
400301 X03635 Hs.1657 estrogen receptor 1 6.5 427364 AV7293 Hs.159264 Human clone 23948 mRNA sequence 6.4 44134 W29092 Hs.159268 Human clone 23948 mRNA sequence 6.4 444134 W29092 Hs.153687 Hs.15867 ecllular retinole acid-binding protein 1 6.4 448693 AW004854 Hs.228320 hypothetical protein FLI23537 6.4 431448 AL137517 Hs.34473 hypothetical protein FLI23537 6.4 443442 NM_014398 Hs.10887 smillar to lysosome-associated membrane 6.1 422168 AA586894 Hs.112408 S100 calcium-binding protein A7 (psorias 6.1 43331 Al240665 Hs.8895 ESTs 6.0 441033 AA972865 Hs.135568 ESTs 6.0 441033 AA972865 Hs.135568 ESTs 6.0 441034 AA464510 Hs.152812 ESTs 6.0 43004 AA464510 Hs.152812 ESTs 5.9 432837 AA310693 Hs.87329 HSPC072 protein 5.9 432837 AA310693 Hs.237398 ESTs 5.9 432837 AA310693 Hs.237398 ESTs 5.9 435707 AF115402 Hs.11713 E74-like factor 5 (els domain transcript 429388 AL049689 Hs.156398 Hs.37357 monokine induced by gamma interferon 5.8 459371 R20991 Hs.33102 Hs.33102 Hs.33102 Hs.33102 Hs.33102 Hs.33102 Hs.33102 Hs.33103 Hs.241576 AV805331 Hs.27735 monokine induced by gamma interferon 5.8 433810 AW162916 Hs.241576 hypothetical protein FILJ23293 similar to 42811 AW29958 Hs.241576 hypothetical protein PRO2577 5.7 430510 AW162916 Hs.241576 hypothetical protein PRO2577 5.7 430513 AL121278 Hs.22172 Collagen, type XI, alpha 1 15.5 433931 AL121278 Hs.22147 ESTs Weakly similar to MUC2_HUMAN MUCIN 5.4 435833 AV478078 Hs.25144 Hs.25144 Hs.25141 ESTs, Weakly similar to MUC2_HUMAN MUCIN 5.4 435283 KJ49184 Hs.25144 Hs.25144 Hs.25141 Hs.2665 hypothetical protein relial protein final for Mucina 5.3 43667 R28363 Hs.15824 ESTs 5.3 43767 R28363 Hs.15826 ESTs 5.3 438167 R28363 Hs.15846 Cartilage oligomenic matrix protein final on Ad4765 Ny2293 Hs.26682 ESTs, Moderately similar to ALUB_HUMAN A 5.2						
427356	•	431089	BE041395	Hs.283676	ESTs, Weakly similar to unknown protein	6.5
15.5767 17.5726 15.5767 15.5		400301	X03635	Hs.1657	estrogen receptor 1	6.5
25704 U79293		427356	AW023482	Hs.97849	ESTs	6.5
441134 W29092	20				= 1 1 1	6.4
424902 NM_003866						
448693 AW004854 Hs.228320 hypothetical protein FLJ23537 6.4 43148 AL137517 Hs.334473 hypothetical protein FLJ23537 6.4 44342 NM_014398 Hs.10887 similar to lysosome-associated membrane 6.1 45331 Al240665 Hs.8895 ESTS 6.1 418007 M13509 Hs.83169 matrix metalloproteinase 1 (MMP1; Inters 6.0 441233 AA972965 Hs.135568 ESTS 6.0 418092 R45154 Hs.106604 ESTS 6.0 43044 AA464510 Hs.52812 ESTS 6.0 432837 AA310693 Hs.87329 HSPC072 protein 5.9 432837 AA310693 Hs.87329 HSPC072 protein 5.9 432837 AA310693 Hs.87329 HSPC072 protein 5.9 455701 H39980 Hs.288467 Horno saplens cDNA FLJ12280 fis, clone MA 5.9 450701 H39980 Hs.15639 hypothetical protein similar to tenascin 5.9 410785 AW803341 Hs.1713 E74-like factor 5 (els domain transcript 5.9 415817 R20991 Hs.135191 ESTS, Weakly similar to unnamed protein 5.8 453811 AL031224 Hs.33102 transcription factor AP-2 beta (activati 5.8 453819 AW0162916 Hs.241576 hypothetical protein FLJ23293 similar to 5.7 430510 AW162916 Hs.241576 hs.22147 ESTS 60lagen, type XI, alpha 1 5.5 438199 AW016531 Hs.22147 ESTS 60lagen, type XI, alpha 1 5.5 438193 AW748078 Hs.214410 ESTS, Weakly similar to MUC2_HUMAN MUCIN 5.4 439138 AI742605 Hs.193696 ESTS 5.9 447102 BE167434 Hs.26207 Hs.29509 Hs.19509 AV26760 Hs.29509 Hs.19509 AV26760 Hs.29509 Hs.19509 AV2676 AV2509 Hs.19509 Hs.19509 Hs.19509 Hs.19509 Hs.19509 Hs.19509 Hs.19509 Hs.19509 Hs.19509 Hs.26409 Hs.26409 Hs.26409 Hs.26409 Hs.26509 Hs.19509 Hs.1						
25 431448 AL137517 Hs.334473 hypothetical protein DKFZp564O1278 hs.10887 6.2 444342 NM_014398 Hs.10887 Hs.10887 similar to hysosome-associated membrane hs.112408 s100 calcium-binding protein A7 (psorias fo.1 hs.8331 al240665 hs.8895 lsmlar to hysosome-associated membrane fo.1 6.1 418007 M13509 Hs.135568 LsTs 6.0 418092 R45154 hs.105604 ESTs 6.0 430044 AA464510 hs.152812 ESTs 6.0 4323287 AA310693 hs.87329 hs.2707 AF115402 hs.152812 ESTs 5.9 450701 H39960 hs.17173 hs.2707 AF115402 hs.1713 hs.27376 hs.27371 hs.2737						
25 444342 NM_014398 Hs.10887 similar to lysosome-associated membrane 42168 AA586894 Hs.112408 S100 calcium-binding protein A7 (psorias 6.1 Hs.18007 M13509 Hs.83169 matrix metalloproteinase 1 (MMP1; Inters 6.0 41233 AA972965 Hs.135568 ESTs 6.0 43004 AA464510 Hs.152812 ESTs 5.9 432837 AA310693 Hs.87329 HSPC072 protein 5.9 432837 AA310693 Hs.87329 HSPC072 protein 5.9 432837 AA310693 Hs.87329 HSPC072 protein 5.9 450701 H39980 Hs.87329 HSPC072 protein 5.9 450701 H39980 Hs.87329 HSPC072 protein 5.9 450701 H39980 Hs.87339 HSPC072 protein 5.9 450701 H39980 Hs.135191 ESTs Waskly similar to tenascin 5.9 45080 AW162916 Hs.27402 Hs.27402 Hs.27402 Hs.27402 Hs.27403 AW162916 Hs.27402 Hs.27402 Hs.27402 Hs.27402 Hs.27403 AW162916 Hs.27403 AW162916 Hs.27403 AW162916 Hs.27402 Hs.27403 AW162916 Hs.27402 Hs.27403 AW162916 Hs.27402 Hs.27403 AW162916 Hs.27403 AW162916 Hs.27403 AW162916 Hs.27402 Hs.27403 AW162916 Hs.27402 Hs.27403 AW162916 Hs.27403 AW162910 AW162916 Hs.27403 AW162916 Hs.27403 AW162916 Hs.27403 AW16291						
422168 AA586894 Hs.112408 S100 calcium-binding protein A7 (psorias 453331 Al240665 Hs.8895 ESTs 6.0 418007 M13509 Hs.83169 matrix metalloproteinase 1 (MMP1; Inters 6.0 418092 R45154 Hs.135568 ESTs 6.0 418092 R45154 Hs.106604 ESTs 6.0 432837 AA310693 Hs.87329 HSPC072 protein 5.9 432837 AA310693 Hs.87329 HSPC072 protein 5.9 432837 AA310693 Hs.237396 ESTs 5.9 450701 H39960 Hs.1713 E74-like factor 5 (ets domain transcript 5.9 410785 AW803341 425798 AL049689 Hs.77367 monokine induced by gamma interferon 5.8 459371 R20991 Hs.135191 ESTs, Weakly similar to unnamed protein 5.8 459371 R20991 Hs.331022 Hs.241576 hypothetical protein PRO2577 5.7 430510 AW162916 Hs.241576 hypothetical protein PRO2577 5.7 430510 AW162916 Hs.241576 hypothetical protein PRO2577 5.7 430510 AW162916 Hs.241576 hypothetical protein PRO2577 5.7 43010 AW162916 Hs.22147 ESTs 5.6 438199 AW016531 Hs.122147 ESTs 5.6 438199 AW36531 Hs.12147 ESTs 5.6 438199 AW36531 Hs.12147 ESTs 5.6 438199 AW36531 Hs.12147 ESTs 5.6 43819 AW36989 R41396 Hs.101774 hypothetical protein PRO2577 5.7 430019 AA463893 Hs.101774 hypothetical protein PLJ23045 5.5 439313 AL121278 Hs.22093 ESTs 5.6 439313 AL121278 Hs.25144 ESTs 5.6 439313 AL121278 Hs.25144 ESTs 5.6 439313 AL121278 Hs.25144 ESTs 5.4 44078 BE246919 Hs.10290 U5 snRNP-specific 40 kDa protein (hPrp8-447102 BE167434 Hs.26770 faty acid binding protein 7, brain 5.4 456938 X52509 Hs.161640 ths.24286 ESTs 5.3 450736 AW970080 422865 AA421081 Hs.12388 ESTs 5.3 456938 X52509 Hs.161640 ths.24286 ESTs 5.3 45867 L32137 Hs.1584 cartilage oligomeric matrix protein (COM 5.2 438167 R28361 Hs.132816 hs.24286 ESTs 5.3 438167 R28363 Hs.132816 hs.132816 hypothetical protein MGC14801 5.2 439765 N92293 Hs.20832 ESTs, Moderately similar to ALU8_HUMAN A 5.2	25					
45331 Al240665 Hs.8895 ESTS Al2807 M13509 Hs.8956 ESTS G.0	25					
418007 M13509						
40 41233 AA972965 Hs.135568 ESTs 6.0 418092 R45154 Hs.106604 ESTs 6.0 430044 AA464510 Hs.152812 ESTs 6.9 432837 AA310693 Hs.87329 HSPC072 protein 5.9 450701 H39960 Hs.238467 Homo sapiens cDNA FLJ12280 fis, clone MA 5.9 410785 AW803341 425398 ALD49689 Hs.156389 hypothetical protein similar to tenascin 5.9 41812 X72755 Hs.77367 monokine Induced by gamma interferon 5.9 459371 R20991 Hs.135191 ESTs, Weakly similar to tenascin 5.9 459371 R20991 Hs.33102 transcription factor AP-2 beta (activati 5.8 459371 R20991 Hs.241576 hypothetical protein FLJ23293 similar to 5.8 459371 R20991 Hs.241576 hypothetical protein PRO2577 5.7 5.8 451807 W52854 Hs.27099 hypothetical protein PRO2577 5.7 5.7 451807 W52854 Hs.2722 BMP-R1B Hs.122147 ESTs 5.6 453819 AW162916 Hs.241576 hypothetical protein PRO2577 5.7 5.7 452838 AV748078 Hs.2722 Collagen, type XJ, alpha 1 5.5 439138 AV748078 Hs.214410 ESTs, We		453331	A1240665	Hs.8895	ESTs	6.1
18092 R45154		418007	M13509	Hs.83169	matrix metalloproteinase 1 (MMP1; inters	6.0
43084 AA464510 Hs.152812 ESTs 5.9 432837 AA310693 Hs.87329 HSPC072 protein 5.9 43285 AW975944 Hs.237396 ESTs 5.9 450701 H39960 Hs.288467 Homo sapiens cDNA FLJ12280 fis, clone MA 5.9 425707 AF115402 Hs.11713 E74-like factor 5 (ets domain transcript 5.9 410785 AW803341 AV25755 Hs.77367 monokine induced by gamma interferon 5.8 459371 R20991 Hs.135191 ESTs, Weakly similar to unnamed protein 5.8 453511 AL031224 Hs.33102 transcription factor AP-2 beta (activati 5.8 453610 AW162916 Hs.2241576 hypothetical protein PRO2577 5.7 415539 AI733881 Hs.72472 BMP-R18 5.6 433199 AW0016531 Hs.122147 ESTs 5.6 43369 R41396 Hs.101774 hypothetical protein PRO2577 5.7 43099 R41396 Hs.101774 hypothetical protein PRO2577 5.5 43369 R41396 Hs.101774 hypothetical protein PRO2577 5.5 434539 AW748078 Hs.20933 ESTs 5.5 434539 AW748078 Hs.20933 ESTs 5.5 43539 AV748078 Hs.20933 ESTs 5.5 4369 AV748078 Hs.214410 ESTs, Weakly similar to MUC2_HUMAN MUCIN 5.4 44078 BE246919 Hs.10290 U5 snRNP-specific 40 kDa protein (hPrp8- 5.4 44078 BE246919 Hs.10290 U5 snRNP-specific 40 kDa protein (hPrp8- 5.4 44078 BE246919 Hs.10290 U5 snRNP-specific 40 kDa protein (hPrp8- 5.4 44078 BE246916 Hs.26770 taty acid binding protein 7, brain 5.4 45828 AA421081 Hs.26770 taty acid binding protein 7, brain 5.4 45828 AA421081 Hs.12696 ESTs S.3 45803 AA421081 Hs.12696 ESTs S.3 45803 AA421081 Hs.12696 ESTs S.3 45803 AA52394 Hs.12696 Hs.12696 ESTs S.3 45803 AA52394 Hs.12696 Hs.12696 ESTs S.3 45803 AA421081 Hs.26770 Hs.26770 Hs.26770 Hs.26770 Hs.26770 Hs.26770		441233	AA972965 .	Hs.135568	ESTs	6.0
43084 AA464510 Hs.152812 ESTs 5.9 432837 AA310693 Hs.87329 HSPC072 protein 5.9 43285 AW975944 Hs.237396 ESTs 5.9 450701 H39960 Hs.288467 Homo sapiens cDNA FLJ12280 fis, clone MA 5.9 425707 AF115402 Hs.11713 E74-like factor 5 (ets domain transcript 5.9 410785 AW803341 AV25755 Hs.77367 monokine induced by gamma interferon 5.8 459371 R20991 Hs.135191 ESTs, Weakly similar to unnamed protein 5.8 453511 AL031224 Hs.33102 transcription factor AP-2 beta (activati 5.8 453610 AW162916 Hs.2241576 hypothetical protein PRO2577 5.7 415539 AI733881 Hs.72472 BMP-R18 5.6 433199 AW0016531 Hs.122147 ESTs 5.6 43369 R41396 Hs.101774 hypothetical protein PRO2577 5.7 43099 R41396 Hs.101774 hypothetical protein PRO2577 5.5 43369 R41396 Hs.101774 hypothetical protein PRO2577 5.5 434539 AW748078 Hs.20933 ESTs 5.5 434539 AW748078 Hs.20933 ESTs 5.5 43539 AV748078 Hs.20933 ESTs 5.5 4369 AV748078 Hs.214410 ESTs, Weakly similar to MUC2_HUMAN MUCIN 5.4 44078 BE246919 Hs.10290 U5 snRNP-specific 40 kDa protein (hPrp8- 5.4 44078 BE246919 Hs.10290 U5 snRNP-specific 40 kDa protein (hPrp8- 5.4 44078 BE246919 Hs.10290 U5 snRNP-specific 40 kDa protein (hPrp8- 5.4 44078 BE246916 Hs.26770 taty acid binding protein 7, brain 5.4 45828 AA421081 Hs.26770 taty acid binding protein 7, brain 5.4 45828 AA421081 Hs.12696 ESTs S.3 45803 AA421081 Hs.12696 ESTs S.3 45803 AA421081 Hs.12696 ESTs S.3 45803 AA52394 Hs.12696 Hs.12696 ESTs S.3 45803 AA52394 Hs.12696 Hs.12696 ESTs S.3 45803 AA421081 Hs.26770 Hs.26770 Hs.26770 Hs.26770 Hs.26770 Hs.26770	30	418092	R45154	Hs.106604	ESTs	6.0
432837 AA310693		430044	AA464510	Hs.152812	ESTs	5.9
433285 AW975944 Hs.237396 ESTs 5.9						5.9
450701 H39960 Hs.288467 Homo saplens cDNA FLJ12280 fis, clone MA 5.9 425707 AF115402 Hs.11713 E74-like factor 5 (ets domain transcript 5.9 410785 AW803341 Hs.11713 E74-like factor 5 (ets domain transcript 5.9 425398 AL049689 Hs.156369 hypothetical protein similar to tenascin 5.9 414812 X72755 Hs.77367 monokine induced by gamma interferon 5.8 459371 R20991 Hs.135191 ESTs, Weakly similar to unnamed protein 5.8 453511 AL031224 Hs.33102 transcription factor AP-2 beta (activati 5.8 451807 W52854 Hs.27099 hypothetical protein PRO2577 5.7 430510 AW162916 Hs.241576 hypothetical protein PRO2577 5.7 417866 AW067903 Hs.221472 ESTs 5.6 417866 AW067903 Hs.22772 collagen, type XI, alpha 1 5.5 423811 AW299598 Hs.50895 Hs.50815 5.5 439138 AI742605 <td< th=""><th></th><th></th><th></th><th></th><th></th><th></th></td<>						
35 425707 AF115402 410785 Hs.11713 E74-like factor 5 (ets domain transcript gb:lL2-UM0079-090300-050-D03 UM0079 Homo 5.9 hypothetical protein similar to tenascin 459371 5.9 gb:lL2-UM0079-090300-050-D03 UM0079 Homo 5.9 hypothetical protein similar to tenascin 5.9 gb:yg06h01.rl Soares infant brain 1NIB H 5.8 gb:yg06h01.rl Soares infant brain 1NIB H 5.8 g						
410785 AW803341 425398 AL049689 Hs.156369 hypothetical protein similar to tenascin 5.9 monokine induced by gamma interferon 5.8 459371 R20991 Hs.135191 ESTs, Weakly similar to unnamed protein 5.8 453511 AL031224 Hs.33102 transcription factor AP-2 beta (activati 5.8 451807 W52854 Hs.27099 hypothetical protein FLJ23293 similar to 5.7 hypothetical protein FLJ23293 similar to 5.6 438199 AW016531 Hs.22147 ESTs 5.6 438199 AW016531 Hs.22147 ESTs 5.5 438099 R41396 Hs.101774 hypothetical protein FLJ23045 5.5 homeo box C4 434539 AW748078 Hs.101774 hypothetical protein FLJ23045 5.5 homeo box C4 5.4 439138 AI742605 Hs.193696 ESTs 5.4 44078 BE246919 Hs.10290 Hs.10290 447102 BE167434 Hs.25144 ESTs 44078 BE246919 Hs.10290 425236 AW067800 Hs.155223 42164 AA291553 Hs.190086 ESTs Weakly similar to T18712 hypothetic 5.3 450736 AW970060 428085 AA421081 Hs.26870 Hs.10260 ESTs S.3 450838 X52509 Hs.161640 Hs.30743 Australia Hs.1288 ESTs 5.3 456938 X52509 Hs.161640 Hs.12816 H	35					
425398 AL049689 Hs.156369 hypothetical protein similar to tenascin 5.9 414812 X72755 Hs.77367 monokine induced by gamma interferon 5.8 459371 R20991 gb:yg06h01.r1 Soares infant brain 1NIB H 5.8 453511 AL031224 Hs.33102 transcription factor AP-2 beta (activati 5.8 451807 W52854 Hs.27099 hypothetical protein FLJ23293 similar to 5.7 430510 AW162916 Hs.241576 hypothetical protein PRO2577 5.7 415539 AI733881 Hs.72472 BMP-R1B 5.6 438199 AW016531 Hs.22472 ESTs 5.6 417866 AW067903 Hs.82772 collagen, type XI, alpha 1 5.5 439809 R41396 Hs.101774 hypothetical protein FLJ23045 5.5 439809 R41396 Hs.101774 hypothetical protein FLJ23045 5.5 439809 R41396 Hs.101774 hypothetical protein FLJ23045 5.5 439313 AL121278 Hs.50895 homeo box C4 5.4 453931 AL121278 Hs.2544 ESTs 5.5 4404078 BE246919 Hs.10290 U5 snRNP-specific 40 kDa protein (hPrp8-447102 BE167434 Hs.98471 ESTs, Weakly similar to MUC2_HUMAN MUCIN 5.4 447102 BE167434 Hs.98471 ESTs, Weakly similar to T18712 hypothetic 5.4 447102 BE167434 Hs.2544 Hs.25670 fatty acid binding protein 7, brain 5.4 45243 AA991553 Hs.156293 Hs.156203 Stanplocalcin 2 5.3 450736 AW970060 Hs.155223 stanplocalcin 2 5.3 450736 AW970060 Hs.155223 stanplocalcin 2 5.3 45038 X52509 Hs.161640 tyrosine aminotransferase 5.3 43330 AW207084 Hs.12386 ESTs 6.7 433330 AW207084 Hs.12386 ESTs 6.7 449765 N92293 Hs.206832 ESTs, Moderately similar to ALU8_HUMAN A 5.2	55			H3.11713		
414812 X72755 Hs.77367 monokine induced by gamma interferon gb:yg06h01.rl Soares infant brain 1NIB H 5.8 459371 R20991 Hs.135191 ESTs, Weakly similar to unnamed protein 5.8 453511 AL031224 Hs.33102 transcription factor AP-2 beta (activati 5.8 451807 W52854 Hs.27099 hypothetical protein FLJ23293 similar to 5.7 430510 AW162916 Hs.241576 hypothetical protein PRO2577 5.7 415539 AI733881 Hs.72472 BMP-R1B 5.6 438199 AW016531 Hs.22147 ESTs 5.6 43809 R41396 Hs.20933 ESTs 5.5 439809 R41396 Hs.20933 ESTs 5.5 439809 R41396 Hs.101774 hypothetical protein FLJ23045 5.5 43913 AI742605 Hs.50895 homeo box C4 5.4 453931 AL121278 Hs.25144 ESTs 5.4 44078 BE246919 Hs.10290				11- 450000		
459371 R20991 40 411284 N28519 Hs.135191 ESTs, Weakly similar to unnamed protein 5.8 453511 AL031224 Hs.33102 transcription factor AP-2 beta (activati 5.8 451807 W52854 Hs.27099 hypothetical protein FLJ23293 similar to 5.7 430510 AW162916 Hs.241576 hypothetical protein FLJ23293 similar to 5.7 415539 AI733881 Hs.72472 BMP-R1B 5.6 417866 AW067903 Hs.82772 collagen, type XI, alpha 1 5.5 439809 R41396 Hs.101774 hypothetical protein FLJ23045 5.5 439809 R41396 Hs.20933 ESTs 5.5 439809 R41396 Hs.101774 hypothetical protein FLJ23045 5.5 423811 AW299598 Hs.50895 homeo box C4 5.4 439138 AI742605 Hs.193696 ESTs 5.4 444078 BE246919 Hs.10290 Hs.193696 ESTs 5.4 447102 BE167434 Hs.98471 ESTs, Weakly similar to MUC2_HUMAN MUCIN 5.4 447102 BE167434 Hs.98471 ESTs, Weakly similar to T18712 hypothetical protein FLJ23045 5.5 447102 BE167434 Hs.98471 ESTs, Weakly similar to T18712 hypothetical protein FLJ23045 5.5 447102 BE167434 Hs.25144 ESTs, Weakly similar to MUC2_HUMAN MUCIN 5.4 449768 BE246919 Hs.10290 Hs.165020 Hs.155223 Stannlocalcin 2 5.3 450736 AW970060 428085 AA421081 Hs.26770 fatty acid binding protein 7, brain 5.4 45838 U65011 Hs.30743 preferentially expressed antigen in mela 5.3 450938 X52509 Hs.161640 tyrosine aminotransferase 5.3 438167 R28363 Hs.24286 ESTs 5.3 433330 AW207084 Hs.1288 ESTs 5.3 433330 AW207084 Hs.12816 ESTs, Moderately similar to ALU8_HUMAN A 5.2					.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
40 411284 N28519 Hs.135191 ESTs, Weakly similar to unnamed protein 453511 AL031224 Hs.23102 transcription factor AP-2 beta (activati 5.8 451807 W52854 Hs.27099 hypothetical protein FLJ23293 similar to 5.7 430510 AW162916 Hs.241576 hypothetical protein PRO2577 5.7 415539 AI733881 Hs.22417 ESTs 5.6 417866 AW067903 Hs.22033 ESTs 5.5 439809 R41396 Hs.101774 hypothetical protein FLJ23045 5.5 423811 AW299598 Hs.50895 homeo box C4 5.4 439138 AI742605 Hs.193696 ESTs 5.4 449078 BE246919 Hs.10290 Hs.102				HS.//36/		
453511 AL031224 Hs.33102 transcription factor AP-2 beta (activati 5.8 451807 W52854 Hs.27099 hypothetical protein FLJ23293 similar to 5.7 430510 AW162916 Hs.241576 hypothetical protein PRO2577 5.7 415539 AI733881 Hs.72472 BMP-R1B 5.6 438199 AW016531 Hs.122147 ESTs 5.6 417866 AW067903 Hs.82772 collagen, type XI, alpha 1 5.5 430019 AA463893 Hs.20933 ESTs 5.5 423811 AW299598 Hs.101774 hypothetical protein FLJ23045 5.5 423811 AW299598 Hs.501774 hypothetical protein FLJ23045 5.5 423811 AW299598 Hs.501774 hypothetical protein FLJ23045 5.5 423811 AW299598 Hs.101774 hypothetical protein FLJ23045 5.5 423811 AW299598 Hs.201774 hypothetical protein FLJ23045 5.5 5.5 42381 AV2605 Hs.25144 ESTs, Weakly similar to MUC2_HUMAN MUCIN 5.4 44078 BE246919 Hs.25144 ESTs, Weakly similar to MUC2_HUMAN MUCIN 5.4 447102 BE167434 Hs.25144 ESTs 5.4 44078 BE246919 Hs.26770 fatty acid binding protein (hPrp8-54 451621 Al879148 Hs.26770 fatty acid binding protein 7, brain 5.4 45144 AA291553 Hs.190086 ESTs 5.3 450736 AW9070060 428085 AA421081 Hs.1288 ESTs 5.3 428085 AA421081 Hs.30743 preferentially expressed antigen in mela 5.3 456938 X52509 Hs.161640 tyrosine aminotransferase 5.3 43330 AW207084 Hs.132816 hypothetical protein MGC14801 5.2 449765 N92293 Hs.206832 ESTs, Moderately similar to ALU8_HUMAN A 5.2	40					
451807 W52854 Hs.27099 hypothetical protein FLJ23293 similar to 430510 AW162916 Hs.241576 hypothetical protein PRO2577 5.7 415539 AI733881 Hs.22472 BMP-R18 5.6 417866 AW067903 Hs.82772 collagen, type XI, alpha 1 5.5 430019 AA463893 Hs.220333 ESTs 5.5 439809 R41396 Hs.101774 hypothetical protein FLJ23045 5.5 423811 AW299598 Hs.50895 homeo box C4 5.4 439138 AI742605 Hs.193696 ESTs 5.4 453931 AL121278 Hs.25144 ESTs 5.6 423813 AI742605 Hs.193696 ESTs 5.4 444078 BE246919 Hs.0290 U5 snRNP-specific 40 kDa protein (hPrp8-5.4 447102 BE167434 Hs.98471 ESTs, Weakly similar to MUC2_HUMAN MUCIN 5.4 447102 BE167434 Hs.98471 ESTs, Weakly similar to T18712 hypothetic faity acid binding protein 7, brain 5.4 45393 AW270804 Hs.19086 ESTs 5.3 450736 AW970060 gb:EST3 2137 Hs.1584 FST3 5.3 456938 X52509 Hs.161640 tyrosine aminotransferase 5.3 43330 AW207084 Hs.132816 Hs.22867 N92293 Hs.206832 ESTs, Moderately similar to ALU8_HUMAN A 5.2	40					
430510 AW162916 Hs.241576 hypothetical protein PRO2577 5.7 415539 AI733881 Hs.72472 BMP-R1B 5.6 438199 AW016531 Hs.22147 ESTs 5.6 417866 AW067903 Hs.82772 collagen, type XI, alpha 1 5.5 430019 AA463893 Hs.20933 ESTs 5.5 439809 R41396 Hs.101774 hypothetical protein FLJ23045 5.5 423811 AW299598 Hs.50895 homeo box C4 5.4 439138 AI742605 Hs.214410 ESTs, Weakly similar to MUC2_HUMAN MUCIN 5.4 439331 AL121278 Hs.25144 ESTs 5.4 444078 BE246919 Hs.10290 U5 snRNP-specific 40 kDa protein (hPrp8-5.4 447102 BE167434 Hs.98471 ESTs, Weakly similar to T18712 hypotheti 55 451621 AI879148 Hs.26570 fatty acid binding protein 7, brain 5.4 425236 AW067800 Hs.155223 stannlocalcin 2 5.3 450736 AW970060 Hs.155223 stannlocalcin 2 5.3 450736 AW970060 Hs.15620 U5 STS 450838 X52509 Hs.10188 ESTs 5.3 456938 X52509 Hs.161640 tyrosine aminotransferase 5.3 422867 L32137 Hs.1584 carillage oligomeric matrix protein (COM 5.2 438330 AW207084 Hs.12386 ESTs, Moderately similar to ALU8_HUMAN A 5.2		453511	AL031224	Hs.33102	transcription factor AP-2 beta (activati	5.8
45 438199 AW016531 Hs.122147 ESTs 5.6 438199 AW016531 Hs.122147 ESTs 5.6 417866 AW067903 Hs.82772 collagen, type XI, alpha 1 5.5 439019 AA463893 Hs.20933 ESTs 5.5 439809 R41396 Hs.101774 hypothetical protein FLJ23045 5.5 423811 AW299598 Hs.50895 homeo box C4 5.4 439138 AI742605 Hs.193696 ESTs 5.4 453931 AL121278 Hs.25144 ESTs, Weakly similar to MUC2_HUMAN MUCIN 5.4 444078 BE246919 Hs.10290 U5 snRNP-specific 40 kDa protein (hPrp8- 447102 BE167434 Hs.98471 ESTs, Weakly similar to T18712 hypotheti 55 451621 Al879148 Hs.26770 fatty acid binding protein 7, brain 5.4 425236 AW067800 Hs.155223 Hs.190086 ESTs 5.3 450736 AW970060 428085 AA421081 Hs.12388 ESTs 5.3 450736 AW970060 456938 X52509 Hs.161640 tyrosine aminotransferase 5.3 45603 X52509 Hs.161640 tyrosine aminotransferase 5.3 438167 R28363 Hs.24286 ESTs, Moderately similar to ALU8_HUMAN A 5.2		451807	W52854	Hs.27099	hypothetical protein FLJ23293 similar to	5.7
45 438199 AW016531 Hs.122147 ESTs 5.6 438199 AW016531 Hs.22147 ESTs 5.6 417866 AW067903 Hs.82772 collagen, type XI, alpha 1 5.5 439809 R41396 Hs.101774 hypothetical protein FLJ23045 5.5 423811 AW299598 Hs.50895 homeo box C4 5.4 439138 AI742605 Hs.214410 ESTs, Weakly similar to MUC2_HUMAN MUCIN 5.4 439138 AI742605 Hs.25144 ESTs 5.4 444078 BE246919 Hs.10290 U5 snRNP-specific 40 kDa protein (hPrp8-447102 BE167434 Hs.98471 ESTs, Weakly similar to T18712 hypotheti 425236 AW067800 Hs.155223 Hs.2570 fatty acid binding protein 7, brain 5.4 425236 AW067800 Hs.155223 Hs.190086 ESTs 5.3 450736 AW970060 428085 AA421081 Hs.2388 ESTs 5.3 450736 AW970060 456938 X52509 Hs.161640 tyrosine aminotransferase 5.3 422867 L32137 Hs.1584 cartilage oligomeric matrix protein (COM 5.2 433330 AW207084 Hs.12386 ESTs, Moderately similar to ALU8_HUMAN A 5.2		430510	AW162916	Hs.241576	hypothetical protein PRO2577	5.7
438199 AW016531 Hs.122147 ESTs 5.6 417866 AW067903 Hs.82772 collagen, type XI, alpha 1 5.5 430019 AA463893 Hs.220933 ESTs 5.5 439809 R41396 Hs.101774 hypothetical protein FLJ23045 5.5 423811 AW299598 Hs.50895 homeo box C4 5.4 439138 AI742605 Hs.193696 ESTs, Weakly similar to MUC2_HUMAN MUCIN 5.4 439138 AI742605 Hs.193696 ESTs 5.4 453931 AL121278 Hs.25144 ESTs 5.4 444078 BE246919 Hs.10290 U5 snRNP-specific 40 kDa protein (hPrp8-5.4 447102 BE167434 Hs.98471 ESTs, Weakly similar to T18712 hypotheti 5.4 451621 Al879148 Hs.26770 fatty acid binding protein 7, brain 5.4 425236 AW067800 Hs.155223 Hs.190086 ESTs 5.3 450736 AW970060 428085 AA421081 Hs.2388 ESTs 5.3 450736 AW970060 Hs.161640 FSTs S.3 456938 X52509 Hs.161640 tyrosine aminotransferase 5.3 422867 L32137 Hs.1584 cartilage oligomeric matrix protein (COM 5.2 433330 AW207084 Hs.12386 ESTs, Moderately similar to ALU8_HUMAN A 5.2		415539	AI733881	Hs.72472	BMP-R1B	5.6
417866 AW067903 Hs.82772 collagen, type XI, alpha 1 5.5 430019 AA463893 Hs.20933 ESTs 5.5 423811 AW299598 Hs.101774 hypothetical protein FLJ23045 5.5 423811 AW299598 Hs.50895 homeo box C4 5.4 439138 AI742605 Hs.193696 ESTs 5.4 453931 AL121278 Hs.25144 ESTs 5.4 444078 BE246919 Hs.10290 U5 snRNP-specific 40 kDa protein (hPrp8-47102 BE167434 Hs.26770 ESTs, Weakly similar to T18712 hypothetic 5.4 451621 AI879148 Hs.26770 ESTs, Weakly similar to T18712 hypothetic 5.4 451621 AI879148 Hs.26770 fatty acid binding protein 7, brain 5.4 45236 AW067800 Hs.155223 Hs.190086 ESTs 5.3 450736 AW9970060 428085 AA421081 Hs.12388 ESTs 5.3 456938 X52509 Hs.161640 tyrosine aminotransferase 5.3 422867 L32137 Hs.1584 Hs.12696 cortactin SH3 domain-binding protein (COM 5.2 433330 AW207084 Hs.132816 hypothetical protein MGC14801 5.2 449765 N92293 Hs.206832 ESTs, Moderately similar to ALU8_HUMAN A 5.2	45	438199	AW016531		ESTs	5.6
430019 AA463893 Hs.220933 ESTs 5.5 439809 R41396 Hs.101774 hypothetical protein FLJ23045 5.5 423811 AW299598 Hs.50895 homeo box C4 5.4 439138 AI742605 Hs.50895 homeo box C4 5.4 439331 AL121278 Hs.214410 ESTs, Weakly similar to MUC2_HUMAN MUCIN 5.4 44078 BE246919 Hs.10290 U5 snRNP-specific 40 kDa protein (hPrp8-5.4 447102 BE167434 Hs.98471 ESTs, Weakly similar to T18712 hypothetic 5.4 447102 BE167434 Hs.98471 ESTs, Weakly similar to T18712 hypotheti 5.4 451621 AI879148 Hs.26770 fatty acid binding protein 7, brain 5.4 425236 AW0967800 Hs.155223 stannlocatin 2 5.3 450736 AW970060 ESTs 5.3 450736 AW970060 ESTS 5.3 450736 AW970060 GSTS 5.3 450838 AA421081 Hs.12388 ESTS 5.3 450838 AA421081 Hs.12388 ESTS 5.3 456938 X52509 Hs.161640 tyrosine aminotransferase 5.3 422867 L32137 Hs.1584 cartilage oligomeric matrix protein (COM 5.2 438330 AW207084 Hs.132816 hypothetical protein MGC14801 5.2 449765 N92293 Hs.206832 ESTs, Moderately similar to ALU8_HUMAN A 5.2						
439809 R41396 Hs.101774 hypothetical protein FLJ23045 5.5 423811 AW299598 Hs.50895 homeo box C4 5.4 434539 AW748078 Hs.193696 ESTs Weakly similar to MUC2_HUMAN MUCIN 5.4 439313 AL121278 Hs.193696 ESTs 5.4 4453931 AL121278 Hs.10290 U5 snRNP-specific 40 kDa protein (hPrp8-5.4 447102 BE167434 Hs.98471 ESTs, Weakly similar to T18712 hypothetic 5.4 451621 Al879148 Hs.26770 fatty acid binding protein 7, brain 5.4 425236 AW067800 Hs.155223 stannlocalcin 2 5.3 450736 AW970060 ESTs ESTs 450736 AW970060 gb:EST382140 MAGE resequences, MAGK Homo5.3 450736 AV970060 Hs.12388 ESTs 5.3 450736 AV970060 Hs.12388 ESTs 5.3 45083 A4221081 Hs.30743 preferentially expressed antigen in mela 5.3 456938 X52509 Hs.161640 tyrosine aminotransferase 5.3 422867 L32137 Hs.1584 cartilage oligomeric matrix protein (COM 5.2 433330 AW207084 Hs.12386 ESTs, Moderately similar to ALU8_HUMAN A 5.2						
423811 AW299598 Hs.50895 homeo box C4 5.4 434539 AW748078 Hs.214410 ESTs, Weakly similar to MUC2_HUMAN MUCIN 5.4 439138 AI742605 Hs. 193696 ESTs 5.4 453931 AL121278 Hs.25144 ESTs 5.4 444078 BE246919 Hs.10290 U5 snRNP-specific 40 kDa protein (hPrp8-5.4 5.4 447102 BE167434 Hs.98471 ESTs, Weakly similar to T18712 hypotheti 5.4 451621 Al879148 Hs.26770 fatty acid binding protein 7, brain 5.4 425236 AW067800 Hs.155223 stannlocalcin 2 5.3 450736 AW970060 ESTs 5.3 450736 AW421081 Hs.12388 ESTs 5.3 60 452838 U65011 Hs.30743 preferentially expressed antigen in mela 5.3 456938 X52509 Hs.161640 tyrosine aminotransferase 5.3 438167 R23863 Hs.1284 cartilage oligomeric matrix protein (COM 5.2						
50 434539 AW748078 Hs.214410 ESTs, Weakly similar to MUC2_HUMAN MUCIN 5.4 439138 AI742605 Hs.193696 ESTs 5.4 453931 AL121278 Hs.25144 ESTs 5.4 444078 BE246919 Hs.10290 U5 snRNP-specific 40 kDa protein (hPrp8-5.4 5.4 447102 BE167434 Hs.98471 ESTs, Weakly similar to T18712 hypotheti 5.4 451621 Al879148 Hs.26770 fatty acid binding protein 7, brain 5.4 425236 AW067800 Hs.155223 stannlocalcin 2 5.3 421644 AA291553 Hs.190086 ESTs 5.3 428085 AA421081 Hs.12388 ESTs 5.3 45283 U65011 Hs.30743 preferentially expressed antigen in mela 5.3 456938 X52509 Hs.161640 tyrosine aminotransferase 5.3 438167 R23863 Hs.24286 ESTs 5.2 433330 AW207084 Hs.152816 hypothetical protein MGC14801 5.2						
439138 AI742605 Hs.193696 ESTs 5.4 453931 AL121278 Hs.25144 ESTs 5.4 444078 BE246919 Hs.10290 U5 snRNP-specific 40 kDa protein (hPrp8-5.4 447102 BE167434 Hs.98471 ESTs, Weakly similar to T18712 hypotheti 5.4 451621 Al879148 Hs.26770 fatty acid binding protein 7, brain 5.4 425236 AW067800 Hs.155223 stannlocalcin 2 5.3 450736 AW970060 428085 AA421081 Hs.12388 ESTs 5.3 450736 AW970060 Hs.161640 ESTs 5.3 452838 U65011 Hs.30743 preferentially expressed antigen in mela 5.3 456938 X52509 Hs.161640 tyrosine aminotransferase 5.3 422867 L32137 Hs.1584 cartilage oligomeric matrix protein (COM 5.2 433330 AW207084 Hs.123616 hypothetical protein MGC14801 5.2 449765 N92293 Hs.206832 ESTs, Moderately similar to ALU8_HUMAN A 5.2	50			Ha 244440	ECT Month similar in MICO HI MANI MICINI	
453931 AL121278 Hs.25144 ESTs 5.4 444078 BE246919 Hs.10290 U5 snRNP-specific 40 kDa protein (hPrp8-5.4 447102 BE167434 Hs.98471 ESTs, Weakly similar to T18712 hypotheti 5.4 451621 Al879148 Hs.26770 fatty acid binding protein 7, brain 5.4 425236 AW067800 Hs.155223 stannlocation 2 5.3 421464 AA291553 Hs.190086 ESTs 5.3 450736 AW970060 gb:EST382140 MAGE resequences, MAGK Homo5.3 428085 AA421081 Hs.12388 ESTs 5.3 45083 U65011 Hs.30743 preferentially expressed antigen in mela 5.3 445424 AB028945 Hs.12696 cortactin SH3 domain-binding protein 5.3 456938 X52509 Hs.161640 tyrosine aminotransferase 5.3 422867 L32137 Hs.1584 cartilage oligomeric matrix protein (COM 5.2 438167 R28363 Hs.24286 ESTs 5.2 433330 AW207084 Hs.132816 hypothetical protein MGC14801 5.2 449765 N92293 Hs.206832 ESTs, Moderately similar to ALU8_HUMAN A 5.2	50					
444078 BE246919 447102 Hs.10290 BE167434 U5 snRNP-specific 40 kDa protein (hPrp8- 5.4 5.4 451621 Al879148 425236 Hs.26770 AV067800 Hs.26770 Hs.155223 fatty acid binding protein 7, brain 5.4 425236 450736 AW970060 Hs.155223 stannlocalcin 2 5.3 450736 AW970060 ESTs 5.3 428085 AA421081 Hs.12388 ESTs 5.3 452838 U65011 Hs.30743 preferentially expressed antigen in mela 5.3 456938 X52509 Hs.16640 tyrosine aminotransferase 5.3 438167 R28363 Hs.24286 ESTs 5.2 43330 AW207084 Hs.132816 Hypothetical protein MGC14801 5.2 449765 N92293 Hs.206832 ESTs, Moderately similar to ALU8_HUMAN A 5.2						
447102 BE167434 Hs.98471 Hs.98471 Hs.26770 fatty acid binding protein 7, brain 5.4 451621 Al879148 425236 AW067800 Hs.155223 stannlocatcin 2 5.3 421464 AA291553 Hs.190086 ESTs ESTs (Beakly similar to T18712 hypothetis) 5.4 450736 AW970060 AW970060 Hs.155223 stannlocatcin 2 5.3 450836 AA421081 AA221081 Hs.12388 ESTs ESTs 5.3 452838 U65011 Hs.30743 Hs.12696 Cortactin SH3 domain-binding protein 5.3 456938 X52509 Hs.161640 tyrosine aminotransferase 5.3 422867 L32137 Hs.1584 Ls.2286 ESTs cartilage oligomeric matrix protein (COM Hs.132816 hypothetical protein MGC14801 Hs.206832 ESTs, Moderately similar to ALU8_HUMAN A 5.2 433330 AW207084 AW2973 Hs.206832 ESTs, Moderately similar to ALU8_HUMAN A 5.2						
55 451621 Al879148 Hs.26770 fatty acid binding protein 7, brain 5.4 425236 AW067800 Hs.155223 stannlocalcin 2 5.3 421644 AA291553 Hs.190086 ESTs 5.3 428085 AA421081 Hs.12388 ESTs 5.3 60 452838 U65011 Hs.30743 preferentially expressed antigen in mela 5.3 456938 X52509 Hs.161640 tyrosine aminotransferase 5.3 42867 L32137 Hs.1584 cartilage oligomeric matrix protein (COM 5.2 438167 R28363 Hs.122816 Hs.132816 hypothetical protein MGC14801 5.2 449765 N92293 Hs.206832 ESTs, Moderately similar to ALU8_HUMAN A 5.2		444078	BE246919	Hs.10290	U5 snRNP-specific 40 kDa protein (nPrp8-	5.4
425236 AW067800 Hs.155223 stannlocalcin 2 5.3 421464 AA291553 Hs.190086 ESTs 5.3 450736 AW970060 428085 AA421081 Hs.2388 ESTs 5.3 452838 U65011 Hs.30743 preferentially expressed antigen in mela 5.3 445424 AB028945 Hs.12696 cortactin SH3 domain-binding protein 5.3 456938 X52509 Hs.161640 tyrosine aminotransferase 5.3 422867 L32137 Hs.1584 carillage oligomeric matrix protein (COM 5.2 433330 AW207084 Hs.132816 hypothetical protein MGC14801 5.2 449765 N92293 Hs.206832 ESTs, Moderately similar to ALU8_HUMAN A 5.2		447102	BE167434	Hs.98471		
421464 AA291553 Hs.190086 ESTs gb:EST382140 MAGE resequences, MAGK Homo5.3 428085 AA421081 Hs.12388 ESTs 5.3 456938 X52509 Hs.161640 tyrosine aminotransferase 5.3 422867 L32137 Hs.1584 cartilage oligomeric matrix protein (COM 5.2 433330 AW207084 Hs.12381 ESTs hypothetical protein MGC14801 5.2 449765 N92293 Hs.206832 ESTs, Moderately similar to ALU8_HUMAN A 5.2	55	451621	A1879148	Hs.26770	fatty acid binding protein 7, brain	
450736 AW970060 428085 AA421081 452838 U65011 445424 AB028945 456938 X52509 422867 L32137 438167 R28363 43330 AW207084 449765 N92293 Hs. 1634 gb:EST382140 MAGE resequences, MAGK Homo5.3 ESTs preferentially expressed antigen in mela 5.3 preferen		425236	AW067800	Hs.155223	stanniocalcin 2	5.3
450736		421464	AA291553	Hs.190086	ESTs	5.3
428085 AA421081 Hs.12388 ESTs 5.3 452838 U65011 Hs.30743 preferentially expressed antigen in mela 5.3 445424 AB028945 Hs.12696 cortactin SH3 domain-binding protein 5.3 456938 X52509 Hs.161640 tryosine aminotransferase 5.3 422867 L32137 Hs.1584 cartilage oligomeric matrix protein (COM 5.2 438167 R28363 Hs.24286 ESTs 5.2 433330 AW207084 Hs.132816 hypothetical protein MGC14801 5.2 449765 N92293 Hs.206832 ESTs, Moderately similar to ALU8_HUMAN A 5.2						05.3
60 452838 U65011 Hs.30743 preferentially expressed antigen in mela cortactin SH3 domain-binding protein 5.3 445424 AB028945 Hs.12696 cortactin SH3 domain-binding protein 5.3 456938 X52509 Hs.161640 tyrosine aminotransferase 5.3 422867 L32137 Hs.1584 cartilage oligomeric matrix protein (COM 5.2 438167 R28363 Hs.24286 ESTs 5.2 433330 AW207084 Hs.132816 hypothetical protein MGC14801 5.2 449765 N92293 Hs.206832 ESTs, Moderately similar to ALU8_HUMAN A 5.2				Hs 12388	<u>.</u>	
445424 AB028945 Hs.12696 cortactin SH3 domain-binding protein 5.3 456938 X52509 Hs.161640 tyrostne aminotransferase 5.3 422867 L32137 Hs.1584 carillage oligomeric matrix protein (COM 5.2 433330 AW207084 Hs.132816 hypothetical protein MGC14801 5.2 449765 N92293 Hs.206832 ESTs, Moderately similar to ALU8_HUMAN A 5.2	60					
456938 X52509 Hs.161640 tyrosine aminotransferase 5.3 422867 L32137 Hs.1584 cartilage oligomeric matrix protein (COM 5.2 438167 R28363 Hs.24286 ESTs 5.2 433330 AW207084 Hs.132816 hypothetical protein MGC14801 5.2 449765 N92293 Hs.206832 ESTs, Moderately similar to ALU8_HUMAN A 5.2	00				contactin CH3 domain_hinding protein	
422867 L32137 Hs.1584 cartilage oligomeric matrix protein (COM 5.2 438167 R28363 Hs.24286 ESTs 5.2 433330 AW207084 Hs.132816 hypothetical protein MGC14801 5.2 449765 N92293 ESTs, Moderately similar to ALU8_HUMAN A 5.2			•			
438167 R28363 Hs.24286 ESTs 5.2 433330 AW207084 Hs.132816 hypothetical protein MGC14801 5.2 449765 N92293 ESTs, Moderately similar to ALU8_HUMAN A 5.2					tytopus diliutoudibisiose	
65 433330 AW207084 Hs.132816 hypothetical protein MGC14801 5.2 449765 N92293 Hs.206832 ESTs, Moderately similar to ALU8_HUMAN A 5.2						
449765 N92293 Hs.206832 ESTs, Moderately similar to ALU8_HUMAN A 5.2	C 5					
	OJ			HS.132816	nypometical protein MGC14801	
416276 U41060 Hs.79136 LIV-1 protein, estrogen regulated 5.2						
		416276	U41060	Hs.79136	LIV-1 protein, estrogen regulated	5.2

	400300	X03363		HER2 receptor tyrosine kinase (c-erb-b2,	5.2
		U37519	Hs.87539	aldehyde dehydrogenase 3 family, member	5.2
		AW449211		GDNF family receptor alpha 1	5.2
		AB028992		KIAA1069 protein	5.2
5		AW852530		gb:PM1-CT0243-071099-001-g06 CT0243 Homo	
		AW851980	Hs.262346	ESTs, Weakly similar to S72482 hypotheti	5.2
	453197	Al916269		ESTs, Weakly similar to ALU5_HUMAN ALU S	5.1
	400298	AA032279	Hs.61635	six transmembrane epithelial antigen of	5.1
	431023	AI283133	Hs.297420	ESTs	5.1
10	427666	Al791495	Hs.180142	calmodulin-like skin protein	5.1
	427718	A1798680	Hs.25933	ESTs	5.1
		AA642007	Hs.116369	ESTs	5.1
	429220	AW207206	Hs.136319		5.1
1.0	405494			C2001837*:gi 12697903 dbj BAB21770.1 (A	5.1
15		AW195285	Hs.194097	ESTs, Weakly similar to I38022 hypotheti	5.1
		Al201849		gb:qs76g04.x1 NCI_CGAP_Pr28 Homo sapiens	
		X70697	Hs.553	solute carrier family 6 (neurotransmitte	5.0
		BE387335		ESTs, Weakly similar to S64054 hypotheti	5.0
20		R43646	Hs.12422	ESTs	5.0
20		W02414	Hs.38383	ESTs	5.0 5.0
		AW665281 AA236776	Hs.224625 Hs.79078	MAD2 (mitotic arrest deficient, yeast, h	5.0
		AK000713		hypothetical protein FLJ20706	5.0
		AW512260	Hs.87767		4.9
25		X82125	Hs.25040		4.9
		AJ003029	Hs.65792	syntrophin, gamma 2	4.9
		M30703		amphiregulin (schwannoma-derived growth	4.9
		Al655499	Hs.161712		4.8
	442441	A1820662	Hs.129598	ESTs	4.8
30	435635	AF220050	Hs.181385	uncharacterized hematopoletic stem/proge	4.8
	400286	NA .		C16000922:gi[7499103 pir T20903 hypothe	4.8
	407506	U71600		gb:Human zinc finger protein zfp31 (zf31	4.8
		Al831190	Hs.166676		4.8
25		BE218239	Hs.202656		4.8
35		Al217477	Hs.194591		4.8
		AW997556	Hs.78521	KIAA1717 protein	4.8
		BE440042	Hs.83326	matrix metalloproteinase 3 (stromelysin	4.7 4.7
		AI349764	Hs.217081 Hs.48778	_	4.7
40	400284	AA191493	NS.40110	niban protein	4.7
40		AW248508	He 270727	estrogen receptor 1 Homo sapiens cDNA FLJ14035 fis, clone HE	4.7
		R42185	Hs.274803		4.7
		BE062109		chloride channel, calcium activated, fam	4.7
		AW961489	Hs.154116		4.7
45.		NM_003462	Hs.33846	dynein, axonemal, light intermediate pol	4.7
		AF077345	Hs.177936		4.6
	421751	AW813731	Hs.159153	ESTs, Moderately similar to \$65657 alpha	4.6
•	454074	R63503	Hs.28419	ESTs	4.6
	405718			C4000799*:gij6330365 dbj]BAA86508.1 (AB	4.6
50		AW207523	Hs.197628		4.6
		Z40313		Homo sapiens done IMAGE:23371, mRNA seq	4.6
	_	M81057		carboxypeptidase B1 (tissue)	4.6
		Al199268	Hs.19322	Homo sapiens, Similar to RIKEN cDNA 2010	4.6
55		AK000282 AW855717	HS.239681	hypothetical protein FLJ20275 gb:RC1-CT0279-081299-013-b01 CT0279 Homo	4.6
33		AA242758	Hs.79136	LIV-1 protein, estrogen regulated	4.6
		AA808189	Hs.272151		4.6
		AW936273	113.212131	gb:QV0-DT0020-090200-107-g07 DT0020 Homo	
		AL036877	Hs.282878		4.6
60		AA514660	Hs.128443		4.6
		H15261	Hs.21948	ESTs	4.6
		AW246333	Hs.17901	Homo sapiens, clone IMAGE:3937015, mRNA,	4.6
		AJ245671	Hs.12844	EGF-like-domain, multiple 6 (EGFL6)	4.5
	424590	AW966399	Hs.46821	hypothetical protein FLJ20086	4.5
65	432374	W68815	Hs.301885	Homo sapiens cDNA FLJ11346 fis, clone PL	4.5
		AW503329		gb:UI-HF-BN0-akx-e-02-0-UI.r1 NIH_MGC_50	4.5
	406747	AI925153	Hs.217493	annexin A2	4.5

	412102	H56435			4.5
	431716	D89053	Hs.268012	fatty-acid-Coenzyme A ligase, long-chain	4.5
	411050	AW814902		gb:MR1-ST0206-120400-022-f08 ST0206 Homo	4.5
	401418				4.5
5			11-000406		
J		AK001074			4.5
	436211	AK001581	Hs.334828		4.4
	414080	AA135257	Hs.47783	B aggressive lymphoma gene	4.4
	424115	AA335497	Hs.293965	ESTs, Weakly similar to 138022 hypotheti	4.4
		AW419198			4.4
10				.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	4.4
10		AW664964	Hs.128899		
		BE463857	HS.151258		4.4
	432731	R31178	Hs.287820		4.4
	410534	AW905138		gb:QV0-NN1071-280400-207-g07 NN1071 Homo	4.4
	405196				4.4
15	430217		H- 225004		4.4
13		1447 003	HS.330801		
	401793			C17001545:gij5360127[gb AAD42882.1 AF155	4.4
	415747	AA381209		gb:EST94257 Activated T-cells I Homo sap	4.4
	423679	AB007975	Hs.131454	KIAA0506 protein	4.4
	400238	NA		C19000274*:gij12741327jrefjXP_008833.2j	4.4
20		AF019612	He 207007		4.4
20		AL 0 150 12	1 13.237 001	The state of the s	4.4
	400608				
		AV657310	Hs.282898		4.3
	407771	AL138272	Hs.62713	ESTs	4.3
	405906	NA		Target Exon	4.3
25	405925				4.3
		BE247684	Hs.103070		4.3
		H57646	Hs.42586	KIAA1560 protein	4.3
	407162	N63855	Hs.142634		4.3
	419536	AA603305		gb:np12d11.s1 NCI_CGAP_Pr3 Homo sapiens	4.3
30	454359	N71277		gb:za36e03.s1 Soares fetal liver spleen	4.3
-		AA102670	Hs.70725	gamma-aminobutyric acid (GABA) A recepto	4.2
		A1266484	Hs.31570	ESTs, Weakly similar to KIAA1324 protein	4.2
		AA291377	Hs.50831	ESTs	4.2
	452864	AA033714		hypothetical protein FLJ14260	4.2
35	409757	NM_001898	Hs.123114	cystatin SN	4.2
	413043	BE158766		gb:IL2-HT0397-071299-024-F02 HT0397 Homo	4.2
		BE144884		gb:CM0-HT0182-041099-065-e11 HT0182 Homo	4.2
		BE538082	Hs.8172	ESTs, Moderately similar to A46010 X-lin	4.2
40		AF123050	Hs.44532	diubiquitin	4.2
40	406992	S82472		gb:beta -pol=DNA polymerase beta (exon a	4.2
	404285	NA		C6001909:gi 704441 db BAA18909.1 (D298	4.2
	425247	NM_005940	Hs.155324	matrix metalloproteinase 11 (MMP11; stro	4.2
		AW812795		ESTs, Moderately similar to 138022 hypot	4.2
		AA026880	Hs.25252		4.2
15				prolactin receptor	
45		AW592167	Hs.293299		4.2
	426451	AI908165	Hs.169946	GATA-binding protein 3 (T-cell receptor	4.2
	415227	AW821113	· Hs.72402	ESTs	4.2
	452176	AA024538	Hs.282990	Human DNA sequence from clone RP1-28H20	4.2
		AW378065	Hs.8687	ESTs	4.2
50		Al085198	Hs.164226	_ · · · ·	4.2
50					4.1
		AB007948		KIAA0479 protein	
		J05070		matrix metalloproteinase 9 (gelatinase B	4.1
	430009	AA894564	Hs.22242	ESTs	4.1
	434469	AA634806		gb:ab28c02.r1 Stratagene tung (937210) H	4.1
55		BE241831	Hs.172330	hypothetical protein MGC2705	4.1
		R18717	Hs.8929	hypothetical protein FLJ11362	4.1
			113.0323	gb:CM1-BT0368-061299-060-g07 BT0368 Homo	
		BE068115			
		AK000850		Homo sapiens cDNA FLJ20843 fis, clone AD	4.1
	438885	AI886558	Hs.184987	ESTs	4.1
60	401451			NM_004496*:Homo sapiens hepatocyte nucle	4.1
-		A1685464		gb:tt88f04.x1 NCI_CGAP_Pr28 Homo sapiens	4.1
	400000	Al735283	Hs.172608		4.1
					4.1
	429270	W60379	Hs.57773	ESTs	
	443903	AI220547	Hs.135223		4.1
65		AW057736		HER2 receptor tyrosine kinase (c-erb-b2,	4.1
•	410275	U85658	Hs.61796	transcription factor AP-2 gamma (activat	4.1
	432912	BE007371	Hs.200313		4.1
	7020 12				

	403585				4.1
		Al394151	Hs.37932		4.1
		AA640891	Hs.102406		4.1
5		BE264901	Hs.79069		4.1 4.1
5		NM_004354 AA296520	Hs.89546		4.1
	400555	AA230320	115.05040		4.1
		U94362	Hs.58589		4.0
		NM_003528	Hs.2178	373	4.0
10		AA448460			4.0
		AL359055			4.0
	429353	AL117406	Hs.200102		4.0
		NM_002666	Hs.103253	PP	4.0
1.5		AA228776	Hs.191721		4.0
15		AW954552	Hs.142634		4.0
		AW938484		gb:CM0-DT0057-290200-253-d06 DT0057 Homo Target Exon	4.0 4.0
	404142	NA A1027604	Hs.159650		4.0
		A1693927	Hs.265165		4.0
20		AA165232	Hs.222069		4.0
		N75582			4.0
		BE390440			4.0
	452281	T93500	Hs.28792	Homo sapiens cDNA FLJ11041 fis, clone PL	4.0
	417801	AA417383	Hs.82582		4.0
25		A1281848			4.0
		X77343	Hs.334334		4.0
		AL119723	11- 00750		4.0 4.0
		AA356170	Hs.26750 Hs.61232		4.0
30		Al591147 Al741122			4.0
50		N99626	115.101010		4.0
		Al199738	Hs.208275		4.0
		A1948607	Hs.264680		4.0
	452681	AF153330	Hs.30246		3.9
35	450192	AA263143	Hs.24596		3.9
	406554		:		3.9
		AA573006	Hs.19173		3.9 3.9
		Z42023	MS.1000/6		3.9
40		AA442176 M86153	Hs.75618	RAB11A, member RAS oncogene family	3.9
70	401781	1000133	115.75010	Target Exon	3.9
		F05086	Hs.328142		3.9
		AA026777		gb:ze93c11.r1 Soares_fetal_heart_NbHH19W	3.9
	442500	AI819068	Hs.209122	ESTs	3.9
45		Z21336		actin related protein	3.9
		Al472106	Hs.49303		3.9
		AF086534		ESTs, Moderately similar to ALU1_HUMAN A	3.9 3.9
		AA419529	Hs.76391	myxovirus (influenza) resistance 1, homo hypothetical protein FLJ10980	3.9
50		AB037791 BE537217	Hs.29716 Hs.30343	ESTs	3.9
50		BE568414		Homo sapiens cDNA: FLJ22097 fis, clone H	3.9
		AI073512	Hs.133916	ESTs	3.9
		BE152428		gb:CM0-HT0323-151299-126-b04 HT0323 Homo	3.9
	401785			NM_002275*:Homo sapiens keratin 15 (KRT1	3.9
55 ·		M86699		TTK protein kinase	3.9
		AI989885	Hs.231926		3.9
		H75391	Hs.255748	gb:MR0-HT0559-110300-005-h11 HT0559 Homo	3.9
		BE172186 AA236645	Hs.98274		3.8
60		AA230645 AI184268	Hs.339865		3.8
50		AA219691	Hs.73625	RAB6 interacting, kinesin-like (rabkines	3.8
	403593			Target Exon	3.8
		AW016669	Hs.29190	ESTs	3.8
		AW664873	Hs.87836		3.8
65		W02410	Hs.205555		3.8
		Al217928	Hs.144762		3.8
	409042	AA503020	ロシ、こりごりご	hypothetical protein FLJ22418	J.C

	443162	T49951	Hs.9029	DKFZP434G032 protein	3.8
	458194	AW383618	Hs 265459	ESTs, Moderately similar to ALU2_HUMAN A	3.8
					3.8
		AL359938		Meis (mouse) homolog 3	
	440705	AA904244	Hs.153205		3.8
5	447290	Al476732	Hs.263912	ESTs	3.8
_	403426				3.8
				Target Exon	
	427821	AA470158	Hs.98202	ESTs	3.8
	454288	BE222648	Hs.279458	ESTs, Highly similar to c380A1.1b [H.sap	3.8
		AW206942	Hs.253594		3.8
10					
10	410658	AW105231	Hs.192035		3.8
	410672	AW794600		gb:RC6-UM0014-170300-022-C05 UM0014 Hom	03.8
		NM_005756	He 184942		3.8
		BE622641	Hs.38489		3.8
	447995	Al742618	Hs.181733	ESTs, Weakly similar to nitrilase homolo	3.7
15	401747			Homo sapiens keratin 17 (KRT17)	3.7
10		NIN 044504	Un 274400	odorant-binding protein 2A	3.7
		NM_014581			
	423545	AP000692	Hs.129781	chromosome 21 open reading frame 5	3.7
	433138	AB029496	Hs.59729	semaphorin sem2	3.7
			Hs.116410		3.7
~~		BE005346			
20	428664	AK001666	Hs.189095	similar to SALL1 (sal (Drosophila)-like	3.7
	450951	AA018534	Hs.103334	ESTs	3.7
	402696			C3002523:gl[6686211 sp Q27533 YH2M_CAEEL	37
			11-400400	COT-	27
	446868	AV660737	Hs.135100		3.7
	458154	AW816379	Hs.335018	ESTs	3.7
25		U80736	He 110826	trinucleotide repeat containing 9	3.7
23					3.7
		AB020689	Hs.90419		
	421524	AA312082	Hs.105445	GDNF family receptor alpha 1	3.7
	417283	N62840	Hs.48648	FSTs	3.7
				NM_024817:Homo sapiens hypothetical prot	3.7
20	401508				
30	410303	AA324597	Hs.21851	Homo sapiens cDNA FLJ12900 fis, clone NT	3.7
	420362	U79734	Hs.97206	huntingtin interacting protein 1	3.7
		AI021992	Hs.124244		3.7
		AA629065	Hs.116301	ESIS	3.7
	443938	R55373	Hs.20864	ESTs	3.7
35		BE623004		gb:601441282F1 NIH_MGC_72 Homo saplens c	37
55			11-407070		3.7
		Al347502		hypothetical protein FLJ20761	
	433404	T32982	Hs.102720	ESTs	3.7
	405232			NM_015832:Homo saplens methyl-CpG bindin	3.7
		AL 400704	N- 244550	Homo sapiens mRNA full length insert cDN	3.7
40		AL109791	HS.241559	HOURD Sapiens HIRNA full length their CDA	
40	455609	BE011668		gb:CM3-BN0223-100500-177-a04 BN0223 Homo	33.7
	450164	Al239923	Hs.30098	ESTs	3.7
		AI970797	Hs.64859	ESTs	3.7
	436061	A1248584	Hs.190745	Homo saplens cDNA: FLJ21326 fis, clone C	3.7
	401049	NA		Target Exon	3.6
45		D31771	Hs.89404	msh (Drosophila) homeo box homolog 2	3.6
73					
		N74530	Hs.21168	ESTs	3.6
	458663	AV658444	Hs.280776	tankyrase, TRF1-interacting ankyrin-rela	3.6
	437259	A1377755	Hs.120695	FSTs .	3.6
		M97815		cellular retinoic acid-binding protein 2	3.6
50			115, 103030	Central remove actor-binding protein 2	
50	450522	A1698839		gb:wd31f02.x1 Soares_NFL_T_GBC_S1 Homo s	
	451952	AL120173	Hs.301663	ESTs	3.6
		AW901456		gb:RC0-NN1012-270300-031-c07 NN1012 Homo	36
	425201	AA352111		gb:EST60061 Activated T-cells XX Homo sa	3.6
	443830	AI142095	Hs.143273	ESTs	3.6
55		BE164500		gb:RC4-HT0469-230300-014-e10 HT0469 Homo	3.6
55			U- 04470		3.6
		AA157291	Hs.21479	ubinudein 1	
	409064	AA062954	Hs.141883	ESTs	3.6
	407721	Y12735	Hs.38018	dual-specificity tyrosine-(Y)-phosphoryl	3.6
		AK000054			3.6
CO			Hs.12347	hypothetical protein FLJ20047	
60	404091			Target Exon	3.6
	409731	AA125985	Hs.56145	thymosin, beta, identified in neuroblast	3.6
	405153			Target Exon	3.6
		A A 2 D C 4 7 7	11- 40-07-		
		AA380177	rts.125845	ribulose-5-phosphate-3-epimerase	3.6
	403639	NA		ENSP00000233023*:CDNA FLJ12662 fis, clon	3.6
65	404360			C7001385:gi 12082809 gb AAG48618.1 AF315	3.6
00		A A766206	He DOGGO	ESTs	3.6
		AA766296	Hs.99200		
	423338	AB007961	Hs.127338	KIAA0492 protein	3.6

	404000	DE050005	11- 45000	DANI 61-31	
		BE350295	Hs.15032		3.6
		AA514986	Hs.283705		3.6
		AA853978	Hs.124577		3.6
5		AA441838	Hs.62905	hypothetical protein FLJ14834	3.6
3	406446		11- 400070	Target Exon	3.6
		AA315308		hypothetical protein FLJ14991	3.6
		AW015415	Hs.127780		3.6
		W87707	Hs.82065	interleukin 6 signal transducer (gp130,	3.6
10		Al697121		ESTs, Weakly similar to S65824 reverse t	3.6
10		AW291095	Hs.21814	interleukin 20 receptor, alpha	3.6
		AW297920	Hs.130054		3.5
		AW860158	11- 00700	gb:RC0-CT0379-290100-032-b04 CT0379 Homo	
		AW968226	Hs.60798	ESTS	3.5
1.5	402820			NM_017646*:Homo sapiens tRNA isopentenyl	3.5
15		AA191719	Hs.314714		3.5
		AW393080	Hs.228320		3.5
		A1806335		ESTs, Weakly similar to T30171 ninein -	3.5
		AA420683	Hs.98321	hypothetical protein FLJ14103	3.5
20		NM_015368	Hs.30985	pannexin 1	3.5
20	400610			Target Exon	3.5
		W07361	Hs.22545	Homo saplens cDNA FLJ12935 fis, clone NT	3.5
		AW960146		hypothetical protein FLJ12888	3.5
		AI805416	Hs.213897		3.5
~~		NM_004272		Homer, neuronal immediate early gene, 1B	3.5
25		AW392342		centrosomal P4.1-associated protein; unc	3.5
		AW448937	Hs.197030		3.5
	423841	AW753967		gb:RC2-CT0304-080100-011-h12 CT0304 Homo	
		NM_000288	Hs.79993	peroxisomal biogenesis factor 7	3.5
••	422060			ESTs, Moderately similar to ALU5_HUMAN A	3.5
30		AL043002		ESTs, Moderately similar to unnamed prot	3.5
		H84847	Hs.49391	hypothetical protein LOC54149	3.5
		AW316843	Hs.66309	hypothetical protein MGC11061	3.5
		N32536	Hs.42645	solute carrier family 16 (monocarboxylic	3.5
2.5		Al917494	Hs.9812	Homo sapiens cDNA FLJ14388 fis, clone HE	3.5
35		A1057094	Hs.96867	Homo saplens cDNA: FLJ23155 fis, done L	3.5
		Al370876	Hs.79090	exportin 1 (CRM1, yeast, homolog)	3.5
		AW850178		gb:IL3-CT0219-271099-022-H12 CT0219 Homo	
		AA314337		ribosomal protein S7	3.5
40		AA877124	Hs.172844		3.5
40	431291		Hs.25275	Kruppel-type zinc finger protein	3.5
		Al935016	Hs.216639		3.5
		BE145808		gb:MR0-HT0208-101299-103-f11 HT0208 Homo	
		AW295151	Hs.163612		3.5
15		AW167087	Hs.131562		3.5
45	436550			ESTs, Weakly similar to MMHUB1 laminin b	3.5
		AW474547	Hs.53565	Homo sapiens PIG-M mRNA for mannosyltran	3.5
		BE614743		prostaglandin E synthase	3.5
		AW505021	Hs.88414	BTB and CNC homology 1, basic leucine zi	3.5
·c0		A1908400	Hs.143789		3.5
50		AF086224	Hs.55238	ESTs	3.5
	405917			C17000675:gij7290703 gb AAF46150.1 (AE0	3.5
		AW993582	Hs.176220		3.5
		W47595		transforming growth factor, beta 2	3.4
		AA283185	Hs.19327	ESTs	3.4
55		AW904466		PDZ domain protein (Drosophila inaD-like	3.4
		BE252383	Hs.184668	SBBI31 protein	3.4
		BE064962		gb:RC1-BT0313-130400-016-c02 BT0313 Homo	
		U92649	Hs.64311	a disintegrin and metalloproteinase doma	3.4
		AW073310	Hs.163533	Homo sapiens cDNA FLJ14142 fis, clone MA	3.4
60		AW749855		gb:QV4-BT0534-281299-053-c05 BT0534 Homo	
	404097			C5000242*:gi 9369379 gb AAF87128.1 AC006	3.4
		AF119861		hypothetical protein PRO2015	3.4
		Al215069	Hs.89113	ESTs	3.4
	402421			C1001578*:gij6759903jgbJAAF28099.1] (AF1	3.4
65	405248		11- 00 1100	Target Exon	3.4
		AJ404672		hypothetical protein FLJ23571	3.4
	403000	BE247275	HS.151787	U5 snRNP-specific protein, 116 kD	3.4

489747 BEB183395 Hs.257391 hypothetical protein DikrZp781,11523 3. 442082 R41823 Hs.7413 ESTs calsyntenin-2 gbzz90c06.1 NCL_CGAP_GCB1 Homo sapiens 3. 442085 Al613276 Hs.25789 aguanine nucleotide binding protein (G pr 3. 445007 Al24716 Hs.252168 ESTs ESTs calsyntenin-2 gbzz90c06.1 NCL_CGAP_GCB1 Homo sapiens 3. 445007 Al24716 Hs.252168 ESTs ESTs ESTs Set State Sta		433393	AF038564	Hs.98074	itchy (mouse homolog) E3 ubiquitin prote	3.4
5 447974 AA210765 448002 A344648 448995 A1613276 448995 A1613276 448995 A1613276 448996 A1613276 448996 A163366 448995 A1613276 448980 A164336 448980 A164336 448980 A164336 448980 A164336 448980 A164336 448980 A1685272 441690 R81733 441690 R817333 441690 R81733 441690 R817333 441690 R818334 441690 R818334 441690 R818334 441						3.4
5 445002 Al34648						3.4
448902 Al346468	_					3.4
44895 Al613276 Hs.5662 guanine nucleotide binding protein (G pr 3, 436007 Al247718 Hs.222168 ESTs 3, 478007 Al247718 Hs.222168 ESTs 3, 478007 Al247718 Hs.222168 ESTs 3, 478007 Al247718 Hs.170204 (IAA0651 protein 3, 405460 NA 411828 AW503503 Hs.12915 hosphotriesterase related gb.Dkrzp664M037_r1 584 (synonym: hfbr2) 3, 4418278 U38945 Hs.3101570 ESTs 3, 488045 ESTs 488045 ESTs 488045 Hs.125087 Hs.22682 Calcium channel, voltage-dependent, L ly 41821 NM,000685 Hs.829312 calcium channel, voltage-dependent, L ly 41821 NM,000685 Hs.89472 angiotansin receptor 1 sine occulis homeobox (Drosophila) homolog 3, 418478 L938045 Hs.1740 cyclin-dependent kinase inhibitor 2A (me 3, 418478 U38945 Hs.1740 cyclin-dependent kinase inhibitor 2A (me 3, 418478 U38945 Hs.25087 ESTs 3, 448605 Ar165079 Hs.172302 Homo sapiens mRNA for partial 3/UTR, seq 436461 AW503857 Hs.4007 Sarcolemmal-aesociated protein 3, 445418 Al938450 Hs.17482 ESTs 409859 AA298627 Hs.57848 ESTs 409859 AA298681 Hs.16467 Hs.17482 ESTs 409859 AA298681 Hs.16467 Hs.17482 ESTs 409840 AP34856 Hs.228342 ESTs 409430 R21945 Hs.165975 philorip factor, arginlar/sentie-rich 5 Hs.228332 ESTs 409430 AP46861 Hs.165975 philorip factor, arginlar/sentie-rich 5 Hs.228332 ESTs 409430 AF06812 Hs.228342 ESTs 409430 AF06812)					
436007 Al247718 Hs. 222168						3.4
10 435202 AI971313 Hs.151973 hypothetical protein FLJ23511 435202 AI971313 Hs.301570 405460 NA 41826 AW503603 Hs.129915 phosphotriesterase related 90xDK7zp564M037_r1 564 (synonym: hfbr2) 3. 418478 R34723 Hs.301570 418690 R81733 Hs.301570 418690 R81733 Hs.301570 418690 R81733 Hs.301570 41878 U38945 Hs.1174 90x990 BE298227 Hs.250822 serine/fithreonine kinase inhibitor 2A (me 90xDK7zp564M037_r1 564 (synonym: hfbr2) 3. 418478 U38945 Hs.1174 90x990 BE298227 Hs.25082 serine/fithreonine kinase inhibitor 2A (me 90xDK7zp564M037_r1 564 (synonym: hfbr2) 3. 418478 U38945 Hs.1174 90x990 AF05675 Hs.25083 acalcium channel, voltage-dependent, L ty 418912 NM_000685 Hs.125087 Hs.25083 acalcium channel, voltage-dependent, L ty 418912 NM_000685 Hs.54416 sine oculis homeobox (Drosophila) homolo 429548 AW138872 Hs.15288 ESTs 458722 AA741545 Hs.262814 ESTs 429548 AW394896 Hs.2514 ESTs 439404 A12666 Hs.166975 splicing factor, arginine/serine-rich 5 435402 AW6533771 Hs.25909 Hs.25909 Hs.1575 NA 429900 AL045633 Hs.16697 splicing factor, arginine/serine-rich 5 442915 T16971 Hs.25901 Hs.25903 Hs.15743 Hs.15993 Hs.15993 Hs.15993 Hs.15993 Hs.15993 Hs.15899 Hs.15890 Hs.168577 Hs.16850 N37833 Hs.25905 Hs.16850 Hs.168577 Hs.16850 Hs						3.4
10						3.4
410467 AP102546 Hs.63931 dachshund (Drosophila) homolog 405460 NA 41826 AW503603 Hs.129915 phosphotriesterase related 453472 AL037925 hs.301570 ESTs 441690 R81733 Hs.33106 ESTs 441690 AR160386 Hs.15087 ESTs 449650 AP605575 Hs.23838 calcium channel, voltage-dependent, L by 441695 AP605575 Hs.23838 calcium channel, voltage-dependent, L by 453911 AW503857 Hs.4007 Sarcolemmal-associated protein 453911 AW503857 Hs.4007 Sarcolemmal-associated protein 42954 AW13857 Hs.54416 Sets 42964 AW13857 Hs.15288 ESTs 420807 AA280627 Hs.5408 ESTs 420807 AA280627 Hs.5408 ESTs 420808 AA2806450 Hs.147482 ESTs 420807 AA280627 Hs.166975 Spilioning factor, arginine/serine-rich 5 458722 AA741545 Hs.282832 ESTs, Weakly similar to T24961 hypotheti 43931 AW51956 Hs.166975 Spilioning factor, arginine/serine-rich 5 445432 AW533771 Hs.26920 Hs.293201 ESTs 441090 AL045633 Hs.293201 ESTs 445628 AW34366 Hs.293261 ESTs 45641 AW994086 Hs.293261 ESTs 4578 AU5053771 GLC Homo sapiens cDNA clone 45641 AW511956 Hs.10592 ESTs 44502 AW204610 Hs.22970 matrix Gla protein 445102 AW204610 Hs.22970 matrix Gla protein 45391 AB20609 Hs.44569 ESTs 45674 Hs.10526 ESTs 45674 Hs.10526 ESTs 45674 Hs.10526 ESTs 45674 Hs.10526 ESTs 45677 Hs.10526 ESTs 4567	10					3.4
44 1826 AW503603 Hs. 129915 phosphotriesterase related 93 453472 AU107925 Hs. 301570 ESTs 3 441690 R81733 Hs. 33106 ESTs 3 3 420092 AA814043 Hs. 88045 ESTs 3 3 420092 AA814043 Hs. 88045 ESTs 3 3 488045 Hs. 1174 opcin-dependent kinase inhibitor 2A (me 33 opcin-dependent kinase inhibitor 2A (me 33 opcin-dependent kinase inhibitor 2A (me 33 opcin-dependent kinase inhibitor 2A (me 34 opcin-dependent kinase inhibitor 2A (me 35 opcin-dependent kinase inhibitor 2A (me 36 opcin-dependent kinase inhibitor 2A (me 36 opcin-dependent kinase inhibitor 2A (me 37 opcin-dependent kinase inhibitor 2A (me 36 opcin-dependent kinase inhibitor 2A (me 36 opcin-dependent kinase inhibitor 2A (me 37 opcin-dependent kinase inhibitor 2A (me 36 opcin-dependent kinase inhibitor 2A (me 37 opcin-dependent kinase inhibitor 2A (me 36 opcin-dependent kinase inhibitor 2A (me 37 opcin-dependent kinase inhibitor 2A (me 37 opcin-dependent kinase inhibitor 2A (me 37 opcin-dependent kinase inhibitor 2A (me 38 opcin-dependent kinase inhibi		410467	AF102546	Hs.63931	dachshund (Drosophila) homolog	3.3
15						3.3
15						3.3
44680 R81733 Hs.33106 ESTs 420092 AA614043 Hs.8045 ESTs 408908 BE296227 Hs.250822 Serine/fibreonline kinase inhibitor 2A (me 408965 AA60079 Hs.125087 ESTs 408911 AW502857 Hs.2007 409361 NM_005982 Hs.54416 Hs.57848 AW38872 Hs.155288 ESTs 409805 AA289627 Hs.57848 Hs.54218 A938459 Hs.157848 A928891 Hs.157848 A938450 Hs.147482 ESTs 40807 AA289627 Hs.57848 Hs.26781 Hs.26781 A8994898 Hs.22514 ESTs 40808 R21945 Hs.26861 A8994898 Hs.22514 ESTs 409430 R21945 Hs.166975 splicing factor, arginine/serine-rich 5 martirs (all protein gbaves) A45194 A954968 Hs.27909 martirs (all protein gbaves) A11171 AW820260 Hs.26810 A93010 AF086120 Hs.16971 Hs.289014 ESTs, Weakly similar to T24961 hypothetil 3. 425404 AW511956 Hs.293014 ESTs, Weakly similar to T24961 hypothetil 3. 425404 AW511956 Hs.293014 ESTs, Weakly similar to T24961 hypothetil 3. 425404 AW511956 Hs.293014 ESTs, Weakly similar to A43932 mucin 2 p 3. 42540 AW5031 Hs.289014 ESTs, Weakly similar to A43932 mucin 2 p 3. 42540 AW5031 Hs.289014 ESTs, Weakly similar to A43932 mucin 2 p 3. 42540 AW30371 Hs.280914 ESTs, Weakly similar to A43932 mucin 2 p 3. 42540 AW30371 Hs.25620 Hs.15673 Hs.29036 ESTs 410174 T07874 Hs.207636 ESTs 42561 AW30377 Hs.207636 ESTs 42562 AW30377 Hs.1087636 ESTs 435637 W88774 Hs.18370 ESTs 435637 W88774 Hs.18370 ESTs 435637 A863360 Hs.5683 ESTs, Weakly similar to fattly acid omega 45567 AV6634 AV65547 Hs.18370 ESTs 44664 AW5313 R10305 Hs.18599 ESTs, Weakly similar to fattly acid omega 3. 440634 AV553123 Hs.16863 ESTs, Highly similar to 524424 nestin [H 3 446684 AV553123] Hs.127356 ESTs 44564 AV6684 AV553123 Hs.127356 ESTs 44564 AW30377 Hs.18390 ESTs 44567 AV303 AP66861 Hs.18590 ESTs 44568 AW30377 Hs.18599 ESTs 44568 AW3037 Hs.18590 ESTs 44568 AW30377 Hs.18590 ESTs 44568 AW30377 Hs.18	15					3.3
A20092 AA814043 Hs.88045 418478 U38945 Hs.1174 A08908 BE296277 Hs.250822 Hs.250822 Hs.250822 Hs.250822 Hs.250822 Hs.250872 A49860 AF055575 Hs.23838 A48942 A49604 A48523 A49940 A48624 A482593 A49940 A48624 A482593 A49860 A708627 A708607 A7	13					3.3
A						3.3
A						3.3
Automatical States Automat						3.3
418912 NM_000685 Hs.89472 436405 AA160079 453911 AW503857 Hs.172932 409361 NM_005982 Hs.172932 409361 NM_005982 Hs.16416 429548 AW138872 Hs.172932 40807 AA280627 Hs.57848 ESTs 409895 AA280627 Hs.57848 ESTs 409895 AA2806450 Hs.17482 ESTs 30 402892 NA 426681 AA994896 Hs.22514 458722 AA741545 Hs.282832 ESTs 409430 R21945 Hs.166975 A298260 Hs.27909 matrix Gla protein 411974 AW820260 Hs.29310 A476684 NS.27909 matrix Gla protein 439310 AF086120 Hs.102793 ESTs 409500 AU05633 Hs.44269 ESTs 445828 AW369771 Hs.22201 ESTs, Weakly similar to T24961 hypotheti 439310 AF086120 Hs.102793 ESTs 409500 AU05633 Hs.44269 ESTs 445828 AW369771 Hs.22201 ESTs, Weakly similar to A43932 mucin 2 p 445102 AW204610 Hs.22270 ESTs 416783 AA206186 Hs.202242 ESTS 416783 AA206186 Hs.202260 Hs.102793 ESTS 416783 AA206186 Hs.202260 ESTs 420036 R60336 Hs.52797 Hs.20270 ESTS 420337 NA 405547 Hs.20236 Hs.18590 Sycoystransferase 4559 T10213 Hs.15993 Sycoystransferase 4578 Hs.10305 Hs.18580 Hs.18590 Hs.10305 Hs.18580 NM_004850 Hs.18583 Hs.20242 ESTs 40887 Hs.20242 ESTS 409490 AL05637 Hs.20270 Hs.18390 Sycoystransferase 4578 Hs.20242 Hs.18390 Sycoystransferase 4578 Hs.20242 Hs.18390 Hs.10305 Hs.18583 Hs.20242 ESTs 409490 AL05637 Hs.20270 ESTS 409490 AL05637 Hs.20270 ESTS 409490 AL05637 Hs.20270 ESTS 409490 AL05637 Hs.18590 SYCOystransferase 4578 Hs.20242 Hs.18390 Sycoystransferase 4587 Hs.18490 Hs.20242 Hs.18590 SYCOystransferase 4587 Hs.20242 Hs.18590 SYCOystransferase 4587 Hs.18490 Hs.20242 Hs.18590 Hs.18580 NM_004832 Homo sapiens mRNA; cDNA protein 44218 AA976718 Hs.202242 ESTS 446624 AU2547 Hs.18590 SYCOystransferase 4587 Hs.18490 Hs.20240 Hs.18580	20					3.3
438405 AA160079 Hs.172932 Homo saptens mRNA for partial 3'UTR, seq 45991 AVV503857 Hs.4007 409361 NM.005982 Hs.54416 409895 AA29627 Hs.54416 409895 AA29627 Hs.545486 408995 AA296961 Hs.147482 ESTs 30 402892 NA 426881 AA994896 Hs.22514 458722 AA741545 Hs.282832 ESTs, Weakly similar to T24961 hypothetic splicing factor, arginine/serline-rich 5 443194 Al954986 Hs.166975 Hs.27909 matrix Gla protein 40930 AA121686 Hs.10592 ESTs 409310 AP086120 Hs.162793 ESTs 445628 Al344166 Hs.10592 ESTs 445823 AW369771 Hs.289014 ESTs 445824 AW369771 Hs.289014 ESTs 445628 Al344166 Hs.10592 ESTs 445628 Al344166 Hs.10592 ESTs 445628 Al344166 Hs.10592 ESTs 445628 Al344166 Hs.22270 ESTs 445702 AW204610 Hs.22270 ESTs 442118 AA976718 Hs.22201 Hs.52620 integrin, beta 8 43503 AW043921 Hs.130526 ESTs 455747 T07874 Hs.207636 ESTs 445737 Al821005 Hs.18590 gycocy/transferase 445737 Al821005 Hs.18590 SSTs 410153 BE311926 Hs.18590 Hs.18590 Al65277 Hs.18590 Hs.18580 Hypothetical protein FL.112691 GOUTH FL.112691 GSTs, Weakly similar to faity acid omega hypothetical protein FL.112691 GSTs 401537 Al821005 Hs.18580 Hs.26040 Hs.2						3.3
453911 AW503857 Hs. 4007 Augusta MM, 005982 Hs. 54416 sine oculis homeobox (Drosophila) homolo 3. 429848 AW138872 Hs. 135288 ESTs 3. 409895 AA280627 Hs. 185288 ESTs 3. 409895 AA296861 Hs. 147482 ESTs 3. 30 402892 NA Target Exon 3. 426681 AA994896 Hs. 22514 ESTs 3. 499430 R21945 Hs. 166975 FSTs, Weakly similar to T24961 hypotheti 3. 409430 R21945 Hs. 166975 Splicing factor, arginlne/serine-rich 5 3. 443194 Al954968 Hs. 279099 matrix Gla protein 3. 445432 AV65371 Hs. 10592 ESTs 3. 406151 NA Target Exon 3. 434416 Hs. 10592 ESTs 3. 401575 NA Hs. 293261 ESTs 3. 401575 NA Hs. 24269 Hs. 10592 ESTs						3.3
25 409361 NM_005982 Hs.54416 Hs.135288 ESTS 3.429548 AW138872 Hs.57848 ESTS 3.445189 A936450 Hs.135288 ESTS 3.445189 A936450 Hs.147482 ESTS 3.426861 AA994896 Hs.22514 ESTS 3.426861 AA994896 Hs.22514 ESTS 3.445189 A936450 Hs.147482 ESTS 3.426861 AA994896 Hs.22514 ESTS 3.445189 A954968 Hs.22514 Hs.282832 ESTS, Weakly similar to T24961 hypotheti 3.445149 A954968 Hs.279009 Hs.2						3.3
429548 AW138872 Hs.135288 ESTs 400807 AA280627 Hs.57848 ESTs 409805 AA296961 405805 AA296961 405805 AA296961 445189 Al936450 Hs.147482 ESTs 3. 426681 AA994896 Hs.22514 ESTs 409430 R21945 Hs.166975 443194 Al954968 Hs.279009 matrix Gla protein 409430 R21945 Hs.166975 443194 Al954968 Hs.279009 matrix Gla protein 406151 NA 436461 AW511956 Hs.293261 401575 NA 43084 AV2686120 Hs.102793 401575 NA 420900 AL045633 Hs.24269 445628 Al344166 Hs.155743 ESTs 445102 AW204610 Hs.22270 445103 AA266186 Hs.79889 monocyte to macrophage differentiation-a 435039 AW043921 Hs.130526 ESTs 435039 AW043921 Hs.130526 ESTs 435039 AW043921 Hs.130526 ESTs 43667 W88774 Hs.26904 Hs.15870 446733 AA266366 Hs.79889 monocyte to macrophage differentiation-a 45637 Hs.159303 Hs.15830 41053 BE311926 Hs.15830 41053 RS Hs.15830 41033 R10305 Hs.185683 ESTs 410305 Hs.185683 ESTs 410306 Hs.185683 ESTs 410307 Hs.185690 ESTs 410308 Hs.185683 ESTs 410308 Hs.1	25					3.3
420807 AA280527 Hs.57848 ESTs gb:EST112514 Adrenal gland tumor Homo sa 3. 445189 Al936450 Hs.147482 ESTs	23					3.3
409695 AA296961 445189 Al936450 Hs.147482 ESTs 3.						3.3
30 402892 NA Target Exon 3. 426881 AA994896 Hs.22514 ESTs 3. 458722 AA741545 Hs.282832 ESTs, Weakly similar to T24961 hypotheti 3. 409430 R21945 Hs.166975 splicing factor, arginlne/serlne-rich 5 3. 443194 Al954968 Hs.279009 matrix Gla protein 3. 35 445432 AV653771 Hs.10592 matrix Gla protein 3. 406151 NA Hs.293261 ESTs Target Exon 436461 AW511956 Hs.293261 Hs.293261 ESTs 3. 411171 AW820260 Hs.293261 ESTs 3. 401575 NA Hs.293014 ESTs, Weakly similar to A43932 mucin 2 p 3. 430400 AL045633 Hs.402793 ESTs 3. 445628 Al344166 Hs.155743 ESTs 3. 445102 AW204610 Hs.22270 ESTs 3. 442118 AA976718 Hs.20263 ESTs 3. 44212 AW204610 Hs.202542 ESTs 3. 442559 T10213 Hs.130526 ESTs 3. 45574 T70874 Hs.207636 ESTs 3. 452579 W88774 Hs.118370 ESTs 3. 41598 BE336654 Hs.70937 Hs.118370 ESTs 3.					gb:EST112514 Adrenal gland tumor Homo sa	3.3
426681 AA994896 Hs.22514 ESTs						3.3
458722 AA741545 Hs.282832 ESTs, Weakly similar to T24961 hypotheti 3. 409430 R21945 Hs.166975 splicing factor, arginine/serine-rich 5 3. 445194 Al954968 Hs.279009 Hs.279009 Hs.27901 Ad0908 AA421686 Hs.10592 ESTs agb:AV653771 GLC Homo sapiens cDNA clone 3. 456461 AW511956 Hs.293261 ESTs agb:CV2-ST0296-150200-040-c10 ST0296 Homo 3. 456461 AW511956 Hs.102793 ESTs agb:CV2-ST0296-150200-040-c10 ST0296 Homo 3. 45628 Al344166 Hs.102793 ESTs agb:CV2-ST0296-150200-040-c10 ST0296 Homo 3. 45628 Al344166 Hs.155743 ESTs agb:CV2-ST0296-150200-040-c10 ST0296 Homo 3. 45628 Al344166 Hs.150296 ESTs agb:CV2-ST0296-150200-040-c10 ST0296 Homo 3. 45628 Al344166 Hs.150296 ESTs agb:CV2-ST0296-150200-040-c10 ST0296 Homo 3. 45628 Al344166 Hs.150296 ESTs Al548 Hs.15680 ESTs Al548 Hs.1564	30					3.3
409430 R21945 Hs.166975 splicing factor, arginlne/serine-rich 5 443194 Al954968 Hs.279009 matrix Gla protein 3. 445192 AV653771 Hs.293261 ESTs Target Exon 3. 406151 NA 436461 AW511956 Hs.293261 ESTs Target Exon 3. 40763771 Hs.289014 ESTs, Weakly similar to A43932 mucin 2 p 3. 4076377 NA 420900 AL045633 Hs.16592 ESTs Target Exon 3. 407637 NA 420900 AL045633 Hs.16593 ESTs 3. 445628 Al344166 Hs.155743 ESTs 3. 445628 Al344166 Hs.29204 ESTs 3. 445628 Al344166 Hs.202242 ESTs 3. 445628 Al344166 Hs.202242 ESTs 3. 4456102 AW204610 Hs.202242 ESTs 3. 4456102 AW204610 Hs.202242 ESTs 3. 4456103 AW043921 Hs.30526 ESTs 3. 457647 T70874 Hs.207636 ESTs 3. 445627 W88774 Hs.15993 gycosyltransferase 3. 44259 T10213 Hs.15993 gycosyltransferase 3. 44259 T10213 Hs.15993 gycosyltransferase 3. 44259 T10213 Hs.15993 gycosyltransferase 3. 442673 AA863360 Hs.2792 Homo sapiens mRNA; cDNA DKFZp58611823 (f 3. 46733 AA863360 Hs.26040 Hs.18370 ESTs 3. 446733 AA863360 Hs.16370 Hs.18370 Hs.18370 Hs.18370 Hs.18370 Hs.18370 Hs.18370 Hs.18370 Hs.18370 Hs.18383 Homo sapiens transporter 2, A 3. 60 427878 C05766 Hs.18593 ESTs 3. 416856 NZ7833 Hs.26040 ESTs, Weakly similar to fatly acid omega hypothetical protein FLJ12691 3. 403637 NA 405547 Hs.18598 ESTs 3. 416856 NZ7833 Hs.26040 ESTs, Weakly similar to fatly acid omega hypothetical protein FLJ12691 3. 403637 NA 405547 Hs.18598 ESTs 3. 416856 NZ7833 Hs.26040 ESTs, Weakly similar to fatly acid omega hypothetical protein FLJ12691 3. 403637 NA 405547 Hs.18598 ESTs 3. 449490 Al652777 Hs.197069 ESTs 3. 450506 NM_004460 Hs.418 fibroblast activation protein, alpha 440684 Al253123 Hs.127356 ESTs, Highly similar to S21424 nestin (H						3.3 3.3
35 443194 Al954968 Hs.279009 matrix Gla protein 3. 410908 AA121686 Hs.10592 ESTs 3. 406151 NA Target Exon 3. 436461 AW511956 Hs.293261 ESTs 3. 411171 AW820260 Hs.293261 ESTs 3. 40 432415 T16971 Hs.289014 ESTs, Weakly simillar to A43932 mucin 2 p 3. 439310 AF086120 Hs.102793 ESTs 3. 401575 NA Target Exon 3. 420900 AL045633 Hs.44269 ESTs 3. 445628 Al344166 Hs.155743 ESTs 3. 45 448243 AW369771 Hs.52620 integrin, beta 8 3. 45102 AW204610 Hs.202242 ESTs 3. 416783 AA206186 Hs.79889 monocyte to macrophage differentiation-a 3. 435039 AW043921 Hs.130526 ESTs 3.						3.3
35						3.3
408151 NA 436461 AW511956 431171 AW820260 40 432415 T16971 Hs.289014 ESTs, Weakly similar to A43932 mucin 2 p 439310 AF086120 Hs.102793 ESTs 401575 NA 420900 AL045633 Hs.44269 ESTs 445628 Al344166 Hs.155743 ESTs 445628 Al344166 Hs.155743 ESTs 3.445628 Al344166 Hs.22270 ESTs 3.445628 Al344166 Hs.22270 ESTs 3.445102 AW204610 Hs.22270 ESTs 3.442118 AA976718 Hs.202242 ESTs 416783 AA206186 Hs.79889 monocyte to macrophage differentiation-a 435039 AW043921 Hs.130526 ESTs 451474 T70874 Hs.207636 ESTs 453921 Al824009 Hs.44577 ESTs 420036 R60336 Hs.52792 Homo sapiens mRNA; cDNA DKFZp58611823 (f 3) 435627 W88774 Hs.118370 ESTs 55 411598 BE336654 Hs.70937 H3 histone family, member A 446733 AA863360 Hs.26040 ESTs, Weakly similar to fatty acid omega 440733 AA863360 Hs.26040 ESTs, Weakly similar to fatty acid omega 440733 AA863360 Hs.18580 ESTs 410313 R10305 Hs.18598 ESTs 3.41856 NZ7833 Hs.269028 ESTs 3.41856 NZ7833 Hs.269028 ESTs 3.449490 Al652777 Hs.118599 ESTs 3.440684 Al253123 Hs.127356 ESTs 3.551 Highly similar to I38022 hypotheti 3.440684 Al253123 Hs.127356 ESTs, Highly similar to S21424 nestin [H	35					3.3
436461 AW511956 Hs.293261 ESTs 411171 AW820260 gb:QV2-ST0296-150200-040-c10 ST0296 Homo 3 432415 T16971 Hs.289014 ESTs, Weakly similar to A43932 mucin 2 p 3 439310 AF086120 Hs.102793 ESTs 401575 NA Target Exon 3. 420900 AL045633 Hs.44269 ESTs 3. 445628 Al344166 Hs.155743 ESTs 3. 445628 Al344166 Hs.155743 ESTs 3. 445102 AW204610 Hs.22270 ESTs 3. 445102 AW204610 Hs.22270 ESTs 3. 445118 AA976718 Hs.202242 ESTs 3. 416783 AA206186 Hs.79889 monocyte to macrophage differentiation-a 3. 435039 AW043921 Hs.130526 ESTs 3. 442559 T10213 Hs.15993 gycosyltransferase 3. 453921 Al824009 Hs.44577 ESTs 3. 420036 R60336 Hs.52792 Homo sapiens mRNA; cDNA DKFZp58611823 (f 3. 435627 W88774 Hs.118370 ESTs 3. 446733 AA863360 Hs.26040 ESTs, Weakly similar to fatty acid omega 410153 BE311926 Hs.15830 hypothetical protein FLJ12691 3. 403637 NA C3001106* gi]10047201 dbj]BAB13394.1] (A 3. 405547 NA C186838 ESTs 3. 410556 NZ7873 Hs.18598 ESTs 3. 410313 R10305 Hs.185683 ESTs 3. 410856 NZ7873 Hs.26040 ESTs, Weakly similar to fatty acid omega 410153 BE311926 Hs.15830 hypothetical protein FLJ12691 3. 427878 C05766 Hs.181022 CGI-07 protein 3. 429490 Al652777 Hs.197069 ESTs 3. 449490 Al652777 Hs.197069 ESTs 3. 449490 Al652777 Hs.197069 ESTs, Weakly similar to i38022 hypotheti 3. 449490 Al652777 Hs.197069 ESTs, Weakly similar to i38022 hypotheti 3. 440684 Al253123 Hs.127356 ESTs, Highly similar to S21424 nestin [H		410908	AA121686	Hs.10592	ESTs	3.3
411171 AW820260 432415 T16971 Hs.289014 ESTs, Weakly similar to A43932 mucin 2 p 439310 AF086120 Hs.102793 ESTs 401575 NA Target Exon 420900 AL045633 Hs.44269 ESTs 445628 AJ344166 Hs.155743 ESTs 3.445102 AW204610 Hs.202242 ESTs 416783 AA206186 Hs.202242 ESTs 435039 AW043921 Hs.10326 ESTs 3.0 442118 AA976718 Hs.202242 ESTs 416783 AA206186 Hs.79889 monocyte to macrophage differentiation-a 435039 AW043921 Hs.10326 ESTs 3.0 451474 T70874 Hs.207636 ESTs 420036 R60338 Hs.52792 Homo sapiens mRNA; cDNA DKFZp58611823 (f 435627 W88774 Hs.118370 ESTs 411598 BE336654 Hs.70937 H3 histone family, member A 46733 AA863360 Hs.26040 ESTs, Weakly similar to fatty acid omega 410153 BE311926 Hs.15830 hypothetical protein FLJ12691 3.0 AV045547 CORJON DKFZp58611823 (f) 427878 CO5766 Hs.181022 CGI-07 protein 451871 Al821005 Hs.18588 ESTs 410313 R10305 Hs.185883 ESTs 410313 R10305 Hs.185883 ESTs 410313 R10305 Hs.185883 ESTs 4149490 Al652777 Hs.197069 ESTs 450566 NM_004460 Hs.418 fibroblast activation protein, alpha 440684 Al253123 Hs.127356 ESTs, Highly similar to S21424 nestin [H						3.3
40 432415 T16971 Hs.289014 ESTs, Weakly simillar to A43932 mucin 2 p 439310 AF086120 Hs.102793 ESTs 3. 401575 NA Target Exon 420900 AL045633 Hs.44269 ESTs 3. 445628 AJ344166 Hs.155743 ESTs 3. 445102 AW204610 Hs.22270 ESTs 3. 445102 AW204610 Hs.22270 ESTs 3. 442118 AA976718 Hs.202242 ESTs 416783 AA206186 Hs.79889 monocyte to macrophage differentiation-a 435039 AW043921 Hs.130526 ESTs 3. 442559 T10213 Hs.159933 gycosyltransferase 420036 R60336 Hs.52792 Homo sapiens mRNA; cDNA DKFZp5861823 (f 435627 W88774 Hs.118370 ESTs 411598 BE336654 Hs.70937 H3 histone family, member A 466733 AA863360 Hs.26040 ESTs, Weakly similar to fatty acid omega 410153 BE311926 Hs.15830 hypothetical protein FLJ12691 3. 427878 C05766 Hs.181022 CGI-07 protein 451871 Al821005 Hs.18598 ESTs 410313 R10305 Hs.18583 ESTs 410313 R10305 Hs.18583 ESTs 416856 NZ7833 Hs.269028 ESTs, Weakly similar to I38022 hypotheti 449490 Al652777 Hs.197069 ESTs, Highly similar to I38022 hypotheti 340684 Al253123 Hs.127356 ESTs, Highly similar to S21424 nestin [H				Hs.293261	ESIS	3.3
439310 AF086120 Hs.102793 ESTs 401575 NA 400900 AL045633 Hs.44269 ESTs 3.445628 Al344166 Hs.155743 ESTs 3.445628 Al344166 Hs.552620 integrin, beta 8 445102 AW204610 Hs.22270 ESTs 442118 AA976718 Hs.202242 ESTs 416783 AA206186 Hs.79889 monocyte to macrophage differentiation-a 435039 AW043921 Hs.130526 ESTs 3.455039 AW043921 Hs.130526 ESTs 3.45259 T10213 Hs.159993 gycosyltransferase 442559 T10213 Hs.159993 gycosyltransferase 3.453921 Al824009 Hs.44577 ESTs 3.940036 R60336 Hs.52792 Homo sapiens mRNA; cDNA DKFZp5861823 (f 3) 435627 W88774 Hs.118370 ESTs 411598 BE336654 Hs.70937 H3 histone family, member A 466733 AA863360 Hs.26040 ESTs, Weakly similar to fatty acid omega 403637 NA 405547 C3001106*:gi]10047201[db][BAB13394.1] (A 3) 405647 NA 405547 C3001106*:gi]10047201[db][BAB13394.1] (A 3) 407878 C05766 Hs.181022 CGI-07 protein 3 451871 Al821005 Hs.118599 ESTs 410313 R10305 Hs.185683 ESTs 416856 NZ7833 Hs.269028 ESTs, Weakly similar to I38022 hypotheti 3 449490 Al652777 Hs.197069 ESTs 3 440684 Al253123 Hs.127356 ESTs, Highly similar to S21424 nestin [H	40			Ne 28001A		3.3
401575 NA Target Exon 3. 420900 AL045633 Hs.44269 ESTs 3. 445628 AJ344166 Hs.155743 ESTs 3. 445628 AJ344166 Hs.155743 ESTs 3. 445102 AW204610 Hs.262270 ESTs 3. 442118 AA976718 Hs.202270 ESTs 3. 442118 AA976718 Hs.202242 ESTs 3. 416783 AA206186 Hs.79889 monocyte to macrophage differentiation-a 3. 435039 AW043921 Hs.130526 ESTs 3. 442559 T10213 Hs.130526 ESTs 3. 442559 T10213 Hs.159933 Hs.30521 Al824009 Hs.44577 ESTs 3. 420036 R60338 Hs.52792 Homo sapiens mRNA; cDNA DKFZp58611823 (f 3. 435627 W88774 Hs.118370 ESTs 3. 446733 AA863360 Hs.26040 ESTs, Weakly similar to fatty acid omega 410153 BE311926 Hs.15830 hypothetical protein FLJ12691 3. 403637 NA C3001106*:gij10047201 dbij[BAB13394.1] (A 3. 405547 NM_018833*:Homo sapiens transporter 2, A 3. 405547 NM_018833*:Homo sapiens transporter 2, A 3. 405547 NM_018833*:Homo sapiens transporter 2, A 3. 40564 NM_004460 Hs.18598 ESTs Weakly similar to i38022 hypothetid 149490 Al652777 Hs.197069 ESTs, Weakly similar to i38022 hypothetid 3. 449490 Al652777 Hs.197069 ESTs, Highly similar to S21424 nestin [H	40					3.3
420900 AL045633 Hs.44269 ESTs 445628 Al344166 Hs.155743 ESTs 3.448243 AW369771 Hs.52620 integrin, beta 8 445102 AW204610 Hs.22270 ESTs 442118 AA976718 Hs.202242 ESTs 416783 AA206186 Hs.79889 monocyte to macrophage differentiation-a 435039 AW043921 Hs.130526 ESTs 3.451474 T70874 Hs.207636 ESTs 442559 T10213 Hs.159933 gycosyltransferase 435921 Al824009 Hs.44577 420036 R60336 Hs.52792 Homo sapiens mRNA; cDNA DKFZp58611823 (f 3 4 11598 BE336654 Hs.70937 H3 histone family, member A 446733 AA863360 Hs.26040 ESTs, Weakly similar to fatty acid omega 410153 BE311926 Hs.15830 hypothetical protein FLJ12691 403637 NA 405547 CSG-107 protein 451871 Al821005 Hs.18599 ESTs 410313 R10305 Hs.18598 ESTs 410313 R10305 Hs.18598 ESTs 410313 R10305 Hs.18598 ESTs 449490 Al652777 Hs.197669 ESTs, Weakly similar to i38022 hypothetid 449490 Al652777 Hs.197669 ESTs, Highly similar to S21424 nestin [H						3.3
445 448243 AW369771 Hs.52620 integrin, beta 8 445102 AW204610 Hs.22270 ESTs 3. 445102 AW204610 Hs.22270 ESTs 3. 442118 AA976718 Hs.202242 ESTs 3. 416783 AA206186 Hs.79889 monocyte to macrophage differentiation-a 3. 435039 AW043921 Hs.130526 ESTs 3. 435039 AW043921 Hs.130526 ESTs 3. 442559 T10213 Hs.159993 gycosyltransferase 3. 442559 T10213 Hs.159993 gycosyltransferase 3. 453921 Al824009 Hs.44577 ESTs 3. 420036 R60336 Hs.52792 Homo sapiens mRNA; cDNA DKFZp58611823 (f 3. 435627 W88774 Hs.118370 ESTs 3. 446733 AA863360 Hs.26040 ESTs, Weakly similar to fatty acid omega 410153 BE311926 Hs.15830 hypothetical protein FLJ12691 3. 403637 NA C3001106*:gi]10047201[db][BAB13394.1] (A 3. 405547 NM_018833*:Homo sapiens transporter 2, A 3. 405547 NM_018833*:Homo sapiens transporter 2, A 3. 407678 C05766 Hs.181022 CGI-07 protein 3. 410313 R10305 Hs.18598 ESTs 3. 410313 R10305 Hs.185883 ESTs 3. 416856 NZ7833 Hs.269028 ESTs, Weakly similar to I38022 hypotheti 3. 449490 Al652777 Hs.197069 ESTs 3. 449490 Al652777 Hs.197069 ESTs 3. 440684 Al253123 Hs.127356 ESTs, Highly similar to S21424 nestin [H		420900	AL045633	Hs.44269		3.3
445102 AW204610 Hs.22270 ESTs 442118 AA976718 Hs.202242 ESTs 3.416783 AA206186 Hs.79889 monocyte to macrophage differentiation-a 435039 AW043921 Hs.130526 ESTs 3.453039 AW043921 Hs.130526 ESTs 3.45259 T10213 Hs.159993 gycosyltransferase 442559 T10213 Hs.159993 gycosyltransferase 453921 Al824009 Hs.44577 ESTs 420036 R60336 Hs.52792 Homo sapiens mRNA; cDNA DKFZp5861823 (f 3.45627 W88774 Hs.118370 ESTs 435627 W88774 Hs.118370 ESTs 416733 AA863360 Hs.26040 ESTs, Weakly similar to fatty acid omega 440733 AA863360 Hs.26040 ESTs, Weakly similar to fatty acid omega 403637 NA C3001106* gj10047201 dbj BAB13394.1 (A 3.456547 NA (2.45647) NM_018833*:Homo sapiens transporter 2, A 3.405547 Sylvansia Ribasia Hs.26040 ESTs, Weakly similar to i38022 hypotheti 451871 Al821005 Hs.18598 ESTs 410313 R10305 Hs.185883 ESTs 410313 R10305 Hs.185883 ESTs 416856 NZ7833 Hs.269028 ESTs, Weakly similar to i38022 hypotheti 459056 NM_004460 Hs.418 fibroblast activation protein, alpha 440684 Al253123 Hs.127356 ESTs, Highly similar to S21424 nestin [H	4.5					3.3
442118 AA976718 Hs.202242 ESTs 416783 AA206186 Hs.79889 monocyte to macrophage differentiation-a 3. 435039 AW043921 Hs.130526 ESTs 3. 451474 T70874 Hs.207636 ESTs 3. 45259 T10213 Hs.159993 gycosyltransferase 43921 Al824009 Hs.44577 ESTs 420036 R60336 Hs.52792 Homo sapiens mRNA; cDNA DKFZp58611823 (f 3. 435627 W88774 Hs.118370 ESTs 3. 435627 W88774 Hs.118370 ESTs 3. 411598 BE336654 Hs.70937 H3 histone family, member A 446733 AA863360 Hs.26040 ESTs, Weakly similar to fatty acid omega 410153 BE311926 Hs.15830 hypothetical protein FLJ12691 403637 NA 405547 C3001106*:gij10047201 dbij[BAB13394.1] (A 3. 405547 60 427878 C05766 Hs.181022 CGI-07 protein 451871 Al821005 Hs.118599 ESTs 410313 R10305 Hs.185683 ESTs 410313 R10305 Hs.185683 ESTs 416856 N27833 Hs.269028 ESTs, Weakly similar to l38022 hypotheti 32 Hs.197069 Hs.197069 ESTs 459506 NM_004460 Hs.418 fibroblast activation protein, alpha 440684 Al253123 Hs.127356 ESTs, Highly slmilar to S21424 nestin [H	45					3.3
416783 AA206186 Hs.79889 monocyte to macrophage differentiation-a 435039 AW043921 Hs.130526 ESTs 3.451474 T70874 Hs.207636 ESTs 3.42259 T10213 Hs.4577 ESTs 3.453921 Al824009 Hs.44577 ESTs 420036 R60338 Hs.52792 Homo sapiens mRNA; cDNA DKFZp58611823 (f 3 435627 W88774 Hs.118370 ESTs 3.45627 W88774 Hs.118370 ESTs 3.46733 AA863360 Hs.26040 ESTs, Weakly similar to fatty acid omega 410153 BE311926 Hs.15830 hypothetical protein FLJ12691 3. 403637 NA C3001106*:gij10047201 dbj[BAB13394.1] (A 3 405547 NM_018833*:Homo sapiens transporter 2, A 3 405647 NM_018833*:Homo sapiens transporter 2, A 3 40564 NM_014660 Hs.185683 ESTs 410313 R10305 Hs.18599 ESTs 410313 R10305 Hs.18598 ESTs 410313 R10305 Hs.18598 ESTs 449490 Al652777 Hs.197069 ESTs, Weakly similar to i38022 hypothetid 33 449490 Al652777 Hs.197069 ESTs, Weakly similar to i38022 hypothetid 340684 Al253123 Hs.127356 ESTs, Highly similar to S21424 nestin [H						3.3 3.3
435039 AW043921 Hs.130526 ESTs 3. 451474 T70874 Hs.207636 ESTs 3. 442559 T10213 Hs.159993 gycosyltransferase 3. 453921 Al824009 Hs.44577 ESTs 420036 R60338 Hs.52792 Homo sapiens mRNA; cDNA DKFZp5861823 (f 3) 435627 W88774 Hs.118370 ESTs 3. 411598 BE336654 Hs.70937 H3 histone family, member A 3. 446733 AA863360 Hs.26040 ESTs, Weakly similar to fatty acid omega 410153 BE311926 Hs.15830 hypothetical protein FLJ12691 3. 403637 NA C3001106*:gi]10047201[db][BAB13394.1] (A 3) 405547 NM_018833*-Homo sapiens transporter 2, A 3. 405547 NM_018833*-Homo sapiens transporter 2, A 3. 416856 NZ7873 Hs.18599 ESTs 3. 410313 R10305 Hs.18598 ESTs 3. 416856 NZ7833 Hs.269028 ESTs, Weakly similar to i38022 hypotheti 3. 449490 Al652777 Hs.197069 ESTs, Weakly similar to i38022 hypotheti 3. 440684 Al253123 Hs.127356 ESTs, Highly similar to S21424 nestin [H					-	3.3
50 451474 T70874 Hs.207636 ESTs 3. 442559 T10213 Hs.159993 gycosyltransferase 3. 453921 Al824009 Hs.44577 ESTs 3. 420036 R60336 Hs.52792 Homo sapiens mRNA; cDNA DKFZp58611823 (f 3. 435627 W88774 Hs.118370 ESTs 3. 411598 BE336654 Hs.70937 H3 histone family, member A 3. 446733 AA863360 Hs.26040 ESTs, Weakly similar to fatty acid omega 410153 BE311926 Hs.15830 hypothetical protein FLJ12691 3. 403637 NA C3001106*:gi]10047201[db][BAB13394.1] (A 3. 405547 NM_018833*:Homo sapiens transporter 2, A 3. 407678 C05766 Hs.181022 CGI-07 protein 3. 451871 Al821005 Hs.118599 ESTs 3. 410313 R10305 Hs.185683 ESTs 3. 416856 NZ7833 Hs.269028 ESTs, Weakly similar to I38022 hypotheti 3. 449490 Al652777 Hs.197069 ESTs 3. 440684 Al253123 Hs.127356 ESTs, Highly similar to S21424 nestin [H						3.3
453921 Al824009 Hs.44577 ESTs 3. 420036 R60336 Hs.52792 Homo sapiens mRNA; cDNA DKFZp586l1823 (f 3. 435627 W88774 Hs.118370 ESTs 3. 411598 BE336654 Hs.70937 H3 histone family, member A 3. 446733 AA863360 Hs.26040 ESTs, Weakly similar to fatty acid omega 410153 BE311926 Hs.15830 hypothetical protein FLJ12691 3. 403637 NA C3001106*:gi]10047201[db][BAB13394.1] (A 3. 405547 NA C3001106*:gi]10047201[db][BAB13394.1] (A 3. NM_018833*:Homo sapiens transporter 2, A 3. 405547 NA C3001106*:gi]10047201[db][BAB13394.1] (A 3. NM_018833*:Homo sapiens transporter 2, A 3. 40565 N27833 Hs.185683 ESTs 3. 416856 N27833 Hs.269028 ESTs, Weakly similar to I38022 hypotheti 3. 449490 Al652777 Hs.197069 ESTs 450506 NM_004460 Hs.418 fibroblast activation protein, alpha 3. 440684 Al253123 Hs.127356 ESTs, Highly slmilar to S21424 nestin [H	50					3.2
420036 R60336 Hs.527792 Homo sapiens mRNA; cDNA DKFZp58611823 (f 3. 435627 W88774 Hs.118370 ESTs 3. 411598 BE336654 Hs.70937 H3 histone family, member A 3. 446733 AA863360 Hs.26040 ESTs, Weakly similar to fatty acid omega 403637 NA C3001106*gij10047201 dbjjBAB13394.1] (A 3. 405547 NA C3001106*gij10047201 dbjjBAB13394.1] (A 3. 405547 NM_018833*:Homo sapiens transporter 2, A 3. 405647 NM_018833*:Homo sapiens transporter 2, A 3. 410313 R10305 Hs.118599 ESTs 3. 410313 R10305 Hs.185683 ESTs 3. 410313 R10305 Hs.185683 ESTs 3. 449490 Al652777 Hs.197069 ESTs, Weakly similar to I38022 hypotheti 3. 449490 Al652777 Hs.197069 ESTs, Weakly similar to I38022 hypotheti 3. 440684 Al253123 Hs.127356 ESTs, Highly similar to S21424 nestin [H		442559	T10213	Hs.159993	gycosyltransferase	3.2
435627 W88774 Hs.118370 ESTs 3. 411598 BE336654 Hs.70937 H3 histone family, member A 3. 446733 AA863360 Hs.26040 ESTs, Weakly similar to fatty acid omega 3. 410153 BE311926 Hs.15830 hypothetical protein FLJ12691 3. 403637 NA C3001106*gij10047201jdbjjBAB13394.1j (A 3. 405547 NM_018833*:Homo saplens transporter 2, A 3. M_018833*:Homo saplens transporter 2, A 3. 451871 Al821005 Hs.18599 ESTs 410313 R10305 Hs.18583 ESTs 3. 416856 N27833 Hs.269028 ESTs, Weakly similar to l38022 hypotheti 3. 459050 NM_004460 Hs.418 fibroblast activation protein, alpha 3. 440684 Al253123 Hs.127356 ESTs, Highly similar to S21424 nestin [H 3.						3.2
55 411598 BE336654 Hs.70937 H3 histone family, member A 3 446733 AA863360 Hs.26040 ESTs, Weakly similar to fatty acid omega 3 410153 BE311926 Hs.15830 hypothetical protein FLJ12691 3 403637 NA C3001106*:gi]10047201[db][BAB13394.1] (A 3 405547 NM_018833*-Homo saplens transporter 2, A 3 427878 C05766 Hs.181022 CGI-07 protein 3 451871 Al821005 Hs.118599 ESTs 3 410313 R10305 Hs.185683 ESTs 3 416856 NZ7833 Hs.269028 ESTs, Weakly similar to i38022 hypotheti 3 65 450506 NM_004460 Hs.418 fibroblast activation protein, alpha 3 440684 Al253123 Hs.127356 ESTs, Highly similar to S21424 nestin [H 3						
446733 AA863360 Hs.26040 ESTs, Weakly similar to fatty acid omega 410153 BE311926 Hs.15830 hypothetical protein FLJ12691 3. 403637 NA C3001106*:gi]10047201[db][BAB13394.1] (A 3. 405547 NA C3001106*:gi]10047201[db][BAB13394.1] (A 3. 405547 NA C18833*:Homo saplens transporter 2, A 3. NM_018833*:Homo saplens transporter 2, A 3. 410313 R10305 Hs.185683 ESTs STS 410313 R10305 Hs.185683 ESTs 3. 449490 Al652777 Hs.197069 ESTs, Weakly similar to i38022 hypotheti 3. 449490 Al652777 Hs.197069 ESTs STS 3. 440684 Al253123 Hs.127356 ESTs, Highly similar to S21424 nestin [H	55				H3 history family member A	3.2 3.2
410153 BE311926 Hs.15830 hypothetical protein FLJ12691 3. 403637 NA C3001106*:gi]10047201[db][BAB13394.1] (A 3. 405547 NM_018833*:Homo saplens transporter 2, A 3. 405547 NM_018833*:Homo saplens transporter 2, A 3. 410313 R10305 Hs.18599 ESTs 3. 410313 R10305 Hs.185683 ESTs 3. 416856 N27833 Hs.269028 ESTs, Weakly similar to I38022 hypotheti 3. 449490 Al652777 Hs.197069 ESTs 3. 450506 NM_004460 Hs.418 fibroblast activation protein, alpha 3. 440684 Al253123 Hs.127356 ESTs, Highly similar to S21424 nestin [H 3.	55					3.2
403637 NA C3001106*:gi]10047201[db][BAB13394.1] (A 3, 405547 NM_018833*:Homo saplens transporter 2, A 3, 47878 C05766 Hs.181022 CGI-07 protein 3, 451871 Al821005 Hs.18598 ESTs 3, 410313 R10305 Hs.185683 ESTs 3, 416856 N27833 Hs.269028 ESTs, Weakly similar to I38022 hypotheti 45.97069 ESTs 450506 NM_004460 Hs.418 fibroblast activation protein, alpha 3, 440684 Al253123 Hs.127356 ESTs, Highly similar to S21424 nestin [H 3, 3, 127356]						3.2
60 427878 C05766 Hs.181022 CGI-07 protein 3.451871 Al821005 Hs.118599 ESTs 3.410313 R10305 Hs.185683 ESTs 3.416856 N27833 Hs.269028 ESTs, Weakly similar to I38022 hypotheti 3.449490 Al652777 Hs.197069 ESTs 3.450506 NM_004460 Hs.418 fibroblast activation protein, alpha 440684 Al253123 Hs.127356 ESTs, Highly similar to S21424 nestin [H						3.2
451871 Al821005 Hs.118599 ESTs 3. 410313 R10305 Hs.185683 ESTs 3. 416856 N27833 Hs.269028 ESTs, Weakly similar to i38022 hypotheti 3. 449490 Al652777 Hs.197069 ESTs 3. 450506 NM_004460 Hs.418 fibroblast activation protein, alpha 3. 440684 Al253123 Hs.127356 ESTs, Highly similar to S21424 nestin [H						3.2
410313 R10305 Hs.185683 ESTs 3 416856 NZ7833 Hs.269028 ESTs, Weakly similar to I38022 hypotheti 33 449490 Al652777 Hs.197069 ESTs 3 450506 NM_004460 Hs.418 fibroblast activation protein, alpha 3 440684 Al253123 Hs.127356 ESTs, Highly similar to S21424 nestin [H	60					3.2
416856 N27833 Hs.269028 ESTs, Weakly similar to I38022 hypotheti 3 449490 Al652777 Hs.197069 ESTs 3 450506 NM_004460 Hs.418 fibroblast activation protein, alpha 3 440684 Al253123 Hs.127356 ESTs, Highly similar to S21424 nestin [H 3						3.2
449490 Al652777 Hs.197069 ESTs 3 450506 NM_004460 Hs.418 fibroblast activation protein, alpha 3 440684 Al253123 Hs.127356 ESTs, Highly similar to \$21424 nestin [H 3						3.2 3.2
65 450506 NM_004460 Hs.418 fibroblast activation protein, alpha 3 440684 Al253123 Hs.127356 ESTs, Highly similar to \$21424 nestin [H 3						3.2
440684 Al253123 Hs.127356 ESTs, Highly similar to S21424 nestin (H 3	65					3.2
459055 N23235 Hs.30567 ESTs, Weakly similar to B34087 hypotheti 3					ESTs, Highly similar to S21424 nestin (H	3.2
		459055	N23235	Hs.30567	ESTS, Weakly similar to B34087 hypotheti	3.2

	150100	110000			
		H26735	Hs.91668	Homo sapiens done PP1498 unknown mRNA	3.2
		AA489732	Hs.154918		3.2
	405394			Target Exon	3.2
_	424693	BE169810	Hs.47557	ESTs	3.2
5	454265	H03556	Hs.300949	ESTs, Weakly similar to thyroid hormone	3.2
	437687	AA765917	Hs.122840	ESTs	3.2
	428372	AK000684	Hs.183887	hypothetical protein FLJ22104	3.2
		AL121282	Hs.257786		3.2
		AW856552		gb:RC1-CT0294-080100-012-a04 CT0294 Homo	
10		NM_005429	Hs.79141	vascular endothelial growth factor C	3.2
		AA758239	Hs.180330		3.2
		A1249368	Hs.98558		3.2
	452042			Homo sapiens cDNA FLJ20738 fis, clone HE	3.2
		AI904743		hypothetical protein FLJ10292	3.2
15		AI016377			3.2
13			Hs.131693		
		AB033052	Hs.22151	KIAA1226 protein	3.2
		AI198719	Hs.176376		3.2
	404580		4=4=0	NM_014112*:Homo sapiens trichorhinophala	3.2
20		AA326187	Hs.17170	G protein-coupled receptor 4	3.2
20		AW974903	Hs.291231		3.1
		AW904907	Hs.30732	hypothetical protein FLJ13409; KIAA1711	3.1
		AI204995		gb:an03c03.x1 Stratagene schizo brain S1	3.1
	400195	NA			3.1
	417860	AW408557		hypothetical protein FLJ14075	3.1
25	417995	AW974175	Hs.188751	ESTs, Weakly similar to MAPB_HUMAN MICRO	3.1
	422589	AA312735	Hs.30512	Homo sapiens mRNA for KIAA0556 protein,	3.1
	435870	AA701327	Hs.17949	ESTs	3.1
	440801	AA906366	Hs.190535	ESTs	3.1
	426274	D38122	Hs.2007	tumor necrosis factor (ligand) superfami	3.1
30	423728	AW891294	Hs.132136	solute carrier family 4, sodium bicarbon	3.1
	439677		Hs.164599		3.1
		AI638627			3.1
		AA503653		ESTs, Moderately similar to ALU2_HUMAN A	3.1
		AA339449	Hs.82285	phosphoribosylglycinamide formyltransfer	3.1
35		AA470519	113.02200	gb:nc71f10.s1 NCI_CGAP_Pr1 Homo sapiens	3.1
55		BE327311	Hs.47166	HT021	3.1
			П5.47 100	gb:QV4-ST0023-160400-172-d12 ST0023 Homo	
		AW806906	U= 4000E0		
	426269		US' 100320	Homo sapiens mRNA; cDNA DKFZp566A1046 (f	
40	405336		11 004550	Target Exon	3.1
40		Al683150		====	3.1
		AI583052	Hs.270058		3.1
		BE160636		gb:PM1-HT0422-291299-002-c08 HT0422 Homo	
		A!768801	Hs.169943	Homo sapiens cDNA FLJ13569 fis, clone PL	3.1
4.5	405848			Target Exon	3.1
45	455685	BE066976		gb:PM0-BT0340-211299-003-c12 BT0340 Homo	
	406970	M29994		gb:Human alpha-I spectrin gene, exon 12.	3.1
•	409602	W26713	Hs.256972	ESTs .	3.1
	423518	D45027		R3H domain (binds single-stranded nuclei	3.1
	425653	AI065104	Hs.249718	ESTs, Weakly similar to A46010 X-linked	3.1
50	426326	BE165753	Hs.250528	Homo sapiens, done IMAGE:4098694, mRNA,	3.1
	433805	AA706910	Hs.112742	ESTs	3.1
	437152	AL050027		gb:Homo saplens mRNA; cDNA DKFZp566C032	43.1
	448602	AI541305	Hs.48778	niban protein	3.1
		AW407181		Homo sapiens cDNA FLJ11927 fis, clone HE	3.1
55		AF026942		gb:Homo saplens cig33 mRNA, partial sequ	3.1
• •		AW807227		gb:MR4-ST0062-180200-001-e10 ST0062 Homo	
		NM_002914	Hs.139226	replication factor C (activator 1) 2 (40	3.1
		R83066	Hs.7043	succinate-CoA ligase, GDP-forming, alpha	3.1
		BE295866	Hs.94382	adenosine kinase	3.1
60		W94997	Hs.189917		3.1
00		U07616		amphiphysin (Stiff-Mann syndrome with br	3.1
•		AL117431		Homo sapiens cDNA FLJ12198 fis, clone MA	3.1
		BE466639	He 61770	Homo sapiens cDNA FLJ13591 fis, clone PL	3.1
			He 12022	ATP-binding cassette, sub-family C (CFTR	
65		AW138413	113,133330	gb:EST96097 Testis I Homo sapiens cDNA 5	3.1
UJ		AA382814	Un 400520	ECTa Wooldy similar to 199500	3.1
		A1248013		ESTs, Weakly similar to (38588 reverse t	3.1
	40/993	AW135274	Hs.12433	ESTs	3.1

	MEACC	H38026	Hs.308	arrestin 3, retinal (X-arrestin)	3.1
		BE219794	Hs.293471		3.1
		AK001423	Hs.94694	Homo saplens cDNA FLJ10561 fis, clone NT	3.0
		AB033035	Hs.51965	KIAA1209 protein	3.0
5		BE153855	Hs.61460	lg superfamily receptor LNIR	3.0
,		AA232658	HS.01400	UDP-glucose:glycoprotein glucosyltransfe	3.0
		AA232036 Al830417			3.0
		N93266	Hs.44143	polybromo 1 ESTs	3.0
			Hs.40747	Homo sapiens mRNA; cDNA DKFZp761C1712 (i	
10		AL133731	Hs.4774	• • • • • • • • • • • • • • • • • • • •	3.0
10		NM_005357	Hs.95351	lipase, hormone-sensitive	3.0
	405609 404274	IVA		ENSP00000241065*:CDNA	3.0
		41074200	U- 02404E	NM_002944*:Homo sapiens v-ros avian UR2	3.0
		AI971362	Hs.231945	ESTs ·	3.0
15		H07118	Hs.6099		3.0
13		N59650	Hs.27252	ESTs	3.0
	406291			Target Exon	
		BE383592	11- 000004	gb:601297871F1 NIH_MGC_19 Homo sapiens c	
		AW972359	Hs.293334		3.0 -
20		AI791988	Hs.129115		3.0
20		N21043	Hs.42932	ESTs	3.0
		AI969716	Hs.13034	ESTS	3.0
		BE379727	Hs.83213	fatty acid binding protein 4, adipocyte	3.0
	401326		11- 40504	C10000447*:gij1168375 spjP43467 AGA1_PED	
25		BE169746	Hs.12504	likely ortholog of mouse Arkadia	3.0
25		AI926047	Hs.162859		3.0
		AF245505	Hs.72157	DKFZP564I1922 protein	3.0
	401045			C11001883*:gij6753278 ref NP_033938.1 c	3.0
		AA584062		hypothetical protein FLJ20413	3.0
20		Al221894	Hs.39311	ESTs	3.0
30		BE077155		hypothetical protein DKFZp761B1514	3.0
		AW958879	Hs.270535		3.0
		H91882		DvI-binding protein IDAX (inhibition of	3.0
		NM_014711		KIAA0419 gene product	3.0
25		R13474	MS.29U203	ESTs, Weakly similar to 138022 hypotheti	3.0
35		R52782	11- 40400	gb:yg99d09.r1 Soares infant brain 1NIB H	3.0 3.0
		AB014528	Hs.43133	KIAA0628 gene product	3.0
		AW004683	Hs.78934	mutS (E. coli) homolog 2 (colon cancer, Homo sapiens Xq pseudoautosomal region;	3.0
		A1754212	Hs.21951		3.0
40		AW021173	Hs.18612	Homo sapiens cDNA: FLJ21909 fis, clone H	3.0
40		AW901879	Hs.314453		3.0
		D31118		hypothetical protein MGC10520	3.0
		AW294795	Hs.198529		3.0
		AA878939 Al375957	Hs.125406		3.0
45		AA281279		F-box only protein 22 hypothetical protein FLJ14681	3.0
#J .			Hs.23317 Hs.11950	GPI-anchored metastasis-associated prote	3.0
		NM_014400 AA701259	Hs.189299		3.0
		AI041793	Hs.42502		3.0
		BE175605	113.42302	gb:RC5-HT0580-100500-022-H07 HT0580 Home	
50		AW295923	He 255472	KIAA1843 protein	3.0
50		M31659		solute carrier family 25 (mitochondrial	3.0
		AA397658	Hs.60257		3.0
		W01938	He 337243	ESTs, Weakly similar to ALU7_HUMAN ALU S	2.9
		W57554		lymphoid nuclear protein (LAF-4) mRNA	2.9
55		U22376	Hs.1334	v-myb avian myeloblastosis viral oncogen	2.9
55		BE246743		hypothetical protein FLJ22635	2.9
	403677		110.200020	C4001462:gij4887715jgbjAAA79329.2j (L088	2.9
		BE067650		gb:MR4-BT0358-090300-003-e01 BT0358 Home	
		W87434	He 106015	ESTs, Moderately similar to ALU1_HUMAN A	2.9
60		BE568102	He 180312	mitochondrial ribosomal protein S16	2.9
00 .		AI674818	He 316/33	Homo sapiens cDNA FLJ11375 fis, clone HE	2.9
		AA179949	Hs 175563	Homo sapiens mRNA; cDNA DKFZp564N0763 (
		AW365665	Hs.120388		2.9
		A1633559	Hs.310359		2.9
65		N34128	Hs.145268		2.9
55	402109			Target Exon	2.9
		BE501732	Hs.30622	Homo sapiens cDNA FLJ13010 fis, clone NT	2.9

	440000	A1007040	U- 004000	Harman and an application of the state of th	•
		A1827248			2.9
		AA249573	MS. 152016		2.9
	404721	.1000404	11 4 17040		2.9
_		Al208121	HS.14/313		2.9
5	401987				2.9
		AA4812B2	Hs.190149		2.9
		Al939339	Hs.146883		2.9
		AW873606	Hs.149006	1.1_	2.9
10		AW194426	Hs.20726		2.9
10		Al868634	HS.246358		2.9
	401458				2.9
		NM_003478	Hs.101299		2.9
		BE514127		gb:601315974F1 NIH_MGC_8 Homo sapiens cD	
1.5		NM_012288			2.9
15		BE003760	Hs.55209	Homo sapiens mRNA; cDNA DKFZp434K0514 (f	
		D45371	Hs.80485		2.9
		BE161151	Un CC440	gb:PM0-HT0425-141299-001-F08 HT0425 Homo	
		NM_016122	Hs.56148	NY-REN-58 antigen gb:ny57g01.s1 NCI_CGAP_Pr18 Homo sapiens	2.9
20		AA743991	11- 400COE		2.9
20		AI193043 Z45439	Hs.270425		2.9
		Y15221			2.9
		AF015592	Hs.28853		2.9
		AW452648			2.9
25		AW961400			2.9
25		AA057264			2.9
	401093	701031 20 1	1 10.200000		2.9
		AI651474	Hs.163944		2.9
		AI681475	Hs.200949		2.9
30		AW235786			2.9
-		AI472078	Hs.303662	.,,	2.9
		BE265067		gb:601193893F1 NIH_MGC_7 Homo sapiens cD	
	405953				2.8
		AW296927		gb:UI-H-BW0-ajc-c-07-0-UI.s1 NCI_CGAP_Su	2.8
35	434265	AA846811	Hs,130554	Homo saplens cDNA: FLJ23089 fis, done L	2.8
	428365	AA295331	Hs.183861	Homo sapiens cDNA FLJ20042 fis, done CO	2.8
	442861	AA243837	Hs.57787	ESTs	2.8
	448337	AW206453	Hs.3782	ESTs	2.8
	452554	AW452434	Hs.58006	ESTs, Weakly similar to ALU5_HUMAN ALU S	2.8
40	412248	BE176480		gb:RC3-HT0585-160300-022-c02 HT0585 Homo	
	. 449450	AL039852	Hs.49136		2.8
	434757	A1038997	Hs.132921		2.8
		T97490	Hs.50002	small inducible cytokine subfamily A (Cy	2.8
4 =		AW806899		gb:QV4-ST0023-160400-172-c12 ST0023 Homo	
45		Al910896	Hs.132413		2.8
		Y00272		cell division cycle 2, G1 to S and G2 to	2.8
		AL035588	HS.1532U3	MyoD family inhibitor	2.8
		BE070800		gb:RC3-BT0502-251199-011-c07 BT0502 Homo	2.8
50	400250	NM_016206	Un 22142	Eos Control colon carcinoma related protein	2.8
50		AA485224	Hs.23142	gb:aa41b12.s1 NCI_CGAP_GCB1 Homo sapiens	
		AA502490	Hs.336695		2.8
		AA383550		polymerase (DNA directed) tota	2.8
	405873		110.21 1000	Target Exon	2.8
55		AA994364	He 125594	ESTs, Weakly similar to T25472 hypotheti	2.8
J J		AI075375		ESTs, Weakly similar to IRX2_HUMAN IROQU	2.8
		BE158791	. 10. 120 100		
		AA398155	Hs.97600	ESTs	2.8
		AI754813		collagen, type V, alpha 1	2.8
60		AW294631	Hs.11325	ESTs	2.8
• •		AA298758		ESTs, Moderately similar to CALB_HUMAN C	2.8
		R64719		gb:EST22d11 WATM1 Homo sapiens cDNA clon	2.8
	402765			C1003621*:gi 12407405 gb AAG53491.1 AF22	2.8
	444378	R41339	Hs.12569	ESTs	2.8
65	419172	AW338625	Hs.22120	ESTs	2.8
	401497			Target Exon	2.8
	402376			C19000763*:gij1363912[pir][JC4296 ring f	2.8

	405041	NA		C3001706*:gi 1345652 sp P15989 CA36_CHIC	2.8
		NM_003686	Hs.47504	exonuclease 1	2.8
		D16181	Hs.2868	peripheral myelin protein 2	2.8
5		AA761190 AA744862	Hs.244627	ESTs, Weakly similar to I54374 gene NF2	2.8 2.8
,		AF086325	NS. 134233	gb:Homo sapiens full length insert cDNA	2.8
	401283			Target Exon	2.8
		AW803201		gb:IL2-UM0077-070500-080-E06 UM0077 Homo	
	417601	NM_014735	Hs.82292	KIAA0215 gene product	2.8
10		AW994005	Hs.337534		2.8
		AW291488	Hs.117305	Homo saplens, done IMAGE:3682908, mRNA	2.8
		AW815098		gb:QV4-ST0212-091199-023-f10 ST0212 Homo	
		BE247550	Hs.86859	growth factor receptor-bound protein 7	2.8
15		Al651930	Hs.135684	HDCMC28P protein	2.8 2.8
13	414661	AK000375	Hs.88820 Hs.21929	ESTs	2.8
		Al650633		Homo saplens cDNA: FLJ23031 ffs, clone L	2.8
		Al916662		kinectin 1 (kinesin receptor)	2.7
		W23624	Hs.173059		2.7
20	421566	NM_000399	Hs.1395	early growth response 2 (Krox-20 (Drosop	2.7
		BE386870		gb:601275271F1 NIH_MGC_20 Homo sapiens c	
	440868			ESTs, Moderately similar to 138022 hypot	2.7
		BE247449	Hs.31082	hypothetical protein FLJ10525	2.7 2.7
25		AV646449 Al378562	Hs.282872 Hs.159585		2.7
23		AW371048	Hs.93758	H4 histone family, member H	2.7
	406504		. 10.001.00	C5000558:gi 4504675 ref NP_002175.1 int	2.7
	423279	AW959861	Hs.290943		2.7
	424871	NM_004525	Hs.153595	low density lipoprotein-related protein	2.7
30		H87648	Hs.33922	Homo sapiens, clone MGC:9084, mRNA, comp	2.7
		D13666	Hs.136348	osteoblast specific factor 2 (fasciclin	2.7
		N34524 BE314524	Hs.78776	gb:yy56d10.s1 Soares_multiple_sclerosis_ putative transmembrane protein	2.7 2.7
		NM_005014	Hs.94070	osteomodulin	2.7
35	406182	_	110.01010	Target Exon	2.7
		X69970	Hs.79350	RYK receptor-like tyrosine kinase	2.7
	444701	AI916512	Hs.198394	ESTs	2.7
		AA301228	Hs.43299	hypothetical protein FLJ12890	2.7
40		AW968128	Hs.336679		2.7
40		AA128978 M31158	Hs.77439	hypothetical protein FLJ14917 protein kinase, cAMP-dependent, regulato	2.7 2.7
		BE563085	Hs.833	interferon-stimulated protein, 15 kDa	2.7
		AB026264		hypothetical protein IMPACT	2.7
		AA742577	Hs.303781		2.7
45	439031	AF075079		gb:Homo sapiens full length insert cDNA	2.7
		W74653	Hs.271593	ESTs, Moderately similar to A47582 B-cel	2.7
•	406153	V40047	11- 440507	Target Exon	2.7
		Y13647 Al188139	Hs.119597 Hs.147050	stearoyl-CoA desaturase (delta-9-desatur	2.7 2.7
50		Al572739	Hs 195471	6-phosphofructo-2-kinase/fructose-2,6-bi	2.7
50		H09604	Hs.13268	ESTs	2.7
		AA255920	Hs.88095	ESTs	2.7
		AA495925	Hs.9394	ESTs	2.7
		BE379623	Hs.27693		2.7
55		A1050073	Hs.135338	ESTS	2.7
		A1741320 AA054726	Hs.285574	Homo sapiens cDNA: FLJ23228 fis, clone C	2.7 2.7
		N91716	Hs 194140	ESTs, Weakly similar to I38022 hypotheti	2.7
		Z97630		H1 histone family, member 0	2.7
60	418203	X54942	Hs.83758		2.7
	439509	AF086332	Hs.58314	ESTs	2.7
	402184	NA	11 0	ENSP00000245238*:CDNA FLJ10922 fis, don	2.7
	450496	AW449251	Hs.257131		2.7
65		A1825440	Hs.224952 Hs.133900		2.7 2.7
05	401938 AA15A4	AI373638 AA938663	Hs.199828		2.7
	441111	AI806867	Hs.126594		2.7

•	423020	AA383092	Hs.1608	replication protein A3 (14kD)	2.7
		AV653485	Hs.6390	Homo sapiens clone FLB3344 PRO0845 mRNA,	
		AW293165	Hs.143134		2.7
		X91662	Hs.66744	twist (Drosophila) homolog (acrocephalos	2.7
5		AW137636	Hs.146059		2.7
,		AA496493	Hs.23136	ESTs	2.7
	406069		110.20100	Target Exon	2.7
		A1470235	Hs.172698		2.7
	401256		118.172030		2.7
10		AW975942	Hs.48524		2.7
10		AW958037	Hs.286	ribosomal protein L4	2.7
		BE144762	115.200	gb:CM0-HT0180-041099-065-b04 HT0180 Homo	
		BE327427	Hs.79953	ESTs	2.6
					2.0 2.6
15		AA045857	Hs.54943 Hs.5534		2.6
13.		AL121053		Homo sapiens cDNA FLJ12961 fis, clone NT	
		AF160477	Hs.61460		2.6
		AK001122			2.6
		AW893940	Hs.59698		2.6
20	430785		11- 470047	gb:HHEA22G Atrium cDNA library Human hea	2.6
20		D38299		prostaglandin E receptor 3 (subtype EP3)	2.6
		NM_006456			2.6
		AA300900	Hs.98849		2.6
		AA447990	Hs.190478		2.6
25		AW975920	Hs.283361		2.6
25		A1346487	Hs.28739		2.6
		Al123555	Hs.81796		2.6
		AW451645	MS.1010U4	Homo sapiens cDNA FLJ11973 fis, clone HE	2.6
		AW754311 AI675944	U= 400004	gb:CM1-CT0337-141299-068-f07 CT0337 Homo	2.6 2.6
30			Hs.64173		2.6
20		M25809 AK002016		ATPase, H transporting, lysosomal (vacuo	2.6
					2.6
		NM_013989			
		AW292286	Hs.255058		2.6
35		AA018311	Hs.114762		2.6 2.6
33	405822	A14/070004	Un 62042	Target Exon	2.6
		AW976201 Al080042	Hs.53913	hypothetical protein FLJ10252	2.6
		AA643687		ribosomal protein S24 Homo sapiens cDNA FLJ11980 fis, clone HE	2.6
		AW205878	Hs.29643	Homo sapiens cDNA FLJ13103 fis, clone NT	2.6
40	405638	A11200070	113.23043	Target Exon	2.6
70		AW812256		gb:RC0-ST0174-191099-031-a07 ST0174 Homo	
	403943	A440 12230		C5000355:gi 4503225 ref NP_000765.1 cyt	2.6
		Z25884	He 121/83	chloride channel 1, skeletal muscle (Th	2.6
	402800		115,121400	Target Exon	2.6
45		Al989503	Hs.233405		2.6
73		AW846080	Hs.314324		2.6
		H03754		wingless-type MMTV Integration site fami	2.6
		AW974476		regulator of G-protein signalling 16	2.6
		AA418187	Hs.330515		2.6
50		AK001826	Hs.25245	hypothetical protein FLJ11269	2.6
30		BE246010		Homo sapiens mRNA for FLJ00038 protein,	2.6
		AW855802	113.27 1400	gb:RC1-CT0279-170200-023-d08 CT0279 Homo	
		AB028955	He 175780	KIAA1032 protein	2.6
		NM_015434	Hs.48604	DKFZP434B168 protein	2.6
55		Z47542		small nuclear RNA activating complex, po	2.6
55		NM_000163		growth hormone receptor	2.6
	406271		110.120100	Target Exon	2.6
		BE566982	Hs.7063	Homo sapiens cDNA: FLJ20913 fis, clone A	2.6
		AW016892	Hs.100855		2.6
60		AI928513	Hs.59203		2.6
••		AA121098	Hs.3838	serum-inducible kinase	2.6
		BE069326		gb:QV3-BT0381-170100-060-g03 BT0381 Homo	2.6
		W24320	Hs.102941	Homo sapiens cDNA: FLJ21531 fis, clone C	2.6
		X64984		gb:H.sapiens mRNA HTPCRX10 for olfactory	2.6
65		AA830431	Hs.180811		2.6
		AA668763	Hs.291939	ESTs	2.6
	409139	A1681917	Hs.3321	ESTs, Highly similar to IRX1_HUMAN IROQU	2.6
				- •	

	455400	DE400400		-b-014 1 T0442 040000 050 b02 1 T0442 1 h	2.0
		BE160198	11- 70570	gb:QV1-HT0413-010200-059-h03 HT0413 Homo	
		BE274552	Hs.76578	protein inhibitor of activated STAT3	2.6
		A1732892	Hs.190489		2.6
_	423025	AA831267	Hs.12244	hypothetical protein FLJ20097	2.6
5	431473	AA825686	Hs.321176	ESTs, Weakly similar to S65824 reverse t	2.6
	404440			NM_021048:Homo saplens melanoma antigen,	2.6
	403388	NA		C3001398*:gi 12248917 dbj BAB20375.1 (A	2.6
	403775	NA		Target Exon	2.6
	405037	NA		NM_021628*:Homo sapiens arachidonate lip	2.6
10	407447	AF290544		gb:Homo sapiens aminopeptidase mRNA, par	2.6
		AA282067	Hs.88972	ESTs, Moderately similar to A46010 X-lin	2.6
		AI872932		gb:wm72e03.x1 NCL_CGAP_Ut2 Homo saplens	
		AW516211	He 125300	ring finger protein 21, interferon-respo	2.6
		AI702885	Hs.145568		2.6
15		BE391727		general transcription factor IIH, polype	2.6
13		N72264		KIAA1204 protein	2.6
				· ·	
		AW085961	Hs.130093		2.6
		Y08565	MS.1516/6	UDP-N-acetyl-alpha-D-galactosamine:polyp	2.6
20	404443			C8001428*:gi[6572242]emb[CAB62951.1] (Z9	2.6
20		NM_003512	Hs.28777	H2A histone family, member L	2.6
		Al073913		ESTs, Weakly similar to JE0350 Anterior	2.6
		Al192105	Hs.147170		2.6
	408633	AW963372	Hs.46677	PRO2000 protein	2.6
	459089	F13036	Hs.27373	Homo sapiens mRNA; cDNA DKFZp564O1763 (i	2.6
25	447197	R36075		gb:yh88b01.s1 Soares placenta Nb2HP Homo	2.6
	454111	AW081681	Hs.269064	ESTs, Weakly similar to T42689 hypotheti	2.6
	411165	NM_000169	Hs.69089	galactosidase, alpha	2.6
		S70284		gb:stearoyl-CoA desaturase [human, adipo	2.6
		H62943	Hs.154188		2.6
30		BE065837		gb:RC2-BT0318-110100-012-g12 BT0318 Homo	
50		NM_012247	He 124027	SELENOPHOSPHATE SYNTHETASE; Human	
		Al538613		Transmembrane protease, serine 3	2.5
		AF012023		integrin cytoplasmic domain-associated p	2.5
			Hs.12680	Homo sapiens cDNA FLJ10196 fis, done HE	2.5
35		AK001058			2.5
33		BE245652		zinc finger protein 266	2.5
		L22524	Hs.2256	matrix metalloproteinase 7 (MMP7; uterin	
		AB020641	Hs.57856	PFTAIRE protein kinase 1	2.5 2.5
		NM_000909		neuropeptide Y receptor Y1	
40		AW973708		Homo sapiens cDNA FLJ13446 fis, done PL	2.5
40		AA767881	Hs.122897		2.5
		AK001741	Hs.8739	hypothetical protein FLJ10879	2.5
		AL042306	Hs.97689	VASA protein	2.5
	428301	AW628666	Hs.98440	ESTs, Weakly similar to I38022 hypotheti	2.5
	431956	AK002032	Hs.272245	Homo sapiens cDNA FLJ11170 fis, clone PL	2.5
45	455732	BE080908		gb:QV1-BT0631-280200-084-h07 BT0631 Homo	2.5
	458624	AI362790	Hs.278639	KIAA1684 protein; likely homolog of mous	2.5
	428257	BE394723	Hs.275243	S100 calcium-binding protein A6 (calcycl	2.5
	418054	NM_002318	Hs.83354	lysyl oxidase-like 2	2.5
		AW375610	Hs.117102	hypothetical protein FLJ13046 similar to	2.5
50		AJ424899	Hs.188211		2.5
		BE091089		gb:PM4-BT0724-130400-006-c07 BT0724 Homo	2.5
		U64820	Hs.66521	Machado-Joseph disease (spinocerebellar	2.5
		AW972565	Hs.32399	ESTs, Weakly similar to S51797 vasodilat	2.5
		AW089705		ESTs, Weakly similar to S64329 probable	2.5
55		AI471598	Hs.197531		2.5
<i>JJ</i>			113.131331	gb:zm13a03.s1 Stratagene pancreas (93720	2.5
		AA065081	H= 44000		2.5
		BE178536	Hs.11090	membrane-spanning 4-domains, subfamily A	
		AF109298	Hs.118258		2.5
60		AW247529	Hs.6793	platelet-activating factor acetylhydrola	2.5
60		BE158687		gb:CM0-HT0395-280100-169-b09 HT0395 Home	
	425025	AW953168	Hs.12407	ESTs	2.5
		AA652687	Hs.96151	Human DNA sequence from clone RP5-1103G7	2.5
	404826			Target Exon	2.5
		NM_001809	Hs.1594	centromere protein A (17kD)	2.5
65	421991	NM_014918	Hs.110488	KIAA0990 protein	2.5
		NM_007350	Hs.82101	pleckstrin homology-like domain, family	2.5
		AW898595	·	gb:RC1-NN0073-260400-011-g09 NN0073 Hom	02.5
			•		

	4000				
	403356	NA		ENSP00000251525*:Hypothetical protein KI	2.5
•	404983			ENSP00000252242*:Keratin, type II cytosk	2.5
		AA215535	Hs.98133	ESTs	2.5
_	427409	AW467143	Hs.135411	actin related protein	2.5
5	431806	AF186114	Hs.270737	tumor necrosis factor (ligand) superfami	2.5
	443367	AW071349	Hs.215937	ESTs	2.5
		AW582962		CGI-47 protein	2.5
		AF086041	Hs.42975	ESTs	2.5
	400925	000011	110.12010	Target Exon	2.5
10	404552	MA		ENSP00000220888*:ZINC FINGER TRANSCRIP	
10		AL133117	Hs.81376	Homo sapiens mRNA; cDNA DKFZp586L1121 (f	
				low density lipoprotein-related protein	2.5
		NM_002332	Hs.89137		
		U32974		baculoviral IAP repeat-containing 4	2.5
15		NM_000318		peroxisomal membrane protein 3 (35kD, Ze	2.5
15		AA501760	Hs.15806	Homo sapiens mRNA; cDNA DKFZp434H2019 (f	
		AI271898	Hs.164866		2.5
		AW813428		gb:MR3-ST0192-010200-210-c05 ST0192 Homo	
	434657	AA641876	Hs.191840	ESTs `	2.5
	402077	NA		Target Exon	2.5
20	400289	X07820	Hs.2258	matrix metalloproteinase 10 (MMP10; str	2.5
	409723	AW885757	Hs.257862	ESTs	2.5
	447020	T27308	Hs.16986	hypothetical protein FLJ11046	2.5
	455068	AI807894	Hs.47274	Homo sapiens mRNA; cDNA DKFZp564B176 (fr	2.5
		AI024353		hypothetical protein FLJ14298	2.5
25		AA059013	Hs.22607	ESTs	2.5
		AA122393	Hs.70811		2.5
		AW162919			2.5
		AI126772	Hs.40479		2.5
		AI580090	Hs.48295		2.5
30	423504		Hs.24792	chromosome 12 open reading frame 5	2.5
50		AA449644			2.5
		AW297921	Hs.255703		2.5
		AA256769	Hs.94949		2.5
25		AW086180	Hs.37636	ESTs, Weakly similar to KIAA1392 protein	2.5
35		U29344	Hs.83190	fatty acid synthase	2.5
		AA356923	Hs.240770	nuclear cap binding protein subunit 2, 2	2.5
	423242	AL039402	Hs.125783	DEME-6 protein	2.5
	416241	N52639	Hs.32683	ESTs	2.5
	440244	AI743977	Hs.205144	ESTs	2.5
40	409239	AA740875	Hs.44307	ESTs, Moderately similar to 138022 hypot	2.5
	452464	AW500507	Hs.192619	KIAA1600 protein	2.5
	410718	AI920783	Hs.191435		2.5
		AA479033		ESTs, Wealty similar to A47582 B-cell gr	2.5
		AI446747		olfactory receptor, family 7, subfamily	2.5
45		AA116021	Hs.38260	ubiquitin specific protease 18	2.5
		NM_007069	Hs.37189	similar to rat HREV107	2.5
		H00820	Hs.30977	ESTs, Weakly similar to B34087 hypotheti	2.5
		AA236255	Hs.298419		2.5
		H20669	Hs.35406		2.5
50		AL046412	Hs.202151		2.5
50					
	-	A1640355	Hs.312691		2.5
		AW298631	Hs.27721	Wolf-Hirschhorn syndrome candidate 1-lik	2.5
		A1937547	HS.124915	hypothetical protein MGC2601	2.5
e e		AW837349		gb:QV2-LT0038-270300-108-d12 LT0038 Homo	
55		AA843719	Hs.122341		2.5
	406414			C5000506*:gi[124941]sp[P18614[ITA1_RAT I	2.5
	424498	AB033043	Hs.149377	hypothetical protein DKFZp761L0424	2.5
	443464	BE548446	Hs.5167	Homo sapiens mRNA; cDNA DKFZp434F152 (fr	2.5
	424856	AA347746	Hs.9521	ESTs, Weakly similar to ZN43_HUMAN ZINC	2.5
60	440304	BE159984	Hs.125395	ESTs	2.5
	409045	AA635062	Hs.50094	Homo sapiens mRNA; cDNA DKFZp434O0515 (i	2.5
		D86983		Melanoma associated gene	2.5
		AL135623		KIAA0575 gene product	2.5
		AA442324	Hs.795	H2A histone family, member O	2.5
65		D13752	Hs.184927		2.5
			Hs.42173	Homo sapiens cDNA FLJ10366 fis, clone NT	2.5
		AA081395	113.72113	Target Exon	2.5
	403133			i algor LAUII	<u>ت.ن</u>

 413189
 BE070231
 gb:QV4-BT0407-260100-087-f12 BT0407 Homo
 2.5

 400346
 AB041269
 Hs.272263
 Homo sapiens mRNA for keratin 19, partia
 2.5

 435509
 Al458679
 Hs.181915
 ESTs
 2.5

 458145
 Al239457
 Hs.130794
 ESTs
 2.5

5

TABLE 19A

Table 19A shows the accession numbers for those pkeys lacking unigeneID's for Table 19. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

1	\sim	
L	υ	

5

	Pkey:		Eos probeset identifier number
	CAT numb		uster number
	Accession:	Genban	k accession numbers
15			
	Pkey	CAT number	Accessions
20	407647	1007366_1	AW860158 AW862385 AW860159 AW862386 AW862341 AW821869 AW821893 AW062660 AW062656
20	407980	103087_1	AA046309 A1263500 AA046397
	408254	1049346_1	AW807227 AW807576 AW807137 AW807157 AW807495 AW807494 AW807417 AW807083 AW845786 AW845801
			AW807130 AW807335 AW807081 AW807349 AW807339 AW807164 AW807341 AW807224 AW845903 AW177424 AW807159 AW807123 BE141576 AW807340 AW807334 AW807520 AW807205 AW807505 BE141574 AW807390
			AW807395 AW845789 AW807101 AW807089 AW807519 AW807239 AW807509 AW807356 AW807526 AW807098
25	-		AW807307 AW807153 AW807295 AW807313 AW807322 AW807265 AW807513 AW807516 AW807166 AW807501
23			AW807120 AW807168 AW807121 AW807527 AW807151 AW807203 AW807489 AW807511 AW807158 AW807580
			AW807507 AW845793 AW845796 AW807296 AW845781 AW807444 AW845871 AW807512 AW807242 AW807141
			AW807522 AW807487 AW807514 AW807142 AW807232 AW807379 AW807114 AW807518 AW807199 AW807211
			AW807498 AW807086 AW807492 AW807218 AW807082 AW807525 AW807493 AW807523 AW807087 AW845784
30			AW807037 AW807128 AW807080 AW807118 AW845807 AW807524 AW845803 AW807249 AW845795 AW807160
			AW807343 AW807515 AW807233 AW807289 AW177102 AW807352 AW807394 AW177105 AW807176 AW177103
			AW845870 AW177099 AW177101 AW807528 AW807336 AW807038 AW177100 AW807411 AW807088 AW845865
			AW807226 AW807517 AW807397 AW807303 AW807177 AW807154 AW807136 AW807146 AW807085 AW807521
			AW807488 AW807385 AW807223 AW807155
35	409163	110418_1	AA065081 AA075017 AA084791 AA071015 AA081560 AA071459 AA545727 AA083100 AA085366 AA115845 AA075457
		•	AA064704 AA082878 AA075742 AA069162
	409695	114876_1	AA295951 AA296889 AA076945 AA077528 AA077497
	410534	1207247_1	AW905138 AW753008 R13818 Z43519
40	410672	1214882_1	AW794600 AW794730
40	410784	1221005_1 1221055_1	AW803201 BE079700 BE052940 AW803341 AW803265 AW803403 AW803466 AW803402 AW803413 AW803268 AW803396 AW803334 AW803355
	410785 410835	1223785 1	AW806906 AW806915 AW866460 AW866475 AW866462 AW866448 AW866372 AW866604
	411050	1230330_1	AW814902 BE156656 BE156667 BE156590 BE156441 BE156447
	411086	1230550_1	BE070800 AW875226 BE149115
45	411093	1231970_1	BE067650 AW817053
	411111	1232669_1	AW818127 AW818161 R09719
	411171	1234393_1	AW820260 AW820332 R94406
	411337	1239217_1	AW837349 AW837355 AW882717
	411514	1248638_1	AW850178 AW850233 AW850445 AW850446
50	411670	1253680_1	AW856552 AW861101 AW856574 AW861099 AW861100 AW856573 AW856576 AW856562
	411905	1265181_1	BE265067 BE264978 AW875420
	412102	1277395_1	H56435 H56572 AW892929
	412209	1283610_1	AW901456 AW901450 AW901441
<i>5 </i>	412248	1285000_1	BE176480 AW903298 AW903313
55	413043	1346556_1	BE158766 BE061699 BE147360 BE147362 BE061666 BE061697 BE061647 BE061678
	413111 - 413189	1349546_1 1352723_1	BE065837 BE065805 BE065799 BE065818 BE065839 BE065831 BE065894 BE065789 BE065792
	413221	1353887_1	BE070231 BE070229 BE070255 BE161151 BE162495 BE161002 BE072205 BE160989 BE162482
	413499	1373910 1	BE144884 H97942
60	413708	1384140 1	BE158791 BE158806 BE158748 BE158744 BE158740 BE158739 BE158811 BE158700 BE158741 BE158683 BE158685
00	414210	1426051_1	BE383592 BE261671
	414596	1465004_1	BE386870 Z41986 H08501
	, , , , , , ,		andoor, 6 % 1,000 1,000 1

```
1465790_-1
                              BE390440
        414605
                              AA381209 AA381245 AA167683
                  155189_1
        415747
        416173
                  1574973_1
                              R52782 R17313 H24192 R19876
        417742
                  1696282_1
                              R64719 Z44680 R12451
                  171237_1
177402_1
        417974
                              AA210765 T95700 H94407
        418636
                              AW749855 AA225995 AW750208 AW750206
                              AA603305 AA244095 AA244183
                  185688_1
        419536
                              AW296927 Al684514 Al263168 AA281079
        420854
                  197072_1
                              N34524 AA305071 AW954803 AA502335 Al433430 Al203597 AW026670 AW265323 AW850787 AA317554 AW993643
        422156
                  212379_1
10
                              AW835572 AW385512 Al334966 W32951 H62656 H53902 R88904 AW835732
                              BE091089 BE091123 AA319959
        422996
                  223666 1
                 232451_1
        423833
                              AW503329 N46610 AA331571
                  232507_1
                              AW753967 AA370795 AA331630 AW962550
        423841
                              AA410943 AW948953 AA334202 AA332882
        423945
                  233566_1
15
        425201
                  247933_1
                              AA352111 AW962247 AA429695
        426650
                  270283 1
                              AA382814 AA402411 AA412355
        426878
                 273265_1
                              BE069341 AW748403 AL044891 Al908240 AA393080
                 315008_1
                              AA470519 BE303010 BE302954 BE384120
        430264
                              Z30201 AA486132 T72025
                  323486_1
        430785
20
        431676
                  336411_1
                              Al685464 AW971336 AA513587 AA525142
        433687
                  373061_1
                              AA743991 AA604852 AW272737
                  383982_1
        434338
                              AW754311 AA630185 AW803285
                  387447_1
                              AA634806 C18732 AA729161 AA729860
        434469
        435447
                  406400_1
                              AI872932 AA682306 BE220163 W88695 T81307 H91447
25
                 43386_1
                              AL050027 BE089051
        437152
                              AL119723 AL119874 Al909018 U50537
        437854
                 44418_1
        439031
                  46798_1
                              AF075079 H48601 H48795
                              BE164500 AA832198 BE164502
        439255
                 470321_1
        444910
                 624951_1
                              Al201849 BE069007 AW946544
30
                 63943_1
                              AV653771 BE089370
        445432
                              BE175605 Z43529 F06610 BE175602 AV661027
                 69865_1
        446922
                              R36075 Al366546 R36167
        447197
                 711623_1
                              BE623004 AA380669 BE263627 BE246433
        448420
                  76273_1
        448516
                  766241_1
                              AW898595 AW898588 AW898590 AW898663 AW898592 A1525093
35
                  837264_1
                              Al698839 Al909260 Al909259
        450522
                 844652_1
                              AW970060 AI732366 AI792313 AW839644
        450736
                 85565_1
                              AA442176 AA259181
       451024
        451067
                  85759_1
                              BE172186 AA059279 AA020815 AA013437
        451340
                  86640_1
                              AW936273 AW340350 AA017208
40
                  921410_1
                              AW812256 AW812257 AI906423 AI906422
        452542
                 92227_1
968371_1
        452564
                              AA026777 N50065 R09961 N54721
                              AL037925 AL037931 AL037957
        453472
                              AW855717 AW362452 AW362443
                  1106070_1
        454307
        454359
                  1130674_1
                              N71277 AW390764
45
        454545
                 1223779_1
                              AW806899 AW866451 AW866393 AW866297 AW817869
                              AW813428 AW813444 AW813367 AW813368 AW813429 AW813424
        454693
                  1229132_1
        454714
                  1230493 1
                              AW815098 BE154843 BE154831
                  1250536_1
                              AW852530 AW852527 AW852526
        455047
                              BE152428 AW855572 AW855607
                  1252971_1
        455092
50
                              AW855802 AW855794 AW855797 AW855806 AW855796 AW855808 AW855793 AW855807
        455097
                  1253130_1
        455100
                  1253334_1
                              BE160198 AW935898 T11520 AW935930 AW856073 AW861034
                  1289854_1
                              AW938484 BE001245 BE001190
        455431
                  1321229_1
        455511
                              BE144762 AW979091
                  1337548_1
                              BE011668 BE011689 BE011627 BE011679 BE011699 BE011678 BE011696 BE011675 BE011622 BE011635
        455609
                              BE064962 BE064979 BE064853 BE064857 BE064856 BE064977 BE064960 BE064860 BE064815 BE064957 BE064804
55
                  1348732_1
        455651
                              BE064816 BE064850 BE064806 BE064796 BE064818 BE064975 BE064819 BE064810 BE064668 BE065059
                              BE066976 BE066928 BE066927
        455685
                  1350393_1
                              BE068115 BE068104 BE068102 BE068096 BE068103 BE068154 BE068198
        455700
                  1351264_1
                  1352232_1
                              BE069326 BE069290 BE069352
        455708
60
                              BE080908 BE072258 BE072190 BE072236
        455732
                  1353874_1
                  1374605_1
                              BE145808 BE145807 BE181883
        455838
                              BE158687 BE158688
                  1384144_1
        455935
                              BE160636 BE160606 BE160703
        455945
                  1385588_1
        456207
                  165078_-1
                              AA193450
65
        456482
                  192289_1
                              AA485224 AA287308 AA258121
                              AF086325 W72956 W73221 AA219112
        458094.
                  47311 1
        458673
                  679507_1
                              N99626 Al302701
```

PCT/US02/02242 WO 02/059377

TABLE 19B

Table 19B shows the genomic positioning for those pkeys lacking unigene ID's and 5 accession numbers in Table 19. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

				·
10	Pkey:		Unique	number corresponding to an Eos probeset
	Ref:	S	equence so	urce. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication
			entified	*The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.
	Strand:			es DNA strand from which exons were predicted.
	Nt_position	nn.		es nucleotide positions of predicted exons.
15	терозы	J.1.	11101000	and industrial of products of one
15				
	Pkey	Ref	Strand	Nt_position
	rkey	Rei	Suanu	H_DOSEDII
	400555	0001101	Minus	134694-134817
20	400608		Minus	96756-97558
20	400610		Minus	117606-117928,124040-124147
	400925		Plus	38183-38391,43900-44086
	401045		Plus	90044-90184,91111-91345
25	401049		Plus	149157-150692
25	401093		Minus	22335-23166
	401256		Minus	45482-45520
	401283		Minus	47256-47456
	401326		Minus	226246-227505
	401418		Minus	124865-125075
30	401451	6634068	Minus	119926-121272
	401458	9187886	Plus	76485-77597
	401497	7381770	Plus	92607-92813
	401508	7534110	Minus .	110779-110983
	401575	7229804	Minus	76253-76364
35	401747		Minus	118596-118816,119119-119244,119609-119761,120422-120990,130161-130381,130468-130593,131097-
				131258,131866-131932,132451-132575,133580-134011
	401781	7249190	Minus	83215-83435,83531-83656,83740-83901,84237-84393,84955-85037,86290-86814
	401785		Minus	165776-165996,166189-166314,166408-166569,167112-167268,167387-167469,168634-168942
	401793		Minus	102945-103083
40	401987		Minus	72893-73021,76938-77049
	402077		Plus	65014-65195
	402109		Minus	171722-171859,173197-173303
	402184		Minus	112844-112986,113505-113636
	402376		Minus	21753-22385
45	402376		Minus	46609-46662,46758-46811,86293-86346,89776-89829,90048-90101,102817-102924
73		9884928	Plus	66350-66496
				81747-82094
		9909429	Minus	
	402696		Minus	23600-23731
50	402765		Plus	109588-109726
50		6010175	Plus	43921-44049,46181-46273
		6456853	Minus	82274-82443
		8086844	Minus	194384-194645
		7331427	Plus	38314-38634
		8569930	Plus	92839-93036
55		9438331	Plus	112733-113001,114599-114735
		9719529	Minus	157156-158183
		8101208	Minus	131266-131769
		6862650	Minus	62554-62712,69449-69602
		8671936	Minus	142647-142771,145531-145762
60		8671948	Plus	113234-113326,115186-115287,119649-119786
		7331517	Minus	55008-55083,62860-63051
	403775	7770580	Minus	102247-102326,103095-103148
		7711864	Plus	100742-100904,101322-101503

```
404091 7684554
                                    82121-83229
                          Minus
        404097 7770701
                         Plus
                                    55512-55781
        404142 9856692
                          Minus
                                    80316-80459
        404253 9367202
                          Minus
                                    55675-56055
 5
        404274 9885189
                         Plus
                                    104127-104318
                                    32282-32416
        404285 2326514
                         Plus
        404360 9858450
                          Minus
                                    122873-122966,151324-151469,153093-153253
        404440 7528051
                                    80430-81581
                          Plus
        404443 7579073
                                    87198-87441
                          Minus
10
        404552 7243881
                         Plus
                                    19854-20010
                                    69039-70100
        404561 9795980
                          Minus
        404580 6539738
                                    240588-241589
                          Minus
                                    173763-174294
        404721 9856648
                          Minus
        404826 6572184
                         Plus
                                    47726-48046
15
        404983 4432779
                                    51178-51374,52000-52173
                         Minus
        405037 7543748
                         Minus
                                    127374-127578
                                    121230-121714
        405041 7547195
                         Plus
                                    138877-139066
        405095 8072599
                         Plus
                                    175317-175500
        405153 9965565
                          Minus
20
        405196 7230083
                         Minus
                                    135716-135851
        405232 7249042
                                    125904-126063
                         Plus
        405248 7259728
                                    637-777
                         Plus
                                   33267-33563
31900-32373
        405336 6094635
                         Plus
        405394 6624123
                          Minus
25
        405460 7684569
                          Minus
                                    52223-52389
        405494 8050952
                                    70284-70518
                         Minus
                                    124361-124520,124914-125050
        405547 1054740
                         Plus
                                    42814-43010,43583-43783,44863-45033,46429-46554,47815-48018,49961-50153,51624-51727,51823-51959,52702-
        405609 5757553
                         Minus
                                    52918,55469-55601,57111-57307,58169-58296,60215-60332,61482-61727
30
        405638 6289229
                                    199260-199372,199826-199929
                          Plus
        405654 4895155
                         Minus
                                    53624-53759
        405718 9795467
                                    113080-113266
                          Plus
        405822 6273498
                                    154660-154974,155203-155379
                         Minus
                                    28135-28244
        405848 7651809
                          Minus
35
                                    32129-32764
        405873 6758747
                          Minus
        405906 7705124
                                    10835-11059
                          Minus
        405917 7712162
                          Minus
                                    106829-107213
        405925 6758795
                                    129935-130282
                         Plus
        405953 7960374
                                    65101-65574
                         Minus
40
                                    68880-69374
        406069 9117732
                         Plus
        406151 7144806
                          Minus
                                    94087-94285
                                    12902-13069
        406153 9929734
                          Minus
        406182 5923650
                          Minus
                                    28256-28935
        406271 7534217
                                    36179-36692
                         Plus
45
        406291 5686274
                         Plus
                                    9562-9867
        406348 9255985
                                    71754-71944
                          Minus
                                    49593-49850
        406414 9256407
                         Plus
                                    116424-116527,118721-118859,121187-121364
        406446 9454509
                          Minus .
                                    107068-107277
        406504 7711360
                          Minus
50
        406554 7711566
                         Plus
                                    106956-107121
```

TABLE 20: 544 GENES UP-REGULATED IN BREAST CANCER COMPARED TO NORMAL ADULT TISSUES THAT ARE LIKELY TO ENCODE EXTRACELLULAR OR CELL-SURFACE PROTEINS

Table 20 shows 544 genes up-regulated in breast cancer compared to normal adult tissues that are likely to encode extracellular or cell-surface proteins. These were selected as for Table 19, except that the ratio was greater than or equal to 3.0, the "average" normal adult tissue level was set to the 85th percentile value amongst 144 non-malignant tissues, and the 96th percentile value amongst the 73 breast cancer specimens was greater than or equal 100 units, and the predicted protein contained a structural domain that is indicative of extracellular localization (e.g. ig, fn3, egf, 7tm domains, signal sequences, transmembrane domains). The predicted protein domains are noted.

15

10

5

Pkey: Unique Eos probeset identifier number

ExAcon: Exemplar Accession number, Genbank accession number

UnigenelD: Unigene number

20 Pred.Prot.Domains: Predicted Protein Domains

Unigene Title: Unigene gene title

R1: Ratio of 93rd percentile of tumor to 85th percentile of normal body tissue

25	Pkey	ExAccn	UnigenelD	Pred.Prot.Domains	UnigeneTitle	R1
	408591	AF015224	Hs.46452	SS,Uteroglobin,SS,Uteroglobin	mammaglobin 1	168.6
	400291	AA401369	Hs.190721	TM	ESTs	73.2
	449746	AI668594	Hs.176588	,SS,p450	ESTs, Weakly similar to CP4Y_HUMAN CYTOC	65.7
30	407277	AW170035	Hs.326736	TM	Horno sapiens breast cancer antigen NY-BR	57.6
	400292	AA250737	Hs.72472	death,ZU5,TM,Activin_recp,pkinase,	BMP-R1B .	55.9
	424735	U31875	Hs.272499	,SS,TM	short-chain alcohol dehydrogenase family	53.8
	426878	BE069341		TM	gb:QV3-BT0381-270100-073-c08 BT0381 Homo	50.3
	428848	NM_00023	0Hs.194236	SS,Leptin,SS,Leptin,	leptin (murine obesity homolog)	40.8
35 ·			Hs.104106	,SS,Dihydroorotase,	ESTs	39.3
•		L11690 "	Hs.620	Plectin_repeat,SH3,spectrin,SS,Plectin_r	bullous pemphigoid antigen 1 (230/240kD)	37.3
	427585	D31152	Hs.179729	SS,C1q,Collagen,SS,C1q,Collagen,	collagen, type X, alpha 1 (Schmid metaph	35.2
	429441	AJ224172	Hs.204096	,SS,Uteroglobin,	lipophilin B (uteroglobin family member)	30.0
	450375	AA009647	Hs.8850	,SS,TM,disintegrin,Pep_M12B_propep,Repro		25.7
40	420931	AF044197	Hs.100431	SS,IL8,SS	small inducible cytokine B subfamily (Cy	25.2
	422109	S73265	Hs.1473	SS,Bombesin,SS	gastrin-releasing peptide	24.8
		A1624342		,SS,TM,Cation_efflux	ESTs	24.1
	451110	AI955040	Hs.265398	SS	ESTs, Weakly similar to transformation-r	24.0
			Hs.334473	TM	hypothetical protein DKFZp564O1278	23.8
45		X51501	Hs.99949	SS,SS	prolactin-induced protein	22.8
		A1267652		,SS,TM,GNS1_SUR4,cNMP_binding,Rlla	Homo sapiens mRNA; cDNA DKFZp434E082 (fr	22.6
			3Hs.151407	lg,tsp_1,SS,AAA	cartilage intermediate layer protein, nu	21.7
		X78592	Hs.99915	hormone_rec,Androgen_recep,zf-C4,	androgen receptor (dihydrotestosterone r	21.7
		A1905687		SS	aldehyde dehydrogenase 9 family, member	20.3
50		AJ375572	Hs.172634	,pkinase,	ESTs	19.2
		AA193450		,SS,TM,p450,p450	gb:zr40e07.r1 Soares_NhHMPu_S1 Homo sapl	18.3
			Hs.334473	TM	hypothetical protein DKFZp564O1278	18.2
			Hs.144341	SS	ESTs	18.2
		X52509	Hs.161640	,SS,TM,aminotran_1_2,Cadherin_C_term,cad		18.1
55		AW840171	Hs.265398	SS	ESTs, Weakly similar to transformation-r	17.9
	402578			SS,p450,SS,TM,p450	C1001134:gi[2117372 pir] 65981 fatty ac	17.8
			Hs.239884	SS	H2B histone family, member L	17.8
			Hs.124165	SS	programmed cell death 9 (PDCD9)	17.7
	444342	NM_01439	8Hs.10887	Lamp,SS,TM,Lamp,	similar to lysosome-associated membrane	17.5

						47.0
	449765	N92293	Hs.206832	SS	ESTs, Moderately similar to ALU8_HUMAN A	17.3
	428227	AA321649	Hs.2248	SS,IL8,	small inducible cytokine subfamily B (CX	17.0
	425692	D90041	Hs.155956	,SS,Acetyltransf2,	N-acetyltransferase 1 (arylamine N-acety	16.7
	424001	W67883	Hs.137476	pkinase,	paternally expressed 10	16.5
5		AB014544		LRRCT,LRR,SS,LRRCT,serine_carbpept	KIAA0644 gene product	16.3
•			Hs.57471	SS	ESTs	16.2
			Hs.83169	SS,hemopexin,Peptidase_M10,SS,Peptidase_		15.7
		AA296520		SS,lectin_c,sushl,EGF,SS,EGF,lectin_c,su	selectin E (endothelial adhesion molecul	15.5
		AA441838		SS	hypothetical protein FLJ14834	15.5
10				OD CLID VII-I	tumor necrosis factor, alpha-induced pro	15.0
10		NM_007115				14.9
			Hs.15456	PDZ,SS	PDZ domain containing 1	14.8
		AA236115		SS	ESTs	
	452838		Hs.30743	SS,SS	preferentially expressed antigen in mela	14.7
		AA436989		histone, SS, histone, histone	H2A histone family, member A	14.3
15	448390	AL035414	Hs.21068	SS	hypothetical protein ·	14.2
	447342	AJ199268	Hs.19322	,SS,lipocalin	Homo sapiens, Similar to RIKEN cDNA 2010	14.2
	411869	W20027	Hs.23439	,SS,Peptidase_M1,	ESTs	13.9
	443709	AI082692	Hs.134662	,SS,TM,SNF	ESTs	13.7
		AA031956			gb:zk15e04.s1 Soares_pregnant_uterus_NbH	13.7
20		Al733682	Hs 130239	SS	ESTs	13.5
20			Hs.2258	hemopexin,Peptidase_M10,SS,Peptidase_M1		13.5
		BE336654			H3 histone family, member A	13.3
				,SS,histone,histone,linker_histone	ESTs	13.2
		AA948033		· · · · · · · · · · · · · · · · · · ·	ESTs	13.1
25		AA706910		,SS,Ribosomal_L7Ae,		13.1
25		Al951118		TM	Homo sapiens breast cancer antigen NY-BR	13.0
		AW873596		,SS,DENN	calmodulin 2 (phosphorylase kinase, delt	
		A1684808		SS	programmed cell death 9 (PDCD9)	12.9
		AI351010		,SS,Lysyl_oxidase	lysyl oxidase	12.8
		W72838	Hs.2533	SS	aldehyde dehydrogenase 9 family, member	12.7
30	452461	N78223	Hs.108106	,SS,G9a,PHD,	transcription factor	12.5
	427365	AI873274	Hs.190721	TM	ESTs	12.4
	433365	AF026944	Hs.293797	,SS,TPR	ESTs	12.3
	409269	AA576953	Hs.22972	SS,TM,UPF0016,SS,TM,UPF0016	hypothetical protein FLJ13352	12.0
		AJ224741		SS,EGF,vwa,SS,TM,vwa,	matrilin 3	11.9
35		AW732573		TM,K_tetra,ion_trans,SS,TM,K_tetra,ion_t	potassium voltage-gated channel, delayed	11.9
55		BE007371		,SS,TM,Folate_carrier	ESTs	11.9
		Al357412		SS	ESTs	11.8
		H87879	Hs.102267	SS,Lysyl_oxidase,Aldose_epim,Epimerase,S		11.8
					NIMA (never in mitosis gene a)-related k	11.7
40		NM_002497		pkinase,SS,TM,pkinase,polyprenyLsynt,	hypothetical protein similar to tenascin	11.6
40		AL049689		SS		11.5
		R28363	Hs.24286	,SS,TM,7tm_1,p450,rrm	ESTS	
*		Al907673		pkinase,	gb:IL-BT152-080399-004 BT152 Homo sapien	11.5
- '		AA410943		death,ZU5,TM,Activin_recp,pkinase,	gb:zt32h03.r1 Soares ovary tumor NbHOT H	11.4
	439820	AL360204	Hs.283853	SS	Homo sapiens mRNA full length insert cDN	11.4
45	402606			SS .	NM_024626:Homo sapiens hypothetical prot	11.3
	445263	H57646	Hs.42586	,SS,Acyltransferase,	KIAA1560 protein	11.2
	430217	N47863	Hs.336901	,SS,RNA_pol_A,RNA_pol_A2,Ribosomal_S24	4e,ribosomal protein S24	11.1
		AF026941	Hs.17518	,TM,IBR	Homo sapiens cig5 mRNA, partial sequence	- 11.1
		BE178536		,SS,TM	membrane-spanning 4-domains, subfamily A	11.1
50		AL080207		,SS,TM,BRCT,ank,ABC_tran,ABC_tran	DKFZP434G232 protein	10.9
50		R17798	Hs.7535	,SS,Fork_head,	COBW-like protein	10.9
		U79293	Hs.159264	SS	Human clone 23948 mRNA sequence	10.7
	420704	U13233	113.133204		protein tyrosine phosphatase, receptor t	10.4
	423003	NM_007050	UE 450044	,SS,TM,Y_phosphatase,MAM,fn3,	KIAA0479 protein	10.3
		AB007948		,SS,laminin_B,laminin_EGF,laminin_Nterm		10.3
55		BE440042		SS,Peptidase_M10,hemopexin,SS,Peptidase		
		NM_00068		SS,TM,7tm_1,SS,TM,7tm_1,	angiotensin receptor 1	10.3
		U80736	Hs.110826	SS	trinucleotide repeat containing 9	10.3
		AL120173		,SS,pkinase,	ESTs	10.3
	438199	AW016531	Hs.122147	,SS,ArfGap,	ESTs	10.2
60	400608			SS,TM,SS,TM	C10001899:gi[7508633[plr]]T25392 hypothe	10.1
·		BE242870	Hs.75379	SS	solute carrier family 1 (glial high affi	10.0
		W68815	Hs.301885	SS	Homo saplens cDNA FLJ11346 fis, clone PL	9.9
	402408			,SS,carb_anhydrase	NM_030920*:Homo sapiens hypothetical pro	9.8
		AJ245671	Hs.12844	,SS,TM,ras	EGF-like-domain, multiple 6 (EGFL6)	9.7
65		Al879148		SS, lipocalin, lipocalin,	fatty acid binding protein 7, brain	9.6
0,5	405654		. 10.20110	BTB,SS	C12001521:pij7513934 pir [T31081 cca3 pr	9.6
			Hs.161160	SS	ESTs	9.6
	434500	WH 10000	113.101100	55		0.0

		•				
	416220	N49776	Hs.170994	,SS,TM	hypothetical protein MGC10946	9.5
	431808	M30703	Hs.270833	SS,TM,EGF,SS	amphiregulin (schwannoma-derived growth	9.5
		AW368397			Homo sapiens cDNA FLJ14438 fis, clone HE	9.4
~		AA032279			six transmembrane epithelial antigen of	9.4
5		AA279490		SS,TM,calreticulin,SS,TM,calreticulin,	calmegin	9.4
		AI733881		death,ZU5,TM,Activin_recp,pkinase,	BMP-R1B	9.4 9.3
		AA291377		TM	ESTs	9.3
		A1678059		SS SS	synaptonemal complex protein 2 ESTs	9.1
10		Al820662 X73114	Hs.169849		myosin-binding protein C, slow-type	9.1
10			Hs.272620	SS Pentidase M10 hemonexin SS Pentidase	matrix metalloproteinase 11 (MMP11; stro	9.1
		AW004854		SS - characteristic c	hypothetical protein FLJ23537	9.1
		AB041035		Ferric_reduct,TM,Ferric_reduct,	NM_016931:Homo saplens NADPH oxidase 4 (9.1
		H59846	Hs.128355	SS	ESTs, Moderately similar to ALU7_HUMAN A	9.0
15		AI798680		,SS,TM,histone,Sec1,histone,sugar_tr	ESTs	8.9
		X72755	Hs.77367	SS,IL8,SS,IL8	monokine induced by gamma Interferon	8.8
	400285			,TM,ABC_tran,ABC_membrane,	Eos Control	8.8
			Hs.115263	SS,TM,EGF,SS,TM	epiregulin	8.8
	416182	NM_004354	Hs.79069	cyclin,SS	cyclin G2	8.8
20		AW512260		SS	ESTs	8.7
	452281	T93500	Hs.28792		Homo sapiens cDNA FLJ11041 fis, clone PL	8.7
		AA642007		SS	ESTs	8.6
		AF123050		,SS,TM,ubiquitin,7tm_3,ANF_receptor,sush	diubiquitin	8.6
25		AI732643		TM	ESTs	8.6 8.5
25		Al222020		SS,SS	CocoaCrisp	8.5
		BE622641			nis_reESTs, Weakly similar to 138022 hypotheti	8.5
				,SS,TM SS,EGF,IdI_recept_a,IdI_recept_b,SS,TM,E	ESTs	8.4
	4240/1	NM_004525 AW963419	DDS. 1000000	SS	stanniocalcin 2	8.4
30		AA635062		TM	Homo sapiens mRNA; cDNA DKFZp434O0515 (f	8.4
50		A1831297		TM	ESTs	8.3
		AA780473		SS,p450,SS,p450	cytochrome P450, subfamily IVB, polypept	8.3
		NM_003866		SS,SS	inositol polyphosphate-4-phosphatase, ty	8.3
		X65724	Hs.2839	SS,Cys_knot,SS	Nome disease (pseudoglioma)	8.3
35			Hs.106604	.death.ZU5.pkinase.Activin_recp.	ESTs	8.3
	439840	AW449211	Hs.105445	SS	GDNF family receptor alpha 1	8.2
	427811	M81057	Hs.180884	SS SS,Zn_carbOpept,Propep_M14,SS,Propep_M SS,cpn10	114carboxypeptidase B1 (tissue)	8.2
		AA280627		SS,cpn10	ESTs	8.2
40		W47595	Hs.169300	SS,TGF-beta,TGFb_propeptide,SS	transforming growth factor, beta 2	8.2
40		AW885727		,SS,kazal,	ESTs	8.1
		AW419196		SS	hypothetical protein FLJ13782	8.1 8.0
		AW248508	Hs.279727	SS	Homo sapiens cDNA FLJ14035 fis, clone HE	8.0
	404347	4.4742004		SS TM	Target Exon gb:ny57g01.s1 NCI_CGAP_Pr18 Homo sapiens	8.0
45		AA743991 AA808229	Un 167771	,SS,IMPDH_C,IMPDH_N,CBS	ESTs	8.0
45		NM_01601			CGI-62 protein	7.9
		X70697	Hs.553	TM,SNF,SS,TM,SNF,	solute carrier family 6 (neurotransmitte	7.9
		N39015	Hs.190368	,SS,TM	ESTs	7.8
		AL138272		,TM,cpn60_TCP1,Sema,	ESTs	7.8
50		AI085198		,TSPN,vwc,tsp_1,EGF,thiored,	ESTs	7.8
		AI754693		,TM,cadherin,Cadherin_C_term,	ESTs	7.7
•	444649	AW207523	Hs.197628	,SS,rm,	ESTs	7.6
	435147	AL133731	Hs.4774	,TM,SDF,UPAR_LY6,	Homo sapiens mRNA; cDNA DKFZp761C1712 (f	7.6
		A1742605		TM	ESTs	7.6
55		AW207206		SS	ESTS	7.6
		AK000713		,SS,UDPGT	hypothetical protein FLJ20706	7.5
		AL031224		SS,SS	transcription factor AP-2 beta (activati	7.5
		R41396	Hs.101774	SS	hypothetical protein FLJ23045	7.5
60		AA157291		SS SO THE THE	ubinucian 1	7.5 7.5
60		U41060	Hs.79136	SS,TM,TM	LIV-1 protein, estrogen regulated ESTs	7.5 7.4
		AW378065		,SS,Pep_M12B_propep,Reprolysin,tsp_1,	duodenal cytochrome b	7.4
•		A1742170 A1240665		,SS,TM,disintegrin,Pep_M12B_propep,Repro		7.3
		U22376	Hs.1334	SS,NA,myb_DNA-binding	v-myb avian myeloblastosis viral oncogen	7.3
65 ·		R43646	Hs.12422	SS SS	ESTs	7.2
05		L32137	Hs.1584	SS,EGF,tsp_3,SS,E2F_TDP,	cartilage oligomeric matrix protein (COM	7.2
	418004	U37519	Hs.87539	SS,aldedh,SS,aldedh,	aldehyde dehydrogenase 3 family, member	7.2

				•		
	426451	Al908165	Hs.169946	SS,GATA,	GATA-binding protein 3 (T-cell receptor	7.1
	450701	H39960	Hs.288467	,SS,LRR	Homo sapiens cDNA FLJ12280 fis, clone MA	7.1
	419519	Al198719	Hs.176376	SS	ESTs	7.1
	410555	U92649	Hs.64311	,TM,disIntegrin,Reprolysin,	a disintegrin and metalloproteinase doma	7.1
5	433138	AB029496	Hs.59729	SS,ig,Sema,SS,Sema,efhand	semaphorin sem2	7.0
	411558	AA102670	Hs.70725	SS,TM,SS,TM	gamma-aminobutyric acid (GABA) A recepto	7.0
	409079	W87707	Hs.82065	,TM,fn3,	interleukin 6 signal transducer (gp130,	7.0
	417275	X63578	Hs.295449 ·	SS,efhand,SS,efhand,ras	parvalbumin	7.0
	432731	R31178	Hs.287820	,SS,fn3,fn1,fn2,fn2,fn1	fibronectin 1	6.9
10		AK001741		WD40,SS	hypothetical protein FLJ10879	6.9
		AF026942		,TM,IBR	gb:Homo sapiens cig33 mRNA, partial sequ	6.8
	427427	AF077345	Hs.177936	SS,lectin_c,SS	ESTs	6.8
		AW803341		SS	gb:fL2-UM0079-090300-050-D03 UM0079 Homo	6.7
	401045			ICE_p20,SS,ICE_p10,ICE_p20,ICE_p10,ICE_		
15		C11001883	*:gi 6753278 re	fJNP_033938.1 c	6.7	
	418986	Al123555		,SS,Reprolysin,tsp_1,	ESTs	6.7
		R41823	Hs.7413	,TM,EPH_lbd,pkinase,SAM,fn3,	ESTs; calsyntenin-2	6.7
		AA243837	Hs.57787	SS	ESTs	6.6
		A1655499		,TM,Activin_recp,pkinase,death,ZU5,	ESTs .	6.6
20			Hs.325823	,SS,TM,CD36	ESTs, Moderately similar to ALU5_HUMAN A	6.6
		BE387335		,SS,mito_carr	ESTs, Weakly similar to S64054 hypotheti	6.6
	404091			,TM,7tm_3,ANF_receptor,	Target Exon	6.6
		AW067903	Hs R2772	SS,Collagen,COLFI,TSPN,SS,TSPN	collagen, type XI, alpha 1	6.6
		AL135623		SS,SS	KIAA0575 gene product	6.5
25			Hs.61796	,SS,Ribosomal_S4e	transcription factor AP-2 gamma (activat	6.4
		AW067800		SS	stanniocalcin 2	6.2
		NM_00502		,SS,semin,	serine (or cysteine) proteinase inhibito	6.2
•		AI815601		SS,TM,ig,SS,TM	CD83 antigen (activated B lymphocytes, i	6.2
	412140	AA219691	He 73625	,SS,kinesin,	RAB6 interacting, kinesin-like (rabkines	6.2
30		AW167087		,SS,ig,Sema,pkinase,	ESTs	6.2
20		AA026880		,SS,TM,fn3,	protactin receptor	6.1
		T49951	Hs.9029	filament,SS,filament,filament	DKFZP434G032 protein	6.1
		W26713		,SS,TM,DAGKa,DAGKc,	ESTs	6.1
			Hs.184572		cell division cycle 2, G1 to S and G2 to	6.1
35	420419	X03363	113.104372	,SS,TM,pkinase,Recep_L_domain,SH2,PH,Fu		6.1
JJ,			Un 102720		ESTs	6.1
		U94362	Hs.102720 Hs.58589	SS Glyco_transf_8,SS	glycogenin 2	6.1
	401781	034302	115.30303	,SS,filament,Pribosyltran,filament,Armad	Target Exon	6.1
		NINE 042001	Un 40000			6.1
40		NM_012093	ns. 10200	SS,adenylatekinase,	adenylate kinase 5	6.1
40	402230		Un 0470	,SS,TM,p450,	Target Exon H2B histone family, member Q	6.1
		NM_003528		histone, SS, histone,		6.0
		A1249368		,SS,TM	ESTS	6.0
		BE550224		SS SS He He	metallothionein 1E (functional)	6.0
45		X04430		SS,IL6,IL6,	interleukin 6 (interferon, beta 2)	
40		N32536	Hs.42645	,SS,TM	solute carrier family 16 (monocarboxylic	6.0
		Al793257		,SS,zf-C2H2,	ESTS	5.8
		J05070	Hs.151738	SS,Peptidase_M10,fn2,hemopexin,SS,TM,Pe		5.8
		AI823951		SS	tolloid-like 1	5.8
50		NM_002666		SS	perilipin FOT	5.8
30		AW664964		,SS,TM	ESTs	5.7
		AA242758		,SS,TM	LIV-1 protein, estrogen regulated	5.7
		AB020689		SS .	KIAA0882 protein	5.7
		Al199738		SS '	ESTs, Weakly similar to ALUA_HUMAN !!!!	5.7
5E .		X81334	Hs.2936	SS,Peptidase_M10,hemopexin,SS,Peptidase		5.6
55		AA904244	HS.153205	TM	ESTS	5.6
	400286			SS,TM,ABC_tran,ABC_membrane,SS	C16000922:g 7499103 pir T20903 hypothe	5.6
		H38026	Hs.308	arrestin,SS	arrestin 3, retinal (X-arrestin)	5.5
		NM_00016		SS,TM,fn3,SS	growth hormone receptor	5.5
60		W57554	Hs.125019	SS	lymphoid nuclear protein (LAF-4) mRNA	5.5
60		AF086332		,SS,TM,Syntaxin	ESTs 44 00 Pdd ale	5.4
		NM_00594		SS,Peptidase_M10,hemopexin,SS	matrix metalloproteinase 11 (MMP11; stro	5.4
		NM_00189		,SS,cystatin,	cystatin SN	5.4
		NM_00582		SS	37 kDa leucine-rich repeat (LRR) protein	5.4
		AJ297436		,SS,TM	prostate stem cell antigen	5.4
65		AF153330		,SS,TM	solute carrier family 19 (thiamlne trans	5.3
		AL355715		SS	programmed cell death 9	5.3
	439310	AF086120	Hs.102793	,SS,TM,UDPGT,casein_kappa	ESTs	5.2

	111111	AIROSOS7	Un 120504	SS TM Bhornhodiaet	ESTs	5.2
		A1806867 N54926	Hs.29202	,SS,TM,Phosphodiest, TM,7tm_1,TM	G protein-coupled receptor 34	5.2
		M31659	Hs.180408	SS	solute carrier family 25 (mitochondrial	5.2
		AW749855		.SS.TM.HECT	gb:QV4-BT0534-281299-053-c05 BT0534 Homo	5.2
5		AL117406		,SS,TM,ABC_tran,ABC_membrane,	ATP-binding cassette transporter MRP8	5.1
•		R81733	Hs.33106	,SS,HECT,zFUBR1,PABP,14-3-3,	ESTs	5.1
		W17064	Hs.332848	SS	SWI/SNF related, matrix associated, acti	5.1
		AI685086		,SS,ras,	ESTs, Weakly similar to S21348 probable	5.1
		X52730	Hs.1892	SS,NNMT_PNMT_TEMT,SS,NNMT_PNMT_1		
10		phenylethar	nolamine N-met		5.1	
	423600	AI633559	Hs.310359	SS	ESTs	5.1
		AI160386	Hs.125087	SS	ESTs ·	5.1
	403593			,CIDE-N,pkinase	Target Exon	5.1
1.5	407758		Hs.38365	SS,SS	KIAA0125 gene product	5.0
15		AW137636		,SS,TM	ESTs	5.0
		NM_000169		SS,Meliblase,BTK,PH,pkinase,SH2,SH3,Ribo		4.9
		NM_01458		SS,lipocalin,SS,lipocalin	odorant-binding protein 2A	4.9 4.9
		W88559 AA206186	Hs.1787	,TM,ion_trans,K_tetra, SS,TM,TM	proteolipid protein 1 (Pelizaeus-Merzbac monocyte to macrophage differentiation-a	4.9 4.9
20	401093	AA200 100	HS.7 3003	TM,LRRCT,TM,LRRCT,	C12000586*:gij6330167[dbj]BAA86477.1] (A	4.9
20	411096	1180034	Hs.68583	Peptidase_M3,	mitochondrial intermediate peptidase	4.9
		AW085961		SS S	ESTs	4.9
		Al247716		,SS,adh_zinc,	ESTs	4.9
		NM_004460		SS,DPPIV_N_term,Peptidase_S9,SS,DPPIV_		4.9
25		AA641836		,SS,trypsin	hypothetical protein FLJ23186	4.9
		AI215069		SS	ESTs	4.8
	427032	AF012023	Hs.173274	,SS,14-3-3	integrin cytoplasmic domain-associated p	4.8
		M73700	Hs.105938	SS,transferrin,7tm_1,transferrin,	lactotransferrin	4.8
20	403199			SS,TM,Folate_carrier,SS,TM,Folate_carrie	NM_025243*:Homo sapiens solute carrier f	4.8
30		AW057736		,SS,TM,pkinase,Recep_L_domain,SH2,PH,Ft		4.8
		AF070526		,SS,Ca_channel_B,	Homo sapiens clone 24787 mRNA sequence	4.7
-	413048		Hs.75182	SS,TM,lectin_c,fn2,Ricin_B_lectin,SS,TM	mannose receptor, C type 1	4.7 4.7
		AA526235 BE093589		SS s	Homo sapiens cDNA FLJ11983 fis, clone HE hypothetical protein FLJ23468	4.7 4.6
35 -		AA447453		,SS,TM,7tm_1,	Homo sapiens mRNA; cDNA DKFZp586M0723 (f	4.6
55		AW016669		,SS,TM,CBS,voltage_CLC	ESTs	4.6
		A1668605		,TM,Glyco_hydro_1	ESTs, Moderately similar to ALU6_HUMAN A	4.6
		AA687376		,SS,pkinase,RhoGEF,ig,PH,SH3,	ESTs	4.6
		AA339449		AIRS,formyl_transf,GARS,SS,GARS,AIRS,for	phosphoribosylglycinamide formyltransfer	4.6
40	446089	A1860021	Hs.270651	,pkinase	ESTs, Moderately similar to A47582 B-cel	4.6
	445413	AA151342	Hs.12677	SS,UPF0099,SS,UPF0099,	CGI-147 protein .	4.6
		BE614743		,SS,TM,MAPEG,	prostaglandin E synthase	4.5
		A1493046		,SS,TM,UDPGT	ESTs .	4.5
15		H26735	Hs.91668		Homo sapiens clone PP1498 unknown mRNA	4.5
45			Hs.136985	,SS,Hist_deacetyl,	ESTS	4.5
•		A1345455		pkinase,OPR,	GA-binding protein transcription factor,	4.5 4.5
		AI910275 BE391804		SS,trefoil,SS,TM,IdL_recept_a,SRCR,tryps SS,TM,GBP,TM,GBP	trefoil factor 1 (pS2) guanylate binding protein 1, Interferon-	4.5 4.5
		W03242		SS	Homo sapiens clone TCCCTA00151 mRNA sequ	4.5
50		M97711	113.77000	SS,SS,ig,	gb:Human T-cell receptor (V beta 18.1, J	4.5
		AI638627	Hs.105685	,SS,DEAD,Fork_head	KIAA1688 protein	4.5
		AA179949		SS	Homo sapiens mRNA; cDNA DKFZp564N0763 (f	4.4
	446733	AA863360	Hs.26040	,SS,TM,p450,	ESTs, Weakly similar to fatty acid omega	4.4
		AA976718		,ig,Sema,	ESTs	4.4
55	421524	AA312082	Hs.105445	SS	GDNF family receptor alpha 1	4.4
		AW294092		,SS,ras,Y_phosphatase,ras	hypothetical protein MGC15754	4.4
		BE466639		,SS,HMG_box,filament,	Homo sapiens cDNA FLJ13591 fis, clone PL	4.4
		AK000136		SS,LRR,SS	asporin (LRR class 1)	4.4
60	453619	H87648	Hs.33922	SS SOLDD	Homo sapiens, clone MGC:9084, mRNA, comp	4.3
60		NM_00024		SS,LRR,	MHC class II transactivator	4.3
		AI472078 AW935490		,SS,ArfGap, ,SS,BIR	ESTS	4.3 4.3
		D45371	Hs.80485	SS,C1q,Collagen,SS,C1q,	Human chromosome 5q13.1 clone 5G8 mRNA adipose most abundant gene transcript 1	4.3
		AW296927		,SS,TM,Peptidase_M1,	atipose most abundant gene transcript 1 ab:UI-H-BW0-aic-c-07-0-UI.s1 NCI_CGAP_Su	4.3
65		D31771	Hs.89404	SS,homeobox,homeobox,	msh (Drosophila) homeo box homolog 2	4.3
	443514	BE464288	Hs.141937	,SS,TM,MIP,	ESTs	4.3
	447499	AW262580	Hs.147674	,SS,TM,cadherin,cadherin	protocadherin beta 16	4.3
					•	

	441560		Hs.7888	,pkinase,	Homo sapiens clone 23736 mRNA sequence	4.3
	409064	AA062954	Hs.141883	,SS,CUB,	ESTs	4.3
		H25642	Hs.133471	,SS,TM,FMO-like	ESTs	4.3
	454032	W31790	Hs.194293	,SS,TM	ESTs, Weakly similar to I54374 gene NF2	4.3
5			Hs.122589	TM	ESTs	4.3
•	401747			,SS,filament,filament	Homo saniens keratin 17 (KRT17)	4.3
		NIM 01335	7Hs.279696	pkinase,pkinase_C,	Homo sapiens keratin 17 (KRT17) serum/glucocorticoid regulated kinase-li	4.2
					ESTs	4.2
			Hs.133022	,SS,TM		4.2
10			Hs.163533	,pkinase,	Homo sapiens cDNA FLJ14142 fis, clone MA	
10			Hs.279009	,SS,TM	matrix Gla protein	4.2
	451871	AI821005	Hs.118599	,SS,GDNF,	ESTs	4.2
	457211	AW972565	Hs.32399	WH1,WH1	ESTs, Weakly similar to S51797 vasodilat	4.2
		NM_000399		zf-C2H2,SS	early growth response 2 (Krox-20 (Drosop	4.2
			Hs.105448	.SS.TM.pkinase	ESTs, Weakly similar to B34087 hypotheti	4.1
15			Hs.332053	,SS,SAA_proteins,ABC_membrane,ABC_tran		4.1
15			Hs.147170	SS	ESTs	4.1
				,COLFI,vwc,Collagen,	Homo sapiens cDNA FLJ11469 fis, clone HE	4.1
			Hs.224398	· · · · · · · · · · · · · · · · · ·		4.1
			Hs.152213	,wnt,	wingless-type MMTV integration site fami	
		A1150491		,TM,Gly∞_hydro_1	ESTs	4.1
20	422938	NM_001809	9Hs.15 94	,SS,TM,thiolase,	centromere protein A (17kD)	4.1
	406922	S70284		SS,TM,Desaturase,SS	gb:stearoyl-CoA desaturase [human, adipo	4.1
			Hs.172572	,SS,ig,pkinase,LRRNT,LRRCT,	hypothetical protein FLJ20093	4.1
			Hs.153203	HLH,SS	MyoD family inhibitor	4.1
		Z97630	Hs.226117	,SS,TM,linker_histone,7tm_1	H1 histone family, member 0	4.1
25					ESTs	4.0
25			Hs.192417	,SS,TM	small inducible cytokine subfamily A (Cy	4.0
	409038		Hs.50002	SS,IL8,SS,IL8		
		BE153855		,SS,HLH	Ig superfamily receptor LNIR	4.0
	420139	NM_005357	7Hs.95351	,SS,TM,p450,	iipase, numunosensitive	4.0
	408877	AA479033	Hs.130315	,SS,TM	ESTs, Weakly similar to A47582 B-cell gr	4.0
30	403329	NA		SS,SS	Target Exon	4.0
	439926	AW014875	Hs.137007	SS	ESTs	4.0
			Hs.100686	SS	ESTs, Weakly similar to JE0350 Anterior	4.0
			Hs.151504	,SS,Collagen,COLFI,TSPN,	Homo sapiens cDNA FLJ11973 fis, clone HE	4.0
				SS,TM,ras	Homo sapiens mRNA; cDNA DKFZp434E2321 (f	4.0
25		AL133619			E2F transcription factor 3	4.0
35		NM_00194		SS		
•	431958		Hs.2877	SS,TM,Cadherin_C_term,cadherin,SS,TM,cad	caonem 3, type 1, P-caonem (placenta	4.0
			9Hs.154424	SS,T4_delodinase,T4_delodinase,	delodinase, lodothyronine, type !!	4.0
	447197	R36075		,TM,SDF,	gb:yh88b01.s1 Soares placenta Nb2HP Homo	4.0
	428722	U76456	Hs.190787	,SS,TIMP,	tissue inhibitor of metalloproteinase 4	3.9
40		L22524	Hs.2256	SS,Peptidase_M10,SS,Peptidase_M10,hemo	pematrix metalloproteinase 7 (MMP7; uterin	3.9
			Hs.125783	SS	DEME-6 protein	3.9
		Z45051	Hs.22920	SS,SS,TM	similar to S68401 (cattle) glucose induc	3.9
		M31158	Hs.77439	,SS,cNMP_binding,Rlla,HMG_box	aminin kingen aAMD danandant maulata	3.9
					ESTs, Highly similar to AF157833 1 noncl	3.8
15			Hs.313803	,SS,abhydrolase	DISTRIBUTE SHIRLE TO AFTO SO THORIG	
45		NM_01543		SS	DKFZP434B168 protein	3.8
		BE247550		SS,SH2,PH,SS,TM,PH,SH2,Furin-like,pkinas		3.8
	450787	AB006190	Hs.25475	SS,TM,MIP,SS,TM,MIP,	aquaporin 7	3.8
	414870	N72264	Hs.300670	SS	KIAA1204 protein	3.8
	450325	Al935962	Hs.26289	SS	ESTs	3.8
50	407633	NM_00706	9Hs.37189	TM,TM .	similar to rat HREV107	3.8
• •			Hs.125056	,SS,DENN	ESTs	3.8
		BE170651		,SS,START,	deleted in liver cancer 1	3.8
					ESTs	3.8
	42/901	AW293105	Hs.143134	SS SO MARIA MARIA		3.8
		AW8/3606	Hs.149006	,SS,WH1,WH1	ESTS	
55	403943	•		p450,SS,p450	C5000355:gi[4503225]ref[NP_000765.1] cyt	3.8
	408761	AA057264	Hs.238936	,SS,TM,7tm_1,	ESTs, Weakly similar to (defline not ava	3.8
	423279	AW959861	Hs.290943	SS	ESTs	3.8
	420440	NM_00240	7Hs.97644	,SS,SRCR,Uteroglobin	mammaglobin 2 (MGB2; mammaglobin B; lip	3.8
			Hs.147313	,SS,TM	ESTs, Weakly similar to I38022 hypotheti	3.7
60			Hs.183601	SS,RGS,RGS,RGS	regulator of G-protein signalling 16	3.7
-		BE160198		TM	gb:QV1-HT0413-010200-059-h03 HT0413 Homo	3.7
		M26380		,SS,lipase,PLAT,Sec7,PH,	lipoprotein lipase	3.7
			Hs.180878			3.7
		X54942	Hs.83758	CKS,SS,CKS,	CDC28 protein kinase 2	
CF		AW292053		SS	chromosome 1 open reading frame 21	3.7
65		A1878918		SS	cysteine and glycine-rich protein 2	3.7
	433495	AW373784	Hs.71	SS,lg,MHC_I,connexin,SCAN,SS,TM	alpha-2-glycoprotein 1, zinc	3.7
	429638	AJ916662	Hs.211577	SS,TM,SS	kinectin 1 (kinesin receptor)	3.7

		Al041793		,TM,7tm_1,	ESTs	3.7
		H44491	Hs.252938	,SS,TM,EGF,ldL_recept_a,ldL_recept_b,EGF	ESTs, Weakly similar to ALU1_HUMAN ALU S	3.7
	420281	A1623693	Hs.191533	,SS,AAA,	ESTs	3.7
	427691	AW194426	Hs.20726	,SS,Glycos_transf_2,	ESTs	3.7
5		W23624	Hs.173059	SS	ESTs	3.7
-		Y08565	Hs.151678	Glycos_transf_2,Ricin_B_lectin,SS,Glycos	UDP-N-acetyl-alpha-D-galactosamine:polyp	3.7
		BE379727		lipocalin,SS,lipocalin,lipocalin,ferriti	fatty acid binding protein 4, adipocyte	3.7
		AW301344		,SS,Pribosyltran,Sulfatase	DNA replication factor	3.7
10		NM_01473		PHD,pkinase,SS	KIAA0215 gene product	3.7
10		Al126271		SS	ESTs, Weakly similar to YZ28_HUMAN HYPOT	3.7
		AA890023		SS,TM,fn3,SS,TM,fn3,	prolactin receptor	3.7
	446619	AU076643	Hs.313	,SS,TM,efhand,ion_trans	secreted phosphoprotein 1 (osteopontin,	3.7
	411213	AA676939	Hs.69285	SS,TM,CUB,F5_F8_type_C,MAM,SS,TM,CUI	B.F5_neuropilin 1	3.6
			Hs.119597	SS,TM,Desaturase,SS	stearoyl-CoA desaturase (delta-9-desatur	3.6
15		AL049176		SS	chordin-like	3.6
		AW207175		,SS,7tm_1,SPRY,	ESTs	3.6
			115.100771		gb:ye53h05.s1 Soares fetal liver spleen	3.6
	407137	19/30/		,SS,TM,GDA1_CD39	• •	
	401866	1140400		,SS,filament,	Target Exon	3.6
00			Hs.438	SS,homeobox,Ets,SS,homeobox,	mesenchyme homeo box 1	3.6
20	426044	AA502490	Hs.336695	SS	ESTs	3.6
		NM_000909		SS,TM,7tm_1,	neuropeptide Y receptor Y1	3.6
	440029	AW089705	Hs.293711	SS	ESTs, Weakly similar to S64329 probable	3.6
	408573	AA284775	Hs.43148	,SS,TM,PMP22_Claudin,	ESTs	3.6
			Hs.271387	,SS,TM,IL8	small inducible cytokine subfamily A (Cy	3.6
25		NM_014400		,SS,PH,lactamase_B	GPI-anchored metastasis-associated prote	3.6
~~		AI791493		** * =	ESTs, Weakly similar to A36036 cytochrom	3.6
•				,SS,p450,p450		3.6
		AI308876		,TM,hemopexin,Peptidase_M10,hemopexin,P		
		AF245505		tg,LRRCT,	DKFZP564I1922 protein	3.6
20		Al417828		,SS,TM	ESTs	3.5
30		AA847843	Hs.62711	,SS,HMG_box,	Homo sapiens, clone IMAGE:3351295, mRNA	3.5
	407104	S57296	Hs.323910	,SS,TM,SH2,PH,pkinase,Recep_L_domain,Ft	urv-erb-b2 avian erythroblastic leukemia v	3.5
	449051	AW961400	Hs.333526	SS	HER2 receptor tyrosine kinase (c-erb-b2,	3.5
		AA121098		pkinase,POLO_box,SS,pkinase,POLO_box,	serum-inducible kinase	3.5
			Hs.172572	,SS,lg,pkinase,LRRNT,LRRCT,	hypothetical protein FLJ20093	3.5
35		AA808940		,SS,TM,KRAB,SCAN,zf-C2H2,ig	EST	3.5
55					oxidised low density lipoprotein (lectin	3.5
		NM_002543		,SS,TM		3.5
		AA116021		SS,UCH-1,UCH-2,SS,TM,G_glu_transpept	ubiquitin specific protease 18	
		A1651930		SS	ESTs	3.5
40		BE280074		cyclin,SS,TM,cyclin,	cyclin B1	3.5
40	452554	AW452434	Hs.58006	SS	ESTs, Weakly similar to ALU5_HUMAN ALU S	3.5
	421991	NM_014918	3Hs.110488	SS	KIAA0990 protein	3.4
		AK001423		SS	Homo sapiens cDNA FLJ10561 fis, clone NT	3.4
	425776		Hs.159499	SS,TM,7tm_2,SS,TM,7tm_2	parathyroid hormone receptor 2	3.4
		AA426202		,TM,ABC_membrane,ABC_tran,Ribosomal_S		3.4
45	406925		Hs.9739	00 THA 011110 Dt - 0 + 0 + 0 + 0	NE-brand O shaashala dahudusaasaa 4 /aa	3.4
75				CC am BADD aldress 44 2 2 cm	- Egyceror-o-pricosprieto derrydrogeniase 1 (30	3.4
		AA250970		,SS,rrm,PABP,pkinase,14-3-3,rrm	poly(A)-binding protein, cytoplasmic 1-l lvsvl oxidase-like 2	
,		NM_002318		10-01	7-7	3.4
		BE390551		SS,START,SS,START,NNMT_PNMT_TEMT,		3.4
	452268	NM_003512	2Hs.28777	SS,histone,Calc_CGRP_IAPP,ig,MHC_I,SPR	Y,H2A histone family, member L	3.4
50	428862	NM_000346	Hs.2316	SS,HMG_box,	SRY (sex determining region Y)-box 9 (ca	3.4
	412520	AA442324	Hs.795	histone, SS, histone, BolA	H2A histone family, member O	3.4
	410530	M25809	Hs.64173	ATP-synt_ab,SS,7tm_1,ATP-synt_ab	ATPase, H transporting, lysosomal (vacuo	3.4
	401780			filament, SS, filament, filament	NM_005557*:Homo saplens keratin 16 (foca	3.4
		NM_004585	He 17466	TM	retinoic acid receptor responder (tazaro	3.4
55		AA319233		,SS,TM,Ribosomal_L27e,	ESTs	3.4
33						3.4
	415138		Hs.295944	,Kunitz_BPTI,	tissue factor pathway inhibitor 2	
		AF182277		SS,p450,SS	cytochrome P450, subfamily IIB (phenobar	3.4
		AA825686		SS	ESTs, Weakly similar to S65824 reverse t	3.4
	421379		Hs.103982	SS,ILB,	small inducible cytokine subfamily B (Cy	3.4
60	411984	NM_005419	3Hs.72988	SH2,STAT,SS,STAT	signal transducer and activator of trans	3.4
		AW968504		,pkinase,	CDC2-related protein kinase 7	3.4
	405366			RhoGEF,PH,SS,RhoGEF,PH,	NM_003371*:Homo sapiens vav 2 oncogene (3.4
		BE274552	Hs 76578	SAP,SS,FG-GAP,vwa	protein inhibitor of activated STAT3	3.4
		AW797437		SS,sushi,trypsIn,vwa,rrm,fibrinogen_C,fn	B-factor, properdin	3.3
65				SS,Peptidase_S8,P,Peptidase_S8,P	ESTs	3.3
U.J		H73505	Hs.117874		lipoma HMGIC fusion partner-like 2	3.3
	416406		Hs.79299	,SS,TM		
	433068	NM_006456	DUS'709∑12	,SS,Pribosyltran,	slalyltransferase	3.3

				•		
	445462	AA378776	Hs.288649	SS,SS	hypothetical protein MGC3077	3.3
		AA918317		SS,SS	B-cell CLL/lymphoma 11B (zinc finger pro	3.3
		AF109302		SS	prostate cancer associated protein 7	3.3
		AK000725		SS	hypothetical protein FLJ20718	3.3
5		Al141031		SS ·	ESTs	3.3
,					ESTs	3.3
			Hs.339665	SS SO of about TOF but TOF but TOF amounted	retinol dehydrogenase 5 (11-cls and 9-cl	3.3
		AF037062		,SS,adh_short,TGF-beta,TGFb_propeptide	• •	
		BE327427		,SS,TM,histone,ANF_receptor,guanylate_cy	ESTs BALLS A STATE OF THE STATE	3.3
			Hs.22968	,SS,pkinase,lg,	Homo saplens clone IMAGE:451939, mRNA se	3.3
10		AL079905	Hs.1103	SS,TGFb_propeptide,TGF-beta,SS	transforming growth factor, beta 1	3.3
	422128	AW881145		SS	gb:QV0-OT0033-010400-182-a07 OT0033 Homo	3.3
	445941	Al267371	Hs.172636	SS,SS,lipoxygenase,PLAT	ESTs	3.3
	429973	A1423317	Hs.164680	,SS,T-box,UDPGT	ESTs	3.3
	444542	AI161293	Hs.280380	SS,SS,Peptidase_M1,EGF,lg,lectin_c,sushi	aminopeptidase	3.3
15		Aİ547306		SS	ESTs	3.3
		AF052152		,pkinase,	Homo saplens clone 24628 mRNA sequence	3.3
		AW043782		SS	ESTs	3.3
		AA502764		SS	ESTs, Weakly similar to AF208855 1 BM-01	3.3
			Hs.283978	,SS,TM,7tm_1	Homo sapiens PRO2751 mRNA, complete cds	3.3
20						3.3
20		BE314524	MS./0//0	TM	putative transmembrane protein	3.3
		AF084545		,SS,Peptidase_M1,	Target	
		AL359053		,TM,integrin_B,Ricin_B_lectin,rrm	Homo sapiens mRNA full length insert cDN	3.3
		AL137326		,SS,TM	Homo sapiens mRNA; cDNA DKFZp434B0650 (f	3.3
	428514	AW236861	Hs.193139	,SS,START,NNMT_PNMT_TEMT,	ESTs	3.3
25	428698	AA852773	Hs.334838	SS	KIAA1866 protein	3.3
	448988	Y09763	Hs.22785	SS,TM,TM	gamma-aminobutyric acid (GABA) A recepto	3.3
	432072	N62937	Hs.269109	,Sema,ig,	ESTs	3.3
		BE270266	Hs.82128	SS,TM,LRRCT,LRRNT,LRR,TM,LRRCT,	5T4 oncofetal trophoblast glycoprotein	3.3
		AI694413		,SS,TM,7tm_3,ANF_receptor,sushi	olfactory receptor, family 2, subfamily	3.2
30			Hs.10247	,SS,ig,	activated leucocyte cell adhesion molecu	3.2
50		AW015140		,SS,ČUB,	ESTs	3.2
		A1921270		SS,TM,SS,TM,G-patch	hypothetical protein FLJ14251	3.2
		NM_003654		SS S	carbohydrate (keratan sulfate Gal-6) sul	3.2
				T_T .	ESTs	3.2
35		AW970859	HS.313303	,Sema,ig,		3.2
33		BE562136		,SS,PCI,RasGEF,hormone_rec,zf-C4,	proteasome (prosome, macropain) 26S subu	3.2
		AW973708		,FGF,	Homo sapiens cDNA FLJ13446 fis, done PL	
			Hs.78454	SS,OLF,OLF,OLF,Ribosomal_L4	myocilin, trabecular meshwork inducible	3.2
		BE548446	Hs.5167	SS,TM,SSF,SS,TM	Homo sapiens mRNA; cDNA DKFZp434F152 (fr	3.2
		AA326062		,SS,p450,p450	gb:EST29171 Cerebeilum II Homo sapiens c	3.2
40	413278	BE563085	Hs.833	,SS,TM,ubiquitin,laminin_G,laminin_EGF,k	Interferon-stimulated protein, 15 kDa	3.2
	458451	AW297181	Hs.195922	,SS,Ribosomal_L14	ESTs	3.2
	440449	AA885430	Hs.201925	,FGF,	Homo sapiens cDNA FLJ13446 fis, clone PL	3.2
	413753	U17760	Hs.75517	SS,laminin_EGF,laminin_Nterm,adh_short,S	laminin, beta 3 (nicein (125kD), kalinin	3.2
	434876	AF160477	Hs.61460	,SS,HLH	Ig superfamily receptor LNIR	3.2
45		AF213457		SS,lg,SS,TM	triggering receptor expressed on myeloid	3.2
			Hs.324725	,SS,TM,Ribosomal_S3Ae,G-gamma	ESTs, Moderately similar to A47582 B-cel	3.2
		AV658411		SS	KIAA1681 protein	. 3.2
		NM_003155		,SS,homeobox,	stanniocalcin 1	3.2
		AW513691		,SS,fn3,	ESTs, Weakly similar to 2109260A B cell	3.2
50			Hs.28005		Homo sapiens cDNA FLJ11309 fis, clone PL	3.2
50				,SS,TM,Activin_recp,pkinase	platelet-activating factor acetylhydrola	3.2
		AW247529	US:0193	,TM,p450,Ets		3.2
	402837	NA		SS	ENSP00000241312*:DJ947L8.1.8 (novel Sush	
		AF086270		,SS,Chromo_shadow,chromo,	heterochromatin-like protein 1	3.1
		L34041	Hs.9739	,SS,TM,transport_prot,SWIB,RhoGAP,DAG_I	PEglycerol-3-phosphate dehydrogenase 1 (so	3.1
55			Hs.336901	,SS,RNA_pol_A,RNA_pol_A2,Ribosomal_S2		3.1
	413011	AW068115	Hs.821	SS,LRR,LRRNT,SS,LRRNT,LRR,	biglycan	3.1
	414987	AA524394	Hs.294022	,SS,connexin,hormone_rec,zf-C4,connexin	hypothetical protein FLJ14950	3.1
	429197	H24471	Hs.26930	,SS,Gelsolin,	ESTs, Weakly similar to T20272 hypotheti	3.1
:	448030	N30714	Hs.325960	,SS,TM	membrane-spanning 4-domains, subfamily A	3.1
60		AW191962		,SS,TM,C1q,	collagen, type VIII, alpha 2	3.1
-		J05581	Hs.89603	SS,TM,SEA,	mucin 1, transmembrane	3.1
		AK002016		,SS,PK,PK	Homo sapiens, clone MGC:16327, mRNA, com	3.1
		BE281128		SS,TM,7tm_1,rrm,SS	TONDU	3.1
		AK000933		.TM,GDI,7tm_1,	Homo sapiens cDNA FLJ10071 fis, clone HE	3.1
65	オンととごり 人なつつの4	Al538613	He 2022/11	SS.TM.trypsin,SS.TM.trefoil,trypsin,tref	Transmembrane protease, serine 3	3.1
05			1 13.23027	SS	gb:Homo sapiens mRNA for immunoglobulin	3.1
		AJ245210		SS	Target Exon	3.1
	400903	IVA		33	1 230. 2001	U. 1

		AI031771		,SS,Glyco_hydro_2	ESTs	3.1
		AW962597		SS,WD40,SS,WD40,	KIAA1547 protein	3.1
		AI347487		fn3,SS,TM,EF1BD	class I cytokine receptor	3.1
_		AW383226		SS	ESTs, Weakly similar to G01763 atrophin-	3.1
5		A1936442		UBACT_repeat,SS,UBACT_repeat,ThiF_fami	lyhypothetical protein FLJ10808	3.1
	419150	T29618	Hs.89640	,TM,pkinase,fn3,	TEK tyrosine kinase, endothelial (venous	3.1
	433417	AA587773	Hs.8859	,SS,SRCR,	Homo sapiens, Similar to RIKEN cDNA 5830	3.1
		AI734080		,Sema,ig,	ESTs	3.1
	436291	BE568452	Hs.5101	,SS,abhydrolase,	protein regulator of cytokinesis 1	3.1
10	411000	N40449	Hs.201619	SS	ESTs, Weakly similar to S38383 SEB4B pro	3.1
	412519	AA196241	Hs.73980	SS,Troponin,Hemagglutinin,SS,TM,C2,Tropo	troponin T1, skeletal, slow	3.1
	450223	AA418204	Hs.241493	.SS,pro_isomerase,	natural killer-tumor recognition sequenc	3.1
	422790	AA809875	Hs.25933	.TM,histone,Sec1,histone,sugar_tr	ESTs .	3.1
	424269	AW137691	Hs.199754	,SS,TM,7tm_2,GPS	ESTs .	3.1
15	435854	AJ278120	Hs.4996	.SS,WD40	putative ankyrin-repeat containing prote	3.1
		AW630534		,SS,TM,rrm,oxidored_q6,oxidored_q6	Homo sapiens, clone MGC:9381, mRNA, comp	3.1
	451631	R00866		SS	gb:ye79c02.s1 Soares fetal liver spleen	3.0
	448105	AW591433	Hs.298241	,SS,TM,trefoil,trypsin,trefoil	Transmembrane protease, serine 3	3.0
	438637	BE500941	Hs.126730	,TM,PH,	ESTs, Weakly similar to KIAA1214 protein	3.0
20	423024	AA593731	Hs.325823	,SS,TM,CD36	ESTs, Moderately similar to ALU5_HUMAN A	3.0
	456592	R91600			gb:yq10c02.r1 Soares fetal liver spleen	3.0
		AL049977	Hs.162209	SS,TM,SS,TM,PMP22_Claudin,PMP22_Claudin		3.0
		H58373	Hs.332938	.SS.TM	hypothetical protein MGC5370	3.0
	401197			arf,arf,	ENSP00000229263*:HSPC213.	3.0
25	437755	AW204256	Hs.291887	.wnt.	ESTs	3.0
	452560	BE077084	Hs.336432	,SS,mm,zf-RanBP,pkinase,C2,pkinase_C,DA	ESTs	3.0
	410274	AA381807	Hs.61762	SS.SS	hypoxia-inducible protein 2	3.0
	450098	W27249	Hs.8109	SS	hypothetical protein FLJ21080	3.0
	404826			,SS,TM	Target Exon	3.0
30	458389	H70284	Hs.160152	,SS,RA	ESTs, Weakly similar to FPHU alpha-fetop	3.0
		AL034548	Hs.43627	HMG_box,pkinase,zf-CCHC,SS,TM,HMG_box	x.SRY (sex determining region Y)-box 22	3.0
		AW977653		,SS,ribonuc_red_sm,	ribonucleotide reductase M2 polypeptide	3.0
		AI820961		,death,ZU5,pkinase,Activin_recp,	ESTs	3.0
	422095	AI868872	Hs.282804	SS.Cu-oxidase,SS,Cu-oxidase,Cu-oxidase	hypothetical protein FLJ22704	3.0
35		C05837	Hs.145807	,SS,TM	hypothetical protein FLJ13593	3.0
		AA688021		SS	ESTs	3.0
		AW103364		SS,TGF-beta,TGFb_propeptide,SS,TGF-beta	inhibin, beta A (activin A, activin AB a	3.0
		AU077005		SS, disintegrin, Reprolysin, Pep_M12B_prope	a disintegrin and metalloproteinase doma	3.0
		AA374569		SS	ESTs, Moderately similar to 2109260A B c	3.0
40		AB032417		Frizzled,Fz,SS,TM,Frizzled,Fz,	frizzled (Drosophila) homolog 4	3.0
. •		U20325	Hs.1707	SS.SS	cocaine- and amphetamine-regulated trans	- 3.0
		AW385224		,SS,TM,Phosphodiest,	ectonucleotide pyrophosphatase/phosphodi	3.0
		AW300118		,SS,TM,G-gamma	ESTs	3.0
		AA532807		,SS,TM,pkinase,	ESTs	3.0
	.02207			14 41		

TABLE 20A

Table 20A shows the accession numbers for those pkeys lacking unigeneID's for Table 20. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

ı	1		
	•	•	

30

433687

447197 451631

456207

456592

373061_1

711623_1

878098_1

165078_-1

202684_1

15	Pkey: CAT numb Accession	ber: Gene du	tos probeset Identifier number ster number ster number accession numbers		
	Pkey	CAT number	Accessions		
20	410785 411667 418636	1221055_1 1253334_1 177402_1	AW803341 AW803265 AW803403 AW803466 AW803402 AW803413 AW803268 AW803396 AW803334 AW803355 BE160198 AW935898 T11520 AW935930 AW856073 AW861034 AW749855 AA225995 AW750208 AW750206		
	420854 422128 423431	197072_1 211994_1 228162_1	AW296927 AI684514 AI263168 AA281079 AW881145 AA490718 M85637 AA304575 T06067 AA331991 AA326062 AA325758 AW962182		
25	423945 426878	233566_1 273265_1	AA410943 AW948953 AA334202 AA332882 BE069341 AW748403 AL044891 Al908240 AA393080		

AA743991 AA604852 AW272737

R36075 Al366546 R36167 R00866 R01523 Al806815

R91600 T87079 AA291455

AA193450

TABLE 20B

Table 20B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 20. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

	Pkey:	l	Inique nur	nber corresponding to an Eos probeset
10	Ref:		Sequence :	source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication
			entit	ed "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.
	Strand:	- 1		NA strand from which exons were predicted.
	Nt_posit	ion: 1	ndicates n	ucleotide positions of predicted exons.
15				
	Pkey	Ref	Strand	Nt_position
	400608	9887666	Minus	96756-97558
	400903	2911732	Plus	59112-59228
20	401045	8117619	Plus	90044-90184.91111-91345
	401093	8516137	Minus	22335-23166
	401197	9719705	Plus	176341-176452
	401747	9789672	Minus	118596-118816,119119-119244,119609-119761,120422-120990,130161-130381,130468-130593,131097-131258,131866-
				131932.132451-132575.133580-134011
25	401780	7249190	Minus	28397-28617,28920-29045,29135-29296,29411-29567,29705-29787,30224-30573
	401781	7249190	Minus	83215-83435,83531-83656,83740-83901,84237-84393,84955-85037,86290-86814
	401866	8018106	Plus	73126-73623
	402230	9966312	Minus	29782-29932
	402408	9796239	Minus	110326-110491
30	402578	9884928	Plus	66350-66496
	402606	9909429	Minus	81747-82094
	402837	9369121	Minus	2013-2186,9570-9758,11136-11309,19429-19677,21210-21455,23368-23562,24342-24527,29132-29320
	403199	9958183	Minus	58895-59036,66618-66789
	403329	8516120	Plus	96450-96598
35	403593	6862650	Minus	62554-62712,69449-69602
	403943	7711864	Plus	100742-100904,101322-101503
	404091	7684554	Minus	82121-83229
	404347	9838195	Plus	74493-74829
	404826	6572184	Plus	47726-48046
40	405366	2182280	Plus	22478-22632
	405654	4895155	Minus	53624-53759

TABLE 21: 210 GENES UP-REGULATED IN BREAST CANCER COMPARED TO NORMAL ADULT TISSUES THAT ARE LIKELY TO ENCODE EITHER ENZYMES OR PROTEINS AMENABLE TO MODULATION BY SMALL MOLECULES

Table 21 shows 210 genes up-regulated in breast cancer compared to normal adult tissues that are likely to encode either enzymes or proteins amenable to modulation by small molecules. These were selected as for Table 19, except that the ratio was greater than or equal to 3.0, the "average" normal adult tissue level was set to the 85th percentile value amongst 144 non-malignant tissues, and the 96th percentile value amongst 73 breast cancers was greater than or equal 80 units, and the predicted protein contained a structural domain that is indicative of enzymatic function or of being modulatable by small molecules (e.g. pkinase, 15 peptidase, phosphatase, ATPase, or ion transporter domains). The predicted protein domains are noted.

20	Pkey: ExAccn: UnigenelD:	Unique Eos probeset identifier number Exemplar Accession number, Genbank accession number Uniqene number
	ongenero.	Ongene number
	Unicene Title:	I Ininene gene title

5

Ratio of 93rd percentile tumor to 85th percentile of normal body tissue

25						
	Pkey	ExAcen	UnigenelD	Predicted Protein Domains	UnigeneTitle	R1
	449746	Al668594	Hs.176588	SS,p450	ESTs, Weakly similar to CP4Y_HUMAN CYTOC	65.7
	400292	AA250737	Hs.72472	death,ZU5,TM,Activin_recp,pkinase,	BMP-R1B	55.9
30	424735	U31875	Hs.272499	\$S,TM	short-chain alcohol dehydrogenase family	53.8
	407178	AA195651	Hs.104106	SS,Dihydroorotase,	ESTs	39.3
	408045	AW138959	Hs.245123	Phosphodiest, Somatomedin_B,	ESTs	34.9
	450375	AA009647	Hs.8850	SS,TM,disintegrin,Pep_M12B_propep,Reprol	a disintegrin and metalloproteinase doma	25.7
	429170	NM_00139	4Hs.2359	DSPc,Rhodanese,	dual specificity phosphatase 4	24.9
35	445730	A1624342	Hs.170042	SS,TM,Cation_efflux	ESTs	24.1
	424634	NM_00361	3Hs.151407	ig,tsp_1,SS,AAA	cartilage intermediate layer protein, nu	21.7
	420757	X78592	Hs.99915	hormone_rec,Androgen_recep,zf-C4,	androgen receptor (dihydrotestosterone r	21.7
	424399	AI905687	Hs.2533	SS	aldehyde dehydrogenase 9 family, member	20.3
	447350	AJ375572	Hs.172634	pkinase,	ESTs	19.2
40	456207	AA193450	•	SS,TM,p450,p450	gb:zr40e07.r1 Soares_NhHMPu_S1 Homo sapi	18.3
	456938	X52509	Hs.161640	SS,TM,aminotran_1_2,Cadherin_C_term,cad	htyrosine aminotransferase	18.1
	402578			SS,p450,SS,TM,p450	C1001134:gi]2117372 pir] 65981 fatty ac	17.8
	425692	D90041	Hs.155956	SS, Acetyltransf2,	N-acetyltransferase 1 (arylamine N-acety	16.7
	424001	W67883	Hs.137476	pkinase,	paternally expressed 10	16.5
45	418007	M13509	Hs.83169	SS,hemopexin,Peptidase_M10,SS,Peptidase	_matrix metalloproteinase 1 (MMP1; inters	15.7
	421727	Y13153	Hs.107318		kynurenine 3-monooxygenase (kynurenine 3	15.3
	411869	W20027	Hs.23439	SS,Peptidase_M1,	ESTs	13.9
	400289	X07820	Hs.2258	hemopexin, Peptidase_M10, SS, Peptidase_M1	Omatrix metalloproteinase 10 (MMP10; str	13.5
	443348	AW873596	Hs.182278	SS,DENN	calmodulin 2 (phosphorylase kinase, delt	13.0
50	424086	Al351010	Hs.102267	SS,Lysyl_oxidase	lysyl oxidase	12.8
	400295	W72838	Hs.2533	SS	aldehyde dehydrogenase 9 family, member	12.7
	408771	AW732573	Hs.47584	TM,K_tetra,ion_trans,SS,TM,K_tetra,ion_t	potassium voltage-gated channel, delayed	11.9
	421155	H87879	Hs.102267	SS,Lysyl_oxidase,Aldose_epim,Epimerase,S	lysyl oxidase	11.8
	424905	NM_00249	7Hs.153704	pkinase,SS,TM,pkinase,polyprenyLsynt,	NIMA (never in mitosis gene a)-related k	11.7
55	438167	R28363	Hs.24286	SS,TM,7tm_1,p450,rrm	ESTs	11.5
	459583	AI907673		pkinase,	gb:iL-BT152-080399-004 BT152 Homo saplen	11.5
	423945	AA410943		death,ZU5,TM,Activin_recp,pkinase,	gb:zt32h03.r1 Soares ovary tumor NbHOT H	11.4
	445263	H57646	Hs.42586	SS,Acyltransferase,	KIAA1560 protein	11.2

	40000	41.000007	11- 404005	CO TARROT and ARC has ARC days	DI/PTD 40 40 0000 and bin	40.0
		AL080207		SS,TM,BRCT,ank,ABC_tran,ABC_tran	DKFZP434G232 protein	10.9
		NM_007050	MS.225952	SS,TM,Y_phosphatase,MAM,fn3,	protein tyrosine phosphatase, receptor t	10.4
	440040	BE440042	HS.83320	SS,Peptidase_M10,hemopexin,SS,Peptidase_		10.3 10.3
5		NM_000685		SS,TM,7tm_1,SS,TM,7tm_1,	angiotensin receptor 1	10.3
,		AL120173	U\$''90 1000	SS,pkinase,	ESTs	9.8
	402408		Un 70470		NM_030920*:Homo sapiens hypothetical pro	9.4
		AJ733881		death,ZU5,TM,Activin_recp,pkinase, SS,Peptidase_M10,hemopexin,SS,Peptidase_	BMP-R1B	9.1
	406687					9.1
10		AB041035	ns.93047		NM_016931:Homo sapiens NADPH oxidase 4 (8.8
10	400285		U- 44520		Eos Control	8.6
		AF123050			diubiquitin	8.3
		AA780473			cytochrome P450, subfamily IVB, polypept	
		NM_003866			inositol polyphosphate-4-phosphatase, ty	8.3
15	431725		Hs.2839		Norrie disease (pseudoglioma)	8.3
15	418092		Hs.106604		ESTs	8.3
	427811			SS,Zr_carbOpept,Propep_M14,SS,Propep_M	14Carboxypepudase B1 (ussue)	8.2
	423554		Hs.1674	GATase_2,SIS,	glutamine-fructose-6-phosphate transamin	8.1
		AW242243		SS,TM,WD40,ubiquitin,E1-E2_ATPase,Cation		7.8
20		NM_001034			ribonucleofide reductase M2 polypeptide	7.6
20		NM_004482		SS,TM,Glycos_transf_2,Ricin_B_lectin,DPP		7.6
	456986		Hs.170917	SS,TM,7tm_1,	prostaglandin E receptor 3 (subtype EP3)	7.5
		AI240665		SS,TM,disintegrin,Pep_M12B_propep,Reprol	ESIS	7.3
	407721		Hs.38018		dual-specificity tyrosine-(Y)-phosphoryl	7.2
25	418004		Hs.87539		aldehyde dehydrogenase 3 family, member	7.2
25	410555		Hs.64311	TM, disintegrin, Reprolysin,	a disintegrin and metalloproteinase doma	7.1
		AW204099			ESTs, Weakly similar to AF126780 1 retin	6.9
		AP000692		GAF,PDEase	chromosome 21 open reading frame 5	6.8
	401045			ICE_p20,SS,ICE_p10,ICE_p20,ICE_p10,ICE_		
••				NP_033938.1 c	6.7	
30	442082				ESTs; calsyntenin-2	6.7
	418836	Al655499	Hs.161712	TM,Activin_recp,pkinase,death,ZU5,	ESTs	6.6
	404091				Target Exon	6.6
		Al248013			ESTs, Weakly similar to I38588 reverse t	6.5
~ =		NM_002914			replication factor C (activator 1) 2 (40	6.5
35		AF055575			calcium channel, vollage-dependent, L ty	6.4
		AA932186			ESTs	6.2
	415669	NM_005025			serine (or cysteine) proteinase inhibito	6.2
	442942	AW167087	Hs.131562	SS,ig,Sema,pkinase,	ESTs	6.2
	428795	R45503	Hs.97469	SS,TM	ESTs, Highly similar to A39769 N-acetyll	6.1
40	428479	Y00272	Hs.184572		cell division cycle 2, G1 to S and G2 to	6.1
	400300	X03363		SS,TM,pkinase,Recep_L_domain,SH2,PH,Fu	riHER2 receptor tyrosine kinase (c-erb-b2,	6.1
	447359	NM_012093	Hs.18268	SS,adenylatekinase,	adenylate kinase 5	6.1
	402230	NA		SS,TM,p450,	Target Exon	6.1
	424687	J05070	Hs.151738	SS,Peptidase_M10,fn2,hemopexin,SS,TM,Pe	pmatrix metalloproteinase 9 (gelatinase B	5.8
45	432328	Al572739	Hs.195471	6PF2K,PGAM,	6-phosphofructo-2-kinase/fructose-2,6-bi	5.8
	432239	X81334 ·	Hs.2936	SS,Peptidase_M10,hemopexin,SS,Peptidase_	matrix metalloproteinase 13 (collagenase	5.6
	400286	NA		SS,TM,ABC_tran,ABC_membrane,SS	C16000922:gi7499103 pir T20903 hypothe	5.6
	425247	NM_005940	Hs.155324	SS,Peptidase_M10,hemopexin,SS	matrix metalloproteinase 11 (MMP11; stro	5.4
	434737	AA828246	Hs.291884	UCH-1,pkinase,OPR,Rhodanese,AMP-binding	,ESTs	5.4
50	439310	AF086120	Hs.102793	SS,TM,UDPGT,casein_kappa	ESTs	5.2
	441111	A1806867	Hs.126594	SS,TM,Phosphodiest,	ESTs	5.2
	452355	N54926	Hs.29202	TM,7tm_1,TM	G protein-coupled receptor 34	5.2
	427711	M31659	Hs.180408	SS	solute carrier family 25 (mitochondrial	5.2
	429353	AL117406	Hs.200102	SS,TM,ABC_tran,ABC_membrane,	ATP-binding cassette transporter MRP8	5.1
55	425325	X52730	Hs.1892	SS,NNMT_PNMT_TEMT,SS,NNMT_PNMT_T	EMT,STAR	
		phenylethar	otamine N-met	hyltransferase	5.1	
	448706	AW291095	Hs.21814	SS,TM,pkinase,	interleukin 20 receptor, alpha	5.1
	. 403593	NA .		CIDE-N,pkinase	Target Exon	5.1
		AA564991	Hs.269477	alpha-amylase,	ESTs	5.0
60			Hs.194691	SS,TM,7tm_3,Ribosomal_L13	retinoic acid induced 3	4.9
		NM_000169	Hs.69089	SS, Melibiase, BTK, PH, pkinase, SH2, SH3, Ribo		4.9
		W88559	Hs.1787	TM,ion_trans,K_tetra,	proteolipid protein 1 (Pelizaeus-Merzbac	4.9
	411096	U80034	Hs.68583	Peptidase_M3,	mitochondrial Intermediate peptidase	4.9
	450506	NM_00446		SS,DPPIV_N_term,Peptidase_S9,SS,DPPIV_		4.9
65		AA641836		SS,trypsin	hypothetical protein FLJ23186	4.9
	447752	M73700	Hs.105938	SS,transferrin,7tm_1,transferrin,	lactotransferrin	4.8
	427122	AW057736	Hs.323910	SS,TM,pkinase,Recep_L_domain,SH2,PH,Fu		4.8
					•	

			-				
	400181	NA	•	SS,TM,3Beta_HSD,	ENSP00000171555:CDNA FLJ10727 fis, done	-	1.6
	452093	AA447453	Hs.27860	SS,TM,7tm_1,	Homo sapiens mRNA; cDNA DKFZp586M0723 (f		1.6
	435542	AA687376	Hs.269533	SS,pkinase,RhoGEF,ig,PH,SH3,	ESTs		1.6
_		AA339449		AIRS,formyl_transf,GARS,SS,GARS,AIRS,for			1.6
5		A1860021		pkinase	ESTs, Moderately similar to A47582 B-cel		1.6
			Hs.146688	SS,TM,MAPEG,	prostaglandin E synthase		1.5
		H26735	Hs.91668	SS,TM,PH,SH2,Furin-like,pkinase,Recep_L_	Homo sapiens clone PP1498 unknown mRNA		1.5
		A1345455		pkinase,OPR,	GA-binding protein transcription factor,		1.5
		Al910275		SS,trefoil,SS,TM,ldl_recept_a,SRCR,tryps	trefoil factor 1 (pS2)		1.5
10		AA863360		SS,TM,p450,	ESTs, Weakly similar to fatty acid omega		1.4
		AW294092	Hs.21594	SS,ras,Y_phosphatase,ras	hypothetical protein MGC15754		1.4
	400205				NM_006265*:Homo sapiens RAD21 (S. pombe)		1.4
		AW296927		SS,TM,Peptidase_M1,	gb:UI-H-BW0-ajc-c-07-0-UI.s1 NCI_CGAP_Su		1.3
1.0		AF181490		SS,pyr_redox,SS,Ribosomal_L39	prenylcysteine lyase		1.3
15		F13386	Hs.7888	pkinase,	Homo sapiens clone 23736 mRNA sequence		1.3
		AL043004		SS,pkinase,	KIAA0135 protein		1.3
		R96696	Hs.35598	SS,TM,trypsin,vwd,ig	ESTs		1.3
			7Hs.279696	pkinase,pkinase_C,	serum/glucocorticoid regulated kinase-li		1.2
20		AW073310		pkinase,	Homo sapiens cDNA FLJ14142 fis, clone MA		1.2
20		NM_002916		SS,AAA,PI3_PI4_kinase,PI3Ka,PI3K_rbd,PI3			1.2
		Al345227		SS,TM,pkinase	ESTs, Weakly similar to B34087 hypotheti		1.1
			Hs.332053	SS,SAA_proteins,ABC_membrane,ABC_tran,			1.1
		NM_001809		SS,TM,thiolase,	centromere protein A (17kD)		1.1
~~		U38945	Hs.1174	ank,ank	cyclin-dependent kinase inhibitor 2A (me		1.1
25		S70284		SS,TM,Desaturase,SS	gb:stearoyl-CoA desaturase [human, adipo		1.1
				SS,ig,pkinase,LRRNT,LRRCT,	hypothetical protein FLJ20093		1.1
	429922	Z97630	Hs.226117	SS,TM,linker_histone,7tm_1	H1 histone family, member 0		1.1
		NM_005357		SS,TM,p450,	lipase, hormone-sensitive		1.0
20			9Hs.154424	SS,T4_deiodinase,T4_deiodinase,	deiodinase, lodothyronine, type II		1.0
30			Hs.193557	SS,Y_phosphatase,Band_41	ESTs, Moderately similar to ALU7_HUMAN A		1.0
		U76456	Hs.190787	SS,TIMP,	tissue inhibitor of metalloproteinase 4		3.9
	428330			SS,Peptidase_M10,SS,Peptidase_M10,hemo			3.9
			Hs.77439	SS,cNMP_binding,Rlla,HMG_box	protein kinase, cAMP-dependent, regulato		3.9
25			Hs.313803	SS,abhydrolase	ESTs, Highly similar to AF157833 1 noncl		3.8
35		BE247550		SS,SH2,PH,SS,TM,PH,SH2,Furin-like,pkinas			3.8
		AA129640	Hs.128065	SS,Peptidase_C1,gpdh	ESTs		3.8
	403943			p450,SS,p450	C5000355:gi]4503225[ref]NP_000765.1] cyt		3.8
			Hs.173334		ELL-RELATED RNA POLYMERASE II, ELONGATIO		3.8
40			Hs.238936	SS,TM,7tm_1,	ESTs, Weakly similar to (defline not ava		3.8
40		M26380	Hs.180878	SS,lipase,PLAT,Sec7,PH,	lipoprotein lipase		3.7
		X54942	Hs.83758	CKS,SS,CKS,	CDC28 protein kinase 2		3.7
		Al041793		TM,7tm_1,	ESTs		3.7
		Y08565	Hs.151678	Glycos_transf_2,Ricin_B_lectin,SS,Glycos	UDP-N-acetyl-alpha-D-galactosamine:polyp		3.7
4.5			Hs.122908	SS,Pribosyltran,Sulfatase	DNA replication factor		3.7
45		NM_01473		PHD,pkinase,SS	KIAA0215 gene product		3.7
		AU076643		SS,TM,efhand,ion_trans	secreted phosphoprotein 1 (osteopontin,		3.7
		Y13647	Hs.119597	SS,TM,Desaturase,SS	stearoyl-CoA desaturase (delta-9-desatur		3.6
			Hs.106771	SS,7tm_1,SPRY,	ESTs		3.6
50 ·			Hs.169266	SS,TM,7tm_1,	neuropeptide Y receptor Y1		3.6
50 .		NM_00315		SS,pkinase,vwa,vwa,Glyco_transf_8	serine/threonine kinase 2		3.6
		NM_014400		SS,PH,lactamase_B	GPI-anchored metastasis-associated prote		3.6
		Al791493		SS,p450,p450	ESTs, Weakly similar to A36036 cytochrom		3.6
			Hs.194687		cholesterol 25-hydroxylase		3.6
			Hs.103849	TM,hemopexin,Peptidase_M10,hemopexin,Pe			3.6
55		AW895719		TM,ion_trans,K_tetra,	gb:QV4-NN0039-290300-154-f06 NN0039 Homo		3.6
		NM_00381			a disIntegrin and metalloproteinase doma		3.6
·		U29344	Hs.83190	Acyl_transf,adh_zinc,ketoacyl-synt,pp-bl	fatty acid synthase		3.5
			Hs.271699	IMS,SS	polymerase (DNA directed) iota		3.5
C C		S57296	Hs.323910	SS,TM,SH2,PH,pkinase,Recep_L_domain,Fu	nv-ero-oz avian erythroblastic leukemia v		3.5
60			Hs.333526	SS	HER2 receptor tyrosine kinase (c-erb-b2,		3.5
		AA121098		pkinase,POLO_box,SS,pkinase,POLO_box,	serum-inducible kinase		3.5
		H22570	Hs.172572	SS,ig,pkinase,LRRNT,LRRCT,	hypothetical protein FLJ20093		3.5
		AA116021		SS,UCH-1,UCH-2,SS,TM,G_glu_transpept	ubiquitin specific protease 18		3.5
		AF039241		Peptidase_M24,	histone deacetylase 5		3.5
65			Hs.177534	DSPc,Myosin_tail,	dual specificity phosphatase 10		3.5
		N53437	Hs.18268	SS,adenylatekinase,	adenylate kinase 5		3.5
	425776	U25128	Hs.159499	SS,TM,7tm_2,SS,TM,7tm_2	parathyrold hormone receptor 2		3.4

					A DI LEGALI. P. A Probe with	2.4
		AA426202		TM,ABC_membrane,ABC_tran,Ribosomal_S	4eCbp/p300-interacting transactivator, wit	3.4
		L34041	Hs.9739	SS,TM,transport_prot,SWIB,RhoGAP,DAG_I	E-glycerol-3-phosphate dehydrogenase 1 (so	3.4
			Hs.251946	SS,rm,PABP,pkinase,14-3-3,rm	poly(A)-binding protein, cytoplasmic 1-l	3.4
_		NM_00231		SS,TM,mito_carr,Lysyl_oxidase	lysyl oxidase-like 2	. 3.4
5			Hs.288036	SS,IPPT,	tRNA isopentenylpyrophosphate transferas	3.4
		M25809	Hs.64173	ATP-synt_ab,SS,7tm_1,ATP-synt_ab	ATPase, H transporting, lysosomal (vacuo	3.4
		U52077		-	gb:Human mariner1 transposase gene, comp	3.4
			Hs.330780	SS,p450,SS	cytochrome P450, subfamily IIB (phenobar	3.4
	431473	AA825686	Hs.321176	SS	ESTs, Wealty similar to S65824 reverse t	3.4
10	408101	AW968504	Hs.123073	pkinase,	CDC2-related protein kinase 7	3.4
	422083	NM_00114	1Hs.111256	lipoxygenase,PLAT,	arachidonate 15-lipoxygenase, second typ	3.3
	411393	AW797437	Hs.69771	SS,sushi,trypsin,vwa,rrm,fibrinogen_C,fn	B-factor, properdin	3.3
	435767	H73505	Hs.117874	SS,Peptidase_S8,P,Peptidase_S8,P	ESTs	3.3
	433068	NM_00645	6Hs.288215	SS, Pribosyltran,	sialyltransferase	3.3
15	426928	AF037062	Hs.172914	SS,adh_short,TGF-beta,TGFb_propeptide	retinol dehydrogenase 5 (11-cis and 9-ci	3.3
	414575	H11257	Hs.22968	SS.pkinase.ig.	Homo saplens clone IMAGE:451939, mRNA se	3.3
			Hs.172636	SS,SS,lipoxygenase,PLAT	ESTs	3.3
			Hs.280380	SS,SS,Peptidase_M1,EGF,ig,lectin_c,sushi	aminopeptidase	3.3
			Hs.159412	pkinase.	Homo saplens done 24628 mRNA sequence	3.3
20		Z42047	Hs.283978	SS,TM,7tm_1	Homo sapiens PRO2751 mRNA, complete cds	3.3
-0		D85782	Hs.3229	00,1111,111_1	cysteine dioxygenase, type I	3.3
		AF084545	110.02.0	SS.Peptidase_M1,	Target	3.3
		AL359053	Hs 57664	TM,Integrin_B,Ricin_B_lectin,rm	Homo sapiens mRNA full length insert cDN	3.3
		R19897	Hs.106604	death,ZU5,pkinase,Activin_recp,	ESTs	3.3
25			Hs.332649	SS,TM,7tm_3,ANF_receptor,sushi	olfactory receptor, family 2, subfamily	3.2
23			4Hs.104576	SS	carbohydrate (keratan sulfate Gal-6) sul	3.2
		BE562136		SS,PCI,RasGEF,hormone_rec,zf-C4,	proteasome (prosome, macropain) 26S subu	3.2
		D86983	Hs.118893	peroxidase,LRRCT,	Melanoma associated gene	3.2
		AA326062	15.110050	SS,p450,p450	gb:EST29171 Cerebellum II Homo sapiens c	3.2
30		A1768235		SS.Trehalase	gb.wg82g08.x1 Soares_NSF_F8_9W_OT_PA_P_S	3.2
50		T47667	Hs.28005	SS,TM,Activin_recp,pkinase	Homo saplens cDNA FLJ11309 fis, clone PL	3.2
		AW247529			platelet-activating factor acetylhydrola	3.2
				TM,p450,Ets SS,DEAD,HRDC,helicase_C,	Bloom syndrome	3.1
		U39817	Hs.36820			glycerol-3-
35			Hs.9739	SS,TM,transport_prot,SWIB,RhoGAP,DAG_F	· .	glycelors
33			enase 1 (so	3.1	FOT.	3.1
			Hs.23540	TM,7tm_1,	ESTs	3.1
		U77413		00 714 71 4 00	O-linked N-acetylglucosamine (GlcNAc) tr	3.1
		BE281128		SS,TM,7tm_1,rrm,SS	TONDU	
40		AK000933		TM,GDI,7tm_1,	Homo sapiens cDNA FLJ10071 fis, clone HE	3.1
40			Hs.298241	SS,TM,trypsin,SS,TM,trefoil,trypsin,tref	Transmembrane protease, serine 3	3.1
		T29618	Hs.89640	TM,pkinase,fn3,	TEK tyrosine kinase, endothelial (venous	3.1
		Al149286		SS	rab6 GTPase activating protein (GAP and	3.1
			7Hs.169139		kynureninase (L-kynurenine hydrolase)	3.1
		BE568452		SS,abhydrofase,	protein regulator of cytokinesis 1	3.1
45			Hs.241493	SS,pro_isomerase,	natural killer-tumor recognition sequenc	3.1
	424269	AW137691	Hs.199754	SS,TM,7tm_2,GPS	ESTs	3.1
			Hs.298241	SS,TM,trefoil,trypsin,trefoil	Transmembrane protease, serine 3	3.0
	452560	BE077084	Hs.336432	SS,rrm,zf-RanBP,pkinase,C2,pkinase_C,DA0	GESTs	3.0

TABLE 21A

Table 21 A shows the accession numbers for those pkeys lacking unigeneID's for Table 21. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

ı	U	

Pkey:	Unique Eos probeset identifier number
CAT number:	Gene cluster number
Accession:	Genbank accession numbers

15

	Pkey	CAT number	Accessions
20	420854	197072_1	AW296927 Al684514 Al263168 AA281079-
	423431	228162_1	AA326062 AA325758 AW962182
20	423945	233566_1	AA410943 AW948953 AA334202 AA332882
	451264	863988_1	AI768235 R31400 H29082 H23107
	455325	1279475_1	AW895719 N31451 N41451
	456207	165078 -1	AA193450

TABLE 21B

Table 21B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 21. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

10	Pkey: Ref: Strand: Nt_posi	Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." re entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495. Indicates DNA strand from which exons were predicted.		irce. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495. Is strand from which exons were predicted.	תכ
15	Pkey	Ref	Strand	Nt_position	
20	402230 402408 402578 403593	6862650 7711864	Plus Minus Minus Plus Minus Plus Minus	90044-90184,91111-91345 29782-29932 110326-110491 66350-66496 62554-62712,69449-69602 100742-100904,101322-101503 82121-83229	

PCT/US02/02242 WO 02/059377

TABLE 22: 739 GENES UP-REGULATED IN BREAST CANCER COMPARED TO NORMAL ADULT BREAST

5

Table 22 shows 739 genes up-regulated in breast cancer compared to normal adult breast. These were selected as for Table 19, except that the ratio was greater than or equal to 3.0, the denominator was the 85th percentile value for 12 non-malignant breast specimens, and the 96th percentile value amongst the 73 breast cancers was greater than or equal 100 units.

10

15

Pkey:	Unique Eos probeset identifier number
ExAcon:	Exemplar Accession number, Genbank accession number
UnigeneiD:	Unigene number
Unigene Title:	Unigene gene title
D4:	Patio of 00th percentile tumor to 85th percentile normal breast t

20	Pkey	ExAccn	UnigenelD	UnigeneTitle	R1
	400292	AA250737	Hs.72472	BMP-R1B	51.5
	424735		Hs.272499	short-chain alcohol dehydrogenase family	38.3
		Al127076	Hs.334473	hypothetical protein DKFZp564O1278	29.9
		AL137517	Hs.334473	hypothetical protein DKFZp564O1278	26.9
25		AI955040	Hs.265398	ESTs, Weakly similar to transformation-r	25.8
	431211		Hs.323733	gap junction protein, beta 2, 26kD (conn	23.2
		X54942	Hs.83758	CDC28 protein kinase 2	22.6
		AA046309		qb:zf12f01,s1 Soares_fetal_heart_NbHH19W	19.8
	414646	AA353776	Hs.901	CD48 antigen (B-cell membrane protein)	18.9
30	446921	AB012113	Hs.16530	small inducible cytokine subfamily A (Cy	18.0
	409041	AB033025	Hs.50081	KIAA1199 protein	17.6
	412140	AA219691	Hs.73625	RAB6 Interacting, kinesin-like (rabkines	17.6
	407824	AA147884	Hs.9812	Homo sapiens cDNA FLJ14388 fis, clone HE	17.1
	453160	A1263307	Hs.239884		17.0
35	407137	T97307	•	gb:ye53h05.s1 Soares fetal liver spleen	16.1
	425692	D90041	Hs.155956		16.1
		A1440266	Hs.170673		16.0
		AA321649		small inducible cytokine subfamily B (CX	15.5
40		NM_01439		similar to lysosome-associated membrane	15.1
40		AL120862	Hs.124165	programmed cell death 9 (PDCD9)	14.9
		AA746503	Hs.283313		14.7
		H60720	Hs.81892	KIAA0101 gene product	14.4
		AI267652	Hs.30504	Homo sapiens mRNA; cDNA DKFZp434E082	
15		AI768015	Hs.92127	ESTs	14.2
45		AI733881	Hs.72472	BMP-R1B	14.1
		AW840171			13.8
		AL120659	Hs.6111	aryl-hydrocarbon receptor nuclear transl	13.8
	400205		11- 454040	NM_006265*:Homo sapiens RAD21 (S. pomb	13.4
50		AA489732	Hs.154918		13.3
20		AA948033 AL120173	Hs.130853 Hs.301663		13.2
		BE280074	Hs.23960		13.2
	449722		NS.23500	cyclin B1 gb:Human nonspecific crossreacting antig	13.0
	406690		Hs.220529	carcinoembryonic antigen-related cell ad	12.8
55		NM_00078			12.8
"	416498		Hs.79351	potassium channel, subfamily K, member 1	12.7
		AI493046	Hs.146133		12.5
		BE218239	Hs.202656		12.5
		AA193450	1 13.202000	gb:zr40e07.r1 Soares_NhHMPu_S1 Homo sa	
60		AA436989	Hs 121017	H2A histone family, member A	12.2
50		AW190902		cysteine knot superfamily 1, BMP antagon	12.2
		AA195651			12.2
	701 110		10 1 100		

		AF044197	Hs.100431	small inducible cytokine B subtamily (Cy	12.1
		Y13153		kynurenine 3-monooxygenase (kynurenine 3	12.0
	434408	Al031771	Hs.132586	ESTs	12.0
_	446591	H44186	Hs.15456	PDZ domain containing 1	11.9
5	431385	BE178536	Hs.11090	membrane-spanning 4-domains, subfamily A	11.8
	443348	AW873596	Hs.182278	calmodulin 2 (phosphorylase kinase, delt	11.7
	416602	NM_006159	3Hs.79389	nel (chicken)-like 2	11.7
•	433365	AF026944	Hs.293797		11.6
	437866	AA156781	Hs.74170	metallothionein 1E (functional)	11.5
10		AW975398			11.4
		H15261	Hs.21948	ESTs	11.3
		AW600291		hypothetical protein FLJ10430	11.3
		X78592	Hs.99915	androgen receptor (dihydrotestosterone r	11.3
		BE336654		H3 histone family, member A	11.2
15		AI633559	Hs.310359		11.2
		AA765694			11.0
		Al684808		programmed cell death 9 (PDCD9)	10.9
		N78223		transcription factor	10.7
		AA576953		hypothetical protein FLJ13352	10.6
20		AW965339			10.6
		Al370413	Hs.36563	hypothetical protein FLJ22418	10.4
				paternally expressed 10	10.4
		Al199268		Homo sapiens, Similar to RIKEN cDNA 2010	
				NIMA (never in mitosis gene a)-related k	10.1
25		H87648	Hs.33922	Homo sapiens, clone MGC:9084, mRNA, com	
		AW167087			10.1
				Homo sapiens cDNA FLJ11382 fis, clone HE	
		AA399272			10.1
		AI624342	Hs.170042		10.0
30		AI926047	Hs.162859		10.0
		AL355715		programmed cell death 9	9.9
		AW966399		hypothetical protein FLJ20086	9.9
		Y00971	Hs.2910	phosphoribosyl pyrophosphate synthetase	9.9
		H23789	Hs.144530		9.9
35		Al655499	Hs.161712		9.8
				CGI-49 protein	9.8
		BE613126		B aggressive lymphoma gene	9.7
		C16391		gb:C16391 Clontech human aorta polyA mRN	9.7
		AA151342	Hs.12677	CGI-147 protein	9.7
40		AI064690	Hs.171176		9.7
	442145	AI022650	Hs.8117	erbb2-Interacting protein ERBIN	9.7
	435570	AF212222	Hs.177812	uncharacterized bone marrow protein BM04	9.7
				Homo sapiens mRNA full length insert cDN	9.6
				cholesterol 25-hydroxylase	9.6
45		D60730	Hs.57471	ESTs	9.6
	433929	Al375499	Hs.27379	ESTs	9.5
•	432731	R31178	Hs.287820	fibronectin 1	9.3
	411815	AA156679	Hs.125790	leucine-rich repeat-containing 2	9.3
		R17798	Hs.7535	COBW-like protein	9.3
50	422026	U80736	Hs.110826	trinucleotide repeat containing 9	9.2
	432596	AJ224741	Hs.278461	matrilin 3	9.2
	439451	AF086270	Hs.278554	heterochromatin-like protein 1	9.2
	423945	AA410943		gb:zt32h03.r1 Soares ovary tumor NbHOT H	9.1
		BE093589		hypothetical protein FLJ23468	9.1
55	446715	Al337735	Hs.173919	ESTs, Moderately similar to ZN91_HUMAN Z	9.0
	408771	AW732573	Hs.47584	potassium voltage-gated channel, delayed	9.0
	437021	AI076089	Hs.292239	ESTs	9.0
	428479	Y00272	Hs.184572	cell division cycle 2, G1 to S and G2 to	8.9
	428839	AJ767756	Hs.82302	Homo sapiens cDNA FLJ14814 fis, clone NT	
60	402408	NA		NM_030920*:Homo sapiens hypothetical pro	8.9
		AA279490		calmegin	8.8
		W03242	Hs.44898	Homo sapiens clone TCCCTA00151 mRNA s	
		Al198719	Hs.176376		8.8
		AW296024			8.8
65		AI754693	Hs.145968		8.8
	418196	A1745649	Hs.26549	KIAA1708 protein	8.7
	AA7178	AW594641	He 102/117	FSTe	87

	497E0E	D31152	Un 470720	collagen, type X, alpha 1 (Schmid metaph	8.6
				Homo sapiens cDNA FLJ11381 fis, clone HE	
			Hs.163944		8.6
		DE258532	He 251871		8.4
5		AW067903			8.4
,		AA382207			8.3
		AA767373		ESTs, Moderately similar to ALU1_HUMAN A	
					8.2
		BE268362			8.2
10					8.2
		AJ132592			8.2
	431725	X65724	Hs.2839		8.1
	446258	A1283476	Hs.263478	ESTs	8.1
	416747	AW876523	Hs.15929	hypothetical protein FLJ12910	8.1
15	434424	AI811202	Hs.325335	Homo sapiens cDNA: FLJ23523 fis, clone L	8.1
		AA781795			8.0
					8.0
				• • • •	8.0
00		AW293165			8.0
20		AA379597			8.0
					8.0
			Hs.83918	adenosine monophosphate deaminase (isofo	
	400285		11- 0000		7.9
25			Hs.9028		7.9 7.0
23		M18728 D43945	Un 44227A		7.8 7.8
					7.8 7.8
					7.8
					7.7
30			Hs.12285	5 71	7.6
50			Hs.48269		7.6
			Hs.15929		7.6
		AK001741		76	7.6
					7.5
35					7.5
	446315	NM_016293	Hs.14770	bridging integrator 2	7.5
	433426	H69125	Hs.133525	ESTs	7.5
		M97711			7.5
40		AW512260			7.4
40					7.4
		NM_001809			7.4
				Homo sapiens, clone MGC:12318, mRNA, con	
				ELL-RELATED RNA POLYMERASE II, ELON	
45	400268	BE391804	MS.0200 I	guanylate binding protein 1, interferon- NM_003292:Homo sapiens translocated prom	7.3 7.3
40			Hs.58314	ESTs	7.3 7.3
				ESTs	7.3 7.3
			Hs.109370	-+·-	7.3
				carboxylesterase 2 (intestine, liver)	7.2
50 .	422094	AF129535	Hs.272027	F-box only protein 5	7.1
		A1073913	Hs.100686	ESTs, Weakly similar to JE0350 Anterior	7.1
	430287			ESTs, Weakly similar to LEU5_HUMAN LEUK	E7.0
	423739	AA398155	Hs.97600	ESTs	7.0
		A1475858		gb:tc87d07_x1 NCI_CGAP_CLL1 Homo saple	
55				Homo sapiens breast cancer antigen NY-BR	
		BE062906		KIAA1546 protein	7.0
		AK001468		anillin (Drosophila Scraps homolog), act	7.0
		AA808229			6.9
۲0		AW241821			6.9
60				cytochrome P450, subfamily IU (arachido	6.8
		AW500106		serine/threonine protein kinase MASK GDNF family receptor alpha 1	6.8 6.8
		AN449211 AA135257			6.8
			Hs.193002		6.7
65		AF123050		diubiquitin .	6.7
00				hypothetical protein FLJ10461	6.7
		AA393907		ESTs	6.7

	419839	U24577	Hs.93304	phospholipase A2, group VII (platelet-ac	6.7
		AA810265	Hs.122915		6.7
		Al910275	Hs.1406	trefoil factor 1 (pS2)	6.7
-		AW023482		ESTs	6.6
5		NM_003816		a disintegrin and metalloproteinase doma	6.6
				CGI-62 protein	6.6
		Al215069	Hs.89113	ESTS	6.5
		A1798680	Hs.25933	ESTs	6.5
10		N40449		ESTs, Weakly similar to S38383 SEB4B pro	6.5 6.4
10		AI151418 NM_001898		protein phosphatase 3 (formerly 2B), cat	6.4
		AF026941		Homo sapiens cig5 mRNA, partial sequence	6.4
	456938			tyrosine aminotransferase	6.4
		Al820961	Hs.193465	•	6.4
15				inositol polyphosphate-4-phosphatase, ty	6.4
•	452838	U65011	Hs.30743	preferentially expressed antigen in mela	6.4
•	439452	AA918317	Hs.57987	B-cell CLL/lymphoma 11B (zinc finger pro	6.4
		AJ235664		gb:Homo sapiens mRNA for immunoglobulin	6.3
00		Al222020		CocoaCrisp	6.3
20				clone HQ0310 PRO0310p1	6.3
		Al193043		ESTs, Weakly similar to T17226 hypotheti ,	6.2
		AA394183	MS.200/3	ESTS	6.2 6.2
	402578	AW161391	He 700	C1001134:gi 2117372 pir 165981 fatty ac deoxycytidine kinase	6.1
25		W17064		SWI/SNF related, matrix associated, acti	6.1
25	432415			ESTs, Weakly similar to A43932 mucin 2 p	6.1
		Al082692	Hs.134662		6.1
		Al694143		programmed cell death 4	6.1
	428368	BE440042		matrix metalloproteinase 3 (stromelysin	6.1
30	428248	Al126772	Hs.40479	ESTs	6.0
		BE463721		putative G protein-coupled receptor	6.0
		U23752	Hs.32964	SRY (sex determining region Y)-box 11	6.0
	425397			topoisomerase (DNA) II alpha (170kD)	6.0
35		M13509	Hs.83169	matrix metalloproteinase 1 (MMP1; inters KIAA0403 protein	6.0 6.0
33		AA761605	He 202308	ESTs, Weakly similar to ALU1_HUMAN ALU	
		AA583206		RAR-related orphan receptor A	6.0
		M31126		matrix metalloproteinase 11 (MMP11; stro	6.0
		R45154	Hs.106604		6.0
40				ESTs, Weakly similar to Con1 [H.sapiens]	6.0
	441233	AA972965	Hs.135568	ESTs	6.0
	432239	X81334	Hs.2936	matrix metalloproteinase 13 (collagenase	6.0
				ESTs, Highly similar to AF174600 1 F-box	5.9
16.		Al831297	Hs.123310		5.9
45		AW972512	Hs.20985	sin3-associated polypeptide, 30kD	5.9
		AW803341	Un 440EE4	gb:IL2-UM0079-090300-050-D03 UM0079 Ho	ການວ.ອ 5.9
		AI793124	Hs.144479	CGI-83 protein	5.9
				hypothetical protein FLJ22624	5.8
50		AI005043	Hs.24143		5.8
•		N32536	Hs.42645	solute carrier family 16 (monocarboxylic	5.8
		Al375572	Hs.172634		5.8
	434094	AA305599	Hs.238205	hypothetical protein PRO2013	5.8
	409151	AA306105		SEC22, veside trafficking protein (S. c	5.8
55		AI571940	Hs.7549	ESTs	5.8
		T93500	Hs.28792	Homo sapiens cDNA FLJ11041 fis, clone PL	
		A1299139	Hs.17517	ESTs	5.8 5.8
		Al033965 X07820	Hs.239926 Hs.2258	sterol-C4-methyl oxidase-like matrix metalloproteinase 10 (MMP10; str	5.7
60				ESTs, Moderately similar to S65657 alpha	5.7
00		AA831879			5.7
		W47595	Hs.169300	transforming growth factor, beta 2	5.7
	452401	NM_00711	5Hs.29352	tumor necrosis factor, alpha-induced pro	5.7
	448663	BE614599	Hs.106823	hypothetical protein MGC14797	5.7
65	438199	AW016531	Hs.122147	ESTs	5.7
		Z47553	Hs.14286	flavin containing monooxygenase 5	5.7
	428336	AA503115	Hs.183752	microseminoprotein, beta-	5.6

		AF134149		potassium channel, subtamily K, member o	5.6
	422835	BE218705	Hs.121378	metallothioneln-like 5, testis-specific	5.6
	444758	AL044878	Hs.11899	3-hydroxy-3-methylglutaryl-Coenzyme A re	5.6
	443426	AF098158	Hs.9329	chromosome 20 open reading frame 1	5.6
5		X03635	Hs.1657	estrogen receptor 1	5.6
		AW885727	He 301570	FSTe	5.6
				Homo saplens mRNA; cDNA DKFZp586O072	
		AA906288			•
					5.5
10		R41396		hypothetical protein FLJ23045	5.5
10				hypothetical protein FLJ13782	5.5
	456373	BE247706	Hs.89751	membrane-spanning 4-domains, subfamily A	5.5
	401645	NA		C16001440*:gij12330704[gb]AAG52890.1JAF	35.5
	437967	BE277414	Hs.5947	mel transforming oncogene (derived from	5.5
		AI734009		KIAA1603 protein	5.4
15		AI742605	Hs.193696		5.4
15					
		NM_015986		cytokine receptor-like molecule 9	5.4
		X91221	Hs.144465		5.4
		R28363	Hs.24286	ESTs	5.4
	452741	BE392914	Hs.30503	Homo sapiens cDNA FLJ11344 fis, clone PL	5.4
20	426214	H59846	Hs.128355	ESTs, Moderately similar to ALU7_HUMAN A	5.4
	413554	AA319146	Hs.75426	secretogranin II (chromogranin C)	5.4
	422867	L32137	Hs.1584	cartilage oligomeric matrix protein (COM	5.4
		N34895	Hs.44648	ESTs	5.4
•		AW205168			5.4
25					
23				Opa-interacting protein 5	5.3
		AA576635		CGI-48 protein	5.3
		AA814100		ESTs	5.3
		U91616	Hs.91640	nuclear factor of kappa light polypeptid	5.3
••		H39960		Homo sapiens cDNA FLJ12280 fis, done MA	5.3
30	445900	AF070526	Hs.13429	Homo sapiens clone 24787 mRNA sequence	5.2
	449051	AW961400	Hs.333526	HER2 receptor tyrosine kinase (c-erb-b2,	5.2
				hypothetical protein DKFZp434J037	5.2
				transcription factor 19 (SC1)	5.2
		U65590	Hs.81134	interleukin 1 receptor antagonist	5.2
35				polyadenylate binding protein-interactin	5.2
<i></i>				hypothetical protein FLJ20706	5.2
		AF077345	Hs.177936		5.2
	403485			C3001813*:gi[12737279 ref[XP_012163.1] k	5.2
40		AA586894		S100 calcium-binding protein A7 (psorias	5.1
40	421937	A1878857	Hs.109706	hematological and neurological expressed	5.1
	426752	X69490	Hs.172004	titin	5.1
	453310	X70697	Hs.553	solute carrier family 6 (neurotransmitte	5.1
	423198	M81933	Hs.1634	cell division cycle 25A	5.1
		Al810054	Hs.14119	ESTs	5.1
45				ESTs, Moderately similar to ALU7_HUMAN A	
13		AL121278			
		AL121210	NS.20144	ESTS	5.1
	404347			Target Exon	5.1
		M30703		amphiregulin (schwannoma-derived growth	5.1
50		D28235		prostaglandin-endoperoxide synthase 2 (p	5.1
50		BE568452	Hs.5101	protein regulator of cytokinesis 1	5.1
	450603	R43646	Hs.12422	ESTs	5.1
	434725	AK000796	Hs.4104	hypothetical protein	5.0
	435981	H74319	Hs.188620		5.0
	407376	AA993138		ESTs, Weakly similar to ALUF_HUMAN !!!!	5.0
55				UDP-Gal:betaGlcNAc beta 1,3-galactosyltr	5.0
<i>-</i>	405348		1 13.201 030	C7001664:gil12698061 dbi BAB21849.1 (AB	
		AK001084	Un 222400	Homo sapiens cDNA FLJ10222 fis, done HE	
		AL036450			5.0
		Al936442	Hs.59838	hypothetical protein FLJ10808	5.0
60	429412	NM_006235	Hs.2407	POU domain, class 2, associating factor	5.0
	446619	AU076643	Hs.313	secreted phosphoprotein 1 (osteopontin,	4.9
	403329	NA		Target Exon	4.9
		BE623003	Hs.23625	Homo sapiens clone TCCCTA00142 mRNA si	egu4 9
		AI820662	Hs.129598		4.9
65		AW371048		H4 histone family, member H	4.9
		AW966163		gb:EST378236 MAGE resequences, MAGI Ho	mod Ω
			He 122270	calmodulin 2 (phosphorylase kinase, delt	
	TUU013	VFD40011	113.104410	CONTRODUCE & Chicophilotytasa Kiligse, (1811	4.9

		AAOOUZI4 NS		ilbionecum ledicine nich dansmenibrane p	4.5
	432606	NM_002104Hs	.3066	granzyme K (serine protease, granzyme 3;	4.9
			.191990	FSTs	4.8
_				ESTs, Weakly similar to AT2A_HUMAN POTE	
5	449048	Z45051 Hs	.22920	similar to S68401 (cattle) glucose induc	4.8
	408369	R38438 Hs	.182575	solute carrier family 15 (H??? transport	4.8
	431645			dynein light chain-A	4.8
				Homo sapiens cDNA FLJ11576 fis, clone HE	
			.10710	hypothetical protein FLJ20417	4.8
10	421524	AA312082 Hs	.105445	GDNF family receptor alpha 1	4.8
			.55468	ESTs	4.8
		AL135173 Hs		sorbitol dehydrogenase	4.8
		AL161999 Hs		eukaryotic translation termination facto	4.8
	419078	M93119 Hs	.89584	insulinoma-associated 1	4.8
15	418973	AA233056 Hs	191518	ESTs	4.8
			.157601		4.8
			.26770	fatty acid binding protein 7, brain	4.7
	419968	X04430 Hs	.93913	interleukin 6 (interferon, beta 2)	4.7
	424326	NM_014479Hs	.145296	disintegrin protease	4.7
20				hypothetical protein FLJ10326	4.7
				Homo sapiens cDNA: FLJ22463 fis, clone H	4.7
		AW192307 Hs		dolichyl-P-Glc:Man9GlcNAc2-PP-dolichylgl	4.7
	439897	NM_015310Hs	.6763	KIAA0942 protein	4.7
	429687	Al675749 Hs	.211608	nucleoporin 153kD	4.7
25				glutathione reductase	4.7
23		A 220107 110	. 12 1027	ANA 0002001 Ioma applican abamidammia /Dr	
	405801			NM_000390:Homo sapiens choroideremia (Ra	
	432435	BE218886 Hs	.282070	ESTs	4.6
	439544	W26354 Hs	.28891	hypothetical protein FLJ11360; artemis p	4.6
	425354			complement component 3a receptor 1	4.6
30			.39972	ESTs, Weakly similar to I38588 reverse t	4.6
50					
		AW963062 Hs	.33/404		4.6
	403366	NA		Target Exon	4.6
	402542			Target Exon	4.6
	450193	Al916071 Hs	.15607	Homo sapiens Fanconi anemia complementati	4.6
35			71465	squalene epoxidase	4.6
55					
				CDP-diacylglycerol synthase (phosphatida	4.6
	448072	Al459306 Hs	.24908	ESTs	4.5
	408045	AW138959 Hs	.245123	ESTs	4.5
			.323117		4.5
40		AW630534 · Hs		Homo sapiens, clone MGC:9381, mRNA, com	
40					
		AF146761 Hs		BCM-like membrane protein precursor	4.5
	452561	Al692181 Hs	.49169	KIAA1634 protein	4.5
	425331	AW962128		gb:EST374201 MAGE resequences, MAGG H	lomo4.5
		AW277121 Hs	254881		4.5
45					4.5
73				fatty acid desaturase 2	
				ESTs, Weakly similar to 2109260A B cell	4.4
			:.120695		4.4
	400409	AF153341 Hs	283954	Homo sapiens winged helb/forkhead trans	4.4
		AA121673 Hs		zinc finger protein 281	4.4
50					4.4
50		Al815206 Hs	:.99395	ESTs	
	401866			Target Exon	4.4
	418819	AA228776 Hs	.191721	ESTs	4.4
	406348			Target Exon	4.4
		AW895387		qb:QV4-NN0038-300300-157-c10 NN0038 Ha	nmn4 4
55			00004	<u></u>	
22		AW297880 Hs	racco I	ESTS	4.4
	411743	AW862214		gb:QV4-CT0361-301299-074-b05 CT0361 Ho	
	429966	BE081342 Hs	.283037	HSPC039 protein	4.4
				guanylate cyclase 1, soluble, beta 2	4.4
				DKFZP586D0824 protein	4.4
60					
UU			.91668	Homo saplens clone PP1498 unknown mRN/	
	424871	NM_004525Hs	: 153595	low density lipoprotein-related protein	4.3
	429575	AA706003 Hs	.99387	ESTs	4.3
				H1 histone family, member 0	4.3
				small Inducible cytokine subfamily B (Cy	4.3
65			J. 10030Z		
65		X03363		HER2 receptor tyrosine kinase (c-erb-b2,	4.3
	437258	AL041243 Hs	3.174104	ESIS	4.3
	446595	T57448 Hs	s.15467	hypothetical protein FLJ20725	4.3

	403011	NA	ENSPUUUUU215330":Probabie senne/inreoni	4.3
	419055	Al365384 Hs.11571	Homo sapiens cDNA FLJ11570 fis, clone HE	4.3
	418661	NM_001949Hs.1189	E2F transcription factor 3	4.3
	407786	AA687538 Hs.38972	tetraspan 1	4.3
5		AB014604 Hs.197955		4.3
•		AW188551 Hs.99519	hypothetical protein FLJ14007	4.3
		Al091795 Hs.179246		4.3
			olfactory receptor, family 2, subfamily	4.3
			Constant of let high effects and	
10				4.2
10			Homo sapiens cDNA FLJ14035 fis, clone HE	
		T47667 Hs.28005	Homo sapiens cDNA FLJ11309 fis, clone PL	
			nucleolar phosphoprotein Nopp34	4.2
	417318	AW953937 Hs.12891	ESTs	4.2
	431818	AW510444 Hs.191705	ESTs, Weakly similar to T47184 hypotheti	4.2
15	443646	Al085198 Hs.164226	ESTs	4.2
	419169	AW851980 Hs.262346	ESTs, Weakly similar to S72482 hypotheti	4.2
		BE091926 Hs.16244	mitotic spindle coiled-coil related prot	4.2
		AL039402 Hs.125783		4.2
		AA902953 Hs.308538		4.2
20		T97490 Hs.50002	small inducible cytokine subfamily A (Cy	4.2
20				4.2
			hypothetical protein FLJ22635	
		AW630488 Hs.325820		4.2
		BE247676 Hs.18442	E-1 enzyme	4.2
25		AK001376 Hs.59346	hypothetical protein FLJ10514	4.1
25		AW779318 Hs.88417		4.1
	430486	BE062109 Hs.241551	chloride channel, calcium activated, fam	4.1
	441790	AW294909 Hs.132208	ESTs	4.1
	410129	BE244074 Hs.58831	regulator of Fas-induced apoptosis	4.1
	427521	AW973352 Hs.290585	ESTs	4.1
30	425247	NM 005940Hs.155324	matrix metalloproteinase 11 (MMP11; stro	4.1
		AF041163 Hs.74647	Human T-cell receptor active alpha-chain	4.1
		BE562826	gb:601336534F1 NIH_MGC_44 Homo saplen:	
		AK000136 Hs.10760		4.1
			conserved gene amplified in osteosarcoma	4.1
35	405850			4.1
55			Target Exon	
				4.0
		AW292425 Hs.163484		4.0
	400284			4.0
40		N91453 Hs.102987		4.0
40		U20158 Hs.2488		4.0
	411393	AW797437 Hs.69771		4.0
	425704	U79293 Hs.159264	Human clone 23948 mRNA sequence	4.0
	419594	AA013051 Hs.91417	topoisomerase (DNA) II binding protein	4.0
	419092	J05581 Hs.89603		4.0
45		Al034351 Hs.19030	ESTs	4.0
		AW963372 Hs.46677		4.0
		T32982 Hs.102720		4.0
		BE302796 Hs.105097		4.0
		BE250127 Hs.82906	CDC20 (cell division cycle 20, S. cerevi	3.9
50		AW630088 Hs.76550	Homo saplens mRNA; cDNA DKFZp564B1264	J.3 1 (12) (
50				
		AW411479 Hs.848		3.9
	404580		NM_014112*:Homo sapiens trichorhinophala	
		AB018345 Hs.27657	KIAA0802 protein	3.9
		AA031956	gb:zk15e04.s1 Soares_pregnant_uterus_NbH	
55		U03272 Hs.79432	fibrillin 2 (congenital contractural ara	3.9
	426647	AA243464 Hs.294101	pre-B-cell leukemia transcription factor	3.9
	429353	AL117406 Hs.200102	ATP-binding cassette transporter MRP8	3.9
	419038	AW134924 Hs.190325	ESTs	3.9
	418918	X07871 Hs.89476		3.9
60		W94197 Hs.110165	ribosomal protein L26 homolog	3.9
-		Al201183 Hs.130251		3.9
				3.9
		AW935490 Hs.14658	Human chromosome 5q13.1 clone 5G8 mRNA	
65		BE019020 Hs.85838	solute carrier family 16 (monocarboxylic	3.9
65		NM_002543Hs.77729	oxidised low density lipoprotein (lectin	3.9
		AA809875 Hs.25933		3.9
	419741	NM_007019Hs.93002	ubiquitin carrier protein E2-C	3.9

	458814	AA263172 H: AI498957 H: AW236861 H:	s.170861		3.9 3.8 3.8	
5	434521	NM_002267H		karyopherin alpha 3 (importin alpha 4) zinc finger protein, subfamily 1A, 1 (ik	3.8 3.8	
5	439560	BE565647 H:	s.74899	hypothetical protein FLJ12820	3.8	
	424028 400021	AF055084 H	ls.153692	Homo sapiens cDNA FLJ14354 fis, done Y7 AFFX control - HUMISGF3A/M97935_MA	3.8 3.8	
10	453403	BE466639 H		Homo saplens cDNA FLJ13591 fis, done PL	3.8	
10		Al267371 H: AA631739 H:	ls.172636 ls.335440		3.8 3.8	
	429220	AW207206 H	s.136319	ESTs	3.8	
	439176 401045	A1446444 H:		ESTs, Weakly similar to B28096 line-1 pr C11001883*:gi[6753278]ref[NP_033938.1] c	3.8 3.8	
15	430178	AW449612 H	s.152475	ESTs	3.8	
		NM_001838H: Al660149 H:	ls.1652 ls.44865	chemokine (C-C motif) receptor 7 lymphoid enhancer-binding factor 1	3.8 3.8	
		AJ227892 H			3.8	
20		AW068115 H		biglycan	3.8	
20		Al767949 H: NM_003512H:		H2A histone family, member L	3.8 3.8	
	427811	M81057 . H	s.180884	carboxypeptidase B1 (tissue)	3.8	
		AA165232 H			3.8	3.8
25		AL353944 H: AW057736 H:		Homo sapiens mRNA; cDNA DKFZp761J1112 HER2 receptor tyrosine kinase (c-erb-b2,	3.7	3.0
	400286	NA		C16000922:gi[7499103 pir]T20903 hypothe	3.7	
		A1623693 H: AW900992 H:	ls.191533	ESTs DKFZP586D2223 protein	3.7 3.7	
				hypothetical protein FLJ22439	3.7	
30		AA371307 H			3.7	
	429638 457001		s.2115// s.2062	kinectin 1 (kinesin receptor) vitamin D (1,25- dihydroxyvitamin D3) re	3.7 3.7	
		AW406878		gb:UI-HF-BLO-adg-g-06-0-UI.rl NIH_MGC_37		
35		NM_014737H			3.7	
33			s.122610 ls.13303	Homo sapiens cDNA FLJ11489 fis, clone HE Homo sapiens cDNA: FLJ21784 fis, clone H	3.7	
	432729	AK000292 H	s.278732	hypothetical protein FLJ20285	3.7	
		N49813 H:	ls.75615	apolipoprotein C-II cell recognition molecule Caspr2	3.7 3.7	
40				normal mucosa of esophagus specific 1	3.7	
		AA057264 H	ls.238936	ESTs, Weakly similar to (defline not ava	3.7	
	406153	AW873606 H	149008	Target Exon ESTs	3.7 3.7	
			s.32989	receptor (calcitonin) activity modifying	3.7	
45		AB011152 H		KIAA0580 protein	3.7	•
		AF113676 H:	s.29/681 ls.20191	serine (or cystelne) proteinase inhibito seven in absentia (Drosophila) homolog 2	3.6 3.6	
	453313	BE005771 H	s.153746	hypothetical protein FLJ22490	3.6	
50			ls.165909 ls.93837	ESTs, Weakly similar to 138022 hypotheti phosphatidylinositol transfer protein, m	3.6 3.6	
50			ls.189507	phospholipase A2, group IID	3.6	
	430378		ls.2556	tumor necrosis factor receptor superfami	3.6	
			ls.171941	transcription factor 2, hepatic; LF-B3;	3.6 3.6	
55				ESTs, Weakly similar to 138022 hypotheti	3.6	
		BE069341	1- 002CTE	gb:QV3-BT0381-270100-073-c08 BT0381 Ho		j
		AV024973 R AV653264 H		NPD009 protein Homo sapiens cDNA FLJ14666 fis, clone NT	3.6 3.6	
60	452101	T60298 H	is.10844	Homo sapiens cDNA FLJ14476 fis, clone MA	3.6	
60		NM_014788H AW961434 H		KIAA0129 gene product ESTs	3.6 3.6	
		NM_000402H		glucose-6-phosphate dehydrogenase	3.6	
			is.3327	Homo sapiens cDNA: FLJ22219 fis, clone H	3.6	
65		S42303 H AW015415 H	ls.161 ls.127780	cadherin 2, type 1, N-cadherin (neuronal ESTs	3.6 3.6	
00	428970	BE276891 H	ls.194691	retinolc acid induced 3	3.6	
	415079	R43179 H	is.22895	hypothetical protein FLJ23548	3.6	

	409619	AK001015	Hs.55220	BCL2-associated athanogene 2	3.6	
			Hs.152812		3.6	
			Hs.194024		3.6	
_		AA380731		interleukin 2 receptor, gamma (severe co	3.6	
5		AF088020		EST	3.6	
		H63010 AA351647	Hs.5740	ESTs eukaryotic translation elongation factor	3.5 3.5	
		Al418055	Hs.161160		3.5	
		AF234882		suppression of turnorigenicity 7	3.5	
10		AA284166		cyclin-dependent kinase inhibitor 3 (CDK	3.5	
:			Hs.222399	CEGP1 protein	3.5	
		AI907673		gb:IL-BT152-080399-004 BT152 Homo sapler		
	403212	A1/000705	U- E0E70	NM_019595:Homo sapiens intersectin 2 (IT	3.5	
15		AK000725 AA847843		hypothetical protein FLJ20718 Homo sapiens, clone IMAGE:3351295, mRNA	3.5	
13		W92147	Hs.118394		3.5	
		Z43784	Hs.75893	ankyrin 3, node of Ranvier (ankyrin G)	3.5	
	442295	Al827248		Homo sapiens cDNA FLJ11469 fis, clone HE	3.5	
••			Hs.30085	hypothetical protein FLJ23186	3.5	
20		AK002135		hypothetical protein FLJ11273	3.5	
			Hs.137007		3.5	
				poly(A)-binding protein, cytoplasmic 1-l	3.4 3.4	
		BE311926 AW881145	ns. 15650	hypothetical protein FLJ12691 gb:QV0-OT0033-010400-182-a07 OT0033 Ho		3.4
25		BE390551	Hs.77628	steroidogenic acute regulatory protein r	3.4	0
		W29092	Hs.7678	cellular retinoic acid-binding protein 1	3.4	
	444564	AI167877	Hs.143716	ESTs	3.4	
	402470			Target Exon	3.4	
20			Hs.192249		3.4	
30			Hs.13701	ESTS	3.4	
		AI681545 U61412	Hs.51133	hypothetical protein FLJ13117 PTK6 protein tyrosine kinase 6	3.4 3.4	
				fucosyltransferase 8 (alpha (1,6) fucosy	3.4	
		M90516	Hs.1674	glutamine-fructose-6-phosphate transamin	3.4	
35		AA447492		ESTs, Weakly similar to AF164793 1 prote	3.4	
	402359			C19001991*:gij12656111/gb/AAK00751.1/AF2	23.4	
		AA284267		ESTs	3.4	
		F01020	Hs.172004		3.4	
40			Hs.10845		3.4	
40		R11141 AJ271216		hypothetical protein dipeptidylpeptidase III	3.4 3.4	
•		AK001763		hypothetical protein FLJ10901	3.4	
		Y18418		RuvB (E coli homolog)-like 1	3.4	
			Hs.194698		3.4	
45		U58766		tissue specific transplantation antigen	3.4	
				Homo sapiens, done IMAGE:3616574, mRNA		
		AF037335		carbonic anhydrase XII (tumor antigen H	3.4	
		AW392550		proteasome (prosome, macropain) subunit,	3.4	
50			Hs.200266	KIAA0175 gene product	3.3 3.3	
50		Al335773	Hs.270123		3.3	
		NM_000505		coagulation factor XII (Hageman factor)	3.3	
	412754	AW160375	Hs.74565	amyloid beta (A4) precursor-like protein	3.3	
		U70370		paired-like homeodomain transcription fa	3.3	
55		Al627393		ESTs, Weakly similar to high mobility gr	3.3	
				ESTs, Weakly similar to 138022 hypotheti	3.3	
				Interleukin 7 receptor squalene epoxidase	3.3 3.3	
				glutamic-oxaloacetic transaminase 2, mit	3.3	
60		AI086138	Hs.204044		3.3	
			Hs.173466	ras-related C3 botulinum toxin substrate	3.3	
	426429	X73114	Hs.169849	myosin-binding protein C, slow-type	3.3	
			Hs.25252		3.3	
65		U41763		clathrin, heavy polypeptide-like 1	3.3	
65		BE243136 Al601188	Hs.86947 Hs.120910		3.3	
				ESTS, Highly similar to IHH_HUMAN INDIAN	3.3	
	411401	MNU20301	110.110214	CO. O. LINGTON SHITMEN ON INTO TOWARD INDIAN	تىن	

	430253	AK001514	Hs.236844	hypothetical protein FLJ10652	3.3
	430066	A1929659	Hs.237825	signal recognition particle 72kD	3.3
		AK001455		Down syndrome critical region gene 2	3.3
-		BE142681		polymerase (DNA directed), eta	3.3
5		H09048	Hs.23606	ESTs	3.3
		H91882	Hs.118569	DvI-binding protein IDAX (inhibition of	3.3
				Human DNA sequence from done RP11-2180	
		AA446932		ret finger protein 2	3.3
10		AW270655			3.3
10		R43409	Hs.6829	Homo sapiens mRNA for KIAA1644 protein,	3.3 3.3
		AW978484	HS.93842	Homo sapiens cDNA: FLJ22554 fis, clone H Homo sapiens mRNA; cDNA DKFZp58612022	
		A1015709	Hs. 172009	ESTs, Weakly similar to A47582 B-cell gr	3.3
				selenophosphate synthetase 2	3.3
15		BE614387		c-Myc target JPO1	3.3
10		U24683		immunoglobulin heavy constant mu	3.3
					3.3
		AA479033		ESTs, Weakly similar to A47582 B-cell gr	3.3
		C01765	Hs.38750	hypothetical protein FLJ11526	3.3
20 -	408221	AA912183		ESTs	3.3
	447519	U46258	Hs.339665	ESTs	3.3
	404755			Target Exon	3.3
		AI821005	Hs.118599		3.2
25		AW406289		hypothetical protein	3.2
25			HS.300697	immunoglobulin heavy constant gamma 3 (G	3.2
	400202			NM_002795*:Homo sapiens proteasome (pros NM_002082*:Homo sapiens G protein-couple	3.7
	400222	BE045897	Ue 27//5/	ESTs, Weakly similar to (38022 hypotheti	3.2
		BE550224		metallothionein 1E (functional)	3.2
30		AJ002744		UDP-N-acetyl-alpha-D-galactosamine:polyp	3.2
50		AI027643	Hs.120912		3.2
		BE379594		ESTs, Moderately similar to ALU7_HUMAN A	3.2
	422309	U79745	Hs.114924	solute carrier family 16 (monocarboxylic	3.2
	419703	AI793257	Hs.128151		3.2
35	420380	AA640891	Hs.102406		3.2
		H04588	Hs.30469	ESTs	3.2
		Al244459	Hs.110826	trinucleotide repeat containing 9	3.2
		Al821926	11: 440057	gb:nt78f05.x5 NCI_CGAP_Pr3 Homo sapiens	
40		AA476966		polymerase (RNA) III (DNA directed) poly	3.2
40		NM_015156		KIAA0071 protein	3.2 3.2
		Al472078 N30714	Hs.303662 Hs.325960	membrane-spanning 4-domains, subfamily A	3.2
		AA310964		SHP2 interacting transmembrane adaptor	3.2
		R35343	Hs.24968	Human DNA sequence from clone RP1-233G	
45		AA837085			3.2
	427297	AW292593	Hs.334907	Homo sapiens, clone MGC:17333, mRNA, cor	
		AW503785		complement component (3d/Epstein Barr vi	3.2
	452304	AA025386	Hs.61311	ESTs, Weakly similar to S10590 cysteine	3.2
	453953	AW408337		CD7 antigen (p41)	3.2
50		D50915	Hs.38365	KIAA0125 gene product	3.2
		AL047586		RNA binding motif protein 8B	3.2
		AW768399			3.2
		W20128	Hs.296039		3.2 3.2
55		AA319233 AA418204		ESTs natural killer-tumor recognition sequenc	3.2
55		AW966728		methionine adenosyltransferase II, beta	3.2
		AL118668		gb:DKFZp761i0310_r1 761 (synonym: harmy2	
		AW405434	Hs.82575	small nuclear ribonucleoprotein polypept	3.2
	428027		Hs.334345		3.2
60	441197			sterol regulatory element binding transc	3.2
	424634	NM_00361			3.2
	419986	Al345455	Hs.78915	GA-binding protein transcription factor,	3.2
	416714	AF283770	Hs.79630	CD79A antigen (immunoglobulin-associated	3.2
	449465			CREB binding protein (Rubinstein-Taybi s	3.2
65	422166	W72424	Hs.112405		3.2
	409079	W87707	Hs.82065	interteukin 6 signal transducer (gp130,	3.2
	423551	AA327598	コン・ムング/ ひり	E019	3.2

	453553	AA036849	Hs.61829	Homo sapiens cDNA FLJ12763 fis, clone NT	3.2
	442580	AI733682	Hs.130239	FSTs	3.2
		AI796870	Hs.54277	DNA segment on chromosome X (unique) 992	
-		AF076292		forkhead box H1	3.2
5	417124	BE122762	Hs.25338	ESTs	3.2
	407104	S57296	Hs.323910	v-erb-b2 avian erythroblastic leukemia v	3.2
		AI703172		ESTs, Weakly similar to 2109260A B cell	3.1
	430271			OnaJ (Hsp40) homolog, subfamily B, membe	3.1
10				Interleukin 21 receptor	3.1
10	426095	A1278023	Hs.89986	ESTs	3.1
	442313	BE388898	Hs.8215	hypothetical protein FLJ11307	3.1
	424709	AL137589	Hs.152149	hypothetical protein DKFZp434K0410	3.1
		BE379335		proteasome (prosome, macropain) 26S subu	3.1
1.5				ESTs. Weakly similar to KIAA1074 protein	3.1
15	431574	AW572659	Hs.261373	hypothetical protein dJ434O14.3	3.1
	436876	Al124756	Hs.5337	Isocitrate dehydrogenase 2 (NADP), mitoc	3.1
	405017	NA		Target Exon	3.1
		AA706910	He 1127/12		3.1
					3.1
00		AL353957		hypothetical protein DKFZp434P0531	
20	430105		Hs.2540	cholinergic receptor, nicotinic, alpha p	3.1
	422083	NM_001141	IHs.111256	arachidonate 15-lipoxygenase, second typ	3.1
		BE145360			3.1 .
		Al267700	Hs.317584		3.1
					3.1
25		AI879263	Hs.6986	Human glucose transporter pseudogene	
25		AA890023		prolactin receptor	3.1
	422599	BE387202	Hs.118638	non-metastatic cells 1, protein (NM23A)	3.1
	439963	AW247529	Hs.6793	platelet-activating factor acetylhydrola	3.1
		Al638516	Hs.22630	cofactor required for Sp1 transcriptiona	3.1
		AI885190	Hs.156089		3.1
20					
30		U38945	Hs.1174	cyclin-dependent kinase inhibitor 2A (me	3.1
	400814	NA		Target Exon	3.1
	402327			Target Exon ·	3.1
	416935	AA190712		gb:zp87f09.r1 Stratagene HeLa cell s3 93	3.1
•		AL355722	He 106875	Homo saplens EST from done 35214, full	3.1
25					
35		Al571514	Hs.133022		3.1
		NM_000579	Hs.54443	chemokine (C-C motif) receptor 5	3.1
	406642	AJ245210		gb:Homo sapiens mRNA for immunoglobulin	3.1
	406624	AF052762		gb:Homo sapiens clone csneg8-1 immunoglo	3.1
	421924	BE514514	Hs.109606	coronin, actin-binding protein, 1A	3.1
40		AU076633		serine (or cysteine) proteinase inhibito	3.1
70					3.1
		N38857	Hs.203933		
		D89974	Hs.121102		3.1
	433904	Al399956	Hs.208956		3.1
	421904	BE143533	Hs.109309	hypothetical protein FLJ20035	3.1
45 ·		AW899713			3.1
				Homo sapiens cDNA FLJ12136 fis, clone MA	
		AB012124	US:20090	transcription factor-like 5 (basic helix	3.1
•	405381			Target Exon	3.1
	428746	AW503820	Hs.192861	Spi-B transcription factor (Spi-1/PU.1 r	3.1
50	435147	AL133731	Hs.4774	Homo sapiens mRNA; cDNA DKFZp761C171	2 (f3.1
		U66468		cell growth regulatory with EF-hand doma	3.1
		W88562	Hs.108198		3.1
				=	
	419123	AA234276	HS.88253	ESTs	3.1
	438581	AW977766	Hs.292133	ESTs, Moderately similar to 178885 serin	3.1
55	417105	X60992	Hs.81226	CD6 antigen	3.0
	428361	NM_015905	5Hs.183858	transcriptional intermediary factor 1	3.0
		BE241595		selectin L (lymphocyte adhesion molecule	3.0
		DEET 1035	113.020-10	NM_024626:Homo sapiens hypothetical prot	
	402606			NW_024020.Flottio Sapietis Hypothetical prot	3.0
	401451			NM_004496*:Homo sapiens hepatocyte nucle	
60	421878	AA299652	Hs.111496	Homo sapiens cDNA FLJ11643 fis, clone HE	3.0
		BE384836	Hs.3454	KIAA1821 protein	3.0
		BE561850	Hs.80506	small nuclear ribonucleoprotein polypept	3.0
	444924	Y14768		lymphotoxin beta (TNF superfamily, membe	3.0
			Hs.890		
	425081	X74794	Hs.154443	minichromosome maintenance deficient (S.	3.0
65	401519			C15000476*:gi[12737279[ref]XP_012163.1]	3.0
	411704	A1499220	Hs.71573	hypothetical protein FLJ10074	3.0
		AL135623		KIAA0575 gene product	3.0

	428423	AU076517	Hs.184276	solute carrier family 9 (sodium/hydrogen	3.0	
	413835	AI272727	Hs.249163	fatty acid hydroxylase	3.0	
	412600	L28824	Hs.74101	spleen tyrosine kinase	3.0	
	410491	AA465131	Hs.64001	Homo sapiens done 25218 mRNA sequence	3.0	
5	433658	L03678	Hs.156110	immunoglobulin kappa constant	3.0	
	427666	AI791495	Hs.180142	calmodulin-like skin protein	3.0	
	452514	AI904898		gb:RC-BT068-130399-085 BT068 Homo sapi	en3.0	
	429500	X78565	Hs.289114	hexabrachion (tenascin C, cytotactin)	3.0	•
	432485	N90866	Hs.276770	CDW52 antigen (CAMPATH-1 antigen)	3.0	
10	437400	AB011542	Hs.5599	EGF-like-domain, multiple 5	3.0	
	452234	AW084176	Hs.223296	ESTs, Wealdy similar to I38022 hypotheti	3.0	
	413269	BE167526		gb:CM4-HT0509-080300-107-g07 HT0509 Ho	omo	3.0
	453216	AL137566	Hs.32405	Homo sapiens mRNA; cDNA DKFZp586G032	21 (f	3.0
	400929			ENSP00000252232*:Sterol regulatory eleme	3.0	
15	445145	Al961702	Hs.147434	ESTs	3.0	
	432615	AA557191	Hs.55028	ESTs, Weakly similar to 154374 gene NF2	3.0	
	423279	AW959861	Hs.290943	ESTs	3.0	
	429392	AL109712	Hs.296506	Homo sapiens mRNA full length insert cDN	3.0	
	408548	AA055449	Hs.63187	ESTs, Weakly similar to ALUC_HUMAN !!!!	3.0	
20	451346	NM_006336	3Hs.26312	glioma amplified on chromosome 1 protein	3.0	
	413109	AW389845	Hs.110855		3.0	
	401714	NA		ENSP00000241802*:CDNA FLJ11007 FIS, C	LON	3.0
	421462	AF016495	Hs.104624	aquaporin 9	3.0	
	421750	AK000768	Hs.107872	hypothetical protein FLJ20761	3.0	
25	453293	AA382267	Hs.10653	ESTs	3.0	
	457085	AA412446	Hs.98138	ESTs	3.0	
	438930	AW843633	Hs.306163	hypothetical protein AL110115	3.0	

TABLE 22A

Table 22A shows the accession numbers for those pkeys lacking unigeneID's for Table 22.

For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

Pkey: Unique Eos probeset identifier number
CAT number: Gene cluster number
Accession: Genbank accession numbers

15		•	
13	Pkey	CAT number	Accessions
20	410785 411743 412138 413269	1221055_1 1256098_1 1279172_1 1356961_1	
25	422128 423945 424109	211994_1 233566_1 235506_1	AW881145 AA490718 M85637 AA304575 T06067 AA331991 AA410943 AW948953 AA334202 AA332882 AW406878 AW968660 AW966151 AW966496 AA336174 AA335376 AA335537 AW966163 AA335983 AA336011 AA335668 AA335973
30	425331 426878 432745 441153 448212 451128	250199_1 273265_1 353673_1 51084_2 755099_1 859865_1	AW950128 AA355353 AA427363 BE069341 AW748403 AL044891 Al908240 AA393080 Al821926 AA658826 AA564492 AA635129 AI791191 BE562826 BE378727 Al475858 AW969013 AL118668 D78823 AI762176 Al904898 Al904849 Al904899
35		1650781	AA193450

TABLE 22B

5

Table 22B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 22. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

10	Pkey: Ref:	Unique number corresponding to an Eos probeset Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.
	Strand: Nt_position:	Indicates DNA strand from which exons were predicted. Indicates nucleotide positions of predicted exons.

15				
	Pkey	Ref	Strand	Nt_position
	400814	8569925	. Minus	72840-72924,74761-74849
• •		7651921	Minus	122033-122241,123483-124028
20	401045	8117619	Plus	90044-90184,91111-91345
		6634068	Minus	119926-121272
	401519	6649315	Plus	157315-157950
	401645	7657839	Minus	34986-35133
	401714	6715702	Plus	96484-96681
25		8018106	Plus	73126-73623
		7656695	Minus	108675-108770,109801-109910
		9211204	Minus	40403-41961
		9796239	Minus	110326-110491
••		9797107	Plus	19512 9 -195776
30		9801558	Minus	67076-67594
		9884928	Plus	66350-66496
		9909429	Minus	81747-82094
		6693597	Minus	3468-3623
~ -		7630897	Minus	156037-156210
35		8516120		96450-96598
		8783692	Minus	49323-49652
		9966528	Plus	2888-3001,3198-3532,3655-4117
		9838195	Plus	. 74493-74829
40		6539738	Minus	240588-241589
40		7706327	Minus	53729-53846
		6532084	Plus	35551-35690
		2914717	Minus	43310-43462
		6006920		7636-8054
4.5		2924321	Pius	63469-63694
45		6164995	Plus	13871-14110
		9929734	Minus	12902-13069
	406348	9255985	Minus	71754-71944

TABLE 23: 320 GENES DOWN-REGULATED IN BREAST CANCER COMPARED TO NORMAL ADULT BREAST

Table 23 shows 320 genes down-regulated in breast cancer compared to normal adult breast. These were selected as for Table 22, except that the numerator was set to the median value for 12 non-malignant breast specimens, the denominator was set to the median value amongst the 73 breast cancers, the 90th percentile value amongst the 12 non-malignant breast specimens was greater than or equal 80 units, and the ratio was greater than or equal to 4.0 (i.e. 4-fold down-regulated in tumor vs. normal breast).

	Pkey:	Unique Eos probeset identifier number
	ExAccn:	Exemplar Accession number, Genbank accession number
15	UnigeneiD:	Unigene number

Unigene Title: Unigene gene title

R1: Ratio of 50th percentile normal body tissue to 75th percentile tumor

20	Pkey	ExAcon	UnigeneID	UnigeneTitle	Ratio
•	428722	U76456	Hs.190787	tissue inhibitor of metalloproteinase 4	22.4
	428848	NM_000230	Hs.194236	leptin (murine obesity homolog)	17.4
		H57646	Hs.42586	KIAA1560 protein	15.4
25	418935	T28499	Hs.89485	carbonic anhydrase IV	15.0
	407228	M25079	Hs.155376	hemoglobin, beta	14.6
	417511	AL049176	Hs.82223	chordin-like	14.6
	439285	AL133916	Hs.172572	hypothetical protein FLJ20093	14.3
	412442	A1983730	Hs.26530	serum deprivation response (phosphatidy)	13.6
30	410544	A1446543	Hs.95511	ESTs	12.6
	412047	AA934589	Hs.49696	ESTs	12.2
	422667	H25642	Hs.133471	ESTs	12.0
•	406664	L34041	Hs.9739	glycerol-3-phosphate dehydrogenase 1 (so	12.0
	423201	NM_000163	Hs.125180	growth hormone receptor	11.7
35	422163	AF027208	Hs.112360	prominin (mouse)-like 1	10.8
	428769	AW207175	Hs.106771	ESTs	10.6
	407049	X72632		NM_021724*:Homo sapiens nuclear receptor	10.1
	412295	AW088826	Hs.117176	poly(A)-binding protein, nuclear 1	9.8
	425126	N32759	Hs.172944	chorionic gonadotropin, beta polypeptide	9.8
40	406791	A1220684	Hs.272572	hemoglobin, alpha 2	9.5
	447471	AF039843	Hs.18676	sprouty (Drosophila) homolog 2	9.5
	451533	NM_004657	Hs.26530	serum deprivation response (phosphatidy)	9.4
	419407	AW410377	Hs.41502	hypothetical protein FLJ21276	9.0
	411939	AI365585	Hs.146246	ESTs	9.0
45	410532	T53088	Hs.155376	hemoglobin, beta	8.9
	425707	AF115402	Hs.11713	E74-like factor 5 (ets domain transcript	8.8
	416585	X54162	Hs.79386	leiomodin 1 (smooth muscle)	8.7
	443060	D78874	Hs.8944	procollagen C-endopeptidase enhancer 2	8.6
	435265	AA779958	Hs.185932	ESTs	8.5
50	422511	AU076442	Hs.117938	collagen, type XVII, alpha 1	8.4
	433138	AB029496	Hs.59729	semaphorin sem2	8.3
	402195			NM_004497*:Homo sapiens hepatocyte nucle	8.1
	429350	AI754634	Hs.131987	ESTs	8.1
	445107	Al208121	Hs.147313	ESTs, Weakly similar to 138022 hypotheti	8.1
55	406643	N77976	Hs.272572	hemoglobin, alpha 2	8.0
	410199	AW377424	Hs.205126	Homo saplens cDNA: FLJ22667 fis, clone H	8.0
	417225	AA815048	Hs.24078	hypothetical protein FLJ12649	7.8
	437569	AA760849	Hs.294052	ESTs	7.5
	436062	AK000027	Hs.98633	ESTs	7.5
60	425078	NM_002599	Hs.154437	phosphodiesterase 2A, cGMP-stimulated	7.5
	430327	AW973636	Hs.55931	ESTS	7.4

	447577	Alanaena	U- 402207	DIATEDESCEDADA probin	7 4
		Al393693 Al150491	Hs.183297	DKFZP566F2124 protein ESTs	7.4 7.2
			Hs.90756		7.2
		R20893 AA452006	Hs.325823	ESTs, Moderately similar to ALU5_HUMAN A	7.1
5			Hs.333199	ESTS	
,		AW956360	Hs.4748	adenylate cyclase activating polypeptide	7.1
		AI352340	Hs.131194	ESTs	7.0
		AI219304	Hs.283108	hemoglobin, gamma G	6.9
		Al446183	Hs.9572	ESTs, Highly similar to CYA5_HUMAN ADENY	6.8
10		AA346839	Hs.209100	DKFZP434C171 protein	6.7
10		A1478427	Hs.43125	esophageal cancer related gene 4 protein	6.7
		AB002058	Hs.113275	purinergic receptor P2X-like 1, orphan r	6.7
		AA256395	Hs.88156	ESTs	6.6
	404368			ENSP00000241075*:TRRAP PROTEIN.	6.6
		NM_006691	Hs.17917	extracellular link domain-containing 1	6.5
15	417090	AA193282	Hs.85863	ESTs, Weakly similar to B34612 zinc fing	6.5
	410677	NM_003278	Hs.65424	tetranectin (plasminogen-binding protein	6.5
	427283	AL119796	Hs.174185	ectonucleofide pyrophosphatase/phosphodi	6.5
	415011	AW963085		gb:EST375158 MAGE resequences, MAGH Hom	06.4
	412068	S72043	Hs.73133	metallothionein 3 (growth inhibitory fac	6.4
20	416253	BE250659	Hs.15463	Homo sapiens, done IMAGE:2959994, mRNA	6.4
	435885	AA701483	Hs.36341	ESTs	6.3
	402779			Target Exon	6.3
		AA213626	Hs.136204	EST	6.3
		AA742697	Hs.62492	ESTs, Weakly similar to B39066 proline-r	6.3
25		AA001732	Hs.173233		6.2
		BE143068	110/11/02200	gb:MR0-HT0158-030200-003-b09 HT0158 Homo	
		BE004783		gb:MR2-BN0114-270400-004-e11 BN0114 Homo	
		NM_012093	Hs.18268	adenylate kinase 5	6.1
		NM_014759	Hs.334688		6.1
30		H15968	Hs.293845	Homo saplens, clone IMAGE:3502329, mRNA,	6.1
50		F08212	Hs.234898	ESTs, Weakly similar to 2109260A B cell	6.0
	400089		113.204030	Eos Control	6.0
		W07475	Hs.277101	cytochrome c oxidase subunit IV isoform	5.9
		N92818			5.9
35			Hs.64754	ESTs, Weakly similar to potential CDS [H	
33		BE067414	U= 4400FÅ	gb:MR4-BT0355-200100-201-e05 BT0355 Homo	
		AA062610	Hs.148050	EST	5.9
•	406563		11 00040		5.9
		AW451023	Hs.65848		5.9
40		AA843387	Hs.87279	ESTs	5.9
40		NM_001874	Hs.334873	carboxypepfidase M	5.8
		AW809163		gb:MR4-ST0118-261099-012-a03 ST0118 Homo	
		AB014533	Hs.33010		5.8
		Al372588	Hs.8022	TU3A protein	5.8
40 .		AA372052	Hs.334559	Homo sapiens cDNA FLJ14458 fis, clone HE	5.8
45		BE063555		gb:CM1-BT0283-081199-033-d09 BT0283 Homo	
		AW876813	Hs.3343	phosphoglycerate dehydrogenase	5.7
		AW014486	Hs.22509	ESTs	5.7
		AW452355	Hs.256037	ESTs	5.7
	420202	AL036557	Hs.95910	putative lymphocyte G0/G1 switch gene	5.7
50	416284	A1695473	Hs.298006	ESTs	5.7
	428553	AA181641	Hs.184907	G protein-coupled receptor 1	5.6
	404689	NA		Target Exon	5.6
	438887	R68857	Hs.265499	ESTs .	5.6
	406082	S47833	Hs.82927	adenosine monophosphate deaminase 2 (iso	5.6
55	449748	H23963	Hs.32043	ESTs	5.6
	431048	R50253	Hs.249129	cell death-inducing DFFA-like effector a	5.5
		C15819		gb:C15819 Clontech human aorta polyA mRN	5.5
		AW444613	Hs.288809		5.5
		AB020629	Hs.38095	ATP-binding cassette, sub-family A (ABC1	5.5
60		A1668605	Hs.60380	ESTs, Moderately similar to ALU6_HUMAN A	5.5
-		AA345824	Hs.76688	carboxylesterase 1 (monocyte/macrophage	5.5
	401665		2300	C11000703:gil10048448]ref[NP_065258.1] q	5.5
		T99079	Hs.191194		5.5
		AI161428	Hs.75916	splicing factor 3b, subunit 2, 145kD	5.5
65		BE005346	Hs.116410	ESTs	5.5
Ų,		BE617015	Hs.11006	ESTs, Moderately similar to T17372 plasm	5.5
		A1432652	Hs.42824	hypothetical protein FLJ10718	
	400 122	, ILLOTOTE	113.72027	uthornered hioren i en ioi ió	5.5

		AW016806	Hs.233108	ESTS	5.5
		R25621	11- 400007	gb:yh45f06.r1 Soares placenta Nb2HP Homo	5.4
		AA017590	Hs.129907	ESTs	5.4
5		BE172240	Hs.126379	ESTs, Weakly similar to 138022 hypotheti	5.4 5.4
)		N49826	Hs.18602	gb:ou42g09.s1 Soares_NFL_T_GBC_S1 Homo s	
	403612	AA994520		Target Exon	5.3
		AA007629	Hs.9739	glycerol-3-phosphate dehydrogenase 1 (so	5.3
		R66634	Hs.268107	multimedn	5.3
10		BE272452	Hs.183109	monoamine oxidase A	5.3
10		AA620814	Hs.144959	ESTs	5.3
		R99530	Hs.272572	hemoglobin, alpha 2	5.3
		AF012023	Hs.173274	integrin cytoplasmic domain-associated p	5.3
		BE261320	Hs.158196	transcriptional adaptor 3 (ADA3, yeast h	5.3
15		AW613948	Hs.194915	ESTs	5.3
	442800	AI809481	Hs.131227	ESTs	5.3
	402054			Target Exon	5.3
	432085	AF212829	Hs.272406	potassium channel, subfamily K, member 9	5.3
. :	415313	R59638	Hs.6181	ESTs .	5.2
20		AI904646		gb:QV-BT065-020399-103 BT065 Homo saplen	5.2
		AB037721	Hs.173871	KIAA1300 protein	5.2
		BE467930	Hs.170381	ESTs	5.2
		AI285901	Hs.181297	ESTS	5.2
25	402698			ENSP00000251335*:DJ1003J2.1 (sodium and	5.2 5.2
25	401810		Un 400072	Target Exon ESTs	5.2
		AA827674	Hs.189073 Hs.76780	protein phosphatase 1, regulatory (inhib	5.2
		AA424074 M26380	Hs.180878	lipoprotein lipase	5.1
		NM_006744	Hs.76461	retinol-binding protein 4, interstitial	5.1
30		AW023469	Hs.65256	ESTs, Weakly similar to leucine-rich gli	5.1
20		AI821324	Hs.100445	ESTs	5.1
	402583		110.100110		5.1
		NM_006103	Hs.2719	HE4; WFDC2; putative ovarian carcinoma m	5.1
		Al435179	Hs.126820	ESTs	5.1
35		R53467 .	Hs.269122	ESTs, Weakly similar to ALU1_HUMAN ALU S	5.1
	455282	BE143867		gb:MR0-HT0164-070100-013-h02 HT0164 Homo	5.1
	426488	X03350	Hs.4	alcohol dehydrogenase 1B (class I), beta	5.1
		BE244537	Hs.167382	natriuretic peptide receptor A/guanylate	5.1
40		AA486620	Hs.41135	endomucin-2	5.0
40		AW026692	Hs.224829	ESTs	5.0
		D59597	Hs.118821	CGI-62 protein	5.0 5.0
		A1524307	Hs.162870	ESTs. Weakly similar to MDHC_HUMAN MALAT	
		A1076012 BE160229	Hs.121388	gb:QV1-HT0413-090200-062-a12 HT0413 Homo	5.0
45		AF012626	Hs.54472	fragile X mental retardation 2	5.0
73		AW502327	113.01712	gb:UI-HF-BR0p-aka-a-07-0-UI.r1 NIH_MGC_5	5.0
	405062	ATTOUZOZI		Target Exon	5.0
		AK000706 ·	Hs.15125	hypothetical protein FLJ20699	5.0
		AW298163	Hs.82318	WAS protein family, member 3	5.0
50	421978	AJ243662	Hs.110196	NICE-1 protein	5.0
	440338	R62431	Hs.12758	ESTs	5.0
	415421	R35009	Hs.24903	ESTs	5.0
		R00348		gb:ye69e06.r1 Soares fetal liver spleen	5.0
		AJ243191	Hs.56874	heat shock 27kD protein family, member 7	5.0
55 ·		Al768289	Hs.304389	ESTs	4.9
		BE550889	Hs.158491	ESTs	4.9
		AW341470	Hs.144907	ESTs	4.9 4.9
		AI783600	Hs.208052	ESTs	4.9
60		AW014734 Al989812	Hs.157969 Hs.199850	ESTS ESTS	4.9
UU		N94587 ·	Hs.55063	ESTs	4.9
		AW973716	Hs.13913	KIAA1577 protein	4.9
		AA682722	Hs.192725	ESTs	4.9
		AF026263	Hs.247920	cholinergic receptor, muscarinic 5	4.8
65		AW137094	Hs.97990	ESTs	4.8
		AA868510	Hs.112496	ESTs	4.8
		Al349351	Hs.118944	hypothetical protein FLJ22477	4.8

	421795	X63094	Hs.283822		4.8
		N77624	Hs.173717		4.8
		BE063965	II- ecoess	gb:QV3-BT0296-140200-085-h01 BT0296 Homo	
5		AW450451 AW139474	Hs.266355		4.8 4.8
,		AA843716	Hs.246862 Hs.177927		4.7
		Al025499	Hs.132238		4.7
		Al383475	Hs.171697		4.7
		BE386764		gb:601273249F1 NIH_MGC_20 Homo sapiens c	4.7
10		AA398716	Hs.97418		4.7
		AW292618	Hs.113011		4.7
	401590			· • · g • · • · · · · ·	4.7
		AW134679	Hs.242849	==::	4.7 4.6
15		AK000123 AA045290	Hs.180479 Hs.25930		4.6
13.		R49187	Hs.6659		4.6
		AA972327	Hs.142903		4.6
		AW298235	Hs.101689	ESTs	4.6
	447517	Al382726	Hs.182434		4.6
20	403017				4.6
		N40087	Hs.15248		4.6
		H58589	Hs.35156		4.6
		M31158	Hs.77439 Hs.34853		4.6 4.6
25		NM_001546 Al142027	Hs.146650		4.6
23		AL137698	Hs.46531	Homo sapiens mRNA; cDNA DKFZp434C1915 (f	
		AW204277	Hs.250723		4.6
	434418	AF134707	Hs.278679	a disintegrin and metalloproteinase doma	4.6
00		Al375984	Hs.167216		4.6
30		F00312	11 447400	gb:HSBB0D101 STRATAGENE Human skeletal r	
		Al348455			4.6 4.6
		Al290653 NM_014861	Hs.124758 Hs.6168		4.6 4.6
		AW015933	Hs.112654		4.5
35		S67580	Hs.1645		4.5
		H86385	Hs.81737		4.5
	439745	AL389981	Hs.149219		4.5
		AA335769	Hs.16262		4.5
40		H73444	Hs.394		4.5
40		N94835	Hs.283828		4.5 4.5
		AF035303 NM_012190	Hs.9520	•	4.5
		AA169114	Hs.12247	,	4.5
		Z43619			4.5
45	457416	BE142052	Hs.62654		4.5
		BE387287	Hs.83384		4.4
		Al356125	Hs.157767	ESTs, Weakly similar to HXA2_HUMAN HOMEO	
		AA156998	Hs.211568	eukaryotic translation initiation factor	4.4
50	401093	AW206494	Hs.253560		4.4 4.4
50		AW842353	Hs.321717	ESTs, Weakly similar to S22765 heterogen	4.4
		AL133112	Hs.183085	Homo sapiens mRNA; cDNA DKFZp434K098 (fr	
		Al264634	Hs.131127	ESTs	4.4
	437409	AL359599	Hs.283850	Homo sapiens mRNA; cDNA DKFZp547C126 (fr	4.4
55 °		Al380906	Hs.158436	ESTs	4.4
		H03589		gb:yj42d08.r1 Soares placenta Nb2HP Homo	4.4
		R37101	Hs.20982	ESTS	4.4
		AA807958 AI499723	Hs.314232 Hs.135089	ESTs ESTs	4.4 4.4
60		H87407	Hs.172944	chorionic gonadotropin, beta polypeptide	4.4
		AF147401	Hs.23917	ESTs	4.3
	400870			C11000905:gij11692565jgbjAAG39879.1jAF28	4.3
		AA933590	Hs.28937	homeobox protein from AL590526	4.3
<i>C</i> =		H45384		gb:yn99c10.r1 Soares adult brain N2b5HB5	4.3
65		M12873	11- 404004	gb:Human Ig rearranged H-chain mRNA VDJ4 ESTs, Weakly similar to T26686 hypotheti	4.3
		AV654020	Hs.184261	Target Exon	4.3
	403263	NA		raiget Exon	4.3

	410034	BE067414		gb:MR4-BT0355-200100-201-e05 BT0355 Homo	4.3
		Al421645	Hs.139851	caveolin 2	4.3
		BE395260	Hs.309438	EST	4.3
_	416931	D45371	Hs.80485	adipose most abundant gene transcript 1	4.3
5		NM_002666	Hs.103253	perilipin	4.3
	400973			ENSP00000236667*:Mucin 5B (Fragment).	4.3
		AW366194	Hs.55962	ESTs	4.3
		NM_005100	Hs.788	A kinase (PRKA) anchor protein (gravin)	4.3
10	405016	AI475671	Hs.88607	CY000171*:gi 9280405 gb AAF86402.1 AF245	4.3
10	406118	AI4/30/1	115.0000/	ESTs, Highly similar to F-box protein FB ENSP00000246632:CDNA FLJ20261 fis, clone	4.3 4.3
		T02850		gb:FB12A9 Fetal brain, Stratagene Homo's	4.3
		AA480818	Hs.221736	ESTs	4.3
		AW451206	Hs.115899	ESTs	4.3
15		AA342329	Hs.115920	Homo sapiens cDNA: FLJ22816 fis, clone K	4.3
	453880	AI803166	Hs.28462	ESTs, Weakly similar to 138022 hypotheti	4.3
	447384	Al377221	Hs.40528	ESTs	4.2
	414541	BE293116	Hs.76392	aldehyde dehydrogenase 1 family, member	4.2
00		AV652165	Hs.182482	ESTs, Weakly similar to T00362 hypotheti	4.2
20	403921			C5000212*:gi 10047237 dbj BAB13407.1 (A	4.2
		AI798425	Hs.42710	ESTS	4.2
	406344	A A 404004	11- 00004	C5001660:gi 11611537 dbj BAB18935.1 (AB	4.2
		AA191201 BE155866	Hs.35861 Hs.25522	DKFZP586E1621 protein	4.2
25		AW070634	Hs.144794	KIAA1808 protein ESTs	4.2 4.2
	404682		113,177707	C9001188*:gi[12738842 ref NP_073725.1] p	4.2
	418089		Hs.6858	ESTs, Weakly similar to 178885 serine/th	4.2
	403433		1.0.0000	NM_001622:Homo sapiens alpha-2-HS-glycop	4.2
	446532	AW975460	Hs.143563	ESTs	4.2
30	414217	Al309298	Hs.279898	Homo sapiens cDNA: FLJ23165 fis, clone L	4.2
	418425	A1871247	Hs.6262	hypothetical protein MGC8407	4.2
		AW973708	Hs.201925	Homo sapiens cDNA FLJ13446 fis, clone PL	4.2
		AA397789	Hs.161803	ESTs	4.2
25		AF193807	Hs.131835	Rhesus blood group, B glycoprotein	4.2
35	448988		Hs.22785	gamma-aminobutyric acid (GABA) A recepto	4.2
		AI733098 AF086410	Hs.130800	ESTS	4.2
		AA399975	Hs.274151	gb:Homo sapiens full length insert cDNA ligatin	4.2 4.2
		AW594172	Hs.278513		4.2
40	436112		Hs.187559		4.2
. •		AJ144152	Hs.58246		4.2
•	456716	AA318060	Hs.135121		4.2
	419846	NM_015977	Hs.285681		4.2
4.5	410036		Hs.57975	calsequestrin 2 (cardiac muscle)	4.1
45	400545			•	4.1
	403051				4.1
		NM_005357			4.1
		AA007534 AA034116			4.1
50	440246				4.1 4.1
50		Al307802	Hs.135560		4.1
		Al150595	Hs.122226		4.1
		AA082947	-		4.1
		BE270758	Hs.69428		4.1
55	441871	Al306150	Hs.153450		4.1
	426411	AK000708	Hs.169764		4.1
		AL110416			4.1
		AW817177			4.1
60		AA203281			4.1
60		AW118878		ESTS	4.1
		AW807116 AW631296		gb:MR4-ST0062-040100-024-b12 ST0062 Homo	4.1
	435942		Hs.191215	gb:hh83c09.y1 NCI_CGAP_GU1 Homo sapiens ESTs	
	417629				4.1 4.1
65	403593				4.0
_	402690				4.0
	418190	R49591	Hs.270425		4.0

	408641 AW245207	Hs.5555	hypothetical protein MGC5347	4.0
	427899 AA829286	Hs.332053	serum amyloid A1	4.0
	445975 Al811536	Hs.145734	ESTs	4.0
	438831 BE263273	Hs.6439	synapsin II	4.0
5	455578 BE006350	Hs.14355	Homo saplens cDNA FLJ13207 fis, clone NT	4.0
-	401840 NA		Target Exon	4.0
	413753 U17760	Hs.75517	laminin, beta 3 (niceln (125kD), kalinin	4.0
	445030 Al205925	Hs.147238	ESTs, Highly similar to AAC3_HUMAN ALPHA	4.0
	433873 AW156913	Hs.150478	ESTs, Weakly similar to A Chain A, Cryst	4.0
10	456736 AW248217	Hs.1619	achaete-scute complex (Drosophila) homol	4.0
	450112 BE047734	Hs.5473	ESTs, Moderately similar to ALU5_HUMAN A	4.0
	448906 Al589567	Hs.309719	ESTs	4.0

TABLE 23A

Table 23A shows the accession numbers for those pkeys lacking unigeneID's for Table 23. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

Pkey: CAT number: Unique Eos probeset identifier number

CAT numbe Accession: Gene cluster number Genbank accession numbers

15

	Pkey	CAT number	Accessions
	409853	1156226_1	AW502327 AW502488 AW501829 AW502625 AW502687
20		1170594 1	BE067414 BE067958 BE067419 BE057963 AW577127 AW601412
		118656 1	AA082947 AA083036
	410490	1205347 1	H03589 AW750687 AW750688
	410882	1225686_1	AW809163 AW809247 AW809177 AW809190 AW809225
•	411478	1247073_1	BE143068 AW849143 AW848705 AW848569 AW848071 AW848475 AW848092 AW848005
25	413065	1347960_1	BE063555 BE151321 BE151319 BE151657 BE151655 BE063556 BE151322
	413072	1348163_1	BE063965 BE063968 BE064034 BE064028 BE063874 BE063966 BE063869 BE064043 BE064033 BE063884
		1464909_1	BE386764 BE387560
•		1506721_1	R25621 C03959 C04010
		151328_1	AW963085 AA159005 AW963073
30		1564410_1	Z43619 R61274 H12206 R12883
		1583547_1	H45384 H49125 H41699
		1687770_1	R00348 R09593
		1690392_1 1767866 -1	T76945 R20210 R05755 T02850
35		186198_1	F00312 AA247490 F31427 AA383663 F22045
33		264901_1	AW631296 AA375484
		47413 1	AF086410 W94386 W74609
		541271_1	AA994520 AW393574
		90415_1	C15819 AA024741 AA024742
40		925931_1	BE004783 BE004947 AI911790
•	453692	977825_1	AL110416 AW876759
	454183	1049636_1	AW807116 AW807569 AW807415 AW807338 AW807288 AW807263 AW807316 AW177402 AW807413 AW807068 BE141561
			BE141569 AW807401 AW807310 BE141565 AW807318 AW807119 AW807299 AW807241 AW807225 AW807204 AW807345
			AW807103 BE141615 AW807431 AW807393 AW807393 AW807406 AW807259 AW807375 AW845890 AW807220 AW807399
45			AW807064 AW807376 AW807024 BE141595 AW807236 AW807027 AW807112 AW807378 AW807202 BE141593 AW807216
			AW807138 AW807244 AW807221 AW807297 AW807050 AW807248 AW807404 AW807075 AW807237 AW807212 AW807308 AW807110 AW807104 BE140912 AW807301 AW807382 AW807294 AW807026 AW807020 AW807108 AW807025 AW807433
			AW807124 AW807419 AW807031 AW807264 AW807032 AW807029 AW807052 AW807391 AW807207 AW807215 AW807019
			AW807/124 AW807/201 BE141590 AW807/302 AW807/323 AW807/380 AW807/109 BE141588 AW845877 AW807/418 AW807/407
50			AW807309 BE141614 AW845861 AW807396 AW807300 AW807348 AW807311 AW807214 AW807132 AW807402 AW807350
50			AW807028 AW807298 AW807291 AW807305 AW807217 AW807312 AW807261 AW807268 AW807260 AW807266 AW807198
			AW807346 AW807315 BE140940 AW807351 AW807122 AW807235 AW807076 AW807314 AW807213 AW807143 AW807131
			AW800079 AW807066 AW807077 AW845923 AW807421 BE141619 BE140943 AW807420 AW807381 BE141621 AW845921
			BE141629 BE141625 BE141624 BE141636 BE141630 AW807405 AW807290 AW807353
55	454404	1170594_1	BE067414 BE067958 BE067419 BE067963 AW577127 AW601412
- •		1234106_1	BE160229 AW819879 AW820179 AW819882 AW819876 AW820169 BE153201 AW993736 BE152911
	455282	1273020_1	BE143867 AW935060 AW886684
	459159	919998_1	AI904646 BE179494 BE179421

TABLE 23B

Table 23B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 23. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

		•
	Pkey:	Unique number corresponding to an Eos probeset
10	Ref:	Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.
	Strand:	Indicates DNA strand from which exons were predicted.
	Nt_position:	Indicates nucleotide positions of predicted exons.
1.5		

15				
	Pkey	Ref	Strand	Nt_position
	400545	9800107	Minus	124618-124881
	400870	9838306	Minus	34081-35027
20	400973	7960452	Minus	98119-98253
	401093	8516137	Minus	22335-23166
	401590	9966320	Minus	33547-33649
	401665	7145001	Plus	121591-122537
	401810	7342191	Plus	129063-129476
25 ·	401840	7684597	Plus	56283-56439
	402054	8083691	Minus	8288-8806
	402195	7689778	Minus	147901-148884
	402583	7684486	Plus	94883-95003
	402690	8348058	Plus	13368-13998
30	402698	8570304	Minus	108641-108903
	402779	9588555	Minus	38173-39210
	403017	6693623	Plus	78630-79367
	403051	4827080	Minus	5269-5411
	403263	7770677	Plus	52431-52737
35	403433	9719611	Minus	72225-72437
	403593	6862650	Minus	62554-62712,69449-69602
	403612	8469060	Minus	94723-94859
	403921	7711590	Minus	3297-3536
	404368	7630956	Minus	102053-102199
40	404682	9797231	Minus	40977-41150
	404689	7534100	Plus	119461-119717
	405016	6524300	Plus	51997-53308
	405062	7657730	Plus	101283-101432
	406118	9143818	Plus	· 53997-54629
45	406344	9255974	Plus	20254-20374,20526-20659,20835-21097
	406563	7711604	Plus	34401-34538

TABLE 24:

Table 24 depicts Seq ID No., UnigeneID, UnigeneTitle, Pkey, Pred.Cell.Loc., and ExAccn
for all of the sequences in Table 25. The information in Table 24 is linked by Seq ID No. to Table 25.

10	Pkey: ExAccn: Unigene Unigene Pred.Ce	ID: Title: II.Loc.:	Exemplar Acce Unigene numbe Unigene gene t Predicted Cellu	itle Iar Localization		
15	Seq.ID.I		•	e Identification Number found in Table 25	D 1 O-D1	C 10 No
	Pkey	ExAccn	UnigenelD	Unigene Title	Pred.Cell.Loc.	Seq. ID. No.
20	407276 415539 400297 450375		B Hs.326736 1 Hs.72472	ESTs, Weakly similar to CP4Y_HUMAN CYTO Homo sapiens breast cancer antigen NY-BR BMP-R1B hypothetical protein DKFZp564O1278 a disintegrin and metalloproteinase doma dual specificity phosphatase 4	OC · ·	Seq ID 1 & 2 Seq ID 3 & 4 Seq ID 5 & 6 Seq ID 7 & 8 Seq ID 9 & 10 Seq ID 11 & 12
25	429170 424399 422505 449765	NM_001 Al90568	394Hs.2359	dual specificity phosphatase 4 dual specificity phosphatase 4 aldehyde dehydrogenase 9 family, member ESTs ESTs, Moderately similar to ALU8_HUMAN A N-acetyltransferase 1 (arylamine N-acety	nuclear cytoplasm	Seq ID 11 & 12 Seq ID 13 & 14 Seq ID 15 & 16 Seq ID 17 & 18 Seq ID 19 & 20
30	439840 410102	AW4492 AW2485	19 Hs.155223 11 Hs.105445 08 Hs.279727 06 Hs.136319	stanniocalcin 2 GDNF family receptor alpha 1 Homo sapiens cDNA FLJ14035 fis, clone HE ESTs		Seq ID 21 & 22 Seq ID 23 & 24 Seq ID 25 & 26 Seq ID 27 & 28
35	409079 442818 442082	R41823	Hs.79136 Hs.82065 I1 Hs.8739 Hs.7413 I5 Hs.283713	LIV-1 protein, estrogen regulated interleukin 6 signal transducer (gp130, hypothetical protein FLJ10879 ESTs ESTs, Weakly similar to S64054 hypotheti		Seq ID 29 & 30 Seq ID 31 & 32 Seq ID 33 & 34 Seq ID 35 & 36 Seq ID 37 & 38
40	416636 442117 433043	N32536 AW6649 W57554	Hs.25252 Hs.42645 64 Hs.128899 Hs.125019 Hs.200102	Homo sapiens cDNA FLJ13603 fis, clone PL solute carrier family 16 (monocarboxylic ESTs lymphoid nuclear protein (LAF-4) mRNA ATP-binding cassette transporter MRP8	-	Seq ID 39 & 40 Seq ID 41 & 42 Seq ID 43 & 44 Seq ID 45 & 46 Seq ID 47 & 48
45	452190 446733 452747 423242 417433	H26735 AA86336 BE15385 AL03940	Hs.91668 50 Hs.26040 55 Hs.61460 12 Hs.125783 66 Hs.82128	Homo saptens clone PP1498 unknown mRN/ ESTs, Weakly similar to fatty acid omega Ig superfamily receptor LNIR DEME-6 protein 5T4 oncofetal trophoblast glycoprotein		Seq ID 49 & 50 Seq ID 51 & 52 Seq ID 53 & 54 Seq ID 55 & 56 Seq ID 57 & 58 Seq ID 59 & 60
50	423961 439569	D13666 AW6021 BE06677	Hs.136348 66 Hs.222399 78 Hs.151678	Transmembrane protease, serine 3 osteoblast specific factor 2 (fasciclin CEGP1 protein UDP-N-acetyl-atpha-D-galactosamine:polyp NM_014112*:Homo sapiens trichorhinophala Phase 2 & 3 Exons	mitochodria nuclear	Seq ID 61 & 62 Seq ID 63 & 64 Seq ID 65 & 66 Seq ID 67 & 68 Seq ID 69 & 70
55	335824 424735 400289 427585	NA U31875 X07820 D31152	64 Hs.334806 Hs.272499 Hs.2258 Hs.179729	KIAA1238 protein ENSP00000249072*:DJ222E13.1 (N-TERMI) short-chain alcohol dehydrogenase family matrix metalloproteinase 10 (stromelysin collagen, type X, alpha 1 (Schmid metaph		Seq ID 71 & 72 Seq ID 73 & 74 Seq ID 75 & 76 Seq ID 77 & 78 Seq ID 79 & 80
60	429441 421155 420931 420813	AJ22417 H87879	786Hs.226213 '2 Hs.204096 Hs.102267 97 Hs.100431 Hs.99949 2 Hs.30504	cytochrome P450, 51 (lanosterol 14-alpha lipophilin B (uteroglobin family member) lysyl oxidase small inducible cytokine B subfamily (Cy prolactin-induced protein Homo sapiens mRNA; cDNA DKFZp434E082	extracellular nuclear	Seq ID 81 & 82 Seq ID 83 & 84 Seq ID 85 & 86 Seq ID 87 & 88 Seq ID 89 & 90 Seq ID 91 & 92

		X78592	Hs.99915	androgen receptor (dihydrotestosterone r	cytoplasm	Seq ID 93 & 94
	424905		7Hs.153704	NIMA (never in mitosis gene a)-related k	nuclear	Seq ID 95 & 96
	429859		0Hs.225952	protein tyrosine phosphatase, receptor t		Seq ID 97 & 98
_	446921	AB012113	Hs.16530	small inducible cytokine subfamily A (Cy	extracellular	Seq ID 99 & 100
5	445537	AJ245671	Hs.12844	EGF-like-domain, multiple 6		Seq ID 101 & 102
	428227	AA321649	Hs.2248	small inducible cytokine subfamily B (Cy	extracellular	Seq ID 103 & 104
	424001	W67883	Hs.137476	paternally expressed 10		Seq ID 105 & 106
	421727	Y13153	Hs.107318	kynurenine 3-monooxygenase (kynurenine 3	•	Seq ID 107 & 108
	452838	U65011	Hs.30743	preferentially expressed antigen in mela	nuclear	Seq ID 109 & 110
10	419667	AU077005	Hs.92208	a disintegrin and metalloproteinase doma		Seq ID 111 & 112
	414812	X72755	Hs.77367	monokine induced by gamma interferon	extracellular	Seq ID 113 & 114
	426320	W47595	Hs.169300	transforming growth factor, beta 2	extracellular	Seq ID 115 & 116
	422867	L32137	Hs.1584	cartilage oligomeric matrix protein (pse	extracellular	Seg ID 117 & 118
	411558	AA102670	Hs.70725	gamma-aminobutyric acid (GABA) A recepto		Seq ID 119 & 120
15	417866	AW067903	Hs.82772	collagen, type XI, alpha 1		Seq ID 121 & 122
	428398	AI249368	Hs.98558	ESTS		Seq ID 123 & 124
	431958	X63629	Hs.2877	cadherin 3, type 1, P-cadherin (placenta	plasma membrane	Sea ID 125 & 126
	428722	U76456	Hs.190787	tissue inhibitor of metalloproteinase 4		Seq ID 127 & 128
	412970	AB026436	Hs.177534	dual specificity phosphatase 10		Seq ID 129 & 130
20	421379	Y15221	Hs.103982	small inducible cytokine subfamily B (Cy	extracellular	Seg ID 131 & 132
	415752	BE314524	Hs.78776	putative transmembrane protein		Seq ID 133 & 134
	444051	N48373	Hs.10247	activated teucocyte cell adhesion molecu		Seq ID 135 & 136
	451110	AI955040	Hs.265398	ESTs, Weakly similar to transformation-r		Seq ID 137 & 138

TABLE 24A

Table 24A shows the accession numbers for those pkeys lacking unigeneID's for Table 24. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10 Pkey:

5

Unique Eos probeset identifier number

CAT number: Accession: Gene cluster number Genbank accession numbers

15 Pkey CAT number

Accession

335824 CH22_3197FG_619_11_LINK_E

325372 c12_hs

PCT/US02/02242 WO 02/059377

TABLE 24B

Table 24B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 24. For each predicted exon, we have listed the genomic 5 sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

Pkey: Ref: 10

Unique number corresponding to an Eos probeset

Sequence source. The 7 digit numbers in this column are Genbank identifier (GI) numbers. "Dunham I. et al." refers to the publication

entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.

Strand:

Indicates DNA strand from which exons were predicted. Indicates nucleotide positions of predicted exons.

Nt_position:

15

Pkey Ref Strand

Nt_position


404561 9795980 Minus 69039-70100

20

Table 25

Seq ID NO: 1 <u>DNA sequence</u> Nucleic Acid Accession #:

The 69 gene sequences identified to be overexpressed in breast cancer may be used to identify coding regions from the public DNA databases (ur and htgs in Genbank). The sequences may be used to either identify genes that encode known proteins, or they may be used to predict the coding regions from genomic DNA using exon prediction algorithms, such as FGENESH (Salamov and Solovyev, 2000, Genome Res. 10:516-522)



FGENESH predicted ORF

AGTGAGCAAA TTGTGGAATT TTTGCTGATA AAAAATGCAA ATGCGAATGC AGTTAATAAG 540
TATAAATGCA CAGCCCTCAT GCTTGCTGTA TGTCATGGAT CATCAGAGAT AGTTGGCATG 600
CTTCTTCAGC AAAATGTTGA CGTCTTTGCT GCAGAATATAT GTGGAGTAAC TGCAGAACAT 660
TATGCTGTTA CTTGTGGATT TCATCACATT CATGAACAAA TTATGGAATA TATACGAAAA 720 5 TTATCTAAAA ATCATCAAAA TACCAATCCA GAAGGAACAT CTGCAGGAAC ACCTGATGAG 780 GCTGCACCCT TGGCGGAAAG AACACCTGAC ACAGCTGAAA GCTTGGTGGA AAAAACACCT 840 GATGAGGCTG CACCCTTGGT GGAAAGAACA CCTGACACGG CTGAAAGCTT GGTGGAAAAA 900 ACACCTGATG AGGCTGCATC CTTGGTGGAG GGAACATCTG ACAAAATTCA ATGTTTGGAG 960 AAAGCGACAT CTGGAAAGTT CGAACAGTCA GCAGAAGAAA CACCTAGGGA AATTACGAGT 1020 CCTGCAAAAG AAACATCTGA GAAATTTACG TGGCCAGCAA AAGGAAGACC TAGGAAGATC 1080
GCATGGGAGA AAAAAGAAGA CACACCTAGG GAAATTATGA GTCCCGCAAA AGAAACATCT 1140
GAGAAATTTA CGTGGGCAGC AAAAGGAAGA CCTAGGAAGA TCGCATGGGA GAAAAAAGAA 1200
ACACCTGTAA AGACTGGATG CGTGGCAAGA GTAACATCTA ATAAAACTAA AGTTTTGGAA 1260 10 ACACCIGIAA AGACIGOATO COI GOCARDA GIAACATETA TATARACIA ATTITOCATA AGAAGAAGAAT CATCTACAAA AGCAAGTGCC 1320
AAAGGAATCAGA GGTTCCCATC AGAATCCAAA CAAGAAGAAT CATCTACAAA AGCAAGTGCC 1380
TCTCGGAGTC TCTTTGAGAG TTCTGCAAAG ATTCAAGTGT GTATACCTGA GTCTATATAT 1440
CAAAAAGTAA TGGAGATAAA TAGAGAAGTA GAAGAGCCTC CTAAGAAGCC ATCTGCCTTC 1500 15 CAAAAAGTAA TIGAGATAAA TAGAGAAGTA GAAGAGCCTC CTAAGAAGCC ATCTGCCTTC 1500
AAGCCTGCCA TTGAAATGCA AAACTCTGTT CCAAATAAAG CCTTTGAATT GAAGAATGAA 1550
CAAACATTGA GAGCAGATCC GATGTTCCCA CCAGAATCCA AACCAAAAGGA CTATGAAGAA 1620
AATTCTTGGG ATTCTGAGAG TCTCTGTGAG ACTGTTTCAC AGAAGGATGT GTGTTTACCC 1680
AAGGCTACAC ATCAAAAAGA AATAGATAAA ATAAATGGAA AATTAGAAGA GTCTCCTAAT 1740
AAAGATGGTC TTCTGAAGGC TACCTGCGGA ATGAAAGTTT CTATTCCAAC TAAAGCCTTA 1800 20 GAATTGAAGG ACATGCAAAC TITCAAAGCG GAGCCTCCGG GGAAGCCATC TGCCTICGAG 1860 CCTGCCACTG AAATGCAAAA GTCTGTCCCA AATAAAGCCT TGGAATTGAA AAATGAACAA 1920
ACATGGAGAG CAGATGAGAT ACTCCCATCA GAATCCAAAC AAAAGGCTA TGAAGAAAAAT 1980
TCTTGGGATA CTGAGAGTCT CTGTGAGACT GTTTCACAGA AGGATGTGTG TTTACCCAAG 2040
GCTGCGCATC AAAAAGAAAT AGATAAAATA AATGGAAAAT TAGAAGGGTC TCCTGTTAAA 2100 25 GCTGCGCATE AAAAAGAAAT AGATAAAATA AATGGAAATT TAGAAGGTE TECTTTAGAA 2160
TTGATGGACA TGCAAACTTT CAAAGCAGAG CCTCCCGAGA AGCCATCAGC CTTCGAGCCT 2220
GCCATTGAAA TGCAAAACTC TGTTCCAAAT AAAGCCTTGG AATTGAAGAA TGAACAAACA 2280
TTGAGAGCAG ATGAGATACT CCCATCAGAA TCCAAACAAA AGGACTATGA AGAAAGTTCT 2340 30 TIGGATTCTIG AGAGTCTCTG TGAGACTGTT TCACAGAAGA AGGACTATIGA AGAAAGTCT 2540
ACACATCAAA AAGAAATAGA TAAAATAAAT GGAAAATTAG AAGAGTCTCC TGATAATGAT 2440
GGTTTTCTGA AGGCTCCCTG CAGAATGAAA GTTTCTATTC CAACTAAAGC CTTAGAATTG 2520
ATGGACATGC AAACTTTCAA AGCAGAGCCT CCCGAGAAGC CATCTGCCTT CGAGCCTGCC 2580 35 ATTGAAATGC AAAAGTCTGT TCCAAATAAA GCCTTGGAAT TGAAGAATGA ACAAACATTG 2640 AGAGCAGATC AGATGTTCCC TTCAGAATCA AAACAAAAGA AGGTTGAAGA AAATTCTTGG 2700
GATTCTGAGA GTCTCCCTGA GACTGTTTCA CAGAAGGATG TGTGTGTACC CAAGGCTACA 2760
CATCAAAAAG AAATGGATAA AATAAGTGGA AAATTAGAAG ATTCAACTAG CCTATCAAAA 2820
ATCTTGGATA CAGTTCATTC TTGTGAAAGA GCAAGGGGAAC TTCAAAAAGA TCACTGTGAA 2880 40 CAACGTACAG GAAAAATGGA ACAAATGAAA AAGAAGTTTT GTGTACTGAA AAAGAAACTG 2940 TCAGAAGCAA AAGAAATAAA ATCACAGTTA GAGAACCAAA AAGTTAAATG GGAACAAGAG 3000 CTCTGCAGTG TGAGATTGAC TTTAAACCAA GAAGAAGAA AGAGAAGAAA TGCCGATATA 3060 TTAAATGAAA AAATTAGGGA AGAATTAGGA AGAATCGAAG AGCAGCATAG GAAAGAGTTA 3120 45 GAAGTGAAAC AACAACTTGA ACAGGCTCTC AGAATACAAG ATATAGAATT GAAGAGTGTA 3180 GAAAGTAAATT TGAATCAGGT TTCTCACACT CATGAAAATG AAAATTATCT CTTACATGAA 3240
AATTGCATGT TGAAAAAGGA AATTGCCATG CTAAAACTGG AAATAGCCAC ACTGAAACAC 3300
CAATACCAGG AAAAGGAAAA TAAATACTTT GAGGACATTA AGATTTTAAA AGAAAAGAAT 3360
GCTGAACTTC AGATGACCCT AAAACTGAAA GAGGAATCAT TAACTAAAAG GGCATCTCAA 3420 50 TATAGTGGGC AGCTTAAAGT TCTGATAGCT GAGAACACAA TGCTCACTTC TAAATTGAAG 3480 GAAAAACAAG ACAAAGAAAT ACTAGAGGCA GAAATTGAAT CACACCATCC TAGACTGGCT 3540
TCTGCTGTAC AAGACCATGA TCAAAATTGTG ACATCAAGAA AAAGTCAAGA ACCTGCTTTC 3600
CACATTGCAG GAGATGCTTG TTTGCAAAGA AAAATGAATG TTGATGTGAG TAGTACGATA 3660
TATAACAATG AGGTGCTCCA TCAACCACTT TCTGAAGCTC AAAGGAAATC CAAAAGCCTA 3720 AAAATTAATC TCAATTATGC AGGAGATGCT CTAAGAGAAA ATACATTGGT TTCAGAACAT 3780
GCACAAAGAG ACCAACGTGA AACACAGTGT CAAATGAAGG AAGCTGAACAC CATGTATCAA 3840
AACGAACAAG ATAATGTGAA CAAACACACT GAACAGCAGG AGTCTCTAGA TCAGAAATTA 3900
TTTCAACTAC AAAGCAAAAA TATGTGGCTT CAACAGCAAT TAGTTCATGC ACATAAGAAA 3960 55 TITCAACTAC AAAGCAAAAA TATGTGGCTT CAACAGCAAT TAGTTCATGC ACATAAGAAA 3960
GCTGACAACA AAAGCAACAAA TATGTGGCTT CAACAGCAAT TAGTTCATGCA ACATAAGAAA 3960
CATCTCCTAA AAGGAAAAAA TAGAGGAGATA TITAATTACA ATAACCATTT AAAAAACCGT 4080
ATATATCAAT ATGAAAAAGA GAAAGCAGAA ACAGAAAACT CATGAGAGAC AAGCAGTAAG 4140
AAACTTCTTT TGGAGAAACA ACAGACCAGA TCTTTACTCA CAACTCATGC TAGGAGGCCA 4200
GTCCTAGCAT CACCTTATGT TGAAAATCTT ACCAATAGTC TGTGTCAACA GAATACTTAT 4260
TITAGAAGAA AAATTCATGA TITCTTCCTG AAGCCTACAG ACATAAAATA ACAGTGTGAA 4320
GAATTACTTG TTCACGAATT GCATAAAGCT GCACAGGATT CCCATCTACC CTGATGATGC 4380
AGCAGACATC ATTCAATCCA ACCAGAATCT CGCTCTGCAC TCCAGCCTAG GTGACAGAGT 4440
AAGACTCACC CTGGAAA 60 65 GAGACTCCAC CTCGGAAA

70 Seq ID NO: 4 Protein sequence:
Protein Accession #: NP_443723.1

11 21 31 41 51

⁷⁵ MTKRKKTINL NIQDAQKRTA LHWACVNGHE EVVTFLVDRK CQLDVLDGEH RTPLMKALQC 60 HQEACANILI DSGADINLVD VYGNMALHYA VYSEILSVVA KLLSHGAVIE VHNKASLTPL 120 LLSITKRSEQ IVEFLLIKNA NANAVNKYKC TALMLAVCHG SSEIVGMLLQ QNVDVFAADI 180

CGVTAEHYAV TCGFHHIHEQ IMEYIRKLSK NHQNTNPEGT SAGTPDEAAP LAERTPDTAE 240 SLVEKTPDEA APLVERTPDT AESLVEKTPD EAASLVEGTS DKIQCLEKAT SGKFEQSAEE 300 TPREITSPAK ETSEKFTWPA KGRPRKIAWE KKEDTPREIM SPAKETSEKF TWAAKGRPRK 360 IAWEKKETPV KTGCVARVTS NKTKVLEKGR SKMIACPTKE STRAESANDQ RFPSESKQEE 420
DEEYSCDSRS LFESSAKIQV CIPESIYQKV MEINREVEEP PKKPSAFKPA IEMQNSVPNK 480
AFELKNEQTL RADPMFPPES KQKDYEENSW DSESLCETVS QKDVCLPKAT HQKEIDKING 540
KLEESPNKDG LLKATCGMKV SIPTKALELK DMQTFKAEPP GKPSAFEPAT EMQKSVPNKA 600 5 LELKNEQTWR ADEILPSESK QKDYEENSWD TESLCETVSQ KDVCLPKAAH QKEIDKINGK 660
LEGSPVKDGL LKANCGMKVS IPTKALELMD MQTFKAEPPE KPSAFEPAIE MQKSVYPNKAL 720
ELKNEQTLRA DEILPSESKQ KDYEESSWDS ESLCETVSQK DVCLPKATHQ KEIDKINGKL 780
EESPDNDGFL KAPCRMKVSI PTKALELMDM QTFKAEPPEK PSAFEPAIEM QKSVPNKALE 840
LKNEQTLRAD QMFPSESKQK KVEENSWDSE SLRETVSQKD VCVPKATHQK EMDKISGKLE 900 10 DSTSLSKILD TYHSCERARE LOKDHCEORT GKMEOMKKKF CVLKKKLSEA KEIKSOLENO 960 KVKWEOELCS VRLTLNOEEE KRRNADILNE KIREELGRIE EQHRKELEVK QQLEQALRIQ 1020 DIELKSVESN LNQVSHTHEN ENYLLHENCM LKKEIAMLKL EIATLKHQYQ EKENKYFEDI 1080 15 KILKEKNAEL OMTLKLKEES LTKRASQYSG QLKVLIAENT MLTSKLKEKQ DKEILEAEIE 1140 SHIPPLASAV QDHDQIVTSR KSQEPAFHIA GDACLQRKMN VDVSSTIYNN EVLHQPLSEA 1200 QRKSKSLKIN LNYAGDALRE NTLVSEHAQR DQRETQCOMK BAEHMYQNEQ DNYNKHTEQQ 1260 ESLDQKLFQL QSKNMWLQQQ LVHAHKKADN KSKITIDIHF LERKMQHHLL KEKNEEIFNY 1320 NNHLKNRIYQ YEKEKAETEN S 20 Seq ID NO: 5 DNA sequence Nucleic Acid Accession #: none found 273-1785 (underlined sequences correspond to start and stop codons) Coding sequence: 25 51 31 41 CGCGGGGCGC GGAGTCGGCG GGGCCTCGCG GGACGCGGGC AGTGCGGAGA CCGCGGCGCT 60 30 GAGGACGCGG GAGCCGGGAG CGCACGCGCG GGGTGGAGTT CAGCCTACTC TTTCTTAGAT 120 GTGAAAGGAA AGGAAGATCA TTTCATGCCT TGTTGATAAA GGTTCAGACT TCTGCTGATT 180 CATAACCATT TGGCTCTGAG CTATGACAAG AGAGGAAACA AAAAGTTAAA CTTACAAGCC 240 TGCCATAAGT GAGAAGCAAA CTTCCTTGAT AACATGCTTT TGCGAAGTGC AGGAAAATTA 300 AATGTGGGCA CCAAGAAAGA GGATGGTGAG AGTACAGCCC CCACCCCCG TCCAAAGGTC 360 35 TTGCGTTGTA AATGCCACCA CCATTGTCCA GAAGACTCAG TCAACAATAT TTGCAGCACA 420 GACGGATATT GTTTCACGAT GATAGAAGAG GATGACTCTG GGTTGCCTGT GGTCACTTCT 480
GGTTGCCTAG GACTAGAAGG CTCAGATTTT CAGTGTCGGG ACACTCCCAT TCCTCATCAA 540
AGAAGATCAA TTGAATGCTG CACAGAAAGG AACGAATGTA ATAAAGACCT ACACCCTACA 600 AGAAGAI CAA TIGAATIC IG CACAGAAAGG AACGATITA TI AAAGACCT ACACCACCTIACA 800 CTGCCTCCAT TGAAAAACAG AGATTTTGTT GATGGACCTA TACACCACAG GGCTTTACTT 660 ATATCTGTGA CTGCTCTGTAG TTTGCTCTTG GTCCTTATCA TATTATTTTG TTACTTCCGG 720 TATAAAAAGAC AAGAAACCAG ACCTCGATAC AGCATTGGGT TAGAACAGGA TGAAACTTAC 780 ATTCCTCCTG GAGAATCCCT GAGAGACTTA ATTGAGCAGT CTCAGAGCTC AGGAAGTGGA 840 40 TCAGGCCTCC CTCTGCTGGT CCAAAGGACT ATAGCTAAGC AGATTCAGAT GGTGAAACAG 900 ATTGGAAAAG GTCGCTATGG GGAAGTTTGG ATGGGAAAGT GGCGTGGCGA AAAGGTAGCT 960 45 GTGAAAGTGT TCTTCACCAC AGAGGAAGCC AGCTGGTTCA GAGAGACAGA AATATATCAG 1020 ACAGTGTTGA TGAGGCATGA AAACATTTTG GGTTTCATTG CTGCAGATAT CAAAGGGACA 1080 GGGTCCTGGA CCCAGTTGTA CCTAATCACA GACTATCATG AAAATGGTTC CCTTTATGAT 1140 TATCTGAAGT CCACCACCCT AGACGCTAAA TCAATGCTGA AGTTAGCCTA CTCTTCTGTC 1200 AGTGGCTTAT GTCATTTACA CACAGAAATC TITAGTACTC AAGGCAAACC AGCAATTGCC 1260 50 CATCGAGATC TGAAAAGTAA AAACATTCTG GTGAAGAAAA ATGGAACTTG CTGTATTGCT 1320 GACCTGGGCC TGGCTGTTAA ATTTATTAGT GATACAAATG AAGTTGACAT ACCACCTAAC 1380 ACTCGAGTTG GCACCAAACG CTATATGCCT CCAGAAGTGT TGGACGAGAG CTTGAACAGA 1440 ACTORATIC GENECARACG CIAININGCT CAGAAGTTI TOGACCARA CTIAININGCT CAGAAGTTI TOGACCARA CTIAININGCT CAGAAGTTI TOGACCARA CTIAININGCT CAGAAGTTI TOGACCARA CTIAININGCT CAGAAGTTA CTIAININGCT CTIA 55 ATGACAGAAT GCTGGGCTCA CAATCCTGCA TCAAGGCTGA CAGCCCTGCG GGTTAAGAAA 1740
ACACTTGCCA AAATGTCAGA GTCCCAGGAC ATTAAACTCT GATAGGAGAG GAAAAGTAAG 1800
CATCTCTGCA GAAAGCCAAC AGGTACTCTT CTGTTTGTGG GCAGAGCAAA AGACATCAAA 1860
TAAGCATCCA CAGTACAAGC CTTGAACATC GTCCTGCTTC CCAGTGGGTT CAGACCTCAC 1920
CTTTCAGGGA GCGACCTGGG CAAAGACAGA GAAGCTCCCA GAAGGAAGA TTGATCCGTG 1980 60 TCTGTTTGTA GGCGGAGAAA CCGTTGGGTA ACTTGTTCAA GATATGATGC AT 65 Seq ID NO: 6 Protein sequence: Protein Accession #: none found 21 11 31 41 51 70

MILRSAGKLN VGTKKEDGES TAPTPRPKVL RCKCHHHCPE DSVNNICSTD GYCFTMIEED 60
DSGLPVVTSG CLGLEGSDFQ CRDTPIPHQR RSIECCTERN ECNKDLHPTL PPLKNRDFVD 120
GPIHHRALLI SVTVCSLLLV LIILFCVFRY KRQETRPRYS IGLEQDETYI PPGESLRDLI 180
EQSQSSGSG GLPLLVQRTI AKQIQWVQI GKGRYGEVWM GKWRGEKVAV KVFFTTEEAS 240
WFRETEIYQT VLMRHENILG FIAADIKGTG SWTQLVLITD YHENGSLYDY LKSTTLDAKS 300
MIKLAYSSVS GLCHLHTEIF STQGKPAIAH RDLKSKNILV KKNGTCCIAD LGLAVKFISD 360
TNEVDIPPNT RVGTKRYMPP EVLDESLNRN HFQSYIMADM YSFGLILWEV ARRCVSGGIV 420

EEYQLPYHDL VPSDPSYEDM REIVCIKKLR PSPPNRWSSD ECLRQMGKLM TECWAHNPAS 480 RLTALRVKKT LAKMSESQDI KL

Seq ID NO: 7 DNA sequence

75

Nucleic Acid Accession #: none found Coding sequence: 482-3007(underlined sequences correspond to start and stop codons) 11 21 31 41 51 10 AACTGAGCTA ACAAGAAATA CTAGAAAAGG AGGAAGGAGA ACATTGCTGC AGCTTGGATC 60 TACAACCTAA GAAAGCAAGA GTGATCAATC TCAGCTCTGT TAAACATCTT GTTTACTTAC 120 TGCATTCAGC AGCTTGCAAA TGGTTAACTA TATGCAAAAA AGTCAGCATA GCTGTGAAGT 180 ATGCCGTGAA TTTTAATTGA GGGAAAAAGG GACAATTGCT TCAGGATGCT CTAGTATGCA 240 CTCTGCTTGA AATATTTTCA ATGAAATGCT CAGTATTCTA TCTTTGACCA GAGGTTTTAA 300 15 CTTTATGAAG CTATGGGACT TGACAAAAG TGATATTTGA GAAGAAAGTA CGCAGTGGTT 360 GGTGTTTTCT TTTTTTTAAT AAAGGAATTG AATTACTTTG AACACCTCTT CCAGCTGTGC 420 ATTACAGATA ACGTCAGGAA GAGTCTCTGC TTTACAGAAT CGGATTTCAT CACATGACAA 480 CATGAAGCTG TGGATTCATC TCTTTTATTC ATCTCTCCTT GCCTGTATAT CTTTACACTC 540 20 CCAAACTCCA GTGCTCTCAT CCAGAGGCTC TTGTGATTCT CTTTGCAATT GTGAGGAAAA 600 AGATGGCACA ATGCTAATAA ATTGTGAAGC AAAAGGTATC AAGATGGTAT CTGAAATAAG 660 TGTGCCACCA TCACGACCTT TCCAACTAAG CTTATTAAAT AACGGCTTGA CGATGCTTCA 720 CACAAATGAC TTTTCTGGGC TTACCAATGC TATTTCAATA CACCTTGGAT TTAACAATAT 780 TGCAGATATT GAGATAGGTG CATTTAATGG CCTTGGCCTC CTGAAACAAC TTCATATCAA 840 25 TCACAATTCT TTAGAAATTC TTAAAGAGGA TACTTTCCAT GGACTGGAAA ACCTGGAATT 900 CCTGCAAGCA GATAACAATT TTATCACAGT GATTGAACCA AGTGCCTTTA GCAAGCTCAA 960 CAGACTCAAA GTGTTAATTT TAAATGACAA TGCTATTGAG AGTCTTCCTC CAAACATCTT 1020 CCGATTTGTT CCTTTAACCC ATCTAGATCT TCGTGGAAAT CAATTACAAA CATTGCCTTA 1080 TGTTGGTTTT CTCGAACACA TTGGCCGAAT ATTGGATCTT CAGTTGGAGG ACAACAAATG 1140 30 GGCCTGCAAT TGTGACTTAT TGCAGTTAAA AACTTGGTTG GAGAACATGC CTCCACAGTC 1200 TATAATTGGT GATGTTGTCT GCAACAGCCC TCCATTTTTT AAAGGAAGTA TACTCAGTAG 1260 ACTAAAGAAG GAATCTATTT GCCCTACTCC ACCAGTGTAT GAAGAACATG AGGATCCTTC 1320 AGGATCATTA CATCTGGCAG CAACATCTTC AATAAATGAT AGTCGCATGT CAACTAAGAC 1380 CACGTCCATT CTAAAACTAC CCACCAAAGC ACCAGGTTTG ATACCTTATA TTACAAAGCC 1440 35 ATCCACTCAA CTTCCAGGAC CTTACTGCCC TATTCCTTGT AACTGCAAAG TCCTATCCCC 1500 ATCAGGACTT CTAATACATT GTCAGGAGCG CAACATTGAA AGCTTATCAG ATCTGAGACC 1560 TCCTCCGCAA AATCCTAGAA AGCTCATTCT AGCGGGAAAT ATTATTCACA GTTTAATGAA 1620 GTCTGATCTA GTGGAATATT TCACTTTGGA AATGCTTCAC TTGGGAAACA ATCGTATTGA 1680 AGTTCTTGAA GAAGGATCGT TTATGAACCT AACGAGATTA CAAAAACTCT ATCTAAATGG 1740 40 TAACCACCTG ACCAAATTAA GTAAAGGCAT GTTCCTTGGT CTCCATAATC TTGAATACTT 1800 ATATCTTGAA TACAATGCCA TTAAGGAAAT ACTGCCAGGA ACCTTTAATC CAATGCCTAA 1860 ACTTAAAGTC CTGTATTTAA ATAACAACCT CCTCCAAGTT TTACCACCAC ATATTTTTTC 1920 AGGGGTTCCT CTAACTAAGG TAAATCTTAA AACAAACCAG TTTACCCATC TACCTGTAAG 1980 TAATATTTTG GATGATCTTG ATTTACTAAC CCAGATTGAC CTTGAGGATA ACCCCTGGGA 2040 45 CTGCTCCTGT GACCTGGTTG GACTGCAGCA ATGGATACAA AAGTTAAGCA AGAACACAGT 2100 GACAGATGAC ATCCTCTGCA CTTCCCCCGG GCATCTCGAC AAAAAGGAAT TGAAAGCCCT 2160 AAATAGTGAA ATTCTCTGTC CAGGTTTAGT AAATAACCCA TCCATGCCAA CACAGACTAG 2220 TTACCTTATG GTCACCACTC CTGCAACAAC AACAAATACG GCTGATACTA TTTTACGATC 2280 TCTTACGGAC GCTGTGCCAC TGTCTGTTCT AATATTGGGA CTTCTGATTA TGTTCATCAC 2340
TATTGTTTTC TGTGCTGCAG GGATAGTGGT TCTTGTTCTT CACCGCAGGA GAAGATACAA 2400
AAAGAAACAA GTAGATGAGC AAATGAGAGA CAACAGTCCT GTGCATCTTC AGTACAGCAT 2460 50 GTATGGCCAT AAAACCACTC ATCACACTAC TGAAAGACCC TCTGCCTCAC TCTATGAACA 2520 GCACATGGTG AGCCCCATGG TTCATGTCTA TAGAAGTCCA TCCTTTGGTC CAAAGCATCT 2580 GGAAGAGGAA GAAGAGAGA ATGAGAAAGA AGGAAGTGAT GCAAAACATC TCCAAAGAAG 2640 TCTTTTGGAA CAGGAAAATC ATTCACCACT CACAGGGTCA AATATGAAAT ACAAAACCAC 2700 GAACCAATCA ACAGAATTTT TATCCTTCCA AGATGCCAGC TCATTGTACA GAAACATTTT 2760 55 -AGAAAAAGAA AGGGAACTTC AGCAACTGGG AATCACAGAA TACCTAAGGA AAAACATTGC 2820 TCAGCTCCAG CCTGATATGG AGGCACATTA TCCTGGAGCC CACGAAGAGC TGAAGTTAAT 2880 GGAAACATTA ATGTACTCAC GTCCAAGGAA GGTATTAGTG GAACAGACAA AAAATGAGTA 2940 TTTTGAACTT AAAGCTAATT TACATGCTGA ACCTGACTAT TTAGAAGTCC TGGAGCAGCA 3000 60 AACATAGATG GAGAGTTTGA GGGCTTTCGC AGAAATGCTG TGATTCTGTT TTAAGTCCAT 3060 ACCTTGTAAA TAAGTGCCTT ACGTGAGTGT GTCATCAATC AGAACCTAAG CACAGCAGTA 3120 AACTATGGGG AAAAAAAAG AAGAAGAAAA GAAACTCAGG GATCACTGGG AGAAGCCATG 3180 GCATTATCTT CAGGCAATTT AGTCTGTCCC AAATAAAATC AATCCTTGCA TGTAAATC 65 Seq ID NO: 8 Protein sequence: Protein Accession #: none found 70 51 MKLWIHLFYS SLLACISLHS QTPVLSSRGS CDSLCNCEEK DGTMLINCEA KGIKMVSEIS 60
VPPSRPFQLS LLNNGLTMLH TNDFSGLTNA ISIHLGFNNI ADIEIGAFNG LGLLKQLHIN 120 HNSLEILKED TFHGLENLEF LQADNNFITV IEPSAFSKLN RLKVLILNDN AIESLPPNIF 180 RFVPLTHLDL RGNQLQTLPY VGFLEHIGRI LDLQLEDNKW ACNODLLQLK TWLENMPPQS 240
IIGDVVCNSP PFFKGSILSR LKKESICPTP PVYEEHEDPS GSLHLAATSS INDSRMSTKT 300
TSILKLPTKA PGLIPYITKP STQLPGPYCP IPCNCKVLSP SGLLIHCQER NIESLSDLRP 360

PPQNPRKLIL AGNIHSLMK SDLVEYFTLE MLHLGNNRIE VLEEGSFMNL TRLQKLYLNG 420
NHLTKLSKGM FLGLHNLEYL YLEYNAIKEI LPGTFNPMPK LKVLYLNNNL LQVLPPHIFS 480
GVPLTKVNIK TNQFTHLPVS NILDDLDLLT QIDLEDNPWD CSCDLVGLQQ WIQKLSKNTV 540
TDDILCTSPG HLDKKELKAL NSEILCPGLV NNPSMPTQTS YLMVTTPATT INTADTILRS 600
LTDAVPLSVL ILGLIMFIT IVFCAAGIVV LVLHRRRRYK KKQVDEQMRD NSPVHLQYSM 660
YGHKTTHHTT ERPSASLYEQ HMVSPMVHVY RSPSFGPKHL EEEEERNEKE GSDAKHLQRS 720
LLEQENHSPL TGSNMKYKTT NQSTEFLSFQ DASSLYRNIL EKERELQQLG ITEYLRKNIA 780
QLQPDMEAHY PGAHEELKLM ETLMYSRPRK VLVEQTKNEY FELKANLHAE PDYLEVLEQQ 840

Seq ID NO: 9 DNA sequence Nucleic Acid Accession #: NM_003474

5

10

Coding sequence: 307-3036 (underlined sequences correspond to start and stop codons)

15 41 31 CACTAACGCT CTTCCTAGTC CCCGGGCCAA CTCGGACAGT TTGCTCATTT ATTGCAACGG 60 TCAAGGCTGG CTTGTGCCAG AACGGCGCGC GCGCGACGCA CGCACACAC CGGGGGGAAA 120 CTTTTTTAAA AATGAAAGGC TAGAAGAGCT CAGCGGCGGC GCGGGCCGTG CGCGAGGGCT 180 20 CCGGAGCTGA CTCGCCGAGG CAGGAAATCC CTCCGGTCGC GACGCCCGGC CCCGCTCGGC 240 GCCCGCGTGG GATGGTGCAG CGCTCGCCGC CGGGCCCGAG AGCTGCTGCA CTGAAGGCCG 300 GCGACGATGG CAGCGCCCC GCTGCCCGTG TCCCCCGCCC GCGCCCTCCT GCTCGCCCCTG 360 GCCGGTGCTC TGCTCGCGCC CTGCGAGGCC CGAGGGGTGA GCTTATGGAA CGAAGGAAGA 420 GCTGATGAAG TTGTCAGTGC CTCTGTTCGG AGTGGGGACC TCTGGATCCC AGTGAAGAGC 480 25 TTCGACTCCA AGAATCATCC AGAAGTGCTG AATATTCGAC TACAACGGGA AAGCAAAGAA 540 CTGATCATAA ATCTGGAAAG AAATGAAGGT CTCATTGCCA GCAGTTTCAC GGAAACCCAC 600 TATCTGCAAG ACGGTACTGA TGTCTCCCTC GCTCGAAATT ACACGGTAAT TCTGGGTCAC 660
TGTTACTACC ATGGACATGT ACGGGGATAT TCTGATTCAG CAGTCAGTCT CAGCACGTGT 720
TCTGGTCTCA GGGGACTTAT TGTGTTTGAA AATGAAAGCT ATGTCTTAGA ACCAATGAAA 780 30 AGTGCAACCA ACAGATACAA ACTCTTCCCA GCGAAGAAGC TGAAAAGCGT CCGGGGATCA 840 TGTGGATCAC ATCACAACAC ACCAAACCTC GCTGCAAAGA ATGTGTTTCC ACCACCCTCT 900 CAGACATGGG CAAGAAGGCA TAAAAGAGAG ACCCTCAAGG CAACTAAGTA TGTGGAGCTG 960 GTGATCGTGG CAGACAACCG AGAGTTTCAG AGGCAAGGAA AAGATCTGGA AAAAGTTAAG 1020 35 CAGCGATTAA TAGAGATTGC TAATCACGTT GACAAGTTTT ACAGACCACT GAACATTCGG 1080 ATCGTGTTGG TAGGCGTGGA AGTGTGGAAT GACATGGACA AATGCTCTGT AAGTCAGGAC 1140 CCATTCACCA GCCTCCATGA ATTTCTGGAC TGGAGGAAGA TGAAGCTTCT ACCTCGCAAA 1200 TCCCATGACA ATGCGCAGCT TGTCAGTGGG GTTTATTTCC AAGGGACCAC CATCGGCATG 1260 GCCCCAATCA TGAGCATGTG CACGGCAGAC CAGTCTGGGG GAATTGTCAT GGACCATTCA 1320 40 GACAATCCCC TTGGTGCAGC CGTGACCCTG GCACATGAGC TGGGCCACAA TTTCGGGATG 1380 AATCATGACA CACTGGACAG GGGCTGTAGC TGTCAAATGG CGGTTGAGAA AGGAGGCTGC 1440 ATCATGAACG CTTCCACCGG GTACCCATTT CCCATGGTGT TCAGCAGTTG CAGCAGGAAG 1500 GACTTGGAGA CCAGCCTGGA GAAAGGAATG GGGGTGTGCC TGTTTAACCT GCCGGAAGTC 1560 AGGGAGTCTT TCGGGGGCCA GAAGTGTGGG AACAGATTTG TGGAAGAAGG AGAGGAGTGT 1620 AGCCGGACG CTGTGTGCGC ACTGTGCTGC ATGCCACCAC CTGTACCCTG 1680
AGCCGGACG CTGTGTGCGC ACTGGGCTG TGCTGCAG ATGCCACCAC CTGTACCCTG 1680
AGCCGGACG CTGTGTGCGC ACATGGGCTG TGCTGTGAG ACTGCCAGCT GAAGCCTGCA 1740
GGAACAGCGT GCAGGGACTC CAGCAACTCC TGTGACCTCC CAGAGTTCTG CACAGGGGCC 1800
AGCCCTCACT GCCCAGCCAA CGTGTACCTG CACGATGGGC ACTCATGTCA GGATGTGGAC 1860 45 AGCCTACTI GCCAACGACAA COTGTACCTA CACGATGAGA ACTACTACA GATTATACA GATTATAGAA 1800
GGCTACTGCT ACAATGGCAT CTGCCAGACT CACGAGCAGC AGTGTGTCAC ACTCTGGGGA 1920
CCAGGTGCTA AACCTGCCCC TGGGATCTGC TTTGAGAGAG TCAATTCTGC AGGTGATCCT 1980
TATGGCAACT GTGGCAAAGT CTCGAAGAGT TCCTTTGCCA AATGCGAGAT GAGAGATGCT 2040
AAATGTGGAA AAATCCAGTG TCAAGGAGGT GCCAGCCGGC CAGTCATTGG TACCAATGCC 2100 50 GTTTCCATAG AAACAACAT CCCCCTGCAG CAAGGAGGCC GGATTCTGTG CCGGGGGACC 2160
CACGTGTACT TGGGCGATGA CATGCCGGAC CCAGGGCTTG TGCTTGCAGG CACAAAGTGT 2220 55 GCAGATGGAA AAATCTGCCT GAATCGTCAA TGTCAAAATA TTAGTGTCTT TGGGGTTCAC 2280 GAGTGTGCAA TGCAGTGCCA CGGCAGAGGG GTGTGCAACA ACAGGAAGAA CTGCCACTGC 2340 GAGGCCCACT GGGCACCTCC CTTCTGTGAC AAGTTTGGCT TTGGAGGAAG CACAGACAGC 2400 GGCCCCATCC GGCAAGCAGA TAACCAAGGT TTAACCATAG GAATTCTGGT GACCATCCTG 2460 TGTCTTCTTG CTGCCGGATT TGTGGTTTAT CTCAAAAGGA AGACCTTGAT ACGACTGCTG 2520
TTTACAAATA AGAAGACCAC CATTGAAAAA CTAAGGTGTG TGCGCCCTTC CCGGCCACCC 2580
CGTGGCTTCC AACCCTGTCA GGCTCACCTC GGCCACCTTG GAAAAGGCCT GATGAGGAAG 2640 60 CCGCCAGATT CCTACCCACC GAAGGACAT CCCAGGAGAT TGCTGCAGTG TCAGAATGTT 2700
GACATCAGCA GACCCCTCAA CGGCCTGAAT GTCCTCCAGC CCCAGTCAAC TCAGCGAGTG 2760
CTTCCTCCCC TCCACCGGGC CCCACGTGCA CCTAGCGTCC CTGCCAGACC CCTGCCAGCC 2820
AAGCCTGCAC TTAGGCAGGC CCAGGGGACC TGTAAGCCAA ACCCCCCTCA GAAGCCTCTG 2880
CCTGCAGATC CTCTGGCCAG AACAACTCCG CTCACTCATG CCTTGCCAG GACCCCAGGA 2940 65 CAATGGGAGA CTGGGCTCCG CCTGGCACCC CTCAGACCTG CTCCACAATA TCCACACCAA 3000
GTGCCCAGAT CCACCCACAC CGCCTATATT AAGTGAGAAG CCGACACCTT TTTTCAACAG 3060
TGAAGACAGA AGTTTGCACT ATCTTTCAGC TCCAGTTGGA GTTTTTTGTA CCAACTTTTA 3120
GGATTTTTTT TAATGTTTAA AACATCATTA CTATAAGAAC TTTGAGCTAC TGCCGTCAGT 3180 70 GCTGTGCTGT GCTATGGTGC TCTGTCTACT TGCACAGGTA CTTGTAAATT ATTAATTTAT 3240 GCAGAATGTT GATTACAGTG CAGTGCGCTG TAGTAGGCAT TTTTACCATC ACTGAGTTTT 3300 CCATGGCAGG AAGGCTTGTT GTGCTTTTAG TATTTTAGTG AACTTGAAAT ATCCTGCTTG 3360 ATGGGATTCT GGACAGGATG TGTTTGCTTT CTGATCAAGG CCTTATTGGA AAGCAGTCCC 3420 75 CCAACTACCC CCAGCTGTGC TTATGGTACC AGATGCAGCT CAAGAGATCC CAAGTAGAAT 3480 CTCAGTTGAT TTTCTGGATT CCCCATCTCA GGCCAGAGCC AAGGGGCTTC AGGTCCAGGC 3540 TGTGTTTGGC TTTCAGGGAG GCCCTGTGCC CCTTGACAAC TGGCAGGCAG GCTCCCAGGG 3600

ACACCTGGGA GAAATCTGGC TTCTGGCCAG GAAGCTTTGG TGAGAACCTG GGTTGCAGAC 3660 AGGAATCTTA AGGTGTAGCC ACACCAGGAT AGAGACTGGA ACACTAGACA AGCCAGAACT 3720
TGACCCTGAG CTGACCAGCC GTGAGCATGT TTGGAAGGGG TCTGTAGTGT CACTCAAGGC 3780
GGTGCTTGAT AGAAATGCCA AGCACTTCTT TTTCTCGCTG TCCTTTCTAG AGCACTGCCA 3840
CCAGTAGGTT ATTTAGCTTG GGAAAGGTGG TGTTTCTGTA AGAAACCTAC TGCCCAGGCA 3900
CTGCAAACCG CCACCTCCCT ATACTGCTTG GAGCTGAGCA AATCACCACA AACTGTAATA 3960 CAATGATCCT GTATTCAGAC AGATGAGGAC TTTCCATGGG ACCACAACTA TTTTCAGATG 4020 TGAACCATTA ACCAGATCTA GTCAATCAAG TCTGTTTACT GCAAGGTTCA ACTTATTAAC 4080 AATTAGGCAG ACTCTTTATG CTTGCAAAAA CTACAACCAA TGGAATGTGA TGTTCATGGG 4140 TATAGTTCAT GTCTGCTATC ATTATTCGTA GATATTGGAC AAAGAACCTT CTCTATGGGG 4200 10 CATCCTCTTT TTCCAACTTG GCTGCAGGAA TCTTTAAAAG ATGCTTTTAA CAGAGTCTGA 4260 ACCTATTTCT TAAACACTTG CAACCTACCT GTTGAGCATC ACAGAATGTG ATAAGGAAAT 4320 CAACTTGCTT ATCAACTTCC TAAATATTAT GAGATGTGGC TTGGGCAGCA TCCCCTTGAA 4380 CTCTTCACTC TTCAAATGCC TGACTAGGGA GCCATGTTTC ACAAGGTCTT TAAAGTGACT 4440 15 AATGGCATGA GAAATACAAA AATACTCAGA TAAGGTAAAA TGCCATGATG CCTCTGTCTT 4500 CTGGACTGGT TTCACATTA GAAGACAATT GACAACAGTT ACATAATTCA CTCTGAGTGT 4500
TTTATGAGAA AGCCTTCTTT TGGGGTCAAC AGTTTTCCTA TGCTTTGAAA CAGAAAAATA 4620
TGTACCAAGA ATCTTGGTTT GCCTTCCAGA AAACAAAACT GCATTTCACT TTCCCGGTGT 4680
TCCCCACTGT ATCTAGGCAA CATAGTATTC ATGACTATGG ATAAACTAAA CACGTGACAC 4740 20 AAACACACAC AAAAGGGAAC CCAGCTCTAA TACATTCCAA CTCGTATAGC ATGCATCTGT 4800 TTATTCTATA GTTATTAAGT TCTTTAAAAT GTAAAGCCAT GCTGGAAAAT AATACTGCTG 4860 AGATACATAC AGAATTACTG TAACTGATTA CACTTGGTAA TTGTACTAAA GCCAAACATA 4920 TATATACTAT TAAAAAGGTT TACAGAATTT TATGGTGCAT TACGTGGGCA TTGTCTTTTT 4980 AGATGCCCAA ATCCTTAGAT CTGGCATGTT AGCCCTTCCT CCAATTATAA GAGGATATGA 5040 25 ΑССΑΛΑΛΑΛΑ ΑΛΑΛΑΛΑΛΑΛΑ ΑΛ Seq ID NO: 10 Protein sequence:
NP_003465.2 30 31 41 MAARPLPVSP ARALLLALAG ALLAPCEARG VSLWNEGRAD EVVSASVRSG DLWIPVKSFD 60 SKNHPEVLNI RLQRESKELI INLERNEGLI ASSFTETHYL QDGTDVSLAR NYTVILGHCY 120 YHGHVRGYSD SAVSLSTCSG LRGLIVFENE SYVLEPMKSA TNRYKLFPAK KLKSVRGSCG 180 SHENTPNLAA KNVFPPPSQT WARRHKRETL KATKYVELVI VADNREFQRQ GKDLEKVKQR 240 LIEIANHVDK FYRPLNIRIV LVGVEVWNDM DKCSVSQDPF TSLHEFLDWR KMKLLPRKSH 300 35 DNAQLVSGVY FQGTTIGMAP IMSMCTADQS GGIVMDHSDN PLGAAVTLAH ELGHNFGMNH 360 DTLDRGCSCQ MAVEKGGCIM NASTGYPFPM VFSSCSRKDL ETSLEKGMGV CLFNLPEVRE 420 40 SFGGQKCGNR FVEEGEECDC GEPEECMNRC CNATTCTLKP DAVCAHGLCC EDCQLKPAGT 480
ACRDSSNSCD LPEFCTGASP HCPANVYLHD GHSCQDVDGY CYNGICQTHE QQCVTLWGPG 540
AKPAPGICFE RVNSAGDPYG NCGKVSKSSF AKCEMRDAKC GKIQCQGGAS RPVIGTNAVS 600 ARPAGICPE KVNSAUDPYO NCGKVSKSSF ARCEMIKDARC GRICCQUIDAS REVIGIAVAYS

ETINIPLQQG GRILCRGTHV YLGDDMPDPG LVLAGTKCAD GRICCLINRQCQ NISVFGVHEC 660

AMQCHGRGVC NNRKNCHCEA HWAPPFCDKF GFGGSTDSGP IRQADNQGLT IGILVTILCL 720

LAAGFVVYLK RKTLIRLLFT NKKTTIEKLR CVRPSRPPRG FQPCQAHLGH LGKGLMRKPP 780

DSYPPKDNPR RLLQCQNVDI SRPLNGLNVP QPQSTQRVLP PLHRAPRAPS VPARPLPAKP 840

ALRQAQGTCK PNPPQKPLPA DPLARTTRLT HALARTPGQW ETGLRLAPLR PAPQYPHQVP 900 45 RSTHTAYIK 50 Sea ID NO: 11 DNA sequence NM_001394 Nucleic Acid Accession #: Coding sequence: 400-1584(underlined sequences correspond to start and stop codons) 31 41 55 GGAGCCGCG GACCGGCAAA AATACACGGG AGGCCGTCGC CGAAAAGAGT CCGCGGTCCT 120
CTCTCGTAAA CACACTCTCC TCCACCGGCG CCTCCCCCTC CGCTCTGCGC GCCGCCCGGC 180
TGGGCGCCCG AGGCCGCTCC GACTGCTATG TGACCGCGAG GCTGCGGGAG GAAGGGGACA 240
GGGAAGAAGA GGCTCTCCCG CGGGAGCCCT TGAGGACCAA GTTTGCGGCC ACTTCTGCAG 300 60 GCGTCCTTC TTAGCTCTCG CCTGCCCCTT TCTGCAGCCT AGGCGGCCCA GGTTCTCTTC 360
TCTTCCTCGC GCGCCAGCC GCCTCGGTTC CCGGCGACCA TGGTGACCAT GGAGGAGCTG 420
CGGGAGATGG ACTGCAGTGT GCTCAAAAGG CTGATGAACC GGGACGAGAA TGGCGGCGGC 480
GCGGGCGGCA GCGCAGCCA CGGCACCCTG GGGCTGCCGA GCGGCGCAA GTGCCTGCTG 540 CTGGACTGCA GACCGTTCCT GGCGCACAGC GCGGGCTACA TCCTAGGTTC GGTCAACGTG 660
CGCTGTAACA CCATCGTGCG GCGGCGGGCT AAGGGCTCCG TGAGCCTGGA GCAGATCCTG 660
CCCGCCGAGG AGGAGGTACG CGCCCGCTTG CGCTCCGGCC TCTACTCGGC GGTCATCGTC 720
TACGACGAGC GCAGCCCGCG CGCCGAGAGC CTCCCGCGAGG ACAGCACCGT GTCGCTGGTG 780 65 GTGCAGGCGC TGCGCCGCAA CGCCGAGCGC ACCGACATCT GCCTGCTCAA AGGCGGCTAT 840 GAGAGGTTTT CCTCCGAGTA CCCAGAATTC TGTTCTAAAA CCAAGGCCCT GGCAGCCATC 900
CCACCCCCGG TTCCCCCCAG CGCCACAGAG CCCTTGGACC TGGGCTGCAG CTCCTGTGGG 960
ACCCCACTAC ACGACCAGGG GGGTCCTGTG GAGATCCTTC CCTTCCTCTA CCTCGGCAGT 1020 70 GCCTACCATG CTGCCCGGAG AGACATGCTG GACGCCCTGG GCATCACGGC TCTGTTGAAT 1080 GTCTCCTCGG ACTGCCCAAA CCACTTTGAA GGACACTATC AGTACAAGTG CATCCCAGTG 1140
GAAGATAACC ACAAGGCCGA CATCAGCTCC TGGTTCATGG AAGCCATAGA GTACATCGAT 1200
GCCGTGAAGG ACTGCCGTGG GCGCGTGCTG GTGCACTGCC AGGCGGGCAT CTCGCGGTCG 1260 75

GCCACCATCT GCCTGGCCTA CCTGATGATG AAGAAACGGG TGAGGCCTGGA GGAGGCCTTC 1320

GAGTTCGTTA AGCAGCGCCG CAGCATCATC TCGCCCAACT TCAGCTTCAT GGGGCAGCTG 1380 CTGCAGTTCG AGTCCCAGGT GCTGGCCACG TCCTGTGCTG CGGAGGCTGC TAGCCCCTCG 1440 GGACCCTGC GGGAGCGGGG CAAGACCCCC GCCACCCCCA CCTCGCAGTT CGTCTTCAGC 1500
TTTCCGGTCT CCGTGGGCGT GCACTCGGCC CCCAGCAGCC TGCCCTACCT GCACAGCCCC 1560
ATCACCACCT CTCCCAGCTG TTAGAGCCGC CCTGGGGGCC CCAGAACCAG AGCTGGCTCC 1620
CAGCAAGGGT AGGACGGGCC GCATGCGGCA GAAAGTTGGG ACTGAGCAGC TGGGAGCAGG 1680 5 CGACCGAGCT CCTTCCCCAT CATTTCTCCT TGGCCAACGA CGAGGCCAGC CAGAATGGCA 1740 ATAAGGACTC CGAATACATA ATAAAAGCAA ACAGAACACT CCAACTTAGA GCAATAACCG 1800 GTGCCGCAGC AGCCAGGGAA GACCTTGGTT TGGTTTATGT GTCAGTTTCA CTTTTCCGAT 1860 AGAAATTTCT TACCTCATTT TTTTAAGCAG TAAGGCTTGA AGTGATGAAA CCCACAGATC 1920 10 CTAGCAAATG TGCCCAACCA GCTTTACTAA AGGGGGGGGAGGA AGGGAGGGCA AAGGGATGAG 1980 AAGACAAGTT TCCCAGAAGT GCCTGGTTCT GGGTACTTGT CCCTTTGTTG TCGTTGTTGT 2040 AGTTAAAGGA ATTTCATTTT TAAAAGAAAT CTTCGAAGGT GTGGTTTTCA TTTCTCAGTC 2100 ACCAACAGAT GAATAATTAT GCTTAATAAT AAAGTATTTA TTAAGACTTT CTTCAGAGTA 2160 TGAAAGTACA AAAAGTCTAG TTACAGTGGA TTTAGAATAT ATTTATGTTG ATGTCAAACA 2220 GCTGAGCACC GTAGCATGCA GATGTCAAGG CAGTTAGGAA GTAAATGGTG TCTTGTAGAT 2280 15 ATGTGCAAGG TAGCATGATG AGCAACTTGA GTTTGTTGCC ACTGAGAAGC AGGCGGGTTG 2340 GGTGGGAGGA GGAAGAAAGG GAAGAATTAG GTTTGAATTG CTTTTTAAAA AAAAAAGAAA 2400 AGAAAAAGAC AGCATCTCAC TATGTTGCCA AGGCTCATCT TGAGAAGCAG GCGGGTTGGG 2460 TGGGAGGAGG AAGAAAGGGA AGAATTAGGT TTGAATTGCT TTTTTAAAAA AAAA 20 Seq ID NO: 12 <u>Protein sequence:</u> Protein Accession #: NP_001385 25 11 21 MVTMEELREM DCSVLKRLMN RDENGGGAGG SGSHGTLGLP SGGKCLLLDC RPFLAHSAGY 60 ILGSVNVRCN TIVRRRAKGS VSLEQILPAE EEVRARLRSG LYSAVIVYDE RSPRAESLRE 120 DSTVSLVVQA LRRNAERTDI CLLKGGYERF SSEYPEFCSK TKALAAIPPP VPPSATEPLD 180 30 LGCSSCGTPL HDQGGPVEIL PFLYLGSAYH AARRDMLDAL GITALLNVSS DCPNHFEGHY 240 QYKCIPVEDN HKADISSWFM EAIEYIDAVK DCRGRVLVHC QAGISRSATI CLAYLMMKKR 300 VRLEEAFEFV KQRRSIISPN FSFMGQLLQF ESQVLATSCA AEAASPSGPL RERGKTPATP 360 TSQFVFSFPV SVGVHSAPSS LPYLHSPITT SPSC 35 Seq ID NO: 13 DNA sequence Nucleic Acid Accession #: none found Coding sequence: 68-340(underlined sequences correspond to start and stop codons) 40 31 41 51 AGCGCCTTGC CTTCTCTTAG GCTTTGAAGC ATTTTTGTCT GTGCTCCCTG ATCTTCAGGT AGGCCTTIGC CTICTIAG GCTTIGAAGC ATTITICITY OF THE CONTRACT OF T 45 TCTGCAATTG GGTCACAACT ATTCATGCTT CCTGTGATTT CATCCAACTA CTTACCTTGC 420 CTACGATATC CCCTTTATCT CTAATCAGTT TATTTTCTTT CAAATAAAAA ATAACTATGA 480 50 GCGAGCTAAC AT Seq ID NO: 14 Protein sequence: Protein Accession #: none found 55 21 31 41 51 MKFLAVUVLL GVSIFLVSAQ NPTTAAPADT YPATGPADDE APDAETTAAA TTATTAAPTT 60 ATTAASTTAR KDIPVLPKWV GDLPNGRVCP 60 Seq ID NO: 15 DNA sequence Nucleic Acid Accession #: NM 016640.2 39-1358(underlined sequences correspond to start and stop codons) Coding sequence: 65 11 21 31 41 51 70 75 ACTGCTGCT GCAGGAGCAC TTCTACCTGC GGCGCAGGCG GCGCGTGCAC CGTTACGAGG 540

AGAGCGAGGT CATATCTTTG CCCTTCCTGG ATCAGCTGGT GTCAACCCTC GTGGGCCTCC 600 TCAGCCCACA CAACCCGGCC CTGGCCGCTG CCGCCCTCGA TTATAGATGC CCAGTTCATT TTTACTGGGT GCGTGGTGAA GAAATTATTC CTCGTGGTCA TCGAAGAGGT CGAATTGATG 720 ACTTGCGATA CCAGATAGAT GATAAACCAA ACAACCAGAT TCGAATATCC AAGCAACTCG 780 CAGAGTTTGT GCCATTGGAT TATTCTGTTC CTATAGAAAT CCCCACTATA AAATGTAAAC 840 CAGACAAACT TCCATTATTC AAACGGCAGT ATGAAAACCA CATATTTGTT GGCTCAAAAA 900 CTGCAGATCC TTGCTGTTAC GGTCACACCC AGTTTCATCT GTTACCTGAC AAATTAAGAA 960 GGGAAAGGCT TTTGAGACAA AACTGTGCTG ATCAGATAGA AGTTGTTTTT AGAGCTAATG 1020 CTATTGCAAG CCTTTTTGCT TGGACTGGAG CACAAGCTAT GTATCAAGGA TTCTGGAGTG 1080 AAGCAGATGT TACTCGACCT TTTGTCTCCC AGGCTGTGAT CACAGATGGA AAATACTTTT 1140 10 CCTTTTTCTG CTACCAGCTA AATACTTTGG CACTGACTAC ACAAGCTGAT CAAAATAACC 1200 CTCGTAAAAA TATATGTTGG GGTACACAAA GTAAGCCTCT TTATGAAACA ATTGAGGATA 1260 ATGATGTGAA AGGTTTTAAT GATGATGTTC TACTTCAGAT AGTTCACTTT CTACTGAATA 1320 GACCAAAAGA AGAAAAATCA CAGCTGTTGG AAAAC<u>TGA</u>AA AAGCATATTT GATTGAGAAC 1380 TGTGGGAATA TTTAAATTTT ACTGAAGGAA CAATAATGAT GAGATTTGTA ACTGTCAACT 1440 15 ATTAAATACA TTGATTTTTG AGACAAATAT TTCTTATGTC AACCTGTTAT TAGATCTCTT 1500 ACTCTGCTCA AATTCATCAC TGAAAGATTT AATTTTAGTT ACCTTTTGTT GATTTAAAAA 1560 TAATTGCATT TGTATATTGC TAACTGATAA GACAAATTGA GTTATTGAGC TATTAAATGC 1620 ACATTTTAAT ATAAATGCAG AAATCCCAAA TAAAATGCTA ACATACTGAA TTCAGTAATT 1680 20 AAAAGAACCC ACTGC Seq ID NO: 16 <u>Protein sequence:</u>
Protein Accession #: NP_057724.1 25 MAAARCWRPL LRGPRLSLHT AANAAATATE TTSODVAATP VARYPPIVAS MTADSKAARL 60 RRIERWQATV HAAESVDEKL RILTKMQFMK YMVYPQTFAL NADRWYQYFT KTVFLSGLPP 120 30 PPAEPEPEPE PEPEPALDLA ALRAVACDCL LQEHFYLRRR RRVHRYEESE VISLPFLDQL 180 VSTLVGLLSP HNPALAAAAL DYRCPVHFYW VRGEEIIPRG HRRGRIDDLR YQIDDKPNNQ 240 IRISKQLAEF VPLDYSVPIE IPTIKCKPDK LPLFKRQYEN HIFVGSKTAD PCCYGHTQFH 300 LLPDKLRRER LLRQNCADQI EVVFRANAIA SLFAWTGAQA MYQGFWSEAD VTRPFVSQAV 360 ITDGKYFSFF CYQLNTLALT TQADQNNPRK NICWGTQSKP LYETIEDNDV KGFNDDVLLQ 420 . 35 IVHFLLNRPK EEKSQLLEN See ID NO: 17 DNA sequence Nucleic Acid Accession #: NM_025059.1 3-2150 (underlined sequences correspond to start and stop codons) Coding sequence: 40 51 31

GCATGAGCCT GACTGCACC AGCCATATCG CGCTGGGTGC CGCTTCGCCA GCGCCCGAGG 60
AAACTTACGA TCATCTTTCG GAAGTCCCGG TCACGCGGGA GCAGTTAAAC CACTATCGGA 120
ATGTGGCTCA AAATGCTCGA AGTGAACTTG CAGCAACTTT GGTCAAATTT GAATGTGCTC 180 45 AGTCTGAGCT TCAAGACCTC CGATCCAAGA TGCTTTCTAA AGAAGTCTCC TGTCAAGAAC 240 TGAAAGCTGA AATGGAGAGC TACAAGGAAA ACAATGCCAG AAAATCATCT CTCCTTACCT 300
CTTTGAGAGA CAGAGTTCAG GAACTAGAAG AAGAATCAGC AGCACTTTCC ACTTCTAAAA 360
TCAGAACAGA AATCACAGCT CACGCTGCAA TCAAGAGAAA CCAGGAATTA AAGAAGAAAG 420
TTGTAGAGTT AAATGAAAAA TTACAAAAGT GTTCAAAAGA AAATGAGGAG AATAAGAAAC 480 50 AAGTTTCAAA GAATTGCAGG AAACATGAGG AATTTCTGAC TCAACTGCGT GACTGCTTGG 540 ATCCAGATGA GAGGAATGAC AAGGCATCAG ATGAAGATTT AATTITAAAG CTTAGAGACC 600
TGCGCAAAGA AAATGAATTC GTGAAAGGAC AAATTGTTAT TCTTGAAGAG ACTATAAATG 660
TCCATGAGAT GGAAGCAAAA GCTAGCAGAG AAACGATCAT GAGGCTGGCT TCAGAAGTCA 720
ACAGAGAGCA GAAAAAAAGCT GCCTCCTGTA CTGAAGAGAA AGAGAAGCTG AACCAGGACC 780 55 GGCTGCTTGC TGTAGAAGCA AAAGAAGCTC TTGAAAGGA AGTTAAGATC TTCCAAGAAA 840
GGCTGCTTGC TGGCCAGCAG GTCTGGGATG CCTCAAAGCA GGAAGTGAGC CTCCTGAAGA 940
AAAGCTCTTC TGAGTTGGAG AAGAGTTTGA AGGCCAGTCA GGATGCAGTC ACAACCTCAC 960
AAAGCCAGTA CTCCTCATTT AGGGAGAAAA TCGCAGCCT CCTTAGGGGC AGATTGAGCA 1020 60 TGACTGGGTC CACTGAGGAC ACCATTTTGG AGAAGATTCG AGAAATGGAC AGCCGGGAAG 1080 AAAGCAGGGA CCGGATGGTC TCCCAGCTTG AAGCCCAAAT ATCTGAGCTT GTTGAACAGT 1140 TGGGAAAGGA GTCTGGGTTT CACCAGAAAG CTCTCCAGAG GGCCCAGAAA GCAGAGAATA 1200 TGTTGGAGAC TCTTCAGGGT CAGCTGACAC ACCTGGAGGC AGAGCTGGTT TCTGGAGGTG 1260 TITTGCGAGA CACTTGAAT TITGAGAAC AAAAATATCT TAAATTCTG GATCAGCTIT 1320
CTCAGAAAAT GAAGTTGGAC CAGATGGCTG CCGAACTTGG CTTTGACACG CGCTGGACG 1380
TGGTTTTAGC TCGAACAGAG CAGCTGGTTC GTCTTGAGAG CAATGCAGTC ATTGAGAACA 1440
AGACCATTGC CCACAATTTG CAGAGAAAGC TAAAGACACA GAAAGAGAGA CTGGAGAGCA 1500 65 AAGAATTACA CATGAGCCTC CTCCGGCAGA AAATAGCCCA GCTGGAGGAG GAGAAGCAGG 1560 CACGCACGGC CTTGGTGGTT GAGAGGGACA ACGCGCATCT TACCATCAGG AACTTGCAGA 1620
AGAAGGTGGA GAGGCTGCAG AAAGAGCTGA ACACGTGTCG AGACTTGCAC ACCGAGCTCA 1680
AAGCCAAACT GGCCGACACC AATGAACTGA AGATTAAAAC TTTGGAACAG ACTAAAGCCA 1740 TTGAAGATCT AAACAAATCC AGAGACCAAC TGGAGAAGAT GAAGGAGAAA GCTGAGAAAA 1800 AGCTCATGTC TGTCAAGTCA GAACTGGATA CCACAGAACA TGAGGCTAAG GAGAATAAAG 1860
AAAGGGCCAG AAACATGATA GAAGTGGTAA CCAGTGAAAT GAAGACACTA AAAAAATCTC 1920
TGGAAGAAGC AGAAAAGAGA GAAAAGCAGC TGGCAGACTT CAGGGAGGTG GTGTCGCAGA 1980
TGCTAGGCTT GAACGTGACC AGCCTTGCTC TTCCTGATTA TGAAATCATC AAGTGTCTTG 2040 75

AAAGATTGGT CCATTCACAT CAGCATCACT TTGTTACCTG TGCCTGCCTC AAAGATGTGA 2100 CTACTGGGCA AGAGAGGCAC CCACAAGGCC ATTTACAGCT TCTTCAT<u>TGA</u> ACACTGTATC 2160 TCTTGAGAGA GGTGGCCATA AGACATGGCA CACAATTCCC AATTTCACAA ATTCCTCATG 2220 TCTTTGAGAT TTGATCAGTT TGTGAATATT TTATGCTTTG ATGATATAGT GAGAATGCAT 2280
CACTTGCAAA AACGATCTCA AAAGTGTCAG CCTTAGATAA ACGTCAGCAT TAAAAAACGC 2340
CAAAAAAAAA AAAAAAAAGC ATTTTAGGAT CCAGAAGAAT TCCACCAGAT TGCATGAGTT 2400
AGATTGGGAA ATGGGAGTGG GAGATAATAT TGGGAGGTAT CTATTTTAAG TCAGGGGCTT 2460 5 AGATTGGGAA ATGGGAGTIG GAGATAATAT TGGGAGGTAT CTATTTAAG TCAGGGGCTT 2460
TACTAGCCGA TTTAGTTCTC ACAATAACCA TGTGGAGAG CTGTGACATT TTTAATTTAC 2520
AACCTTTCTG GGGCTCAGAC ATAAAGTTAC CTATCCAAGG TTGCAGTTGG GTAGTGGTGG 2580
GACCAGGATG GACAACTCAT TGGCCCTGCC TCAAAAGCCA TACCTCTTCT CCTGCTATGC 2640
AGAATCTGTT TCTCCTGAAT CTCTGTGATG CTGGTGGGAA TTGTTTGCAT AGAGGAAGGA 2700
CAATAACCCT GCCATCGTGA GTTAATGTCC GGGCTTGTCA CAGTGGTTCA TGCCTGTAAT 2760
CCCAGCACTT TGGGAGTCCA AGGCAGGCAT ATCATTTGAG GTCAGGAGTT TAAGACCAGC 2820 10 CTGGCTAACA TAGTGAGACC CTGTTTCTAC TAAAAATACA AAAATAAGCC AGGTGTGGTG 2880 GTGCATGACT GTAATCCCAA CTACTCAGCA GGAGAAGCAC TTGAACCCAG GAGACGGAGG 2940 CGGCAGTGAG CCAAGATTGT GCCACTGCAC TCCAGCCTGG GCGACAGAGT GAAACTACAT 3000 15 CTCAGAAAAA AAAAAAAAA AAAAAAAAAA AAGTTAATGT CCAAAAATGA CAGATTTACA 3060 AGTGTAAGCT ATATGATTIC TTCAAAAAGC AAAAGCAATA TACCTAATTC ATTTGGATCA 3120 AACTTACATA GGTCTCAGGT CCTGTAAGAA ACTTGCCTGT TCTAACTGTT GCTACCAGAT 3180 TATATCTGGT GGTAATTGTT AATGTTTCAG CAGGGCTGGT CTCAGTCCTT TAAAATGGAA 3240 20 AGCTTTATTT GGAGCCCAAC CCTATAAGAT GAAGAAATCC TATATAGTCT TATTCACCAA 3300 TATATCCAAT ACACCCACAG CAATGGTACC TTTTTAAGAT CAGGATTTTA TTATGAATTC 3360 CTGTCACTTT CTGTTTTCCA TTTAAATTTC TATTTTACAA ATTTTTCAGG GAATCATATT 3420 CTTAACTTCA CTGAGAAAAA TGTGTTACTC TTTTGGACAA TTTATCTTAT TTCTATCATA 3480 TAAGATGTAT TTTTTTATTG TCCTTAAAAG AAGCTCTAGC ATGAAATTAA AGGAAAGGGA 3540 25 AAGAAATAGA TCTGGTGCAC CCGAACATTA GGAGAAAATG AAAAATATAC AACCAACCGT 3600 AAGAATTAGA ICTIGGTIGAC CCGAACATTA GGAGAAAATTA AAAAATTAC AACCAACCAT CGGTCTCTGCA 3660
AAAAATACAA AAATGAGCC GGTATGTTGG CATATGCCTG TAATCCCAGC TACTCGAGAG 3720
GCTGAGACAC GAAAATTGCT TGAACCTGGG AGGCGAGGT TGCAATGAGC CGAGATCGCG 3780
CTACTGCACT CCAGCCTGGG CAACAGAGAG AGACCTTGTC TCAAAAAACA ACAACAACAA 3840
AAAGTCAAAG TCATAAATAAG CAAATTATTG GCTTCTTTCT TCTAGACYAA AAGAAATTAAA 3900 30 AGAGATGAAA CAATCAATTG CAAGGGTCAA AACTAGATTG GATCTTGGTT TGAATGAAAA 3960 AAAGCATAAA ATATTCTTGC AATAATTGTA AAAATTTGAA TGTGGACTAA GTCCTAGATT 4020 ATATTAAAAT ATTTTTAATT TTTTAAGCTT GACAAATGCA CTGATTGTTA TACTTTAAAT 4080 35 AACTAAAAAT CTGAGAATCC ACAGTGCTAC AGACAATAAA TGATAAAATG GGAAAAAAA 4140 ΑΛΑΑΑΑΑΑΑ Α Seq ID NO: 18 <u>Protein sequence:</u>
Protein Accession #: NP_079335.1 40 31 41 MSLDCTSHIA LGAASPAPEE TYDHLSEVPV TREQLNHYRN VAQNARSELA ATLVKFECAQ 60 MSLDCISHIA DAASAATE TYDHISEYYY INDLUMTUA YAQAAXBEA ATDAA 22AQ SELQDLRSKM LSKEVSCQEL KAEMESYKEN NARKSSLLTS LRDRVQELEE ESAALSTSKI 120 RTEITAHAAI KENQELKKKY VELNEKLQKC SKENEENKKQ VSKNCRKHEE FLTQLRDCLD 180 PDERNDKASD EDLILKLRDL RKENEFVKGQ IVILEETINV HEMEAKASRE TIMRLASEVN 240 REQKKAASCT EEKEKLNQDL LSAVEAKEAL EREVKIFQER LLAGQQVWDA SKQEVSLLKK 300 45 SSSELEKSLK ASQDAVTTSQ SQYSSFREKI AALLRGRLSM TGSTEDTILE KIREMDSREE 360 50 SRDRMYSQLE AQISELVEQL GKESGFHQKA LQRAQKAENM LETLQGQLTH LEAELVSGGV 420 LRDNLNFEKQ KYLKFLDQLS QKMKLDQMAA ELGFDTRLDV VLARTEQLVR LESNAVIENK 480 TIAHNLQRKL KTQKERLESK ELHMSLLRQK IAQLEEEKQA RTALVVERDN AHLTIRNLQK 540 KVERLQKELN TCRDLHTELK AKLADTNELK IKTLEQTKAI EDLNKSRDQL EKMKEKAEKK 600 LMSVKSELDT TEHEAKENKE RARNMIEVVT SEMKTLKKSL EEAEKREKQL ADFREVVSQM 660 LGLNVTSLAL PDYEIIKCLE RLVHSHQHHF VTCACLKDVT TGQERHPQGH LQLLH 55 Seq ID NO: 19 DNA sequence Nucleic Acid Accession #: AF071552, NM_000662 60 Coding sequence: 441-1313 (underlined sequences correspond to start and stop codons) 31 51 65 CTTTGTATAA GGCTCAGCTA AAAGGGAAAT TGAGTGGGTC AGGTACCACG GATACTATAC 60 ACTCTATTGC ATGATTCTCC TGCCTACATC AGAAGACGTT TATAAGCCTA TITTAAAGGA 120 TITCACAG GATICTICGGA CTATTAATCA CCAAGAGAACAAC CATGAACAAG CTGTTTATCA 180
TITGACTCAT CATTTAATCT TGATTTCCAG CTTCTCACAC TTGAAAGAAG ACATAATACA 240
TITCTCACAG GATICTGGGA CTATTAACTG AACTTATGTG TGTAAAAGGA ATTCATACAA 300
TGAAAGCACT AGAAATAATT ATTATACTTA TAACCATTGT ATTTTTACAT GTTTAAAATA 360

70

75

TTGATGGCAG GAACTACATT GTCGATGCTG GGTTTGGACG CTCATACCAG ATGTGGCAGC 840 CTCTGGAGTT AATTTCTGGG AAGGATCAGC CTCAGGTGCC TTGTGTCTTC CGTTTGACGG 900 AAGAGAATGG ATTCTGGTAT CTAGACCAAA TCAGAAGGGA ACAGTACATT CCAAATGAAG 960 AATTICHTCA TICTGATCTC CTAGAAGACA GCAAATACCG AAAAATCTAC TCCTTTACTC 1020
TTAAGCCTCG AACAATTGAA GATTITGAGT CTATGAATAC ATACCTGCAG ACAATTCCAT 1080
CATCTGTGTT TACTAGTAAA TCATTTTGTT CCTTGCAGAC CCCAGATGGG GTTCACTGTT 1140
TGGTGGGCTT CACCCTCACC CATAGGAGAT TCAATTATAA GGACAATACA GATCTAATAG 1200 5 AGTTCAAGAC TCTGAGTGAG GAAGAAATAG AAAAAGTGCT GAAAAATATA TTTAATATTT 1260 CCTTGCAGAG AAAGCTTGTG CCCAAACATG GTGATAGATT TTTTACTAATATT <u>TAG</u>AATAAAGG 1320
AGTAAAACAA TCTTGTCTAT TTGTCATCCA GCTCACCAGT TATCAACTGA CGACCTATCA 1380
TGTATCTTCT GTACCCTTAC CTTATTTTGA AGAAAATCCT AGACATCAAA TCATTTCACC 1440
TATAAAAATG TCATCATATA TAATTAAACA GCTTTTTAAA GAAACATAAC CACAAACCTT 1500 10 TTCAAATAAT AATAATAATA ATAATAA ATGTATITTA AAGATGGCCT GTGGTTATCT 1560 TGGAAATTGG TGATTTATGC TAGAAAGCTT TTAATGTTGG TTTATTGTTG AATTC 15 Seq ID NO: 20 <u>Protein sequence:</u>
Protein Accession #: NP_000653.1 20 41 21 31 MDIEAYLERI GYKKSRNKLD LETLTDILQH QIRAVPFENL NIHCGDAMDL GLEAIFDQVV 60 RRNRGGWCLQ VNHLLYWALT TIGFETTMLG GYVYSTPAKK YSTGMIHLLL QVTIDGRNYI 120 VDAGFGRSYQ MWQPLELISG KDQPQVPCVF RLTEENGFWY LDQIRREQYI PNEEFLHSDL 180 LEDSKYRKIY SFTLKPRTIE DFESMNTYLQ TSPSSVFTSK SFCSLQTPDG VHCLVGFTLT 240 25 HRRFNYKDNT DLIEFKTLSE EEIEKVLKNI FNISLQRKLV PKHGDRFFTI Seq ID NO: 21 DNA sequence NM 003714 Nucleic Acid Accession #: 30 Coding sequence: 123-1031 (underlined sequences correspond to start and stop codons) 41 51 21 31 35 CGGCACGAGC AAAAAGGAAG AGTGGGAGGA GGAGGGGAAG CGGCGAAGGA GGAAGAGGAG GAGGAGGAAG AGGGGAGCAC AAAGGATCCA GGTCTCCCGA CGGGAGGTTA ATACCAAGAA 120 CCATGTGTGC CGAGCGGCTG GGCCAGTTCA TGACCCTGGC TTTGGTGTTG GCCACCTTTG 180 ACCCGGCGCG GGGGACCGAC GCCACCAACC CACCCGAGGG TCCCCAAGAC AGGAGCTCCC 240 AGCAGAAAGG CCGCCTGTCC CTGCAGAATA CAGCGGAGAT CCAGCACTGT TTGGTCAACG 300 40 CTGGCGATGT GGGGTGTGGC GTGTTTGAAT GTTTCGAGAA CAACTCTTGT GAGATTCGGG 360 GCTTACATGG GATTTGCATG ACTTTTCTGC ACAACGCTGG AAAATTTGAT GCCCAGGGCA 420 AGTCATTCAT CAAAGACGCC TTGAAATGTA AGGCCCACGC TCTGCGGCAC AGGTTCGGCT 480 GCATAAGCCG GAAGTGCCCG GCCATCAGGG AAATGGTGTC CCAGTTGCAG CGGGAATGCT 540 ACCTCAAGCA CGACCTGTGC GCGGCTGCCC AGGAGAACAC CCGGGTGATA GTGGAGATGA 600 TCCATTTCAA GGACTTGCTG CTGCACGAAC CCTACGTGGA CCTCGTGAAC TTGCTGCTGA 660 45 CCTGTGGGGA GGAGGTGAAG GAGGCCATCA CCCACAGCGT GCAGGTTCAG TGTGAGCAGA 720 ACTGGGGAAG CCTGTGCTCC ATCTTGAGCT TCTGCACCTC GGCCATCCAG AAGCCTCCCA 780 CGGCGCCCCC CGAGCGCCAG CCCCAGGTGG ACAGAACCAA GCTCTCCAGG GCCCACCACG 840 GGGAAGCAGG ACATCACCTC CCAGAGCCCA GCAGTAGGGA GACTGGCCGA GGTGCCAAGG 900 50 GTGAGCGAGG TAGCAAGAGC CACCCAAACG CCCATGCCCG AGGCAGAGTC GGGGGCCTTG 960 GGGCTCAGGG ACCTTCCGGA AGCAGCGAGT GGGAAGACGA ACAGTCTGAG TATTCTGATA 1020 TCCGGAGGTG AAATGAAAGG CCTGGCCACG AAATCTTTCC TCCACGCCGT CCATTTTCTT 1080 ATCTATGGAC ATTCCAAAAC ATTTACCATT AGAGAGGGGG GATGTCACAC GCAGGATTCT 1140 55 GAGCTGGGCC ACACAGTGGG TGCTGGGCCT CGCCCCGAAG CTTCTGGTGC AGCAGCCTCT 1440 GGTGCTGTCT CCGCGGAAGT CAGGGCGGCT GGATTCCAGG ACAGGAGTGA ATGTAAAAAT 1500 AAATATCGCT TAGAATGCAG GAGAAGGGTG GAGAGGAGGC AGGGGCCGAG GGGGTGCTTG 1560 GTGCCAAACT GAAATTCAGT TTCTTGTGG GGGCCTTGCG GTTCAGAGCT CTTGGCGAGG 1620 60 GTGGAGGGAG GAGTGTCATT TCTATGTGTA ATTTCTGAGC CATTGTACTG TCTGGGCTGG 1680 GGGGGACACT GTCCAAGGGA GTGGCCCCTA TGAGTTTATA TTTTAACCAC TGCTTCAAAT 1740 CTCGATTTCA CTTTTTTAT TTATCCAGTT ATATCTACAT ATCTGTCATC TAAATAAATG 1800 65 GCTTTCAAAC AAAAAAAAAA AAAAAAAAA AAAAAAA Seq ID NO: 22 Protein sequence Protein Accession #: NP_003705 70 MCAERLGOFM TLALVLATFD PARGTDATNP PEGPQDRSSQ QKGRLSLQNT AEIQHCLVNA 60 GDVGCGVFEC FENNSCEIRG LHGICMTFLH NAGKFDAQGK SFIKDALKCK AHALRIRFGC 120 ISRKCPAIRE MVSQLQRECY LKHDLCAAAQ ENTRVIVEMI HFKDLLLHEP YVDLVNLLLT 180 CGEEVKEAIT HSVQVQCEQN WGSLCSILSF CTSAIQKPPT APPERQPQVD RTKLSRAHHG 240 75


EAGHHLPEPS SRETGRGAKG ERGSKSHPNA HARGRVGGLG AQGPSGSSEW EDEQSEYSDI 300

RR

5

Seq ID NO: 23 DNA sequence

Nucleic Acid Accession #:



NM 005264.1

CGCTCTCTAC AAAGAGGCCG AGCTGCGCCT GAAGGGCAGC AGCAACACCA CGGAGTGTGT 420
TCCCGTGCCC ACCTCCGAGC ACGTGGCCGA GATCGTGGGC AGGCAAGGCT GCAAGATTAA 480
GGCCTTGAGG GCCAAGACCA ACACCTACAT CAAGACACCG GTGAGGGGCG AGGAACCAGT 540 5 GTTCATGGTG ACAGGGCGAC GGGAGGACGT GGCCACAGCC CGGCGGGAAA TCATCTCAGC 600 AGCGGAGCAC TTCTCCATGA TCCGTGCCTC CCGCAACAAG TCAGGCGCCG CCTTTGGTGT 660 GGCTCCTGCT CTGCCCGGCC AGGTGACCAT CCGTGTGCGG GTGCCCTACC GCGTGGTGGG 720
GCTGGTGGTG GGCCCCAAAG GGGCAACCAT CAAGCGCATC CAGCAGCAAA CCAACACATA 780
CATTATCACA CCAAGCCGTG ACCGCGACCC CGTGTTCGAG ATCACGGGTG CCCCAGGCAA 840 10 CGTGGAGCGT GCGCGCGAGG AGATCGAGAC GCACATCGCG GTGCGCACTG GCAAGATCCT 900 CGAGTACAAC AATGAAAACG ACTICCTGGC GGGGAGCCCC GACGCAGCAA TCGATAGCCC 960
CTACTCCGAC GCCTGGCGG TGCACCAGCC CGGCTGCAAG CCCCTCTCCA CCTTCCGGCA 1020
GAACAGCCTG GGCTGCATCG GCGAGTGCGG AGTGGACTCT GGCTTTGAGG CCCCACGCCT 1080
GGGTGAGCAG GGCGGGGACT TTGGCTACGG CGGGTACCTC TTTCCGGGCT ATGGCGTGGG 1140 15 CAAGCAGGAT GTGTACTACG GCGTGGCCGA GACTAGCCCC CCGCTGTGGG CGGGCCAGGA 1200
GAACGCCACG CCCACCTCCG TGCTCTTCTC CTCTGCCTCC TCCTCCTCCT CCTCTTCCGC 1260
CAAGGCCCGC GCTGGGCCCC CGGGCGCACA CCGCTCCCCT GCCACTTCCG CGGGACCCCA 1320
GCTGGCCGGA CTCCCGAGGC GCCCCCCGGG AGAGCCGCT CAGGGCTTCT CTAAACTTGG 1380
TGGGGGCGGC CTGCGGAGCC CCGGCGGCGG GCGGGATTGC ATGGTCTGCT TTGAAGCCGA 1440 20 AGTGACTGCC GCCCTTGTGC CCTGCGGACA CAACCTGTTC TGCATGGAGT GTGCAGTACG 1500 CATCTGCGAG AGGACGGACC CAGAGTGTCC CGTCTGCCAC ATCACAGCCA CGCAAGCCAT 1560 CCGAATATTC TCCTAA 25 Seq ID NO: 26 <u>Protein sequence:</u>
Protein Accession #: FGENESH predicted 30 21 31 41 11 FCFAMPSLVV SGIMERNGGF GELGCFGGSA KDRGLLEDER ALQLALDQLC LLGLGEPPAP 60 RAGEDGGGGG GGAPAQPTAP PQPAPPPPPA APPAAPTTAP AAQTPQPPTA PKGASDAKLC 120 ALYKEAELRL KGSSNTTECV PVPTSEHVAE IVGRQGCKIK ALRAKTNTYI KTPVRGEEPV 180 35 FMVTGRREDV ATARREIISA AEHFSMIRAS RNKSGAAFGV APALPGQVTI RVRVPYRVVG 240 LVVGPKGATI KRIQQQTNTY IITPSRDRDP VFEITGAPON VERAREEIET HIAVRTGKIL 300 EYNNENDFLA GSPDAAIDSR YSDAWRVHQP GCKPLSTFRQ NSLGCIGECG VDSGFEAPRL 360 GEQGGDFGYG GYLFPGYGVG KQDVYYGVAE TSPPLWAGQE NATPTSVLFS SASSSSSSSA 420 KARAGPPGAH RSPATSAGPE LAGLPRRPPG EPLQGFSKLG GGGLRSPGGG RDCMVCFESE 480 40 VTAALVPCGH NLFCMECAVR ICERTDPECP VCHITATQAI RIFS Seq ID NO: 27 DNA sequence FGENESH predicted Nucleic Acid Accession #: 1-2070 (underlined sequences correspond to start and stop codons) Coding sequence: 45 31 51 ATGAGCGGTG CGGGGGTGGC GGCTGGGACG CGGCCCCCA GCTCGCCGAC CCCGGGCTCT 60 ATGACCGGTG CGGGGGTGGC GGCTGGACG CGGCCCCCCA GCTCGCCGAC CUCGGGCTCT 60
CGGCGCCGGC GCCACGCGCC CTCTGTGGGC GTCCAGTCCT TGAGGCCGAC GAGCCCGCAC 120
CTCAGGCAGA GCGACCCGCA GAAACGGAAC CTGGACCTGG AGAAAAGCCT GCAGTTCCTG 180
CAGCAGCAGC ACTCGGAGAT GCTGGCCAAG CTCCATGAGG AGATCGAGCA TCTGAAGCGG 240
GAAAACAAGG GTGAGCCGGC GCGGGGCCCT AGGCCGGCC TGCCTCCCCA GGCACACTCA 300
ACACTGCCGC TCCCGCAGCA CAGAAACACA GCCATCAACT CCAGCACACG CCTGGGCTCA 360
GGGGGAACAC AGGACGGGGA GCCCCTCCAG ACTGTCCTTG CCCACCTGGC TGCACTGGC
420
CCTGTATGCC AACCCAGTGG GTACAGGTTC TGGGGGACCT GGACAGATGC CGCTACCTCT 480
AGCCGTGGCT GGACGATGTT ATGCAGCAA GCACAGCACT TCCTTGCTCTC GGGAAGCCC 540
AGCCGTTGAGG GTATTCCAGG CCGCAGAGTG GCCACAGGGT GCTCCCTCCAGA CCTCCCTCCT 660 50 55 GGGCCTGAGG TCATTGCAGG GCGGCAGGTG GCCACAGGGT GCTCCCCAGA CCTCCCTCCT 600 60 ATGETGGGGG CCCAGGGGAT ATGGACACAC TECATOCAGG GATCCAGG CATCAGT 380
GCAGCAACCA TGGGGACAAA GGGAGGAAGC AGAGTCCTGT TTCCTTGCCA CTTGTCCAAG 840
GCACTTCCCC ATCCTGACAG CGGCCCCCAC CCAGCCCAGG ATCCTGGCT GTGGTCTCAA 900
GCTCACTTCC CATTATCTTT GGGGCTGGGG CTGACATCAG GAGGACATCT GACTGGTGGA 960
TGGAGCCAGC CTGGGAACAT CGCAGCTGGG GCAGTGCCTA GGGCTCTCCC TTCCCAGGGA 1020
GACATGGAGA AGGGGGTTGA GGGAGGCCC TTCCCTAGCC GCTGTGGCAA CTCCAGTGAG 1080 65 70 GAGAAAGCAG AGGCCTCTAA TGCAGGAGCT GCCTGTATGG GGAACAGCCA GCACCAGGGC 1680
AGGCAGATGG GGGCGGGGGC ACACCCCCCA ATGATCCTGC CCCTTCCCCT GCGAAAGCCC 1740
ACCACACTTA GGCAGTGCGA AGTGCTCATC CGCGAGCTGT GGAATACCAA CCTCCTGCAG 1800 75

CAGGGCGGGC GAGGACGGGG GAGGTGGGGG GGGCGGCGCC CCCGCGCAGC CGACAGCCCC 240

ACCCAAGAGC TGCGGCACCT CAAGTCCCTC CTGGAAGGGA GCCAGAGGCC CCAGGCAGCC 1860 CCGGAGGAAG CTAGCTTTCC CAGGGACCAA GAAGCCACGC ATTTCCCCAA GGTCTCCACC 1920 AAGAGCCTCT CCAAGAAATG CCTGAGGCCCA CCTGTGGCGG AGCGTGCCAT CCTGCCCGCA 1980 CTGAAGCAGA CCCCGAAGAA CAACTTTGCC GAGAGGCAGA AGAGGCTGCA GGCAATGCAG 2040 AAACGGCGCC TGCATCGCTC AGTGCTT<u>TGA</u>

Seq ID NO: 28 <u>Protein sequence</u>; Protein Accession #: FGENESH predicted

. 5

30

1 11 21 31 41 51

| MSGAGVAAGT RPPSSPTTGS RRRRQRPSVG VQSLRPQSPQ LRQSDPQKRN LDLEKSLQFL 60
QQQHSEMLAK LHEEIEHLKR ENKGEPARGP RPALPPQAHS TLPLPQHRNT AINSSTRLGS 120
GGTQDGEPLQ TVLAHLAALA PVCQPSGYRF WGTWTDAATS SRGWTMLCSQ AQHVLLSGSP 180
GPEVIAGRQV ATGCSPDLPP PSRAEMGRNP WDSPCPARSL PQIAAVARPR ISSPMALSPH 240
MLGAQGIVTH SIQGSLPAIW AATMGTKGGS RVLFPCHLSK ALPHPDSGPH PAQDPGLWSQ 300
AHFPLSLGLG LTSGGHLTGG WSQPGNIAAG AVPRALPSQG DMEKGVEGGP FPSRCGNSSE 360
LFWAKCGPSR QPQPCSAGDA DRTREEAMLS LGTCCSMCPK PSCFPDGPSG NHLSRASAPL 420
GARWVCINGV WVEPGGPSPA RLKEGSSRTH RPGGKRGRLA GGSDAVRSP ADSLSMSSFQ 480
SVKSISNSAN SQGKARPQPG STNKQDSKAD VSQKADLEEE PLLHNSKLDK VPGVQGQARK 540
EKAEASNAGA ACMGNSQHQG RQMGAGAHPP MILPLPLRKP TTLRQCEVLI RELWNTNLLQ 600
TQELRHLKSL LEGSQRPQAA PEEASFPRDQ EATHFPKVST KSLSKKCLSP PVAERAILPA 660
LKQTPKNNFA ERQKRLQAMQ KRRLHRSVL

Seq ID NO: 29 DNA sequence
Nucleic Acid Accession #: NM_012319.2
Coding sequence: 138-2405 (underlined sequences correspond to start and stop codons)

51

41

CTCGTGCCGA ATTCGGCACG AGACCGCGTG TTCGCGCCTG GTAGAGATTT CTCGAAGACA 60 CCAGTIGGGC CGTGTGGAAC CAAACCTGCG CGCGTGGCCG GGCCGTGGA CAACCAGGCC 120
GCGGAGACGA AGGCGCAATG GCGAGGAGT TATCTGTAAT CTTGATCCTG ACCTTTGCCC 180
TCTCTGTCAC AAATCCCCTT CATGAACTAA AAGCAGCTGC TTTCCCCCAG ACCACTGAGA 240
AAATTAGTCC GAATTGGGAA TCTGGCATTA ATGTTGACTT GGCAATTTCC ACACGGCAAT 300 35 ATCATCTACA ACAGCTTTTC TACCGCTATG GAGAAAATAA TTCTTTGTCA GTTGAAGGGT 360 TCAGAAAATT ACTTCAAAAT ATAGGCATAG ATAAGATTAA AAGAATCAT ATACACCATG 420 ACCACGACCA TCACTCAGAC CACGAGCATC ACTCAGACCA TGAGCGTCAC TCAGACCATG 480 AGCATCACTC AGACCACGAG CATCACTCTG ACCATGATCA TCACTCTCAC CATAATCATG 540 40 CTGCTTCTGG TAAAAATAAG CGAAAAGCTC TTTGCCCAGA CCATGACTCA GATAGTTCAG 600 GTAAAGATCC TAGAAACAGC CAGGGGAAAG GAGCTCACCG ACCAGAACAT GCCAGTGGTA 660
GAAGGAATGT CAAGGACAGT GTTAGTGCTA GTGAAGTGAC CTCAACTGTG TACAACACTG 720
TCTCTGAAGG AACTCACTTT CTAGAGACAA TAGAGACTCC AAGACCTGGA AAACTCTTCC 780
CCAAAGATGT AAGCAGCTCC ACTCCACCCA GTGTCACATC AAAGAGCCGG GTGAGCCGGC 840 45 TGGCTGGTAG GAAAACAAAT GAATCTGTGA GTGAGCCCCG AAAAGGCTTT ATGTATTCCA 900 GAAACACAAA TGAAAATCCT CAGGAGTGTT TCAATGCATC AAAGCATACTG ACATCTCATG 960
GCATGGGCAT CCAGGTTCCG CTGAATGCAA CAGAGTTCAA CTATCTCTGT CCAGCCATCA 1020
TCAACCAAAT TGATGCTAGA TCTTGTCTGA TTCATACAAG TGAAAAGAAG GCTGAAATCC 1080
CTCCAAAGAC CTATTCATTA CAAATAGCCT GGGTTGGTGG TTTTATAGCC ATTTCCATCA 1140 50 TCAGTTCCT GTCTCTGCTG GGGGTTATCT TAGTGCCTCT CATGAATCGG GTGTTTTTCA 1200
AATTTCTCCT GAGTTTCCTT GTGGCACTGG CCGTTGGGAC TTTGAGTGGT GATGCTTTTT 1260
TACACCTTCT TCCACATTCT CATGCAAGTC ACCACCATAG TCATAGCCAT GAAGAACCAG 1320
CAATGGAAAT GAAAAGAGGA CCACTTTTCA GTCATCTGTC TTCTCAAAAC ATAGAAGAAA 1380 55 GTGCCTATTT TGATTCCACG TGGAAGGGTC TAACAGCTCT AGGAGGCCTG TATTTCATGT 1440 GTGCCTATTT TGATTCCACG TGGAAGGGTC TAACAGCICT AGGAGGCCIG TATTTCATGT 1440
TTCTTGTTGA ACATGTCCTC ACATTGATCA AACAATTTAA AGATAAGAAG AAAAAGAATC 1500
AGAAGAAACC TGAAAATGAT GATGATGTGG AGATTAAAGAA GCAGTTGTCC AAGTATGAAT 1560
CTCAACTTTC AACAAATGAG GAGAAAGTAG ATACAGATGA TCGAACTGCA GGCTATTTAC 1620
GAGCAGACTC ACAAGAAGCCC TCCCACTTTG ATTCTCAGCA GCCTGCAGTC TTGGAAGAAG 1680
AAGAGGTCAT GATAACTCCAT GCTCATCCAC AGGAAGTCTA CAATGAATAT GTACCCAGAG 1740
GGTGCAAGAA TAAATGCCAT TCACATTTCC ACGATACACT CGGCCAGTCA GACGATCTCA 1800
TTCACCACCA TCATGACTAC CATCATATTC TCCATCATCA CCACCACCAA AACACCACT 1860 60 CTCACAGTCA CAGCCAGCGC TACTCTCGGG AGGAGCTGAA AGATGCCGGC GTCGCCACTT 1920 CTCACAGICA CAGCCAGCGC TACTCTCGGG AGGAGCTGAA AGATGCCGGC GICGCACTT 1920
TGGCTGGAT GGTGATAATG GGTGATGGCC TGCACAATTT CAGCGATGGC CTAGCAATTG 1980
GTGCTGCTTT TACTGAAGGC TTATCAAGTG GTTTAAGTAC TTCTGTTGCT GTGTTCTCTC 2040
ATGAGTTGCC TCATGAATTA GGTGACTTTG CTGTTCTACT AAAGGCTGC ATGACCGTTA 2100
AGCAGGCTGT CCTTTATAAT GCATTGTCAG CCATGCTGGC GTATCTTGGA ATTGGCAACAG 2160
GAATTTCAT TGGTCATTAT GCTGAAAATG TTTCTATGTG GATATTTGCA CTTACTGCTG 2220
GCTTATTCAT GTATGTTGCT CTGGTTGATA TGGTACCTGA AATGCTGCAC AATGATGCTA 2280
GTGACCATGG ATGTAGCCGC TGGGGGTATT TCTTTTTTACA GAATGCTGGG ATGCTTTTGG 2340 65 70 GTTTTGGAAT TATGTTACTT ATTTCCATAT TTGAACATAA AATCGTGTTT CGTATAAATT 2400 TCTAGTTAAG GTTTAAATGC TAGAGTAGCT TAAAAAGTTG TCATAGTTTC AGTAGGTCAT: 2460
AGGGAGATGA GTTTGTATGC TGTACTATGC AGCGTTTAAA GTTAGTGGGT TTTGTGATTT: 2520
TTGTATTGAA TATTGCTGTC TGTTACAAAG TCAGTTAAAG GTACGTTTA ATATTTAAGT 2580
TATTCTATCT TGGAGATAAA ATCTGTATGT GCAATTCACC GGTATTACCA GTTTATTATG 2640 75 TAAACAAGAG ATTTGGCATG ACATGTTCTG TATGTTTCAG GGAAAAATGT CTTTAATGCT 2700

TGTTTAGGAA TAAGAATGTG CATGAAGCCT AAAATACCAA GAAAGCTTAT ACTGAATTTA 2820 AGCAAAGAAA TAAAGGAGAA AAGAGAAGAA TCTGAGAATT GGGGAGGCAT AGATTCTTAT 2880 AAAAATCACA AAATTTGTTG TAAATTAGAG GGGAGAAATT TAGAATTAAG TATAAAAAGG 2940 CAGAATTAGT ATAGAGTACA TTCATTAAAC ATTTTTGTCA GGATTATTTC CCGTAAAAAC 3000 GTAGTGAGCA CTCTCATATA CTAATTAGTG TACATTTAAC TTTGTATAAT ACAGAAATCT 3060 AAATATATTT AATGAATTCA AGCAATATAC ACTTGACCAA GAAATTGGAA TTTCAAAATG 3120 TTCGTGCGGG TTATATACCA GATGAGTACA GTGAGTAGTT TATGTATCAC CAGACTGGGT 3180 TATTGCCAAG TTATATATCA CCAAAAGCTG TATGACTGGA TGTTCTGGTT ACCTGGTTTA 3240 CAAAATTATC AGAGTAGTAA AACTTTGATA TATATGAGGA TATTAAAACT ACACTAAGTA 3300 10 TCATTTGATT CGATTCAGAA AGTACTTTGA TATCTCTCAG TGCTTCAGTG CTATCATTGT 3360 GAGCAATTGT CTTTATATAC GGTACTGTAG CCATACTAGG CCTGTCTGTG GCATTCTCTA 3420 GATGTTTCTT TTTTACACAA TAAATTCCTT ATATCAGCTT G Seq ID NO: 30 <u>Protein sequence:</u>
Protein Accession #: NP_036451.2 15 51 31 41 20 MARKLSVILI LTFALSVTNP LHELKAAAFP QTTEKISPNW ESGINVDLAI STRQYHLQQL 60 FYRYGENNSL SVEGFRKLLQ NIGIDKIKRI HIHHDHDHHS DHEHHSDHER HSDHEHHSDH 120 EHHSDHDHHS HHNHAASGKN KRKALCPDHD SDSSGKDPRN SQGKGAHRPE HASGRRNVKD 180 SVSASEVTST VYNTVSEGTH FLETIETPRP GKLFPKDVSS STPPSVTSKS RVSRLAGRKT 240 NESVSEPRKG FMYSRNTNEN PQECFNASKL LTSHGMGIQV PLNATEFNYL CPAIINQIDA 300 25 RSCLIHTSEK KAEIPPKTYS LQIAWVGGFI AISIISFLSL LGVILVPLMN RVFFKFLLSF 360 LVALAYGTLS GDAFLHILPH SHASHIHISHS HEEPAMEMKR GPLFSHLSSQ NIEESAYFDS 420 TWKGLTALGG LYFMFLVEHV LTLIKQFKDK KKKNQKKPEN DDDVEIKKQL SKYESQLSTN 480 EEKVDTDDRT EGYLRADSQE PSHFDSQQPA VLEEEEVMIA HAHPQEVYNE YVPRGCKNKC 540 HSHFHDTLGQ SDDLIHHHHD YHHILHHHHH QNHHPHSHSQ RYSREELKDA GVATLAWMVI 600 30 MGDGLHNFSD GLAIGAAFTE GLSSGLSTSV AVFCHELPHE LGDFAVLLKA GMTVKQAVLY 660 NALSAMLAYL GMATGIFIGH YAENVSMWIF ALTAGLFMYV ALVDMVPEML HNDASDHGCS 720 RWGYFFLQNA GMLLGFGIML LISIFEHKIV FRINF Seq ID NO: 31 DNA sequence 35 Nucleic Acid Accession #: NM_002184.1 256-3012(underlined sequences correspond to start and stop codons) Coding sequence: 31 41 40 GAGCÁGCCAA AAGGCCCGCG GAGTCGCGCT GGGCCGCCCC GGCGCAGCTG AACCGGGGGC 60 CGCGCCTGCC AGGCCGACGG GTCTGGCCCA GCCTGGCGCC AAGGGGTTCG TGCGCTGTGG 120 AGACGCGGAG GGTCGAGGCG GCGCGGCCTG AGTGAAACCC AATGGAAAAA GCATGACATT 180 TAGAAGTAGA AGACTTAGCT TCAAATCCCT ACTCCTTCAC TTACTAATTT TGTGATTTGG 240
AAATATCCGC GCAAG<u>ATG</u>TT GACGTTGCAG ACTTGGGTAG TGCAAGCCTT GTTTATTTTC 300
CTCACCACTG AATCTACAGG TGAACTTCTA GATCCATGTG GTTATATCAG TCCTGAATCT 360 45 CCAGTTGTAC AACTTCATTC TAATTTCACT GCAGTTTGTG TGCTAAAGGA AAAATGTATG 420 GATTATTTIC ATGTAAATGC TAATTACATT GTCTGGAAAA CAAACCATTT TACTATTCCT 480 AAGGAGCAAT ATACTATCAT AAACAGAACA GCATCCAGTG TCACCTTTAC AGATATAGCT 540
TCATTAAATA TTCAGCTCAC TTGCAACATT CTTACATTCG GACAGCTTGA ACAGAATGTT 600
TATGGAATCA CAATAATTTC AGGCTTGCCT CCAGAAAAAC CTAAAAATTT GAGTTGCATT 660 50 GTGAACGAGG GGAAGAAAAT GAGGTGTGAG TGGGATGGTG GAAGGGAAAC ACACTTGGAG 720 ACAAACTTCA CTITAAAATC TGAATGGGCA ACACACAAGT TTGCTGATTG CAAAGCAAAA 780 CGTGACACCC CCACCTCATG CACTGTTGAT TATTCTACTG TGTATTTTGT CAACATTGAA 840 GTCTGGGTAG AAGCAGAGAA TGCCCTTGGG AAGGTTACAT CAGATCATAT CAATTTTGAT 900 55 CCTGTATATA AAGTGAAGCC CAATCCGCCA CATAATTTAT CAGTGATCAA CTCAGAGGAA 960 CTGTCTAGTA TCTTAAAATT GACATGGACC AACCCAAGTA TTAAGAGTGT TATAATACTA 1020 AAATATAACA TTCAATATAG GACCAAAGAT GCCTCAACTT GGAGCCAGAT TCCTCCTGAA 1080 GACACAGCAT CCACCCGATC TTCATTCACT GTCCAAGACC TTAAACCTTT TACAGAATAT 1140 GTGTTTAGGA TTCGCTGTAT GAAGGAAGAT GGTAAGGGAT ACTGGAGTGA CTGGAGTGAA 1200 60 GAAGCAAGTG GGATCACCTA TGAAGATAGA CCATCTAAAG CACCAAGTTT CTGGTATAAA 1260 ATAGATCCAT CCCATACTCA AGGCTACAGA ACTGTACAAC TCGTGTGGAA GACATTGCCT 1320 CCTTTTGAAG CCAATGGAAA AATCTTGGAT TATGAAGTGA CTCTCACAAG ATGGAAATCA 1380 CATTTACAAA ATTACACAGT TAATGCCACA AAACTGACAG TAAATCTCAC AAATGATCGC 1440 TATCTAGCAA CCCTAACAGT AAGAAATCTT GTTGGCAAAT CAGATGCAGC TGTTTTAACT 1500 65 ATCCCTGCCT GTGACTTTCA AGCTACTCAC CCTGTAATGG ATCTTAAAGC ATTCCCCAAA 1560 GATAACATGC TTTGGGTGGA ATGGACTACT CCAAGGGAAT CTGTAAAGAA ATATATACTT 1620 GAGTGGTGTG TGTTATCAGA TAAAGCACCC TGTATCACAG ACTGGCAACA AGAAGATGGT 1680 ACCGTGCATC GCACCTATTT AAGAGGGAAC TTAGCAGAGA GCAAATGCTA TTTGATAACA 1740 GTTACTCCAG TATATGCTGA TGGACCAGGA AGCCCTGAAT CCATAAAGGC ATACCTTAAA 1800 70 CAAGCTCCAC CTTCCAAAGG ACCTACTGTT CGGACAAAAA AAGTAGGGAA AAACGAAGCT 1860 GTCTTAGAGT GGGACCAACT TCCTGTTGAT GTTCAGAATG GATTTATCAG AAATTATACT 1920 ATATTTTATA GAACCATCAT TGGAAATGAA ACTGCTGTGA ATGTGGATTC TTCCCACACA 1980

GAATATACAT TGTCCTCTTT GACTAGTGAC ACATTGTACA TGGTACGAAT GGCAGCATAC 2040 ACAGATGAAG GTGGGAAGGA TGGTCCAGAA TTCACTTTTA CTACCCCAAA GTTTGCTCAA 2100 GGAGAAAATTG AAGCCATAGT CGTGCCTGTT TGCTTAGCAT TCCTATTGAC AACTCTTCTG 2160 GGAGTGCTGT TCTGCTTTAA TAAGCGAGAC CTAATTAAAA AACACATCTG GCCTAATGT 2220

CCAGATCCTT CAAAGAGTCA TATTGCCCAG TGGTCACCTC ACACTCCTCC AAGGCACAAT 2280

75

TTTTCAAGAA CTAACACAGT TATTCCTATA CTGGATTTTA GGTCTCTGAA GAACTGCTGG 2760

ATAGAAGCAA ATGACAAAAA GCCTTTTCCA GAAGATCTGA AATCATTGGA CCTGTTCAAA 2400 AAGGAAAAAA TTAATACTGA AGGACACAGC AGTGGTATTG GGGGGTCTTC ATGCATGTCA 2460 TCTTCTAGGC CAAGCATTTC TAGCAGTGAT GAAAATGAAT CTTCACAAAA CACTTCGAGC 2520 5 ACTGTCCAGT ATTCTACCGT GGTACACAGT GGCTACAGAC ACCAAGTTCC GTCAGTCCAA 2580 GTCTTCTCAA GATCCGAGTC TACCCAGCCC TTGTTAGATT CAGAGGAGCG GCCAGAAGAT 2640 CTACAATTAG TAGATCATGT AGATGGCGGT GATGGTATTT TGCCCAGGCA ACAGTACTTC 2700 AAACAGAACT GCAGTCAGCA TGAATCCAGT CCAGATATTT CACATTTTGA AAGGTCAAAG 2760 CAAGTTTCAT CAGTCAATGA GGAAGATTTT GTTAGACTTA AACAGCAGAT TTCAGATCAT 2820 10 ATTTCACAAT CCTGTGGATC TGGGCAAATG AAAATGTTTC AGGAAGTTTC TGCAGCAGAT 2880 CTAAAATGAT TTTATCTGTG AATTC 15 Seq ID NO: 32 <u>Protein sequence:</u>
Protein Accession #: NP_002175.1 20 MLTLQTWVVQ ALFIFLTTES TGELLDPCGY ISPESPVVOL HSNFTAVCVL KEKCMDYFHV 60 NANYIVWKTN HFTIPKEQYT IINRTASSVT FTDIASLNIO LTCNILTFGO LEONVYGTTI 120 ISGLPPEKPK NLSCIVNEGK KMRCEWDGGR ETHLETNFTL KSEWATHKFA DCKAKRDTPT 180 SCTVDYSTVY FVNIEVWVEA ENALGKVTSD HINFDPVYKV KPNPPHNLSV INSEELSSIL 240
KLTWTNPSIK SVIILKYNIQ YRTKDASTWS QIPPEDTAST RSSFTVQDLK PFTEYVFRIR 300
CMKEDGKGYW SDWSEEASGI TYEDRPSKAP SFWYKIDPSH TQGYRTVQLV WKTLPPFEAN 360
GKILDYEVTL TRWKSHLQNY TVNATKLTVN LTNDRYLATL TVRNLVGKSD AAVLTIPACD 420 25 FQATHPVMDL KAFPKDNMLW VEWTTPRESV KKYILEWCVL SDKAPCITDW QQEDGTVHRT 480 YLRGNLAESK CYLITVTPVY ADGPGSPESI KAYLKQAPPS KGPTVRTKKV GKNEAVLEWD 540 QLPVDVQNGF IRNYTIFYRT IIGNETAVNV DSSHTEYTLS SLTSDTLYMV RMAAYTDEGG 600 KDGPEFTFTT PKFAQGEIEA IVVPVCLAFL LTTLLGVLFC FNKRDLIKKH IWPNVPDPSK 660 30 SHIAQWSPHT PPRINFNSKD QMYSDGNFTD VSVVEIEAND KKPFFEDLKS LDLFKKEKIN 720 TEGHSSGIGG SSCMSSSRPS ISSDENESS QNTSSTVQYS TVVHSGYRHQ VPSVQVFSRS 780 ESTQPLLDSE ERPEDLQLVD HVDGGDGILP RQQYFKQNCS QHESSPDISH FERSKQVSSV 840 NEEDFVRLKQ QISDHISQSC GSGQMKMFQE VSAADAFGPG TEGQVERFET VGMEAATDEG 900 35 MPKSYLPQTV RQGGYMPQ Seq ID NO: 33 DNA sequence Nucleic Acid Accession #: NM 018255.1 40 Coding sequence: 11-2491 (underlined sequences correspond to start and stop codons) 31 AGTTGGCGAC ATGGTGGCAC CCGTGCTGGA GACTTCTCAC GTGTTTTGCT GCCCAAACCG 60 45 GGTGCGGGGA GTCCTGAACT GGAGCTCTGG GCCCAGAGGA CTTCTGGCCT TTGGCACGTC 120 CTGCTCCGTG GTGCTCTATG ACCCCCTGAA AAGGGTTGTT GTTACCAACT TGAATGGTCA 180 CACCGCCCGA GTCAATTGCA TACAGTGGAT TTGTAAACAG GATGGCTCCC CTTCTACTGA 240 ATTAGTTTCT GGAGGATCTG ATAATCAAGT GATTCACTGG GAAATAGAGG ATAATCAGCT 300 TTTAAAAGCA GTGCATCTTC AAGGCCATGA AGGACCTGTT TATGCGGTGC ATGCTGTTTA 360 50 CCAGAGGAGG ACATCAGATC CTGCATTATG TACACTGATC GTTTCTGCAG CTGCAGATTC 420 55 CTTTGGTAGA GATCTTTTCC TAGCAAGCTG TTCACAAGAT TGCCTGATAA GAATATGGAA 720 GCTGTATATA AAGTCAACAT CTTTAGAAAC TCAGGATGAC GATAACATAA GACTGAAAGA 780 AAATACTTTT ACCATAGAAA ATGAAAGTGT TAAAATAGCA TTTGCTGTTA CTCTGGAGAC 840 AGTGCTAGCC GGTCATGAAA ACTGGGTAAA TGCAGTTCAC TGGCAACCTG TGTTTTACAA 900 AGATGGTGTC CTACAGCAGC CAGTGAGATT ATTATCTGCT TCCATGGATA AAACCATGAT 960 AGAIGGT CLACAGLAG CAGIGAGATT ATTAIL IGCT ICCATGGATA AAACATGAT 980
TCTCTGGGGCT CCAGATGAAG AGTCAGGAGT TTGGCTAGAA CAGGTTCGAG TAGGTGAAGT 1020
AGGTGGGAAT ACTTTGGGAT TTTATGATTG CCAGTTCAAT GAAGATGGCT CCATGATCAT 1080
TGCTCATGCT TTCCACGGAG CGTTGCACCT TTGGAAACAG AATACAGTTA ACCCAAGAGA 1140
GTGGACTCCA GAGATTGTCA TTTCAGGACA CTTTGATGGT GTCCAAGACC TAGTCTGGGA 1200 60 TCCAGAAGGA GAATTTATTA TCACTGTTGG TACTGATCAG ACAACTAGAC TATTCTGCTCC 1260
ATGGAAGAGA AAAGACCAAT CACAGGTGAC TTGGCATGAA ATTGCAAGGC CTCAGATACA 1320
TGGGTATGAC CTGAAATGTT TGGCAATGAT TAATCGGTTT CAGTTTGTAT CTGGAGCAGA 1380
TGAAAAAGTT CTTCGGGTTT TTTCTGCACC TCGGAATTTT GTGGAAAAATT TTTGTGCCAT 1440 65 TACAGGACAA TCACTGAATC ATGTGCTCTG TAATCAAGAT AGTGATCTTC CAGAAGGAGC 1500
CACTGTCCCT GCATTGGGAT TATCAAATAA AGCTGTCTTT CAGGGAGATA TAGCTTCTCA 1560
GCCTTCTGAT GAAGAGGAGC TGTTAACTAG TACTGGTTTT GAGTATCAGC AGGTGGCCTT 1620
TCAGCCCTCC ATACTTACTG AGCCTCCCAC TGAGGATCAT CTTCTGCAGA ATACTTTGTG 1680 70 TCAGCCCTCC ATACTTACTG AGCCTCCCAC TGAGGATCAT CTICIGCAGA ATACTTIGIG 1080 GCCTGAAGTT CAAAAACTAT ATGGGCACGG TTATGAAATA TTTTGTGTTA CTTGTAACAG 1740 TTCAAAAGACT CTGCTTGCCT CAGCTTGTAA GGCAGGCTAAG AAAGAGCATG CAGCTATCAT 1800 TCTTTGGAAC ACTACATCTT GGAAACAGGT GCAGAATTTA GTTTTCCACA GTTTGACAGT 1860 CACGCAGATG GCCTTCTCAC CTAATGAGAA GTTCTTACTA GCTGTTTCCA GAGATCGAAC 1920 CTGGTCATTG TGGAAAAAAA GTACTTCTGTGACTCTCAGCTCGAGCCAGTTTTTAGTCT 1980 TTCTCCCCTCAACAAAAA TTACTTCTGT GCACAGGTAGAA ATTATTTGTGTTTTTTGTGATTG 2040 75 TTTTGCCTTC ACCAACAAAA TTACTTCTGT GCACAGTAGA ATTATTTGGT CTTGTGATTG 2040

TTTAATTCAA AAGATCAAAT GTATTCAGAT GGCAATTTCA CTGATGTAAG TGTTGTGGAA 2340

GAGTCCTGAC AGCAAGTATT TCTTCACTGG GAGTCGAGAC AAAAAGGTGG TTGTCTGGGG 2100
TGAGTGCGAC TCCACTGATG ACTGTATTGA GCACAACATT GGCCCCTGCT CCTCAGTCCT 2160
GGACGTGGGT GGGGCTGTGA CAGCTGTCAG CGTCTGCCCA GTGCTCACC CTTCTCAACG 2220
ATACGTGGTT GCAGTAGGAT TGGAGTGTGG AAAGATTTGC TTATATACCT GGAAAAAAGAC 2280
TGATCAAGTT CCAGAAATAA ATGACTGGAC CCACTGTGTA GAAACAAGTC AAAGCCAAAG 2340
TCATACACTG GCTATCAGAA AATTATGCTG GAAGAATTGC AGTGGAAAAAA CTGAACAGAA 2400
GGAAGCAGAA GGTGCTGAGT GGTTACACTT TGCAAGCTGT GGTGAAGATC ACACTGTGAA 2460
GATACACAGA GTCCAATAAAT GTGCACTGTAATGG

Seq ID NO: 34 <u>Protein sequence:</u>
Protein Accession #: NP_060725.1

1 11 21 31 41 51

15 MVAPVLETSH VFCCPNRVRG VLNWSSGPRG LLAFGTSCSV VLYDPLKRVV VTNLNGHTAR 60 VNCIQWICKQ DGSPSTELVS GGSDNQVIHW EIEDNQLLKA VHLQGHEGPV YAVHAVYQRR 120 TSDPALCTLI VSAAADSAVR LWSKKGPEVM CLQTLNFGNG FALALCLSFL PNTDVPILAC 180 GNDDCRIHIF AQQNDQFQKV LSLCGHEDWI RGVEWAAFGR DLFLASCSQD CLIRIWKLYI 240 KSTSLETQDD DNIRLKENTF TIENESVKIA FAVTLETVLA GHENWYNAVH WQPVFYKDGV 300

20 KSTSLETQDD DNIRLKENTF TIENESVKIA FAVTLETVLA GHENWVNAVH WQPVFYKDOV 300
LQQPVRLLSA SMDKTMILWA PDEESGVWLE QVRVGEVGGN TLGFYDCQFN EDGSMIIAHA 360
FHGALHLWKQ NTVNPREWTP EIVISGHFDG VQDLVWDPEG EFIITVGTDQ TTRLFAPWKR 420
KDQSQVTWHE IARPQIHGYD LKCLAMINRF QFVSGADEKV LRVFSAPRNF VENFCATIGQ 480
SLNHVLCNQD SDLPEGATVP ALGLSNKAVF QGDIASQPSD EEELLTSTGF EYQQVAFQPS 540
ILTEPPTEDH LLQNTLWPEV QKLYGHGYEI FCVTCNSSKT LLASACKAAK KEHAAIILWN 600

25 TTSWKQVQNL VFHSLTVTQM AFSPNEKFLL AVSRDRTWSL WKKQDTISPE FEPVFSLFAF 660
TNKITSVHSR IIWSCDWSPD SKYFFTGSRD KKVVVWGECD STDDCIEHNI GPCSSVLDVG 720
GAVTAVSVCP VLHPSQRYVV AVGLECGKIC LYTWKKTDQV PEINDWTHCV ETSQSQSHTL 780
AIRKLCWKNC SGKTEQKEAE GAEWLHFASC GEDHTVKIHR VNKCAL

Seq ID NO: 35 DNA sequence
Nucleic Acid Accession #: NM_022131
Coding sequence: 11-2878 (underlined sequences correspond to start and stop codons)

40
CACAGTCATT TTGGACCCAC CACTGGTAGC CCTGGATAAA GATGCACCGG TTCCTTTTGC 240
AGGGGAAATC TGTGCGTTCA AGATCCATGG CCAGGAGCTG CCCTTTGAGG CTGTGGTGCT 300
CAACAACAACA TCAGGAGAGG CCCGGTCCC TGCCAAGAGC CCCATTGACT GTGAGTTGCA 360
GAAGGAGTAC ACATTCATCA TCCAGGCCTA TGACTGTGGT GCTGGGCCCC ACGAGACAGC 420
CTGGAAAAAG TCACACAAGG CCGTGGTCCA TATACAGGTG AAGGATGTCA ACGAGTTTGC 480

450
CTGGAAAAAG TCACACAAGG CCGTGGTCCA TATACAGGTG AAGGATGTCA ACGAGTTTGC
CTGGAAAAAG TCACACAGG CCTACAAGGC TGTTGTGACG GAGGGCAAGA TCTATGACAG 540
CATTCTGCAG GTGGAGGCCA TTGACGAGGA CTGCTCCCCA CAGTACAGCC AGATCTGCAA 600
CTATGAAATC GTCACCACAG ATGTGCCTTT TGCCATCGAC AGAAATGGCA ACATCAGGAA 660
CACTGAGAAG CTGAGCTATG ACAAACAACA CCAGTATGAG ATCCTGGTGA CCGCCTACGA 720
CTGTGGACAG AAGCCCGCTG CTCAGGACAC CCTGGTGCAG GTGGATGTA AGCCAGTTTG 780
CAAGCCTGGC TGGCAAGACT GGACCAAGAG GATTGAGTAC CAGCCTGGCT CCGGGAGCAT 840
GCCCCTGTTC CCCAGCATCC ACCTGGAGAC GTGCATTGGA GCCGTGTCTT CCCTCCAGAT 900

50
GCCCTGTTC CCCAGCATCC ACCTGGAGAC GTGCGATGGA GCCGTGTCTT CCCTCCAGAT 900
CGTCACAGAG CTGCAGACTA ATTACATTGG GAAGGGTTGT GACCGGGAGA CCTACTCTGA 960
GAAATCCCTT CAGAAGTTAT GTGGAGAGCCTC CTCTGGCATC ATTGACCTCT TGCCATCCC 1020
TAGCGCTGCC ACCAACTGGA CTGCAGGACT GCTGGTGGAC AGCAGTGAGA TGATCTTCAA 1080
GTTTGACGGC AGGCAGGGTG CCAAAATCCC CGATGGGATT GTGCCCAAGA ACCTGACCGA 1140

55
GTTTGACGC AGGCAGGGTG CCAAAATCCC CGATGGGATT GTGCCCAAGA ACCTGACCGA 1140
TCAGTTCACC ATCACCATGT GGATGAACA CGGCCCCAGC CCTGGTTGA GAGCCGAGAA 1200
GGAAACCATC CTCTGCAACT CAGACAAAAC CGAAATGAAC CGGCATCACT ATGCCCTGTA 1260
TGTGCACAAC TGCCGCCTCG TCTTTCTCTT GCGGAAGGAC TTCGACCAGG CTGACACCTT 1320
TCGCCCCGCG GAGTTCCACT GGAAGCTGGA TCAGATTTGT GACAAAGAGT GGCACTACTA 1380
TGTCATCAAT GTGGAGTTTC CTGTGGTAAC CTTATACATG GATGGAGCAA CATATGAACC 1440

TGTCATCAAT GTGGAGTTTC CTGTGGTAAC CTTATACATG GATGGAGCAA CATATGAACC 1440
ATACCTGGTG ACCAACGACT GGCCCATTCA TCCATCTCAC ATAGCCATGC AACTCACAGT 1500
CGGGCTTGT TGGCAAGGAG GAGAAGTCAC CAAACCAAG TTTGCTCAGT TCTTTCATGG 1560
AAGCCTGGCC AGTCTCACCA TCCGCCCTGG CAAAATGGAA AGCCAGAAGG TGATCTCCTG 1620
CCTGCAGGCC TGCAAGGAAG GGCTGGACAT TAATTCCTTG GAAAGCCTTG GCCAAGGAAT 1680

65
AAAGTATCAC TICAACCCCT CGCAGTCCAT CCTGGTGATG GAAAGGTTACG ACAATGGAA 1740
CATTAACCGT GCTCCAGA AAGTCTCCTA CATCAACTCC AGGCAGTTCC CAACGGCGGG 1800
TGTGCGGCGC CTCAAAGTAT CCTCCAAAGT CCAGTGCTTT GGGGAAGACG TATGCATCAG 1860
TATCCCTGAG GTAGATGCCT ATGTGATGGT CCTCCAGGCC ATCAGCCCC GGATCACCCT 1920
CCGGGGCACA GACCACTTCT GGAGACCTGC TGCCCAGTTT GAAAGTGCCA GGGGAGTGAC


70
CCTCTTCCCT GATATCAAGA TTGTGAGCAC CTTCGCCAAA ACCGAAGCCC CCGGGGACGT 2040
GAAAACCACA GACCCCAAAT CAGAAGTCTT AGAGGAAATG CTTCATAACT TAGATTTCTG 2100
TGACATTTTG GTGATCGGAG GGGACTTGGA CCCAAGGCAG GAGTGCTTGG AGCTCAACCA 2160
CAGTGAGCTC CACCAACGAC ACCTGGATGC CACTAATTCT ACTGCAGGCT ACTCCATCTA 2220
CGGTGTGGGC TCCATGAGCA CACTAGACA GGGGTGCTACAT CACATCCGCT ACCGCAACTG 2280
GCGTCCGGCT TCCCTTGAGG CCCGGGTTT CCGGATTAAG TGCTCAGAAC TCAATGGCC 2240


75
GCGTCCGGCT TCCCTTGAGG CCCGGCGTTT CCGGATTAAG TGCTCAGAAC TCAATGGGCG 2340
CTACACTAGC AATGAGTTCA ACTTGGAGGT CAGCATCCTT CATGAAGACC AAGTCTCAGA 2400
TAAGGAGCAT GTCAATCATC TGATTGTGCA GCCTCCCTTC CTCCAGTCTG TCCATCATCC 2460
TGAGTCCCGG AGTAGCATCC AGCACAGTTC AGTGGTCCCA AGCATTGCCA CAGTGGTCAT 2520


CATCATCTCC GTGTGCATGC TTGTGTTTGT CGTGGCCATG GGTGTGTACC GGGTCCGGAT 2580 CGCCCACCAG CACTTCATCC AGGAGACTGA GGCTGCCAAG GAATCTGAGA TGGACTGGGA 2640
CGATTCTGCG CTGACTATCA CAGTCAACCC CATGGAGAAA CATGAAGGAC CAGGGCATGG 2700 GGAAGATGAG ACTGAGGGAG AAGAGGAGGA AGAAGCCGAG GAAGAAATGA GCTCCAGCAG 2760 TGGCTCTGAC GACAGCGAAG AGGAGGAGGA GGAGGAAGGG ATGGCCAGAG GCAGACATGG 2820
GCAGAATGGA GCCAGGCAAG CCCACCTGA GTGGGATGAC TCCACCCTCC CCTACTAGTG 2880
CCCAGGGGTC TGCTGCCTGG CCCACATGTC CCTTTTGTAA ACCCTGACCC AGTGTATGCC 2940
CATGTCTATC ATACCTCACC TCTGATGTCT GTGACATGTC TGGGAAGGCC TTCTCCAGCT 3000 5 TCCTGGAGCC CACCCTTTAA GCCTTGGGCA CTCCCTGTGT TTCATCCATG GGGAAGTTCC 3060 10. AAGAAGCCCA GCATGGCCAT CAGTGAGGAC TTCAGGGTAG ACTITGTCCT GTAGCCTCCA 3120 CTTCTGCCCT AAGTTCCCCA GCATCCTGAC TACCTGTCTG CAGAGTTTGC CTTTGTTTTT 3180
TCCTGCAGGG AAGAAGGCCC ACCTTTGTGT CACTCACCTC CCCAGGCTCA GAGTCCCCAA 3240
GGCCCTGGGG TTCCAACTCA CTGTGCGTCT CCTCCACAC GACCAGTAGG TTCTCCTATG 3300 CTGACTCCAG GTTGCTTCAT ACAAGGAGGG TGGTTGAACT TCACACACGT AAGGTCTTAG 3360 15 TGCTTAACAG TTTAAAGGAA AGTCCTTGTT GAGGCAGAAC TAAGTTTACA GGGAAAGGTA 3420 CACACATTCT CTCTCTCT CTCTCTGT CTATCTAGTT CCCCAGCTTG GAGAGCCTTT 3480 CCCCTTGCTT CTTTCTGAGG CCATATAAGC TTATAAGAAA AGTCCCAAAC CAAGAATAGG 3540 TCCTTGGCCA CAAGCAGGGT CTGATCCCCC ATCAGAGCTA TCTGAGCCTG CCTGTCTGGG 3600 CACCTGCTGC AACCATGCAG CTACCCTGCC AGGGGCACTC AGCAAACAGA ACCACAGGGC 3660
CCAGGAGGCA TTCCACACAG GCACTGCCCC AGGACAACAC AACAAGGACA GTCACAACAA 3720
GGACAACAAG GACACAACAC AACACCACAAC AAGGACAGTC ACAACAAGCC TAGAGCCAGA 3780
AAGCAGATGG AAATGCTAAT GAGGTCAAAC GTAGGCTTCA TGGTGGGTGG AGTGGGGGTG 3840 20 GCTGGGCTCC CCCAGGACAG AGGGGACCCT GAGGTTGGCA AGGCTCTCAC CACTCAGCCT 3900 TATGGTCCCT TATCTCCTAT CTTCCCTCTT GAGAAAATAC ACGCTTTCTG CATGTATAG 3960
AAACGCACGA GCTCCACCAA GTCTACAATG AAAGTTTGAA ATTTAACTGC AAGGAATTAG 4020
AAGCATATTT GCAATCATTG CAGCTTCTTC TTTCTTCTGC TCATAAAAGG AGGAACACTT 4080
TAGATAGAGG GCAAATATAT CTGAAAACCT AATTTCTTTC TTTTTTTGAT AAGGAAATCT 4140 25 TTTCCATCTC CATCCTAACA TGCACAACCT GTGAAGAGAA TTGTTTCTAT AGTAACTGGT 4200 CTGTGATCTT TTGTGGCCAA GAGAATAGCA GGCAAGAATT AGGGCCTTGA CAGAATTTCC 4260 ACGAAGCTCT GAGAACATGT TTGTTTCGAA TGTCTGATTC CTCTTTGTCA TCAATGTGTA 4320 TGCTCTGTCC CCATCCTTCA CTCCTCCTA AGCTCACACC AATTGGTTTG GCACAGGCAC 4380 30 AGAGCTGGTC CCTAGTTAAG TGGCATTTAT GTTAAAAAAA AATAGTTCAG AATCTCAGCC 4440 TTTTCTTTGT GTCATCAAAA CAGCTTAAGA AGGGGACTAC TGCCAATGTC CTCTAGTCTG 4500 ACCTCCACCC AGGGAGGACC CATGGCAGGT CTTTTCAACT TTCTGATTCA TGAGAACAAC 4560 CTTGTGAAGC TTTTCCCACC TCCTAAAGTG TTTTCTGCAT CTGTTCCTTC CTTTGGACCT 4620 35 CACAACAAAT CCTGTGAAGT AACTGAGACA TCTGTTGTTA GATACATTTT TGTGATGAGT 4680 AAACTGAGGC TTCG Seq ID NO: 36 Protein sequence:
Protein Accession #: NP 071414.1 40 MLPGRLCWVP LLLALGVGSG SGGGGDSROR RLLAAKVNKH KPWIETSYHG VITENNDTVI 60 45 LDPPLVALDK DAPVPFAGEI CAFKIHGQEL PFEAVVLNKT SGEGRLRAKS PIDCELQKEY 120 TFIIQAYDCG AGPHETAWKK SHKAVVHIQV KDVNEFAPTF KEPAYKAVVT EGKIYDSILQ 180 VEAIDEDCSP QYSQICNYEI VTTDVPFAID RNGNIRNTEK LSYDKQHQYE ILVTAYDCGQ 240 KPAAQDTLVQ VDVKPVCKPG WQDWTKRIEY QPGSGSMPLF PSIHLETCDG AVSSLQIVTE 300 LQTNYIGKGC DRETYSEKSL QKLCGASSGI IDLLPSPSAA TNWTAGLLVD SSEMIFKFDG 360 50 RQGAKIPDGI VPKNLTDQFT ITMWMKHGPS PGVRAEKETI LCNSDKTEMN RHHYALYVHN 420 RQGARIPOGI VRNLIDQFI I IMWMRHOFS PGVRAEREIT LCNSDRIEMIN RHH TALI VINI V 26 CRLVFLLRKD FDQADTFRPA EFHWKLDQIC DKEWHYYVIN VEFPVVTLYM DGATYEPYLV 480 TNDWPHIPSH IAMQLTVGAC WQGGEVTKPQ FAQFFHGSLA SLTIRPGKME SQKVISCLQA 540 CKEGLDINSL ESLGQGIKYH FNPSQSILVM EGDDIGNINR ALQKVSYINS RQFPTAGVRR 600 LKVSSKVQCF GEDVCISIPE VDAYVMVLQA IEPRITLRGT DHFWRPAAQF ESARGVTLFP 660 55 DIKIVSTFAK TEAPGDVKTT DPKSEVLEEM LHNLDFCDIL VIGGDLDPRQ ECLELAHSEL 720
HQRHLDATNS TAGYSIYGVG SMSRYEQVLH HIRYRNWRPA SLEARRFRIK CSELNGRYTS 780
NEFNLEVSIL HEDQVSDKEH VNHLIVQPPF LQSVHHPESR SSIQHSSVVP SIATVVIIIS 840
VCMLVFVVAM GVYRVRIAHQ HFIQETEAAK ESEMDWDDSA LTITVNPMEK HEGPGHGEDE 900 TEGEEEEEAE EEMSSSSGSD DSEEEEEEEG MGRGRHGQNG ARQAQLEWDD STLPY 60 Seq ID NO: 37 DNA sequence Nucleic Acid Accession #: none found 143-874 (underlined sequences correspond to start and stop codons) Coding sequence: 65 .31 GGGAGGGAGA GAGGCGCGCG GGTGAAAGGC GCATTGATGC AGCCTGCGGC GGCCTCGGAG 60 CGCGGGCCTC CTGCTGCTC TGCTGCTGCA GCAGGGCGC GCGCTCCC CGCAGCGGCT 180
CCCCCAAGGGG AAGCAAAAGG CGCAGCTCCA GCTGCCCGCA GCGCTCCC TGCTGCTCC TGCTGCTGCA GCTGCCCGCAGCGGCT 240
CCCCCAAGGGG AAGCAAAAGG CGCAGCTCCG GCAGAGGGAG GTGGTGGACC TGTATAATGG 300 70 AATGTGCTTA CAAGGGCCAG CAGGAGTGCC TGGTCGAGAC GGGAGCCCTG GGGCCAATGG 360
AATGTGCTTA CAAGGGCCAG CAGGAGTGCC TGGTCGAGAC GGGAGCCCTG GGGCCAATGG 360
CATTCCGGGT ACACCTGGGA TCCCAGGTCG GGATGGATTC AAAGGAGAAA AGGGGGAATG 420
TCTGAGGGAA AGCTTTGAGG AGTCCTGGAC ACCCAACTAC AAGCAGTGTT CATGGAGTTC 480
AATTGAATTAT GGCATAGATC TTGGGAAAAT TGCGGAGTGT ACATTTACAA AGATGCGTTC 540
AAATAGTGCT CTAAGAGTTT TGTTCAGTGG CTCACTTCGG CTAAAATGCA GAAATGCATG 600 75 CTGTCAGCGT TGGTATTTCA CATTCAATGG AGCTGAATGT TCAGGACCTC TTCCCATTGA 660

CACTICTICT GTGGAAGGAC TTTGTGAAGG AATTGGTGCT GGATTAGTGG ATGTTGCTAT 780 CTGGGTTGGC ACTTGTTCAG ATTACCCAAA AGGAGATGCT TCTACTGGAT GGAATTCAGT 840 TTCTCGCATC ATTATTGAAG AACTACCAAA A<u>TAA</u>ATGCTT TAATTTTCAT TTGCTACCTC 900 TTTTTTTATT ATGCCTTGGA ATGGTTCACT TAAATGACAT TTTAAATAAG TTTATGTATA 960 CATCTGAATG AAAAGCAAAG CTAAATATGT TTACAGACCA AAGTGTGATT TCACACTGTT 1020 TITAAATCTA GCATTATTCA TTITGCTTCA ATCAAAAGTG GTTTCAATAT TTTTTTTAGT 1080 TGGTTAGAAT ACTITICTICA TAGTCACATT CTCTCAACCT ATAATTTGGA ATATTGTTGT 1140 GGTCTTTTGT TTTTTCTCTT AGTATAGCAT TTTTAAAAAA ATATAAAAGC TACCAATCTT 1200 10. TGTACAATTT GTAAATGTTA AGAATTTTTT TTATATCTGT TAAATAAAAA TTATTTCCAA 1260 СААССТТААА АААААААААА АААА Seq ID NO: 38 Protein sequence:
Protein Accession #: none found 15 MRPQGPAASP QRLRGLLLLL LLQLPAPSSA SEIPKGKQKA QLRQREVVDL YNGMCLQGPA 60 GVPGRDGSPG ANGIPGTPGI PGRDGFKGEK GECLRESFEE SWTPNYKQCS WSSLNYGIDL 120 20 GKIAECTFTK MRSNSALRVI. FSGSLRLKCR NACCQRWYFT FNGAECSGPL PIEAIIYLDQ 180 GSPEMNSTIN IHRTSSVEGL CEGIGAGLVD VAIWVGTCSD YPKGDASTGW NSVSRIIEE 240 LPK Seq ID NO: 39 DNA sequence 25 Nucleic Acid Accession #: NM_000949 285-2153 (underlined sequences correspond to start and stop codons) Coding sequence: 41 21 31 - 51 30 TAAAGAACTC TCCTATTCAT GGAGGCGAAC ACTGAGGATG CTTTCCACAT GAACCCTGAA 240 GTGAACTTCT GATACATTTC CTGCAGCAAG AGAAGGCAGC CAACATGAAG GAAAATGTGG 300 CATCTGCAAC CGTTTTCACT CTGCTACTTT TTCTCAACAC CTGCCTTCTG AATGGACAGT 360 TACCTCCTGG AAAACCTGAG ATCTTTAAAT GTCGTTCTCC CAATAAGGAA ACATTCACCT 420 35 GCTGGTGGAG GCCTGGGACA GATGGAGGAC TTCCTACCAA TTATTCACTG ACTTACCACA 480 GGGAAGGAGA GACACTCATG CATGAATGTC CAGACTACAT AACCGGTGGC CCCAACTCCT 540
GCCACTTTGG CAAGCAGTAC ACCTCCATGT GGAGGACATA CATCATGATG GTCAATGCCA 600
CTAACCAGAT GGGAAGCAGT TTCTCGGATG AACTTTATGT GGACGTGACT TACATAGTTC 660
AGCCAGACC 40 ACCTGTGGAT TAAATGGTCT CCACCTACCC TGATTGACTT AAAAACTGGT TGGTTCACGC 780 TCCTGTATGA AATTCGATTA AAACCCGAGA AAGCAGCTGA GTGGGAGATC CATTTTGCTG 840 GGCAGCAAAC AGAGTTTAAG ATTCTCAGCC TACATCCAGG ACAGAAATAC CTTGTCCAGG 900 TTCGCTGCAA ACCAGACCAT GGATACTGGA GTGCATGGAG TCCAGCGACC TTCATTCAGA 960 45 TACCTAGTGA CTTCACCATG AATGATACAA CCGTGTGGAT CTCTGTGGCT GTCCTTTCTG 1020 CTGTCATCTG TTTGATTATT GTCTGGGCAG TGGCTTTGAA GGGCTATAGC ATGGTGACCT 1080 GCATCTTTCC GCCAGTTCCT GGGCCAAAAA TAAAAGGATT TGATGCTCAT CTGTTGGAGA 1140 AGGGCAAGTC TGAAGAACTA CTGAGTGCCT TGGGATGCCA AGACTTTCCT CCCACTTCTG 1200 ACTATGAGGA CTTGCTGGTG GAGTATTTAG AAGTAGATGA TAGTGAGGAC CAGCATCTAA 1260 50 TOTCAGTOCA TTCAAAAGAA CACCCAAGTC AAGGTATGAA ACCCACATAC CTGGATCCTG 1320 ACACTGACTC AGGCCGGGGG AGCTGTGACA GCCCTTCCCT TTTGTCTGAA AAGTGTGAGG 1380
AACCCCAGGC CAATCCCTCC ACATTCTATG ATCCTGAGGT CATTGAGAAG CCAGAGAATC 1440
CTGAAACAAC CCACACCTGG GACCCCCAGT GCATAAGCAT GGAAGGCAAA ATCCCCTATT 1500 CIGAAACAAC CCACACUTG GACCCCCAGU GCALAAGCAT GGAAGCCAAACACCCAGU TTCATGCTGG TGGATCCAAA TGTTCAACAT GGCCCTTACC ACAGCCCAGC CAGCACCAACC 1560
CCAGATCCTC TTACCACAAT ATTACTGATG TGTGTGAGCT GGCTGTGGGC CCTGCAGGTG 1620
CACCGGCCAC TCTGTTGAAT GAAGCAGGTA AAGATGCTTT AAAATCCTCT CAAACCATTA 1680
AGTCTAGAGA AGAGGGAAAG GCAACCCAGC AGAGGGAGGT AGAAAGCTTC CATTCTGAGA 1740 55 AGICTAGAGA AGAGGCAAAG GCAACCCAGC AGAGGAGAGT AGAACACCTT CATACTAGAT TACCCCTGACCAGGA TACGCCCCTGGCCCCC AGGAGAAAAC CCCCTTTGGC TCCGCTAAAC 1860 CCTTGGATTA TOTGGAGATT CACAAGGTCA ACAAAGATGG TGCATTATCA TTGCTACCAA 1860 AACAGAGAGA GAACAGCGGC AAGCCCAAGA AGCCCGGGAC TCCTGAGAAC AATAAGGAGT 1920 ATGCCAAGGT GTCCGGGGTC ATGGATAACA ACATCCTGGT GTTGGTGCCA GATCCACATG 1980 CTAAAAACGT GGCTTGCTTT GAAGAATCAG CCCAAAGAGGC CCCACCATCA CTTGAACAGA 2040 60 ATCAAGACGI GOCTIOCTTT GAAGAATCAG CCAAGAGGC CCAACACTACA CTIGAACAG 2040
ATCAAGCTGA GAAAGCCCTG GCCAACTTCA CTGCAACATC AAGCAAGTGC AGGCTCCAGC 2100
TGGGTGGTTT GGATTACCTG GATCCCGCAT GTTTTACACA CTCCTTTCAC TGATAGCTTG 2160
ACTAATGGAA TGATTGGTTA AAATGTGATT TTTCTTCAGG TAACACTACA GAGTACGTGA 2220
AATGCTCAAG AATGTAGTCA GACTGACACT ACTAAAGCTC CCAGCTCCTT TCATGCTCCA 2280 65 AATIGETCAAU AATIGIACIEA UACIGACACI ACIAAAGCTE CCAGCTCCTT ICATGETCCA 2280
TTTTTAACCA CTTGCCTCTT TCTCCAGCAG CTGATTCCAG AACAAATCAT TATGTTTCCT 2340
AACTGTGATT TGTAGATTTA CTTTTTTGCTG TTAGTTATAA AACTATTGTT TCAATGAAAT 2400
AAAAGCACAC TGCTTAGTAT TCTTGAGGGA CAATGCCAAT AGGTATATCC TCTGGAAAAG 2460
GCTTTCATGA TTTGGCATGG GACAGACGGA AATGAAATTG TCAAAAATTGT TTACCATAGA 2520 70 AAGATGACAA AAGAAAAATTT TCCACATAGG AAAATGCCAT GAAAATTGCT TTTGAAAAAC 2580
AACTGCATAA CCTTTACACT CCTCGTCCAT TTTATTAGGA TTACCCAAAT ATAACCATTT 2640 AAAGAAAGAA TGCATTCCAG AACAAATTGT TTACATAAGT TCCTATACCT TACTGACACA 2700 TTGCTGATAT GCAAGTAAGA AAT 75

AGCTATAATT TATTTGGACC AAGGAAGCCC TGAAATGAAT TCAACAATTA ATATTCATCG 720







QDQAPDESPK LKSSSETSVH CTSYRGVPAS KPEPARAKAK LSKFSIPKQG EESRSGETNS 300 CVEETIREMT WLPPLSAIQA PGKVEPTKFP FPNKDSQLVS SGHNNFKKGD AEPESPDNGT 360
SNTSMLEDDL KLSSDEEENE QQAAQRTALR ALSDSAVVQQ PNCRTSVPSS KGSSSSSSSS 420 SNTSMLEDDL KLSSDEEENE QQAAQRTALR ALSDSAVVQQ PNCRTSVPSS KGSSSSSSG 420
TSSSSSDSES SSGSDSETES SSSESEGSKP PHFSSPEAEP ASSNKWQLDK WLNKVNPHKP 480
PILIQNESHG SESNQYYNPV KEDVQDCGKV PDVCQPSLRE KEIKSTCKEE QRPRTANKAP 540
GSKGVKQKSP PAAVAVAVSA AAPPPAVPCA PAENAPAPAR RSAGKKPTRR TERTSAGDGA 600
NCHRPEEPAA ADALGTSVVV PPEPTKTRPC GNNRASHRKE LRSSVTCEKR RTRGLSRIVP 660
KSKEFIETES SSSSSSDSD LESEQEEYPL SKAQTVAASA SSGNDQRLKE AAANGGSGPR 720
APVGSINART TSDIAKELEE QFYTLVPFGR NELLSPLKDS DEIRSLWVKI DLTLLSRIPE 780
HLPQEPGVLS APATKDSESA PPSHTSDTPA EKALPKSKRK RKCDNEDDYR EIKKSQGEKD 840
SSSRLATSTS NTLSANHCMM NINSVAIPIN KNEKMLRSPI SPLSDASKHK YTSEDLTSSS 900
PBNIGNSI ETA ASSEVENDAD SOLOPHIGGIL TKA AHNNISPIN IEJ HKSRPOTI KPWSPGSNGH 960 5 10 RPNGNSLFTS ASSSKKPKAD SOLOPHGGDL TKAAHNNSEN IPLHKSRPQT KPWSPGSNGH 960 RDCKRQKLVF DDMPRSADYF MQEAKRMKHK ADAMVEKFGK ALNYAEAALS FIEGGNAMEQ 1020
GPMESKSPYY LMYSETVELI RYAMRIKTHS GPNATPEDKQ LAALCYRCLA LLYWRMFRLK 1080
RDHAVKYSKA LIDYFKNSSK AAQAPSPWGA SGKSTGTPSP ISPNPFPGSS VGSQGSLSNA 1140
SALSPSTIVS IPQRIHQMAA NHVSITNSIL HSYDYWEMAD NLAKENREFF NDLDLLMGPV 1200 15 TLHSSMEHLV QYSQQGLHWL RNSAHLS

Seq ID NO: 47 DNA sequence 20 NM 033151 Nucleic Acid Accession #: 351-4499(underlined sequences correspond to start and stop codons) Coding sequence:

51

41

21 31 25 ACTGGGATAA AGCAAGAAGA CTGATTTTAT GAGCAGGGGT TTGATACATC AAAGGAGATT GCCCAGGATC AAGGGTGCGG TGTTGGGGGT GGGTTGGGGA GGGTGGTTAG AGAAGGTTTC 120 ACTAAGTGAT TTGGGCCTGA GGCCTGAGAA GATGTTTAAA AAGAGGGATC AAGCACAGGC 180 TAAGGAGAGG AAAGAGCAGG CACCCAAACC TCTGCATGGC CCCAATATGC TCCCTGCAGG 240 30 GTAGTGCCCC CTCTTCTGGC TGCTCAAGGC GAGATCTAAG CTTCTTCTAA CTCCTGCTGT 300 CTITITCATAT TCTCTGATTC TGGGAAACGA AGAATTGGCA GGAACTGAAA ATGACTAGGA 360
AGAGGACATA CTGGGTGCCC AACTCTTCTG GTGGCCTCGT GAATCGTGGC ATCGACATAG 420
GCGATGACAT GGTTTCAGGA CTTATTTATA AAACCTATAC TCTCCAAGAT GGCCCCTGGA 480
GTCAGCAAGA GAGAAATCCT GAGGCTCCAG GGAGGGCAGC TGTCCCACCG TGGGGGAAGT 540 35 ATGATGCTGC CTTGAGAACC ATGATTCCCT TCCGTCCCAA GCCGAGGTTT CCTGCCCCC 600 AGCCCCTGGA CAATGCTGGC CTGTTCTCCT ACCTCACCGT GTCATGGCTC ACCCCGCTCA 660
TGATCCAAAG CTTACGGAGT CGCTTAGATG AGAACACCAT CCCTCCACTG TCAGTCCATG 720
ATGCCTCAGA CAAAAATGTC CAAAGGCTTC ACCGCCTTTG GGAAGAAGAA GTCTCAAGGC 780 GAGGGATTGA AAAAGCTTCA GTGCTTCTGG TGATGCTGAG GTTCCAGAGA ACAAGGTTGA 840 40 TTTTCGATGC ACTTCTGGGC ATCTGCTTCT GCATTGCCAG TGTACTCGGG CCAATATTGA 900
TTATACCAAA GATCCTGGAA TATTCAGAAG AGCAGTTGGG GAATGTTGTC CATGGAGTGG 960
GACTCTGCTT TGCCCTTTTTCTCTCCGAAT GTGTGAAGTC TCTGAGTTTC TCCTCCAGTT 1020 GGATCATCAA CCAACGCACA GCCATCAGGT TCCGAGCAGC TGTTTCCTCC TTTGCCTTTG 1080 GGATCATCAA CCAACCACA GCCATCAGGT TOCGACGGC TOTTCCTC TITAGCTT 1000
TCACCGGTGA TGTAAACTAC CTGTTTGAAG GGGTGTGCTA TGGACCCCTA GTACTGATCA 1200
CCTGCGCATC GCTGGTCATC TGCAGCATTT CTTCCTACTT CATTATTGGA TACACTGCAT 1260
TTATTGCCAT CTTATGCTAT CTCCTGGTTT TCCCACTGGC GGTATTCATG ACAAGAATGG 1320 45 CTGTGAAGGC TCAGCATCAC ACATCTGAGG TCAGCGACCA GCGCATCCGT GTGACCAGTG 1380 AAGTTCTCAC TTGCATTAAG CTGATTAAAA TGTACACATG GGAGAAACCA TTTGCAAAAA 1440 -50 TCATTGAAGA CCTAAGAAGG AAGGAAAGGA AACTATTGGA GAAGTGCGGG CTTGTCCAGA 1500 GCCTGACAAG TATAACCTTG TTCATCATCC CCACAGTGGC CACAGCGGTC TGGGTTCTCA 1560 TCCACACATC CTTAAAGCTG AAACTCACAG CGTCAATGGC CTTCAGCATG CTGGCCTCCT 1620 TGAATCTCCT TCGGCTGTCA GTGTTCTTTG TGCCTATTGC AGTCAAAGGT CTCACGAATT 1680 TCAAGTCTCC TCGGCTGTCA GTGTTCTTTG TGCCTATTGC AGGAGACCCT GTTTTCTATG 1800
CCAAGTCTGC AGTGATGAGG TTCAAGAAGT TTTTCCTCCA GGAGAGCCCT GTTTTCTATG 1740
TCCAGACATT ACAAGACCCC AGCAAAGCTC TGGTCTTTGA GGAGAGCCACC TTGTCATGGC 1800
AACAGACCTG TCCCGGGATC GTCAATGGGG CACTGGAGCT GGAGAGGAAC GGGCATGCTT 1860
CTGAGGGGAT GACCAGGCCT AGAGATGCCC TCGGGCCAGA GGAAGAAGGG AACAGCCTGG 1920 55 GCCCAGAGTT GCACAAGATC AACCTGGTGG TGTCCAAGGG GATGATGTTA GGGGTCTGCG 1980 GCAACACGGG GAGTGGTAAG AGCAGCCTGT TGTCAGCCAT CCTGGAGGAG ATGCACTTGC 2040 TCGAGGGCTC GGTGGGGGTG CAGGGAAGCC TGGCCTATGT CCCCCAGCAG GCCTGGATCG 2100 60 TCAGCGGCTC GGTGGGGGTG CAGGGAAGCC TGGCCTATGT CCCCCACAGCAGCCTCACTC 2160
TCAGCGGGAA CATCAGGGAG AACATCCTCA TGGGAGGCGC ATATGACAAG GCCCGATACC 2160
TCCAGGTGCT CCACTGCTGC TCCCTGAATC GGGACCTGGA ACTTCTGCCC TTTGGAGACA 2220
TGACAGAGAT TGGAGAGCGG GGCCTCAACC TCTCTGGGGG GCAGAAACAG AGGATCAGCC 2280
TGGCCCGCGC CGTCTATTCC GACCGTCAGA TCTACCTGCT GGACGACCCC CTGTCTGCTG 2340
TGGACGCCCA CGTGGGGAAG CACATTTTTG AGGAGTGCAT TAAGAAGACA CTCAGGGGGA 2400 65 AGACGCCCA CGIGGGAAG CACATITITG AGAGTACAT TAGAAAACA CICAGGGGAA 2400
AGACGGTCGT CCTGGTGACC CACCAGCTGC AGTACTTAGA ATTTTGTGGC CAGATCATTT 2460
TGTTGGAAAA TGGGAAAAATC TGTGAAAATG GAACTCACAG TGAGTTAATG CAGAAAAAGG 2520
GGAAATATGC CCAACTTATC CAGAAGATGC ACAAGGAAGC CACTTCGGAC ATGTTGCAGG 2580
ACACAGCAAA GATAGCAGAG AAGCCAAAGG TAGAAAGTCA GGCTCTGGCC ACCTCCCTGG 2640 ACACAGCAAA GATAGCAGA AAGCCAAAGG TAGAAAGCTCAGCT CACACAGGAG GAGGAGATGG 2700
AAGAAGGCTC CTTGAGTTGG AGGGTCTACC ACCACTACAT CCAGGCAGCT GGAGGTTACA 2760
TGGTCTCTTG CATAATTTTC TTCTTCGTGG TGCTGATCGT CTTCTTAACG ATCTTCAGCT 2820
TCTGGTGGCT GAGCTACTGG TTGGAGCAGG GCTCGGGGAC CAATAGCAGC CGAGAGAGCA 2880 70 TCGGTGGCC CATGAGTTC TTTGACACCA TCCCAATAGG CCGGCTTTTG AACTGCTTCC 3120 75


CAGGGGACTT GGAACAGCTG GACCAGCTCT TGCCCATCTT TTCAGAGCAG TTCCTGGTCC 3180 TGTCCTTAAT GGTGATCGCC GTCCTGTTGA TTGTCAGTGT GCTGTCTCCA TATATCCTGT 3240 TAATGGGAGC CATAATCATG GTTATTTGCT TCATTTATTA TATGATGTTC AAGAAGGCCA 3300 TCGGTGTGTT CAAGAGACTG GAGAACTATA GCCGGTCTCC TTTATTCTCC CACATCCTCA 3360 ATTCTCTGCA AGGCCTGAGC TCCATCCATG TCTATGGAAA AACTGAAGAC TTCATCAGCC 3420 AGTTTAAGAG GCTGACTGAT GCGCAGAATA ACTACCTGCT GTTGTTTCTA TCTTCCACAC 3480 5 GATGGATGGC ATTGAGGCTG GAGATCATGA CCAACCTTGT GACCTTGGCT GTTGCCCTGT 3540 TCGTGGCTTT TGGCATTTCC TCCACCCCCT ACTCCTTTAA AGTCATGGCT GTCAACATCG 3600 TGCTGCAGCT GGCGTCCAGC TTCCAGGCCA CTGCCCGGAT TGGCTTGGAG ACAGAGGCAC 3660 AGTTCACGGC TGTAGAGAGG ATACTGCAGT ACATGAAGAT GTGTGTCTCG GAAGCTCCTT 3720 10 TACACATGGA AGGCACAAGT TGTCCCCAGG GGTGGCCACA GCATGGGGAA ATCATATTTC 3780 AGGATTATCA CATGAAATAC AGAGACAACA CACCCACCGT GCTTCACGGC ATCAACCTGA 3840 CCATCCGCGG CCACGAAGTG GTGGGCATCG TGGGAAGGAC GGGCTCTGGG AAGTCCTCCT 3900 TGGGCATGGC TCTCTTCCGC CTGGTGGAGC CCATGGCAGG CCGGATTCTC ATTGACGGCG 3960 TGGACATTTG CAGCATCGGC CTGGAGGACT TGCGGTCCAA GCTCTCAGTG ATCCCTCAAG 4020 15 ATCCAGTGCT GCTCTCAGGA ACCATCAGAT TCAACCTAGA TCCCTTTGAC CGTCACACTG 4080 ACCAGCAGAT CTGGGATGCC TTGGAGAGGA CATTCCTGAC CAAGGCCATC TCAAAGTTCC 4140 CCAAAAAGCT GCATACAGAT GTGGTGGAAA ACGGTGGAAA CTTCTCTGTG GGGGAGAGGC 4200 AGCTGCTCTG CATTGCCAGG GCTGTGCTTC GCAACTCCAA GATCATCCTT ATCGATGAAG 4260 20 CCACAGCCTC CATTGACATG GAGACAGACA CCCTGATCCA GCGCACAATC CGTGAAGCCT 4320 TCCAGGGCTG CACCGTGCTC GTCATTGCCC ACCGTGTCAC CACTGTGCTG AACTGTGACC 4380 ACATCCTGGT TATGGGCAAT GGGAAGGTGG TAGAATTTGA TCGGCCGGAG GTACTGCGGA 4440 AGAAGCCTGG GTCATTGTTC GCAGCCCTCA TGGCCACAGC CACTTCTTCA CTGAGA<u>TAA</u>G 4500 GAGATGTGGA GACTTCATGG AGGCTGGCAG CTGAGCTCAG AGGTTCACAC AGGTGCAGCT 4560 25 TCGAGGCCCA CAGTCTGCGA CCTTCTTGTT TGGAGATGAG AACTTCTCCT GGAAGCAGGG 4620 GTAAATGTAG GGGGGGTGGG GATTGCTGGA TGGAAACCCT GGAATAGGCT ACTTGATGGC 4680 TCTCAAGACC TTAGAACCCC AGAACCATCT AAGACATGGG ATTCAGTGAT CATGTGGTTC 4740
TCCTTTTAAC TTACATGCTG AATAATTTTA TAATAAGGTA AAAGCTTATA GTTTTCTGAT 4800 CTGTGTTAGA AGTGTTGCAA ATGCTGTACT GACTTTGTAA AATATAAAAC TAAGGAAAAC 4860 30 Seq ID NO: 48 Protein sequence: Protein Accession #: NP_149163.2 35 MTRKRTYWVPNSSGGLVNRGIDIGDDMVSGLIYKTYTLQDGPWSQQERNPEAPGRAAVPPWGKYDAALRT MIPFRPKPRFPAPQPLDNAGLFSYLTVSWLTPLMIQSLRSRLDENTIPPLSVHDASDKNVQRLHRLWEEE VSRRGIEKASVLLVMLRFQRTRLIFDALLGICFCIASVLGPILIIPKILEYSEEQLGNVVHGVGLCFALF LSECVKSLSFSSSWIINQRTAIRFRAAVSSFAFEKLIQFKSVIHITSGEAISFFTGDVNYLFEGVCYGPL VLITCASLVICSISSYFIIGYTAFIAILCYLLVFPLAVFMTRMAVKAQHHTSEVSDQRIRVTSEVLTCIK 40 LIKMYTWEKPFAKIIEDLRRKERKLLEKCGLVQSLTSITLFIIPTVATAVWVLIHTSLKLKLTASMAFSM LASLNLLRLSVFFVPIAVKGLTNSKSAVMRFKKFFLQESPVFYVQTLQDPSKALVFEEATLSWQQTCPGI VNGALELERNGHASEGMTRPRDALGPEEEGNSLGPELHKINLVVSKGMMLGVCGNTGSGKSSLLSAILEE MHLLEGSVGVQGSLAYVPQQAWIVSGNIRENILMGGAYDKARYLQVLHCCSLNRDLELLPFGDMTEIGER GLNLSGGQKQRISLARAVYSDRQIYLLDDPLSAVDAHVGKHIFEECIKKTLRGKTVVLVTHQLQYLEFCG


VNGALELERNGHASEGMTRPRDALGPEEEGNSLGPELHKINLVVSKGMMLGVCGNTGSGKSSLLSALLEE
MHLLEGSVGVQGSLAYVPQQAWIVSGNIRENILMGGAYDKARYLQVLHCCSLNRDLELLPFGDMTEIGEI
GLNLSGGQKQRISLARAVYSDRQIYLLDDPLSAVDAHVGKHIFEECIKKTLRGKTVVLVTHQLQYLEFCG
QIILLENGKICENGTHSELMQKKGKYAQLIQKMHKEATSDMLQDTAKIAEKPKVESQALATSLEESLNGN
AVPEHQLTQEEEMEEGSLSWRVYHHYIQAAGGYMVSCIIFFFVVLIVFLTIFSFWWLSYWLEQGSGTNSS
RESNGTMADLGNIADNPQLSFYQLVYGLNALLLICVGVCSSGIFTKVTRKASTALHNKLFNKVFRCPMSF
FDTIPIGRILNCFAGDLEQLDLPIFSEQFLVLSIMVIAVLLIVSVLSPYILLMGAIIMVICFTYYMMF
KKAIGVFKRLENYSRSPLFSHILNSLQGLSSIHVYGKTEDFISQFKRLTDAQNNYLLLFLSSTRWMALRL
EIMTNLVTLAVALFVAFGISSTPYSFKVMAVNIVLQLASSFQATARIGLETEAQFTAVERILQYMKMCVS

FOILPIGKLINGFAGDEQLEQLIQLIPISSEGIEVLSEMVIAVELIVSVESFILEMORIMVICFIT TWIMF
KKAIGVFKRLENYSRSPLFSHILMSLQGLSSIHVYGKTEDFISQFKRLITADQNNYLLLFISSTRWMALRL
EIMTNLVTLAVALFVAFGISSTPYSFKVMAVNIVLQLASSFQATARIGLETEAQFTAVERILQYMKMCVS
EAPLHMEGTSCPQGWPQHGEIIPQDYHMKYRDNTPTVLHGINLTIRGHEVVGIVGRTGSGKSSLGMALFR
LVEPMAGRILIDGVDICSIGLEDLRSKLSVIPQDPVLLSGTIRFNLDPFDRHTDQWDALERTFLTKAI
SKFPKKLHTDVVENGGNFSVGERQLLCIARAVLRNSKIILDEATASIDMETDTLIQRTIREAFQGCTVL
VIAHRVTTVLNCDHILVMGNGKVVEFDRPEVLRKKPGSLFAALMATATSSLR

Seq ID NO: 49 DNA sequence
Nucleic Acid Accession #: NM_033419
Coding sequence: 18-980 (underlined sequences correspond to start and stop codons)

55





Seq ID NO: 53 DNA sequence

TCAGTGGATG ACGAGTGCTT GGTGAAATTG TTGAAAGGCC TGTGTCTGAA ATACCTGGGC 1440 CGTGTCCAGG AGGCCGAGGA GAATTTTAGG AGCATCTCTG CCAATGAAAA GAAGATTAAA 1500 TATGACCACT ACTTGATCCC AAACGCCCTG CTGGAGCTGG CCCTGCTGCT TATGGAGCAA 1560 GACAGAAACG AAGAGGCCAT CAAACTTTTG GAATCTGCCA AGCAAAACTA CAAGAATTAC 1620 5 TCCATGGAGT CAAGGACACA CTTTCGAATC CAGGCAGCCA CACTCCAAGC CAAGTCTTCC 1680 CTAGAGAACA GCAGCAGATC CATGGTCTCA TCAGTGTCCT TGTAGCTTTG TGCAGCAGTT 1740 CCGGGCTGGA AGACAGAGAC AGCTGGACAG AGCTCCTGAA AACATTTCAA AATACCCCCT 1800 CCCCCTGCCC TGCCCTGCCT TTGGGGTCCA CCGGCACTCC AGTTGGATGG CACAACATAG 1860 TGTATCCGTG CAGAAGCCGA GCTGGCATTT TCACCAGTGT AGCCAAGGGC CTTTGCCAAG 1920 10 GGCAGAGCAG GTGGAGCCCT CTGCCTGCCC TATCACACAT ACGGGTACTT GCTTTTCACT 1980 GTGATGTTTA AGAGAATGTA TGAACAGTTT ACATTTTCCT TAGAAATACA TTGATGGGAT 2040 CACAGTTGGC TITAAAAACC AACAACAATC AACCACCTGT AAGTCTTTGT CTTCACCTAT 2100 TATCATCTGG AGGTAAATCT CTTTATATGA TGATGCCAAA GGGCAAATTG CTTTTCAAAT 2160 TCAGCAAGTT CTCAGCTTGT GTGACGGAAG GTCCTTCAGA GGACCTGAGG AATGCCTGGG 2220 15 AGAGGCTAAG CCTCAGGCTT CAATGCTTCT GGGGTTGGGC ATGAGGATGT ACACAGACAC 2280 CCACTACCTT ACTACTCACA CTTCATTTCA CTCCTTTTGT AAATTTCCAA TTTAAAAAATC 2340 AAGCACGTCT TTTTAGTGAG ATAAAATCTG AGCTCTTCTG TAGAAAAATC AATCTCTACC 2400 AGTAGAAAAT GCCAGGGCTT GATGGAAGAG CTGTGTAGCC CTTTCTATGC CAAAGCCAGG 2460 AAATTTGGGG GGCAGGAGGA GGTTCTCAGA ATCCAGTCTG TATCTTTGCT GTATGCCAAA 2520 20 CTGAAACCAC TGGGAATAAT TTATGAAACA TAAAAATCTT CTGTACTTCA CTCCAAGGTA 2580 CATTTGCTTA CTGACAGCAT TTTTGTTAAA ACTGTTATTC TTGAAAAAAA AAAAAAAAA 2640 Seq ID NO: 56 Protein sequence:
Protein Accession #: AAC39582.1 25 41 31 MTALDIFLTH QFSEALSYLK PRTKESMYHS LTYATILEMQ AMMTFDPQDI LLAGNMMKEA 60
QMLCQRIRRK SSVTDSFSSL VNRPTLGQFT EEEHAEVCY AECLLQRAAL TFLQDENMVS 120
FIKGGIKVRN SYQTYKELDS LVQSSQYCKG ENHPHFEGGV KLGVGAFNLT LSMLPTRILR 180
LLEFVGFSGN KDYGLLQLEE GASGHSFRSV LCVMLLLCYH TFLTFVLGTG NVNIEEAEKL 240 30 LLEYVISON KDYGLIQLEE GASCHSPRSV LCVMLLIC IT FEITFUDTG NVNIBEAEKL 240
LKPYLNRYPK GAIFLFFAGR IEVIKGNIDA AIRRFEECCE AQQHWKQFHH MCYWELMWCF 300
TYKGQWKMSY FYADLLSKEN CWSKATYIYM KAAYLSMFGK EDHKPFGDDE VELFRAVPGL 360
KLKIAGKSLP TEKFAIRKSR RYFSSNPISL PVPALEMMYI WNGYAVIGKQ PKLTDGILEI 420
ITKAEEMLEK GPENEYSVDD ECLVKLLKGL CLKYLGRVQE AEENFRSISA NEKKIKYDHY 480
LIPNALLELA LLLMEQDRNE EAIKLLESAK QNYKNYSMES RTHFRIQAAT LQAKSSLENS 540 35 SRSMVSSVSL 40 Seg ID NO: 57 DNA sequence Nucleic Acid Accession #: NM_006670.1 Coding sequence: 1-927 (underlined sequences correspond to start and stop codons) 41 45 ATGCCTGGGG GGTGCTCCCG GGGCCCCGCC GCCGGGGACG GGCGTCTGCG GCTGGCGCGA 60 CTAGGGCTGG TACTCCTGGG CTGGGTCTCC TCGTCTTCTC CCACCTCCTC GGCATCCTCC 120
TTCTCCTCCT CGGCGCCGTT CCTGGCTTCC GCCGTGTCCG CCCAGCCCCC GCTGCCGGAC 180
CAGTGCCCCG CGCTGTCGCA GTGCTCCGAG GCAGCGCGCA CAGTCAAGTG CGTTAACCGC 240 50 AATCTGACCG AGGTGCCCAC GGACCTGCCC GCCTACGTGC GCAACCTCTT CCTTACCGGC 300 AACCAGCTGG CCAGCAACCA CTTCCTTTAC CTGCCGCGGG ATGTGCTGGC CCAACTGCCC 360
AGCCTCAGGC ACCTGGACTT AAGTAATAAT TCGCTGGTGA GCCTGACCTA CGTGTCCTTC 420
CGCAACCTGA CACATCTAGA AAGCCTCCAC CTGGAGGACA ATGCCCTCAA GGTCCTTCAC 480
AATGGCACCC TGGCTGAGTT GCAAGGTCTA CCCCACATTA GGGTTTTCCT GGACAACAAT 540 AARGUCACCE TIGGTGACTT CCAAGGTT TACATT TO THE CONTROL OF THE CONTRO 55 TATTTGAACC GCAAGGGGAT AAAAAAGTGG ATGCATAACA TCAGAGATGC CTGCAGGGAT 840 60 CACATGGAAG GGTATCATTA CAGATATGAA ATCAATGCGG ACCCCAGATT AACAAACCTC 900 AGTTCTAACT CGGATGTCCT CGAG<u>TGA</u> Seq ID NO: 58 Protein sequence Protein Accession #: NP_006661.1 65 41 51 31 11 21 MPGGCSRGPA AGDGRLRLAR LALVLLGWVS SSSPTSSASS FSSSAPFLAS AVSAQPPLPD 60 QCPALCECSE AARTVKCVNR NLTEVPTDLP AYVRNLFLTG NQLASNHFLY LPRDVLAQLP 120 SLRHLDLSNN SLVSLTYVSF RNLTHLESLH LEDNALKVLH NGTLAELQGL PHIRVFLDNN 180 70

Seq ID NO: 59 DNA sequence Nucleic Acid Accession #:

SSNSDVLE


75

NM_024022

PWVCDCHMAD MVTWLKETEV VQGKDRLTCA YPEKMRNRVL LELNSADLDC DPILPPSLQT 240 SYVFLGIVLA LIGAIFLLVL YLNRKGIKKW MHNIRDACRD HMEGYHYRYE INADPRLTNL 300

PCT/US02/02242 WO 02/059377

Coding sequence: 1-1362(underlined sequences correspond to start and stop codons)



Seq ID NO: 60 Protein sequence
Protein Accession #: NP_076927 30 Protein Accession #:

35

MGENDPPAVE APFSFRSLFG LDDLKISPVA PDADAVAAQI LSLLPLKFFP IIVIGIIALI 60 LALAIGLGIH FDCSGKYRCR SSFKCIELIA RCDGVSDCKD GEDEYRCVRV GGQNAVLQVF 120 LALAIGLUIH FÜCSGKYRCK SSPECIELIA REDVSDECK GEDETREVVE GGÜNAVQOFF IZE TAASWKTMCS DDWKGHYANV ACAQLGFPSY VSSDNLRVSS LEGOFREEFV SIDHLLFDDK 180 VTALHHSVYV REGCASGHVV TLQCTACGHR RGYSSRIVGG NMSLLSQWPW QASLQFQGYH 240 LCGGSVITPL WIITAAHCVY DLYLPKSWTI QVGLVSLLDN PAPSHLVEKI VYHSKYKPKR 300 LGNDIALMKL AGPLTFNEMI QPVCLPNSEE NFPDGKVCWT SGWGATEDGG DASPVLNHAA 360

40 VPLISNKICN HRDVYGGIIS PSMLCAGYLT GGVDSCQGDS GGPLVCQERR LWKLVGATSF 420 GIGCAEVNKP GVYTRVTSFL DWIHEQMERD LKT

Seq ID NO: 61 DNA sequence Nucleic Acid Accession #: NM_006475


41

45 Coding sequence: 28-2538 (underlined sequences correspond to start and stop codons) 41 51 31 AACAGAACTG CAACGGAGAG ACTCAAGATG ATTCCCTTTT TACCCATGTT TTCTCTACTA 50 TTGCTGCTTA TTGTTAACCC TATAAACGCC AACAATCATT ATGACAAGAT CTTGGCTCAT 120
AGTCGTATCA GGGGTCGGGA CCAAGGCCCA AATGTCTGTG CCCTTCAACA GATTTTGGGC 180 ACCAAAAAGA AATACTICAG CACTIGTAAG AACTGGTATA AAAAGTCACAT CTGTGGACAG 240
AAAACGACTG TTTTATATGA ATGTTGCCCT GGTTATATGA GAATGGAAGG AATGAAAGGC 300 TGCCCAGCAG TTTTGCCCAT TGACCATGTT TATGGCACTC TGGGCATCGT GGGAGCCACC 360
ACAACGCAGC GCTATTCTGA CGCCTCAAAA CTGAGGGAGG AGATCGAGGG AAAGGGATCC 420
TTCACTTACT TTGCACCGAG TAATGAGGCT TGGGACAACT TGGATTCTGA TATCCGTAGA 480 55 GGITTGGAGA GCAACGTGAA TGTTGAATTA CTGAATGCTT TACATAGTCA CATGATTAAT 540
AAGAGAATGT TGACCAAGGA CTTÁAAAAAT GGCATGATTA TTCCTTCAAT GTATAACAAT GOO
TTGGGGCTTT TCATTAACCA TTATCCTAAT GGGGTTGTCA CTGTTAATTG TGCTCGAATC 660
ATCCATGGGA ACCAGATTGC AACAAATGGT GTTGTCCATG TCATTGACCG TGTGCTTACA 720
CAAATTGGTA CCTCAATTCA AGACTTCATT GAAGCAGAAG ATGACCTTTC ATCTTTTAGA 780 60 GCAGCTGCCA TCACATCGGA CATATTGGAG GCCCTTGGAA GAGACGGTCA CTTCACACTC 840 TTTGCTCCCA CCAATGAGGC TTTTGAGAAA CTTCCACGAG GTGTCCTAGA AAGGTTCATG 900
GGAGACAAAG TGGCTTCCGA AGCTCTTATG AAGTACCACA TCTTAAATAC TCTCCAGTGT 960
TCTGAGTCTA TTATGGGAGG AGCAGTCTTT GAGACGCTGG AAGGAAATAC AATTGAGATA 1020 65 GGATGTGAACA TIAIGGAACA GATAAAT GAAATCAAAAA TGGTGAACAA AAAGGATAATT 1080 GTGACAAATA ATGGTGTGAT CCATTTGATT GATCAGGTCC TAATTCCTGA TTCTGCCAAAA 1140 CAAGTTATTG AGCTGGCTGG AAAACAGCAA ACCACCTTCA CGGATCTTGT GGCCCAAATTA 1200 GGCTTGGCAT CTGCTCTGAG GCCAGATGGA GAATACACTT TGCTGGCACC TGTGAATAAT 1260 GGCTTGGCAT CTGCTCTGAG GCCAGATGGA GAATACACTT TGCTGGCACC TGTGAATAAT 1260
GCATTTTCTG ATGATACTCT CAGCATGGTT CAGCGCCTCC TTAAATTAAT TCTGCAGAAT 1320
CACATATTGA AAGTAAAAGT TGGCCTTAAT GAGCTTTACA ACGGGCAAAT ACTGGAAACC 1380
ATCGGAGGCA AACAGCTCAG AGTCTTCGTA TATCGTACAG CTGTCTGCAT TGAAAATTCA 1440
TGCATGGAGA AAGGGAGTAA GCAAGGGAGA AACGGTGCGA TTCACATATT CCGCGAGATC 1500
ATCAAGCCAG CAGAGAAATC CCTCCATGAA AAGTTAAAAC AAGATAAGCG CTTTAGCACC 1560
TTCCTCAGCC TACTTGAAGC TGCAGACTTT AAGGGCATCC TGACACAACC TGGAGACTG 1620
ACATTATTTG TGCCAACCAA TGATGCTTTT AAGGGAATGA CTACTGAAGA AAAAACATT 1680
TTGATACGGG ACAAAAAAATC TCTTCAAAAAC TACTTCTTTA ATCACCTGAC ACCAGGAGTT 1740 70 75

AAAATCTITC TGAAAGAAGT AAATGATACA CTTCTGGTGA ATGAATTGAA ATCAAAAGAA 1860
TCTGACATCA TGACAACAAA TGGTGTAATT CATGTTGTAG ATAAACTCCT CTATCCAGCA 1920
GACACACCTG TTGGAAATGA TCAACTGCTG GAAATACTTA ATAAATTAAT CAAATACATC 1980
CAAATTAAGT TTGTTCGTGG TAGCACCTTC AAAGAAATCC CCGTGACTGT CTATACAACT 2040 AAAATTATAA CCAAAGTTGT GGAACCAAAA ATTAAAGTGA TTGAAGGCAG TCTTCAGCCT 2100 ATTATCAAAA CTGAAGGACC CACACTAACA AAAGTCAAAA TTGAAGGTGA ACCTGAATTC 2160 AGACTGATTA AAGAAGGTGA AACAATAACT GAAGTGATCC ATGGAGAGCC AATTATTAAA 2220 AAATACACCA AAATCATTGA TGGAGTGCCT GTGGAAATAA CTGAAAAAGA GACACGAGAA 2280 GAACGAATCA TTACAGGTCC TGAAATAAAA TACACTAGGA TTTCTACTGG AGGTGGAGAA 2340 10 ACAGAAGAAA CTCTGAAGAA ATTGTTACAA GAAGAGGTCA CCAAGGTCAC CAAATTCATT 2400 GAAGGTGGTG ATGGTCATTT ATTTGAAGAT GAAGAAATTA AAAGACTGCT TCAGGGAGAC 2460 ACACCCGTGA GGAAGTTGCA AGCCAACAAA AAAGTTCAAG GTTCTAGAAG ACGATTAAGG 2520 GAAGGTCGTT CTCAG<u>TGA</u>AA ATCCAAAAAC CAGAAAAAA TGTTTATACA ACCCTAAGTC 2580 AATAACCTGA CCTTAGAAAA TTGTGAGAGC CAAGTTGACT TCAGGAACTG AAACATCAGC 2640 15 ACAAAGAAGC AATCATCAAA TAATTCTGAA CACAAATTTA ATATTTTTT TTCTGAATGA 2700 GAAACATGAG GGAAATTGTG GAGTTAGCCT CCTGTGGTAA AGGAATTGAA GAAAATATAA 2760 CACCTTACAC CCTTTTTCAT CTTGACATTA AAAGTTCTGG CTAACTTTGG AATCCATTAG 2820 AGAAAAATCC TTGTCACCAG ATTCATTACA ATTCAAATCG AAGAGTTGTG AACTGTTATC 2880 CCATTGAAAA GACCGAGCCT TGTATGTATG TTATGGATAC ATAAAATGCA CGCAAGCCAT 2940 20 TATCTCTCCA TGGGAAGCTA AGTTATAAAA ATAGGTGCTT GGTGTACAAA ACTTTTTATA 3000 TCAAAAGGCT TTGCACATTT CTATATGAGT GGGTTTACTG GTAAATTATG TTATTTTTTA 3060 CAACTAATTT TGTACTCTCA GAATGTTTGT CATATGCTTC TTGCAATGCA TATTTTTTAA 3120 TCTCAAACGT TTCAATAAAA CCATTTTTCA GATATAAAGA GAATTACTTC AAATTGAGTA 3180 25 ATTCAGAAAA ACTCAAGATT TAAGTTAAAA AGTGGTTTGG ACTTGGGAA Seq ID NO: 62 <u>Protein sequence</u>; Protein Accession #: NP 006466 30 MIPFLPMFSL LLLLIVNPIN ANNHYDKILA HSRIRGRDQG PNVCALQQIL GTKKKYFSTC 60 KNWYKKSICG QKTTVLYECC PGYMRMEGMK GCPAVLPIDH VYGTLGIVGA TITQRYSDAS 120 KLREEIEGKG SFTYFAPSNE AWDNLDSDIR RGLESNVNVE LLNALHSHMI NKRMLTKDLK 180 35 NGMIIPSMYN NLGLFINHYP NGVVTVNCAR IIHGNQIATN GVVHVIDRVL TQIGTSIQDF 240
IEAEDDLSSF RAAAITSDIL EALGRDGHFT LFAPTNEAFE KLPRGVLERF MGDKVASEAL 300
MKYHILNTLQ CSESIMGGAV FETLEGNTIE IGCDGDSITV NGIKMVNKKD IVTNNGVIHL 360 IDQVLIPDSA KQVIELAGKQ QTTFTDLVAQ LGLASALRPD GEYTLLAPVN NAFSDDTLSM 420 IDQVLIPDSA KQVIELAGKQ QTTFFTDLVAQ LGLASALRPD GEYTILAPVN NAFSDDTLSM 420
VQRLLKLILQ NHILKVKVGL NELYNGQILE TIGGKQLRVF VYRTAVCIEN SCMEKGSKQG 480
RNGAHIBRE IIKPAEKSLH EKLKQDKRFS TFLSLLEAAD LKELLTQFGD WTLFVPTNDA 540
FKGMTSEEKE ILIRDKNALQ NIILYHLTPG VFIGKGFEPG VTNILKTTQG SKIFLKEVND 600
TLLVNELKSK ESDIMTTNGV IHVVDKLLYP ADTPVGNDQL LEILNKLIKY IQIKFVRGST 660
FKEIPVTVYT TKIITKVVEP KIKVIEGSLQ PIIKTEGPTL TKVKIEGEPE FRLIKEGETI 720
TEVIHGEPII KKYTKIIDGV PVEITEKETR EERIITGPEI KYTRISTGGG ETEETLKKLL 780
DEFLYTVITKE IEGGDGHI EE DEFENDIL OG DTPLYPLI OAN KYVGGSDBUL BEGSSO 40 45 QEEVTKVTKF IEGGDGHLFE DEEIKRLLQG DTPVRKLQAN KKVQGSRRRL REGRSQ Seq ID NO: 63 DNA sequence NM_020974 Nucleic Acid Accession #: Coding sequence: 81-3080 (underlined sequences correspond to start and stop codons) 50 31 51 41 GGCGTCCGCG CACACCTCCC CGCGCCGCCG CCGCCACCGC CCGCACTCCG CCGCCTCTGC 60 55 CGGGTCGGGG CCGTGCCGCG GGGCCGCAGG AGGATGTAGA TGAGTGTGCC CAAGGGCTAG 240 ATGATGGCA TGCCGACGCC CTGTGTCAGA ACACCCAC CTCCTACAAG TGCTCCTGCA 300
AGCCTGGCTA CCAAGGGGAA GGCAGGCAGT GTGAGGACAT CGATGAATGT GGAAATGAGC 360
TCAATGGAGG CTGTGTCCAT GACTGTTTGA ATATTCCAGG CAATTATCGT TGCACTTGTT 420
TTGATGGCTT CATGTTGGCT CATGACGGTC ATAATTGTCT TGATGTGGAC GAGTGCCTGG 480 60 AGAACAATGG CGGCTGCCAG CATACCTGTG TCAACGTCAT GGGGAGCTAT GAGTGCTGCT 540
GCAAGGAGGG GTTTTTCCTG AGTGACAATC AGCACACCTG CATTCACCGC TCGGAAGAGG 600
GCCTGAGCTG CATGAATAAG GATCACGGCT GTAGTCACAT CTGCAAGGAG GCCCCAAGGG 660
GCAGCGTCGC CTGTGAGTGC AGGCCTGGTT TTGAGCTGGC CAAGAACCAG AGAGACTGCA 720 65 TCTTGACCTG TAACCATGGG AACGGTGGGT GCCAGCACTC CTGTGACGAT ACAGCCGATG 780 GCCCAGAGTG CAGCTGCCAT CCACAGTACA AGATGCACAC AGATGGAGG AGCTGCCTTG 840
AGCGAGAGGA CACTGTCCTG GAGGTGACAG AGAGCAACAC CACATCAGTG GTGGATGGGG 900
ATAAACGGGT GAAACGGCGG CTGCTCATGG AAACGTGTGC TGTCAACAAT GGAGGCTGTG 960
ACCGCACCTG TAAGGATACT TCGACAGGTG TCCACTGCAG TTGTCCTGTT GGATTCACTC 1020 TCCAGTTGGA TGGGAAGACA TGTAAAGATA TTGATGAGTG CCAGACCCGC AATGGAGGTT 1890
GTGATCATTT CTGCAAAAAC ATCGTGGGCA GTTTTGACTG CGGCTGCAAG AAAGGATTTA 1140
AATTATTAAC AGATGAGAAG TCTTGCCAAG ATGTGGATGA GTGCTCTTTG GATAGGACCT 1200
GTGACCACG CTGCATCAAC CACCCTGGCA CATTTGCTTG TGCTTGCAAC CGAGGGTACA 1260 70 CCCTGTATGG CTTCACCCAC TGTGGAGACA CCAATGAGTG CAGCATCAAC AACGGAGGCT 1320
GTCAGCAGGT CTGTGTGAAC ACAGTGGGCA GCTATGAATG CCAGTGCCAC CCTGGGTACA 1380
AGCTCCACTG GAATAAAAAA GACTGTGTGG AAAGTGAAGGG GCTCCTGCCC ACAAGTGTGT 1440 75 CACCCCGTGT GTCCCTGCAC TGCGGTAAGA GTGGTGGAGG AGACGGGTGC TTCCTCAGAT 1500


TTCATTGGAA AAGGATTTGA ACCTGGTGTT ACTAACATTT TAAAGACCAC ACAAGGAAGC 1800

GTCACTCTGG CATTCACCTC TCTTCAGATG TCACCACCAT CAGGACAAGT GTAACCTTTA 1560 AGCTAAATGA AGGCAAGTGT AGTTTGAAAA ATGCTGAGCT GTTTCCCGAG GGTCTGCGAC 1620 CAGCACTACC AGAGAAGCAC AGCTCAGTAA AAGAGAGCTT CCGCTACGG AACCTTACAT 1680
GCAGCTCTGG CAAGCAAGTC CCAGGAGCCC CTGGCCGACC AAGCACCCCT AAGGAAATGT 1740
TTATCACTGT TGAGTTTGAG CTTGAAACTA ACCAAAAGGA GGTGACAGCT TCTTGTGACC 1800
TGAGCTGCAT CGTAAAGCGA ACCGAGAAGC GGCTCCGTAA AGCCATCCGC ACGCTCAGAA 1860 5 AGGCCGTCCA CAGGGAGCAG TTTCACCTCC AGCTCTCAGG CATGAACCTC GACGTGGCTA 1920 AAAAGCCTICC CAGGAACACT GAACGCCAGG CAGGTCCTG TGGAGTGGGC CAGGGTCATG 1980
CAGAAAACCA ATGTGTCAGT TGCAGGGCTG GGACCTATTA TGATGGAGCA CGAGAACGCT 2040
GCATTTTATG TCCAAATGGA ACCTTCCAAA ATGAGGAAGG ACAAATGACT TGTGAACCAT 2100
GCCCAAGACC AGGAAATTCT GGGGCCCTGA AGACCCCAGA AGCTTGGAAT ATGTCTGAAT 2160 10 GTGGAGGTCT GTGTCAACCT GGTGAATATT CTGCAGATGG CTTTGCACCT TGCCAGCTCT 2220 GTGCCCTGGG CACGTTCCAG CCTGAAGCTG GTCGAACTTC CTGCTTCCCC TGTGGAGGAG 2280 GCCTTGCCAC CAAACATCAG GGAGCTACTT CCTTTCAGGA CTGTGAAACC AGAGTTCAAT 2340 GTTCACCTGG ACATTTCTAC AACACCACCA CTCACCGATG TATTCGTTGC CCAGTGGGAA 2400 CATACCAGCC TGAATTTGGA AAAAATAATT GTGTTTCTTG CCCAGGAAAT ACTACGACTG 2460 15 ACTITICATEG CTCCACAAAC ATAACCCAGT GTAAAAACAG AAGATGTGA GGGAGCTGG 2520
GAGATTTCAC TGGGTACATT GAATCCCCAA ACTACCCAGG CAATTACCCA GCCAACACCG 2580
AGTGTACGTG GACCATCAAC CCACCCCCCA AGCGCCGCAT CCTGATCGTG GTCCCTGAGA 2640
TCTTCCTGCC CATAGAGGAC GACTGTGGGG ACTATCTGGT GATGCGGAAA ACCTCTTCAT 2700 20 CCAATTCTGT GACAACATAT GAAACCTGCC AGACCTACGA ACGCCCCATC GCCTTCACCT 2760 CCAGGTCAAA GAAGCTGTGG ATTCAGTTCA AGTCCAATGA AGGGAACAGC GCTAGAGGGT 2820
TCCAGGTCCC ATACGTGACA TATGATGAGG ACTACCAGGA ACTCATTGAA GACATAGTTC 2880
GAGATGGCAG GCTCTATGCA TCTGAGAACC ATCAGGAAAT ACTTAAGGAT AAGAAACTTA 2940 25 TCAAGGCTCT GTTTGATGTC CTGGCCCATC CCCAGAACTA TTTCAAGTAC ACAGCCCAGG 3000 AGTCCCGAGA GATGTTTCCA AGATCGTTCA TCCGATTGCT ACGTTCCAAA ACTGCCAGGT 3000
TTTTGAGACC TTACAAA<u>TGA</u> CTCAGCCCAC GTGCCACTCA ATACAAATGT TCTGCTATAG 3120
GGTTGGTGGG ACAGAGCTGT CTTCCTTCTG CATGTCAGCA CAGTCGGGTA TTGCTGCCTC 3180
CCGTATCAGT GACTCATTAG AGTTCAATTT TTATAGATAA TACAGATATT TTGGTAAATT 3240 30 GAACTTGGTT TTTCTTTCCC AGCATCGTGG ATGTAGACTG AGAATGGCTT TGAGTGGCAT 3300 CAGCTTCTCA CTGCTGTGGG CGGATGTCTT GGATAGATCA CGGGCTGGCT GAGCTGGACT 3360 TTGGTCAGCC TAGGTGAGAC TCACCTGTCC TTCTGGGGTC TTACTCCTCC TCAAGGAGTC 3420
TGTAGTGGAA AGGAGGCCAC AGAATAAGCT GCTTATTCTG AAACTTCAGC TTCCTCTAGC 3480
CCGGCCCTCT CTAAGGGAGC CCTCTGCACT CGTGTGCAGG CTCTGACCAG GCAGAACAGG 3540 35 CAAGAGGGGA GGGAAGGAGA CCCCTGCAGG CTCCCTCCAC CCACCTTGAG ACCTGGGAGG 3600 ACTCAGTTTC TCCACAGCCT TCTCCAGCCT GTGTGATACA AGTTTGATCC CAGGAACTTG 3660 AGTTCTAAGC AGTGCTCGTG AAAAAAAAA GCAGAAAGAA TTAGAAATAA ATAAAAACTA 3720 AGCACTTCTG GAGACAT 40 Seq ID NO: 64 Protein sequence: Protein Accession #: NP 066025.1 MGVAGRNRPG AAWAVLLLL LLPPLLLLAG AVPPGRGRAA GPQEDVDECA QGLDDCHADA 60 LCQNTPTSYK CSCKPGYQGE GRQCEDIDEC GNELNGGCVH DCLNIPGNYR CTCFDGFMLA 120 HDGHNCLDVD ECLENNGGCQ HTCVNVMGSY ECCCKEGFFL SDNQHTCHR SEEGLSCMNK 180 45 DHGCSHICKE APRGSVACEC RPGFELAKNQ RDCILTCNHG NGGCQHSCDD TADGPECSCH 240 PQYKMHTDGR SCLEREDTVL EVTESNTTSV VDGDKRVKRR LLMETCAVNN GGCDRTCKDT 300 STGVHCSCPV GFTLQLDGKT CKDIDECQTR NGGCDHFCKN IVGSFDCGCK KGFKLLTDEK 360 SCQDVDECSL DRTCDHSCIN HPGTFACACN RGYTLYGFTH CGDTNECSIN NGGCQQVCVN 420 50 TVGSYECQCH PGYKLHWNKK DCVEVKGLLP TSVSPRVSLH CGKSGGGDGC FLRCHSGIHL 480 TVGSYECQCH PGYKLHWNKK DCVEVKGLLP TSVSPRVSLH CGKSGGDGC FLRCHSGIHL 480
SSDVTTIRTS VTFKLNEGKC SLKNAELFPE GLRPALPEKH SSVKESFRYV NLTCSSGKQV 540
PGAPGRPSTP KEMFITVEFE LETNQKEVTA SCDLSCIVKR TEKRLRKAIR TLRKAVHREQ 600
FHLQLSGMNL DVAKKPPRTS ERQAESCGVG QGHAENQCVS CRAGTYYDGA RERCILCPNG 660
TFQNEEGQMT CEPCPRPGNS GALKTPEAWN MSECGGLCQP GEYSADGFAP CQLCALGTFQ 720
PEAGRTSCFP CGGGLATKHQ GATSFQDCET RVQCSPGHFY NTTTHRCIRC PVGTYQPEFG 780
KNNCVSCPGN TTTDFDGSTN ITQCKNRRCG GELGDFTGYI ESPNYPGNYP ANTECTWIN 840
PPPKRRILIV VPEIFLPIED DCGDYLVMRK TSSSNSVTTY ETCQTYERPI AFTSRSKKLW 900
IQFKSNEGNS ARGFQVPYVT YDEDYQELIE DIVRDGRLYA SENHQEILKD KKLIKALFDV 960
LAHPQNYFKY TAQESREMFP RSFIRLLRSK VSRFLRPYK 55 60 Seq ID NO: 65 DNA sequence Nucleic Acid Accession #: NM_007210 65 Coding sequence: 1-1869 (underlined sequences correspond to start and stop codons) ATGAGGCTCC TCCGCAGACG CCACATGCCC CTGCGCCTGG CCATGGTGGG CTGCGCCTTT 60 ATGAGGETCE TECGEAGAGG CEACATGCCE CIGGGETG CEATGTGGG CIGCGETTT 60
GTGCTCTTCC TCTTCCTCCT GCATAGGGAT GTGAGCAGCA GAGGAGGAGGAGGC CACAGAGAAG 120
CCGTGGCTGA AGTCCCTGGT GAGCCGGAAG GATCACGTCC TGGACCTCAT GCTGAGGGCC 180
ATGAACAACC TTAGAGATTC AATGCCCAAG CTCCAAATCA GGGCTCCAGA AGCCCAGCAG 240
ACTCTGTTCT CCATAAACCA GTCCTGCCTC CCTGGGTTCT ATACCCCAGC TGAACTGAAG 300
CCCTTCTGGG AACGGCCACC ACAGGACCCC AATGCCCCTG GGGCAGATGG AAAAGCATTT 350 70 75 CAGAAGAGCA AGTGGACCCC CCTGGAGACC CAGGAAAAGG AAGAAGGCTA TAAGAAGCAC 420
TGTTTCAATG CCTTTGCCAG CGACCGGATC TCCCTGCAGA GGTCCCTGGG GCCAGACACC 480 CGACCACCTG AGTGTGTGGA CCAGAAGTTC CGGCGCTGCC CCCCACTGGC CACCACCAGC 540



AGAGTGATGC TGCAGAACTA AATCATAAGG AGGAACATAG CTTGCATGTT CAAGATCCAT 840 CTTCTAGCAG TAAGAAGGAC TTGAAAAGCG CAGTTCTGAG TGAGAAGGCT GGCTTCAATT 900 ATGAAAGCCC CAGTAAGGGA GGAAACTTTC CCTCCTTTCC GCATGATGAG GTGACAGACA 960 GAAATATGTT GGCTTTCTCA TTTCCAGCTG CTGGGGGAGT CTGTGAGCCC TTGAAGTCTC 1020 CGCAAAGAGC AGAGGCAGAT GACCCTCAAG ATATGGCCTG CACCCCCTCA GGGGACTCAC 1080 TGGAGACAAA GGAAGATCAG AAGATGTCAC CAAAGGCTAC AGAGGAAACA GGGCAAGCAC 1140 5 AGAGTGGTCA AGCCAATTGT CAAGGTTTGA GCCCAGTTTC AGTGGCCTCA AAAAACCCAC 1200 AAGTGCCTTC AGATGGGGGT GTAAGACTGA ATAAATCCAA AACTGACTTA CTGGTGAATG 1260 ACAACCCAGA CCCGGCACCT CTGTCTCCAG AGCTTCAGGA CTTTAAATGC AATATCTGTG 1320 GATATGGTTA CTACGGCAAC GACCCCACAG ATCTGATTAA GCACTTCCGA AAGTATCACT 1380 10 TAGGACTGCA TAACCGCACC AGGCAAGATG CTGAGCTGGA CAGCAAAATC TTGGCCCTTC 1440 ATAACATGGT GCAGTTCAGC CATTCCAAAG ACTTCCAGAA GGTCAACCGT TCTGTGTTTT 1500 CTGGTGTGCT GCAGGACATC AATTCTTCAA GGCCTGTTTT ACTAAATGGG ACCTATGATG 1560 TGCAGGTGAC TTCAGGTGGA ACATTCATTG GCATTGGACG GAAAACACCA GATTGCCAAG 1620 GGAACACCAA GTATTTCCGC TGTAAATTCT GCAATTTCAC TTATATGGGC AACTCATCCA 1680 15 CCGAATTAGA ACAACATTTT CTTCAGACTC ACCCAAACAA AATAAAAGCT TCTCTCCCCT 1740 CCTCTGAGGT TGCAAAACCT TCAGAGAAAA ACTCTAACAA GTCCATCCCT GCACTTCAAT 1800 CCAGTGATTC TGGAGACTTG GGAAAATGGC AGGACAAGAT AACAGTCAAA GCAGGAGATG 1860 ACACTCCTGT TGGGTACTCA GTGCCCATAA AGCCCCTCGA TTCCTCTAGA CAAAATGGTA 1920 CAGAGGCCAC CAGTTACTAC TGGTGTAAAT TTTGTAGTTT CAGCTGTGAG TCATCTAGCT 1980 20 CACTTAAACT GCTAGAACAT TATGGCAAGC AGCACGGAGC AGTGCAGTCA GGCGGCCTTA 2040 ATCCAGAGTT AAATGATAAG CTTTCCAGGG GCTCTGTCAT TAATCAGAAT GATCTAGCCA 2100 AAAGTTCAGA AGGAGAGACA ATGACCAAGA CAGACAAGAG CTCGAGTGGG GCTAAAAAGA 2160 AGGACTTCTC CAGCAAGGGA GCCGAGGATA ATATGGTAAC GAGCTATAAT TGTCAGTTCT 2220 25 GTGACTTCCG ATATTCCAAA AGCCATGGCC CTGATGTAAT TGTAGTGGGG CCACTTCTCC 2280 GTCATTATCA ACAGCTCCAT AACATTCACA AGTGTACCAT TAAACACTGT CCATTCTGTC 2340 CCAGAGGACT TTGCAGCCCA GAAAAGCACC TTGGAGAAAT TACTTATCCG TTTGCTTGTA 2400 GAAAAAGTAA TTGTTCCCAC TGTGCACTCT TGCTTCTGCA CTTGTCTCCT GGGGCGGCTG 2460 GAAGCTCGCG AGTCAAACAT CAGTGCCATC AGTGTTCATT CACCACCCCT GACGTAGATG 2520 30 TACTCCTCTT TCACTATGAA AGTGTGCATG AGTCCCAAGC ATCGGATGTC AAACAAGAAG 2580 CAAATCACCT GCAAGGATCG GATGGGCAGC AGTCTGTCAA GGAAAGCAAA GAACACTCAT 2640 GTACCAAATG TGATTTTATT ACCCAAGTGG AAGAAGAGT TTCCCGACAC TACAGGAGAG 2700 CACACAGCTG CTACAAATGC CGTCAGTGCA GTTTTTACAGC TGCCGATACT CAGTCACTAC 2760 TGGAGCACTT CAACACTGTT CACTGCCAGG AACAGGACAT CACTACAGCC AACGGCGAAG 2820 35 AGGACGGTCA TGCCATATCC ACCATCAAAG AGGAGCCCAA AATTGACTTC AGGGTCTACA 2880 ATCTGCTAAC TCCAGACTCT AAAATGGGAG AGCCAGTTTC TGAGAGTGTG GTGAAGAGAG 2940 AGAAGCTGGA AGAGAAGGAC GGGCTCAAAG AGAAAGTTTG GACCGAGAGT TCCAGTGATG 3000 ACCTTCGCAA TGTGACTTGG AGAGGGGCAG ACATCCTGCG GGGGAGTCCG TCATACACCC 3060 AAGCAAGCCT GGGGCTGCTG ACGCCTGTGT CTGGCACCCA AGAGCAGACA AAGACTCTAA 3120 GGGATAGTCC CAATGTGGAG GCCGCCCATC TGGCGCGACC TATTTATGGC TTGGCTGTGG 3180 AAACCAAGGG ATTCCTGCAG GGGGCGCCAG CTGGCGGAGA GAAGTCTGGG GCCCTCCCCC 3240 40 AGCAGTATCC TGCATCGGGA GAAAACAAGT CCAAGGATGA ATCCCAGTCC CTGTTACGGA 3300 GGCGTAGAGG CTCCGGTGTT TTTTGTGCCA ATTGCCTGAC CACAAAGACC TCTCTCTGGC 3360 GAAAGAATGC AAATGGCGGA TATGTATGCA ACGCGTGTGG CCTCTACCAG AAGCTTCACT 3420 CGACTCCCAG GCCTTTAAAC ATCATTAAAC AAAACAACGG TGAGCAGATT ATTAGGAGGA 3480 GAACAAGAAA GCGCCTTAAC CCAGAGGCAC TTCAGGCTGA GCAGCTCAAC AAACAGCAGA 3540 45 GGGGCAGCAA TGAGGAGCAA GTCAATGGAA GCCCGTTAGA GAGGAGGTCA GAAGATCATC 3600 TAACTGAAAG TCACCAGAGA GAAATTCCAC TCCCCAGCCT AAGTAAATAC GAAGCCCAGG 3660 GTTCATTGAC TAAAAGCCAT TCTGCTCAGC AGCCAGTCCT GGTCAGCCAA ACTCTGGATA 3720 TTCACAAAAG GATGCAACCT TTGCACATTC AGATAAAAAG TCCTCAGGAA AGTACTGGAG 3780 50 ATCCAGGAAA TAGTTCATCC GTATCTGAAG GGAAAGGAAG TTCTGAGAGA GGCAGTCCTA 3840 ATCLADARA TACTICAC GTATE GAAG GGAAAOGAAG TICTOADAGA GACAGECTATTA 3840
TAGAAAAGTA CATGAGACCT GCGAAACACC CAAATTATTC ACCACCAGGC AGCCCTATTG 3900
AAAAGTACCA GTACCCACTT TITTGGACTTC CCTTTGTACA TAATGACTTC CAGAGTGAAG 3960
CTGATTGGCT GCGGTTCTGG AGTAAATATA AGCTCTCCGT TCCTGGGAAT CCGCACTACT 4020
TGAGTCACGT GCCTGGCCTA CCAAATCCTT GCCAAAACTA TGTGCCTTAT CCCACCTTCA 4080 55 ATCTGCCTCC TCATTTTTCA GCTGTTGGAT CAGACAATGA CATTCCTCTA GATTTGGCGA 4140 TCAAGCATTC CAGACCTGGG CCAACTGCAA ACGGTGCCTC CAAGGAGAAA ACGAAGGCAC 4200 CACCAAATGT AAAAAATGAA GGTCCCTTGA ATGTAGTAAA AACAGAGAAAA GTTGATAGAA 4260 GTACTCAAGA TGAACTTTCA ACAAAATGTG TGCACTGTGG CATTGTCTTT CTGGATGAAG 4320 60 TGATGTATGC TTTGCATATG AGTTGCCATG GTGACAGTGG ACCTTTCCAG TGCAGCATAT 4380 GCCAGCATCT TTGCACGGAC AAATATGACT TCACAACACA TATCCAGAGG GGCCTGCATA 4440 GGAACAATGC ACAAGTGGAA AAAAATGGAA AACC<u>TAA</u>AGA GTAAAACCTT AGCACTTAGC 4500 ACAATTAAAT AGAAATAGGT TTTCTTGATG GGAATTCAAT AGCTTGTAAT GTCTTATGAA 4560 GACCTATTAA AAAAATACTT CATAGAGCCT GCCTTATCCA ACATGAAATT CCCTTCTTT 4620 65 GTTATTCTTT CTTTTGATGA GTAGGTTACC AAGATTAAAA AGTGAGATAA ATGGTCAATG 4680 AGAAAGAATG GAAGATGGTA AACAATCACT TTTTAAAACC TGTTAAGTCA AAACCATCTT 4740 GGCTAATATG TACTGGGGAA ATAATCCATA AGAGATATCA CCAGACTAGA ATTAATATAT 4800 TTATAAAGAA AGAGACCAAA ACTGTCTAGA ATTTGAAAGG GTTTACATAT TATTATACTA 4860 AAGCAGTACT GGACTGGCCA TTGGACCATT TGTTCCAAAA CCCATAAATT GTTGCCTAAA 4920
TTTATAATGA TCATGAAACC CTAGGCAGAG GAGGAGAAAT TGAAGGTCCA GGGCAATGAA 4980
AGAAAAATGG CGCCCTCTCA ATTTAGTCTT CTCTCATTGG CCATGTTTCA GATTTTGACC 5040
TAGAAATGCG AGCTGTGGTT AGGCTTGGTT AGAGTGCAGC AAGCAACATG ACAGATGGTG 5100 70 GCACGCTGTT TTTACCCAGC CCTGCCTGTA CATACACATG CACACCCTCT CTGATATTTT 5160
TGTCCTTTAG ATGTTCAAAT ACTCAGTAGT CCTTTTGTTT GCGGTTTTAGA TTCATTTTGT 5220
CCACACATGT ACCCATTTTA AAAAACAATG TCCTCGATGC TTCTGATAGTG ATTTCATTTT 5280
AGCCAGGTAT TTCTTTCTTG TGTGTGATGA ACCAGTATGG ATTTGCTTTT CTAAGCCTCC 5340 75 TGTTGGTTAC TAATCTCACT TGGCACATTA TAACTAAAGG AATCCCCTCA ATTCAAAAGC 5400

ATAGATGGAT ACAAATGTCA GACCGTGGGT TTAATTTGTT TAGAACACAT GGCATTTCTT 5460 CACAAGGTAA CCTGCTGTAT TTATTTATTT TCTTTTTGGTT AAATATAATT TCCAAACTTT 5520
GTGGTCAGGC AGCGTCTAAG GTTACGTTAC CACAGACTGA CAGTTGGTAT ATGTACCAGC 5580
CAATCCCTTC ATTAAATGTA TACAGATTTA GTTAAGTAGC ATTAAATAGG ATTCTTAGAA 5640
GTATGTCCTC ATAGAACTTT TAATACTTAA GGCTTTGTAA AAACTATCCA TGAAGGGAAA 5700 5 GCTCCTCAGC ATAACTGCTC AGGGAAATAG GGCTAAATAA CTGAACATTA AATAATTGGT 5760 TAAAGGTGCT GTTAGTCGAG CCTCAATGCT TGCTACAAGG ATGTATGTAC AAGGACTGAC 5820 TTTAATAATT TGCATTATAT TGTCCCAACC AGTAGTTTAT TTTTTGCCAC GGAGATGTAG 5880 AAGATATTAC AAGCTACTGG ATGCACTGTC AGATTAACTT ATTTCATTAA AGAAGTTGGG 5940 10 AGAACAAATA GGAAAAAAA AACTTATTTT TCTAGTAAAT ATTAATGTAT TACATTTCAA 6000 ATAATGGTGC CTGACATATT GAATAATTAT TITCTACAGT GTACGTATGC AACAAAGATA 6060
TTCCATCATG CATTAGAGTC AGTTCTGGCT CTGCCTAGCT GTTTACATTT GCAAATGTAG 6120
CAAACAAGGT AATGAAGCAA CTATTTCTAT TGCAGTAGAT ATCCTTTTGT GTGTGTGTGT 6180
GTGCATTAAA GTTGTAAACG GTAACATGAA ACAAATGAAA GTTCTTGCTA TAATGGTATG 6240 - 15 GAAAACAAGA AGGAAATGAA AATATTTTTA TGCCTACTTA GGAAAAAAAG GGTAGCACTT 6300 ATTCATTCCA AGTACTTTTT TTTTTTAAT TTTTAAGCTC TTAACTCACA TTGTTATGCT 6360 TAAGATGATA AACATATATC CTCTTTTTAT TGCTTTGTCT ATGTTTCATA TGAAACATTT 6420 CAGAAATTAT TITGATAAGT GTTGCTGGAA TCTGCAACGC TGATTTTTTT TTGCATTCTG 6480 TAGTCGCATT TGCACTCCAT TITTACATTA ATTCGCAGTT GCTTTGTATC ATTGTTTTGT 6540 20 TTGGGTTTTG TTTCTTTTC ACAGTGCCGG GTCTTCGTTT CTTAAAGTTG GATGGCAGGT 6600 AGAGTTCAAC CAGTTCGTGA CTGTTGTAGC GAATGAAGTT AAAAAAATGT CTTTCTGATG 6660 TTGTGTTGTC ATTTTCATTT TTGCATTTTT TTGTTTGCAT ATTAAAAAAA GAGAAAAGAG 6720 AAAGCAAGAG ACAGAAATCA GGACTAAGTC CTCTGCTTCA GTTTCATTGT TAACGGGCCT 6780 TATTCTGATC TCACCTGTCG CGTAGCTCTA ATATTCACAT AAACTGAAAT AAAGAAGTGG 6840 25 AATGAGGAGC TITGACATTC AAATTATGTG ATGTAATTTA TCTTCCTTAG GAATTTTGAT 6900 GGATGCATCT CAAAATGTAT AGCCAGACTT GAGAGGTGAC AATTAAAGAT CTAAAAAAAGA 6960 GAGGAGATTC CCCCAAACAA CAATATTTAA TTTTCTTAGT AAAAAGAATA ACAGAATGCA 7020 TCGTGGCAAT CCTTAAGCAA CATTATCTAT GTGGACTGCT TAAATCAGCA AAACACCAGA 7080 AGTTTGGTTA ACTTGGGCAA TATGACAAGT ATTACTTTTT GGGCAAAACT ACTCATTAAG 7140 30 CAATTTCTCT AGTGTGTGCGG ACACAAATAG GTTCTTTATT TTTGGCATGT ATGCCTTTTT 7200 ATTTTCATTC AATTTTTTT TTTTCTCAGA CAGACATAGT AGTATCAACT AGCATTGGAA 7260 AATACATATC ACTATTCTTG GAATATTTAT GGTCAGTCTA CTTTTTAGTA AAATATTTTT 7320 CATTITITGC TITCATTATT ATACATATTT TGGTGGAGAA GAGGTTGGGC TTTTTTGAAA 7440 GAGACAAAAA TITATTATAA CACTAAACAC TCCTTTTTTG ACATATTAAA GCCTTTATTC 7500 CATCTCTCAA GATATATTAT AAAATTTATT TTTTTAATTT AAGATTTCTG AATTATTTA 7560 TCTTAAATTG TGATTTTAAA CGAGCTATTA TGGTACGGAA CTTTTTTTAA TGAGGAATTT 7620 35 CATGATGATT TAGGAATTTT CTCTCTTGGA AAAGGCTTCC CCTGTGATGA AAATGATGTG 7680 CCAGCTAAAA TIGTGTGCCA TITAAAAACT GAAAATATTI TAAAATTATI TGTCTATATI 7740 CTAAATTGAG CTTTGGATCA AACTTTAGGC CAGGACCAGC TCATGCGTTC TCATTCTTCC 7800 TTTTCTCACT CTTTCTCTCA TCACTCACCT CTGTATTCAT TCTGTTGTTT GGGATAGAAA 7860 40 THICICACT CITICICICA ICACICACCI CIGIATICAT ICIGITA GAGAGACAC TACATGACTA AAACAAAAA AGCAACCCA ICTCAGAACG TTGTGGATTG AGAGAGACAC TACATGACTC 7920 CAAGTATATG AGAAAAGGAC AGAGCTCTAA TTGATAACTC TGTAGTTCAA AAGGAAAAGA 7980 GTATGCCCAA TTCTCTCTAC ATGACATATT GAGATTTTTT TTAATCAACT TTTAAGATAG 8040 TGATGTTCTG TTCTAAACTG TTCTGTTTTA GTGAAGGTAG ATTTTTATAA AACAAGCATG 8100 45 GGGATTCTTT TCTAAGGTAA TATTAATGAG AAGGGAAAAA AGTATCTTTA ACAGCTCTTT 8160 GTTGAAGCCT GTGGTAGCAC ATTATGTTTA TAATTGCACA TGTGCACATA ATCTATTATG 8220 ATCCAATGCA AATACAGCTC CAAAAATATT AAATGTATAT ATATTTTAAA ATGCCTGAGG 8280 AAATACATTT TTCTTAATAA ACTGAAGAGT CTCAGTATGG CTATTAAAAT AATTATTAGC 8340 CTCCTGTTGT GTGGCTGCAA AACATCACAA AGTGACCGGT CTTGAGACCT GTGAACTGCT 8400 50 GCCCTGTTTA GTAAATAAAA TTAATGCATT TCTAGAGGGG GAATATCTGC CATCCAGTGG 8460 TGGAAATGTG GAGTAAAGAA GCTGGTGGTC TGCTTCTGTG CTGTATGCCA GCCTTTTGCC 8520
TTAAGTTGAG AGGAGGTCAA CTTTAGCTAC TGTCTTTGGT TTGAGAGCCA TGGCAAAAAA 8580
AAAAAAAGAA AAAAAGATCA AGTCGTCTTT GGTGAGCCAG TAAGGTGAAA GCTTGCTGAC 8640 55 TGTCCAAGGC ACAAGAGAAA ATTGAGGAAT TGAAATGCAA CCTGAGTATC AAACTAAATA 8700 TTCTAATCAA AGGTAGGTAC TGTTAGGTGG AATTCTATCA GCAGGCAACT GCAAATGAGA 8760 AGAAGATAGA AGGACGCCCG TCGGGACTTT GGAGGGCATT GTTATTTTCC CAAAGAAAGA 8820 CGGCCAAGGG CAGAGGCATG GATTCTTTGC AGAGCACTTC CTTTTGGTTT TTCAGTACTG 8880 TTTCATAGAC AGTGGGCTCA CATGTTCCTG ATAGTGCTGC AGTTGCTTAG AAAGCATCCC 8940 AGTTAATTGC AGTAGTAGA ACTICTGGAA TATGCTAGGG CAGAAGTATG TCAAGTATGT 9000
CACATGAAGA AAATGTGAAA TTCAAGAGTA ATCCACACGT GAGAAACTAG ACAATGTACA 9060
TTCATGTGTT CTCTTGAAAG GAAAGGGAGA GCTGTAAGCT TCACTCTGTC CTACACCGGA 9120
GAAAAGCAGG AATAACTTTA CCGTGGAAAT AATGTTTAGC TTTTATCAGA GAAAATTGTC 9180 60 CTTCTAGAGC ATAGAGTCCC AAAACTCAAT TCTGGTTTCC CCCTGTTTTT TTTTTTTTT 9240
TTTTTCCCAA CATATGAACT GCAGCATATC ACTTTTCTT TTTGTGCCTC AGGTTCCTCA 9300
CCTGTAAAAT TGAAAAATAT ATGTATTAAT AATATTATTA ATAATAATAA TGGTAATGTA 9360
GTACTTGTTT GTAAAAGCACT TTGAGATCCT TGGTTGAAAG GCACCATAGG AGTGCCAAGT 9420 -65 ATTATTATGT GGCCAAGGGG GTTATTTAAA CTGTCAGTTC CCAAAGGCCA GGAAAGGTTG 9480 GGGTCATTTT TCTTAAAGAC GAGCTGTAAA TATCAACTAG GCAGCCAATA GTGTTGACTA 9540
TGAAGATGCA AAACTATTAC TAGGCTGATA AAATCATAGT TTCTTAATGG CTACCAATAA 9600
GGCAAATATC ACAATAATAA ACGCCAAATT CCTTAGGGCG GACTATTTGA CAACCACATG 9660
GAAAACTTTG GGGGAGGCAT GAGGGGGGAA CATCTCAAAA TGCCAATGTA AAATTTAACT 9720 70 TACAGCAATA TICACCAGCA GAAAATGTCT TICATATGGA ATGATTICAT GITGCTAAGA 9780
AAAAGATTC AATTTGTAGT CCTGATTTGA ATACTAGAAT GTTGCTAATA ATAGTTCTGT 9840
TCTTACAACA CATGAAATTT TITCGTTTTA TTTTATTTTG TTTTCATAGT GCATGTTCAT 9900
TTCTACTCAC AAACATGTTC TTGGTGTATT TCTTATGCAA ACAATCTTCA GGCAGCAAAG 9960 75 ATGTCTGTTA CATCTAAACT TGAATAATAA AGTTTTACCA CCAGTTACAC A



Seq ID NO: 68 Protein sequence:

	CCTCAAGCCA TCCTGAACTG CGTTAATAAG TTCTGGACAT TTCAAGAGTT GGCTGGCCAT 1200
	GGTGTTCCTC TGCCGGATAC TTTCTCTTAT GGTGGCCACG AAAATTTTGC TAAAATGATT 1260
	GATGAGGCTG AAGTTCTGGA GTTCCCAATG GTAGTAAAGA ATACGCGGGG TCACAGAGGT 1320
~	AAAGCTGTTT TCTTGGCTCG AGATAAGCAC CATTTGGCTG ATCTAAGCCA TCTTATTCGC 1380
5	CATGAAGCGC CATACCTGTT CCAGAAGTAT GTTAAAGAGT CTCATGGACG GGATGTACGT 1440
	GTCATTGTCG TGGGAGGCCG TGTGGTTGGC ACCATGTTAC GTTGTTCAAC AGATGGGAGA 1500
	ATGCAAAGCA ACTGCTCATT AGGTGGTGTG GGGATGATGT GCTCATTGAG TGAACAAGGG 1560
	AAGCAGCTAG CTATCCAGGT GTCTAATATC CTGGGGATGG ATGTGTGTGG CATTGACCTG 1620
	CTGATGAAAG ATGACGGCTC CTTCTGCGTC TGTGAGGCCA ATGCAAATGT AGGTTTCATC 1680
10	
10	GCCTTTGATA AGGCTTGTAA TCTAGATGTA GCTGGTATCA TAGCAGACTA TGCCGCCTCC 1740
	CTTCTACCCT CTGGCCGGCT CACCCGGCGT ATGTCCCTGC TCTCCGTGGT GTCCACTGCC 1800
	AGTGAGACTA GTGAGCCGGA GCTGGGTCCC CCAGCCAGCA CTGCTGTTGA CAACATGAGT 1860
•	GCAAGTTCCA GCTCTGTTGA CAGCGACCCT GAAAGCACGG AGCGAGAGCT GCTCACCAAG 1920
	CTCCCAGGGG GCCTGTTCAA CATGAACCAG CTGCTAGCCA ATGAAATCAA ACTACTGGTG 1980
15	GACTGACTCC ACTGGTAATT AACCAACAAA ACCCTTGTAA AACTTTCTTT CTTCTTTCT 2040
13	ATTITIAAAA CCAACTIGCA ATGCTGTTCA TGGAGGATGC TCAGGAAGAT GAGAGAAAAT 2100
	TAGTAGGATT AGTTGGAGAG AGTGGGAGAT AGATGAGACC TCTGCTAGTA AGATGTTACT 2160
	TTCATTTACA AATCCTACAA ATAGAGAGGC AGAATAGGTG GGGTATAGAA AAATGTCAGG 2220
	CTCTCATAGT TACCCTTTTA AATTGCTAAA AAATGTGTAT GCTCATAGGC CATGAGGAAC 2280
20	AAATACTTTT TTTTTTCAT GGTCCCTTGC TTTTGTTTTT GTACAAAAA AAATGGTTTT 2340
	GCTACAAATA TCCAAGTAGC ATAACTTCAC ATTGTGTTGG AAGATTTGTC ATCAGTGAGG 2400
	AAAACATCTG CTTAAATTAC AGGAATTTTT GTATTATACA GCTCTGAAAA TTCTGCCATT 2460
	TCCTTATTAA CTAGCAGCTT TAGTTTGTAG TTTATGAAAT CTTGAGGGGC TCTTTTACTG 2520
25	GGATTTCTTA TTTTTTGTT TTTTCCCGCT TAATTTGGTG GGAGGTCAAA TTGAATATAA 2580
25	CCCAATAAAG GCTTCTTAAT GAGAAAATTG GCATGTTTGC ATGATGAAAT GGAAATGAAC 2640
	AGTATTGCAA TGTCCGGTAT ACAAAATAAC ATTAATTCAA TGTAGATAAA ATTACACTAG 2700
	TTTAAAATAT GTGCATTCAC TTGTATTTGT TAGTGTTTTA GTCTTTTTTG AAAGATGTGC 2760
	TCTGTTAATG TTGCTTTTTT TTTTTTTTT TAATACATGC TAGTCTAACA TTTCCTGCTC 2820
	TATGCCTGCA TCTTTAACAA TGGCCAAAGT GAAGAAAATG CTACCTTTTT TGTTAACAAG 2880
30	
50	ACACTGACTT GAAACATGTA CATTTAAAGC CTTTTATTTT TTCCCTTTTT GTTTTGGTAG 2940
	TTGGGCATTT AAATAAGGAC AAGGAAAAAT ATTTTTGGGG GCAAATCAAG AGCCTATGAG 3000
	TTCTAAGTAT AAAGCTGAAG TGATTTCGAA TGCCAGCGTT ATATATTTGC ATTTTTCACA 3060
	TTTTACGAGG GAGTATATGT GTATGTGTGT GCACGCATGC ATGTGTATGT GTTTTGCTTT 3120
	TTGTTTCCAT CAACTAATCA AAAAGGATAA TTTAGAAAAT GGAGCATGAT GGGAAACAGA 3180
35	GTTTTTGACT TTAAAAAACA GATGAGTTGT TTTCATAAGT AGACTCCACT GGGGTAGAGG 3240
	TATTCACCTT AAAACATAGG GTGAGTAGAT GCTTTTTTAG GCCTTTTTGT GTATATGTAC 3300
	GTTGTTTGTT TTTTTCCTTT TGTTTCTAGC CTGTTCAGTG TACAGTTTAT TCAAGGCTAC 3360
	ATGCTTTTCT TTAATGCTTC TGGCTATGCA TTTTCTCTTT TTACATATAG GATTTTGGGAT 3420
40	TGGGGGTGGG TTGGATGTTT TTGTTTGGGG ACTTATTTAG TAGTATTGAG TCTCTTATAG 3480
40	CCCTACTCTT AAGCCTTCAA TACTGTCCAC TCTTTATATT CCTTTACTTG CAGAATTTAT 3540
	AAAAGCCCCC AAACTGCATA TAATATGAGC CTTTAAAACA TGGGTAAAAC TAATCCCATT 3600
	GATGGGTTTG GATGGTATGT TAAGAAATGG AGATGCTGCA GAGCCCAACG TAATTTTTTA 3660
	AACAGCAAGT TTTCCATCTC CCTACGAATC CTCTGAAGCT TTTACCCAAG CCCTTTCTTG 3720
	CCTCTCCAGT GCTATTTTCC TTCAGATGGA CCTTAAACAT AATTTCTTGG ACACTACTAG 3780
45	AGAGACTTCG AGGCAATAAT AAAAGATCAG TATTAACCAG CTATAACAGA GGTTTGATCA 3840
	TGCTTACTTG TACAGTTTTT CCCCCGTTTT AAAAAGGAAT GTAATAAAAT TTGTTTTTTC 3900
	CATAGAATTA AATAATATA AAATTGAGTG AAAGGTTGAT TGTTGATGAA TAGAATAGTA 3960
	CCTCTCATCT GTGCAGTGTC TCATTTCACC TCAGAGAAAA GGATACATAA GAGGAGTTTG 4020
.60	TAATTTATCT TAGGATATTC TAATTGCATT TAAAAGAACT TATCTTGCGC AGGGTAAATG 4080
·50 ·	GGGGACTCAC ATACATATAT TAATACCTCT GACTCATTAA CAGAAAGAAA TACTTGGTAC 4140
	TTCTTTCGCT GAATGACCAT ACTGTGGAGG ATGCATACTA TTTGGTATAG AGAAATAAAT 4200
	GAGGAAGAAA GAACTGCTTA ATTAAATTAT CATTCATATG TTCATATAGA GACCATCTGG 4260
	TTGCCATGTG TATTATGACA CATACACTTT GAATAGTTAC ATATCACAAG TATGTAGTTC 4320
	ATGTTTGTGT TGGTGGGGTA AGGCATCAGG AAAAATGTAG TTAGTCTTTT CTTAACTTAT 4380
55	
"	ACCAAATTAA CCAACTATAT TATAGGAAAT ATGTGAAATT AGTTCATTAG CTTTATTCAC 4440
	TATTATGCAT TCACATGATA TTAAAACGTA CACTCACATG TTAGAATGAA AAGAGCAGTA 4500
	GTTATCTTAG ATTITAAAAA CATGGATATC TTCTTGAATT CCTTCAAGAT TGAGGTAGAG 4560
	AATAAGAGCA AATCATTCTG GAAGTACCTT AAGGAAACAA ACAGCAGCAG ATATTTAGGT 4620
	TAAACTTATT TTCATAATTG TTTAATAACT TTTGTATAAT CTTCATTGCT ATTATGAGAG 4680
60	AGAATGTATA TATCAAATAT GTGTAATGAT AAAATCTGAA TTGTAAAATT TTTGTATATT 4740
••	GTTAAAATTG TAATTCTAAA TTGTATTTCA AAAATGATTA TTTCTGATAT TGTTTTTATG 4800
	TCACCCATGA TGAAAACTGG ACTTTATATA TCTAAACATA CAAGTATGAA CTATTCTATT
	TAAAATTTTT AATAGTTTTT TTCTTTTTTG GTGCCTATAA TTGATTGGTC ATTTCTGCTG 4920
C 5	GCTTTTCTCC AATGAACATT GAAATCTTCC TGTATATGTT ACCAATAAGA AAACTACCCT 4980
65	GGAACAGTAG AAAAACCCAA CAAGAGACTT GGCATTCATC AAGCACATTA TCAGACTTTG 5040
	AGAACATATT GAAGGCATTG ACTTTGAAAA TCATCTCTTT TTCTCAAGAA GAAAGCAATG 5100
	GAGAAGCAAA TTTGTTTCAT TCAGTGAATC CCCAGTTTGG GGCTTGTGGG GCTTAGAGAC 5160
	ATTGTGAAAT CAAATCTTGT GTTATACTTT TCTCCTGGCT CACTTTTTTT GAGAAGGTTT 5220
	ATGGGCTATT TGGCTGGTGA GACACGATCC CCTCCTAAGA AAATGTAGGT GCTCAGACAG 5280
70	GTAACCACTG CTGCTACTGT TTTTATTTGT TTGTTTGTTC AATTTTATTT AAGATTTGTT 5340
70	
	TTTGTTGTAC TAGGATTTTA AAAAATGTAA TATATTGCAG GATTTATAAC CAG
	Seq ID NO: 72 Protein sequence:
76	Protein Accession #: BAA86552
75	

1 11 21 31 41 | | | | | |


380

RINGELITAY PQVVVVRVPT PWVQSDSDIT VLRHLEKMGC RLMNRPQAIL NCVNKFWTFQ 120 ELAGHGVPLP DTFSYGGHEN FAKMIDEAEV LEFPMVVKNT RGHRGKAVFL ARDKHHLADL 180 SHLIRHEAPY LFQKYVKESH GRDVRVIVVG GRVVGTMLRC STDGRMQSNC SLGGVGMMCS 240 5 LSEQOKQLAI QVSNILGMDV CGIDLLMKDD GSFCVCEANA NYGFTAFDKA CNLDVAGIIA . 300 DYAASLLPSG RLTRRMSLLS VVSTASETSE PELGPPASTA VDNMSASSSS VDSDPESTER . 360 ELLTKLPGGL FNMNQLLANE IKLLVD Seq ID NO: 73 DNA sequence 10 Nucleic Acid Accession #: XM_040080.2 Coding sequence: 159-1104 (underlined sequences correspond to start and stop codons) 15 CTGAGTGGGG GCGGGGACTG CTGGAGTTGC GGGGCCTGCC TGGGGTAGGG CGGGGCAGGA 60 CAGCTTGGAG ATAGGGCCCG GAATTGCGGG CGTCACTCTG CTCCTGCGAC CTAGCCAGGC 120 GTGAGGGAGT GACAGCAGCG CATTCGCGGG ACGAGAGCG<u>A TG</u>AGTGAGAA CGCCGCACCA 180 GGTCTGATCT CAGAGCTGAA GCTGGCTGTG CCCTGGGGCC ACATCGCAGC CAAAGCCTGG 240 GGCTCCCTGC AGGGCCCTCC AGTTCTCTGC CTGCACGGCT GGCTGGACAA TGCCAGCTCC 300 20 TTCGACAGAC TCATCCCTCT TCTCCCGCAA GACTTTTATT ACGTTGCCAT GGATTTCGGA 360 GGTCATGGGC TCTCGTCCCA TTACAGCCCA GGTGTCCCAT ATTACCTCCA GACTTTTGTG 420
AGTGAGATCC GAAGAGTTGT GGCAGCCTTG AAATGGAATC GATTCTCCAT TCTGGGCCAC 480
AGCTTCGGTG GCGTCGTGGG CGGAATGTTT TTCTGTACCT TCCCCGAGAT GGTGGATAAA 540 CTTATCTTGC TGGACACGCC GCTCTTTCTC CTGGAATCAG ATGAAATGGA GAACTTGCTG 600 25 ACCTACAAGC GGAGAGCCAT AGAGCACGTG CTGCAGGTAG AGGCCTCCCA GGAGCCCTCG 660 CACGTOTTCA GCCTGAAGCA GCTGCTGCAG AGGTTACTGA AGAGCAATAG CCACTTGAGT 720
GAGGAGTGCG GGGAGCTTCT CCTGCAAAGA GGAACCACGA AGGTGGCCAC AGGTCTGGTT 780
CTGAACAGAG ACCAGAGGCT CGCCTGGGCA GAGAACAGCA TTGACTTCAT CAGCAGGGAG 840 CTGTGTGCGC ATTCCATCAG GAAGCTGCAG GCCCATGTCC TGTTGATCAA AGCAGTCCAC 900 30 GGATATTTTG ATTCAAGACA GAATTACTCT GAGAAGGAGT CCCTGTCGTT CATGATAGAC 960 ACGATGAAAT CCACCCTCAA AGAGCAGTTC CAGTTTGTGG AAGTCCCAGG CAATCACTGT 1020 GTCCACATGA GCGAACCCCA GCACGTGGCC AGTATCATCA GCTCCTTCTT ACAGTGCACA 1080 CACATGCTCC CAGCCCAGCT GTAGCTCTGG GCCTGGAACT ATGAAGACCT AGTGCTCCCA 1140 GACTCAACAC TGGGACTCTG AGTTCCTGAG CCCCACAACA AGGCCAGGGA TGGTGGGGAC 1200 35 AGGCCTCACT AGTCTTGAGG CCCAGCCTAG GATGGTAGTC AGGGGAAGGA GCGAGATTCC 1260
AACTTCAACA TCTGTGACCT CAAGGGGGAG ACAGAGTCTG GGTTCCAGGG CTGCTTTCTC 1320
CTGGCTAATA ATAAATATCC AGCCAGCTGG AGGAAGGAAG GGCAGGCTGG GCCCACCTAG 1380 CCTTTCCCTG CTGCCCAACT GGATGGAAAA TAAAAGGTTC TTGTATTCTC A 40 Seq ID NO: 74 Protein sequence:
Protein Accession #: XP_040080.1 45 MSENAAPGLI SELKLAVPWG HIAAKAWGSL QGPPVLCLHG WLDNASSFDR LIPLLPQDFY 60 YVAMDFGGHG LSSHYSPGVP YYLQTFVSEI RRVVAALKWN RFSILGHSFG GVVGGMFFCT 120 FPEMVDKLIL LDTPLFLLES DEMENLLTYK RRAIEHVLQV EASQEPSHVF SLKQLLQRLL 180 KSNSHLSEEC GELLLQRGTT KVATGLVLNR DQRLAWAENS IDFISRELCA HSIRKLQAHV 240 LLIKAVHGYF DSRONYSEKE SLSFMIDTMK STLKEOFOFV EVPGNHCVHM SEPQHVASII 300 50 SSFLQCTHML PAQL Seq ID NO: 75 DNA sequence NM 005794 Nucleic Acid Accession #: Coding sequence: 434-1276 (underlined sequences correspond to start and stop codons) 55 GGTTCCCTTC CACGCTGTGA AGCTTTGTTC TTTTGGTCTT CATGATAAAT CTTGCTGCTG 60 CTCACTCGTT GGGTCCGTGC CACCTTTAAG AGCTGTAACA CTCACCGCGA AGGTCTGCAA 120 60 CTTCACTCCT GGGGCCAGCA AGACCACGAA TGCACCGAGA GGAATGAACA ACTCTGGACA 180 CACCATCTTT AAGAACCGTA ATACTCACCG CAAGGGTCTG CAACTTCATT CTTGAAGTCA 240 GTGAGGCCAA GAACCCATCA ATTCCGTACA CATTTTGGTG ACTTTGAAGA GACTGTCACC 300 TATCACCAAG TGGTGAGACT ATTGCCAAGC AGTGAGACTA TTGCCAAGTG GTGAGACCAT 360 TAILCACAAG IGGIGAGACI AI IGCCAAGC AGIGAGACIA I IGCCAAGIG GIGAGACCAI 380
CACCAAGCGG IGAGACTATC ACCTATCGCC AAGTGGCCTG ATTCAGCAGG AAGCATCTCA 420
GACACCAACC ACTATGCTG CAGCAGTTGC CCGGGGCTAC CAGGGCTGGT TTCATCCCTG 480
TGCTAGGCTT TCTGTGAGGA TGAGCAGCAC CGGGATAGAC AGGAAGGGCG TCCTGGCTAA 540
CCGGGTAGCC GTGGTCACGG GGTCCACCAG TGGGATCGGC TTTGCCATCG CCCGACGTCT 600
GGCCCGGGAC GGGGCCCACG TGGTCATCAG CAGCCGGAAG CAGCAGAACG TGGACCGGCC 660 65 CATGGCCAAG CTGCAGGGGG AGGGGCTGAG TGTGGCGGGC ATTGTGTGCC ACGTGGGGAA 720 CATGCCAAG CTGCAGGGG AGGGCCAA GGCCCTGGGG ATTGTGCC ACTGTGGGA 720
GGCTGAGGAC CGGGAGCAGC TGGTGGCCAA GGCCCTGGAG ACTGTGGGG GCGTCGACTT 780
CCTGGTGTGC AGCGCAGGGG TCAACCCTCT GGTAGGGAG ACTCTGGGGA CAATGAGCA 840
GATCTGGGAC AAGATCCTAA GTGTGAACGT GAAGTCCCCA GCCCTGCTGC TGAGCCAGTT 900
GCTGCCCTAC ATGGAGAACA GGAGGGTGC TGTCATCCTG GTCTCTCCA TTGCAGCTTA 960 70 TAATCCAGTA GTGGCGCTGG GTGTCTACAA TGTCAGCAAG ACAGCGCTGC TGGGTCTCAC 1020
TAGAACACTG GCATTGGAGC TGGCCCCCAA GGACATCCGG GTAAACTGCG TGGTTCCAGG 1080
AATTATAAAA ACTGACTTCA GCAAAGTGTT TCATGGGAAT GAGTCTCTCT GGAAGAACTT 1140

75

MCSSVAAKLW FLTDRRIRED YPQKEILRAL KAKCCEEELD FRAVVMDEVV LTIEQGNLGL 60

CAAGGAACAT CATCAGCTGC AGAGGATTGG GGAGTCAGAG GACTGTGCAG GAATCGTGTC 1200



CTTCCTGTGC TCTCCAGATG CCAGCTACGT CAACGGGGAG AACATTGCGG TGGCAGGCTA 1260

CAGTTCTTCA TTCCCTACAC CATAAAGAGT AAAGGTATAG CAGTAAGAGG AGAGCAAGGT 180 ACTCCTGGTC CACCAGGCCC TGCTGGACCT CGAGGGCACC CAGGTCCTTC TGGACCACCA 240
GGAAAACCAG GCTACGGAAG TCCTGGACTC CAAGGAGAGC CAGGGTTGCC AGGACCACCG 300
GGACCATCAG CTGTAGGGAA ACCAGGTGTG CCAGGACTCC CAGGAAAACC AGGAGAGAGA 360
GGACCATATG GACCAAAAGG AGATGTTGGA CCAGCTGGCC TACCAGGACC CCGGGGCCCA 420
CCAGGACCAC CTGGAATCCC TGGACCGGCT GGAATTTCTG TGCCAGGAAA ACCTGGACA 480 CAGGGACCCA CAGGAGCCCC AGGACCCAGG GGCTTTCCTG GAGAAAAGGG TGCACCAGGA 540 GTCCCTGGTA TGAATGGACA GAAAGGGGAA ATGGGATATG GTGCTCCTGG TCGTCCAGGT 600 GAGAGGGGTC TTCCAGGCCC TCAGGGTCCC ACAGGACCAT CTGGCCCTCC TGGAGTGGGA 660 10 AAAAGAGGTG AAAATGGGGT TCCAGGACAG CCAGGCATCA AAGGTGATAG AGGTTTTCCG GGAGAAATGG GACCAATTGG CCCACAGGT CCCCAAGGCC CTCCTGGGGA ACGAGGGCCA 780
GAAGGCATTG GAAAGCCAGG AGCTGCTGGA GCCCCAGGCC AGCCAGGGAT TCCAGGAACA 840
AAAGGTCTCC CTGGGGCTCC AGGAATAGCT GGGCCCCCAG GGCCTCCTGG CTTTGGGAAA 900 CCAGGCTTGC CAGGCCTGAA GGGAGAAAGA GGACCTGCTG GCCTTCCTGG GGGTCCAGGT 960 GCCAAAGGGG AACAAGGGCC AGCAGGTCTT CCTGGGAAGC CAGGTCTGAC TGGACCCCCT 1020 15 GGGAATATGG GACCCCAAGG ACCAAAAGGC ATCCCGGGTA GCCATGGTCT CCCAGGCCCT 1080
AAAGGTGAGA CAGGGCCAGC TGGGCCTGCA GGATACCCTG GGGCTAAGGG TGAAAGGGGT 1140
TCCCCTGGGT CAGATGGAAA ACCAGGGTAC CCAGGAAAAC CAGGTCTCGA TGGTCCTAAG 1200 GGTAACCCAG GGTTACCAGG TCCAAAAGGT GATCCTGGAG TTGGAGGACC TCCTGGTCTC 1260 20 CCAGGCCCTG TGGGCCCAGC AGGAGCAAAG GGAATGCCCG GACACAATGG AGAGGCTGGC 1320 CCAAGAGGTG CCCTGGAAT ACCAGGTACT AGAGGCCCTA TTGGGCCACC AGGCATTCCA 1380 GGATTCCCTG GGTCTAAAGG GGATCCAGGA AGTCCCGGTC CTCCTGGCCC AGCTGGCATA 1440 GCAACTAAGG GCCTCAATGG ACCCACCGGG CCACCAGGGC CTCCAGGTCC AAGAGGCCCC 1500 TCTGGAGAGC CTGGTCTTCC AGGGCCCCCT GGGCCTCCAG GCCCACCAGG TCAAGCAGTC 1560 25 ATGCCTGAGG GTTTTATAAA GGCAGGCCAA AGGCCCAGTC TTTCTGGGAC CCCTCTTGTT 1620 AGTGCCAACC AGGGGGTAAC AGGAATGCCT GTGTCTGCTT TTACTGTTAT TCTCTCCAAA 1680 GCTTACCCAG CAATAGGAAC TCCCATACCA TTTGATAAAA TTTTGTATAA CAGGCAACAG 1740 CATTATGACC CAAGGACTGG AATCTTTACT TGTCAGATAC CAGGAATATA CTATTTTTCA 1800 TACCACGTGC ATGTGAAAGG GACTCATGTT TGGGTAGGCC TGTATAAGAA TGGCACCCCT 1860 30 GTAATGTACA CCTATGATGA ATACACCAAA GGCTACCTGG ATCAGGCTTC AGGGAGTGCC 1920 ATCATCGATC TCACAGAAAA TGACCAGGTG TGGCTCCAGC TTCCCAATGC CGAGTCAAAT 1980 GGCCTATACT CCTCTGAGTA TGTCCACTCC TCTTTCTCAG GATTCCTAGT GGCTCCAATG 2040 TGAGTACACC CCACAGAGCT AATCTAAATC TTGTGCTAGA AAAAGCATTC TCTAACTCTA 2100 COCCACCCTA CAAAATGCAT ATGGAGGTAG GCTGAAAAGA ATGTAATITT TATTTTCTGA 2160
AATACAGATT TGAGCTATCA GACCAACAAA CCTTCCCCCT GAAAAGTGAG CAGCAACGTA 2220
AAAACGTATG TGAAGCCTCT CTTGAATTTC TAGTTAGCAA TCTTAAGGCT CTTTAAGGTT 2280
TTCTCCAATA TTAAAAAATA TCACCAAAGA AGTCCTGCTA TGTTAAAAAC AAACAACAAA 2340 35 AAACAAAGCA ACAAAAAAA AAATTAAAAA AAAAAACAGA AATAGAGCTC TAAGTTATGT 2400 GAAATTTGAT TTGAGAAACT CGGCATTTCC TTTTTAAAAA AGCCTGTTTC TAACTATGAA 2460 TATGAGAACT TCTAGGAAAC ATCCAGGAGG TATCATATAA CTTTGTAGAA CTTAAATACT 2520 TGAATATTCA AATTTAAAAG ACACTGTATC CCCTAAAATA TTTCTGATGG TGCACTACTC 2580 40 TGAGGCCTGT ATGGCCCCTT TCATCAATAT CTATTCAAAT ATACAGGTGC ATATATACTT 2640 GTTAAAGCTC TTATATAAAA AAGCCCCAAA ATATTGAAGT TCATCTGAAA TGCAAGGTGC 2700
TTTCATCAAT GAAACCTTTTC AAAACTTTTC TATGATTGCA GAGAAGCTTT TTATATACCC 2760
AGCATAACTT GGAAACAGGT ATCTGACCTA TTCTTATTTA GTTAACACAA GTGTGATTAA 2820
TTTGATTTCT TTAATTCCTT ATTGAATCTT ATGTGATATG ATTTTCTGGA TTTACAGAAC 2880 45 ATTAGCACAT GTACCTTGTG CCTCCCATTC AAGTGAAGTT ATAATTTACA CTGAGGGTTT 2940 CAAAATTCGA CTAGAAGTGG AGATATATTA TTTATTTATG CACTGTACTG TATTTTATA 3000 TTGCTGTTTA AAACTTTTAA GCTGTGCCTC ACTTATTAAA GCACAAAATG TTTTACCTAC 3060 TCCTTATTTA CGACACAATA AAATAACATC AATAGATTTT TAGGCTGAAT TAATTTGAAA 3120 50 CATCAATAGA TTTTTAGG

Seq ID NO: 80 <u>Protein sequence:</u>
Protein Accession #: NP_000484.1 55

> 11 21 31 41 51

60 MLPQIPFLLL VSLNLVHGVF YAERYQTPTG IKGPLPNTKT QFFIPYTIKS KGIAVRGEQG 60 TPGPPGPAGP RGHPGPSGPP GKPGYGSPGL QGEPGLPGPP GPSAVGKPGV PGLPGKPGER 120 GPYGPKGDVG PAGLPGPRGP PGPPGIPGPA GISVPGKPGQ QGPTGAPGPR GFPGEKGAPG 180 VPGMNGQKGE MGYGAPGRPG ERGLPGPQGP TGPSGPPGVG KRGENGVPGQ PGIKGDRGFP 240 GEMGPIGPPG PQGPPGERGP EGIGKPGAAG APGQPGIPGT KGLPGAPGIA GPPGPPGFGK 300 65 PGLPGLKGER GPAGLPGGPG AKGEQGPAGL PGKPGLTGPP GNMGPQGPKG IPGSHGLPGP 360 KGETGPAGPA GYPGAKGERG SPGSDGKPGY PGKPGLDGPK GNPGLPGPKG DPGVGGPPGL 420 PGPVGPAGAK GMPGHNGEAG PRGAPGIPGT RGPIGPPGIP GFPGSKGDPG SPGPPGPAGI 480 ATKGLNGPTG PPGPPGPRGP SGEPGLPGPP GPPGPPGQAV MPEGFIKAGQ RPSLSGTPLV 540
SANQGVTGMP VSAFTVILSK AYPAIGTPIP FDKILYNRQQ HYDPRTGIFT CQIPGIYYFS 600
YHVHVKGTHV WVGLYKNGTP VMYTYDEYTK GYLDQASGSA IIDLTENDQV WLQLPNAESN 660 70

Seq ID NO: 81 DNA sequence Nucleic Acid Accession #: NM_000786 Coding sequence: 332-1861 (underlined sequences correspond to start and stop codons)


11 21 31 41 51

GLYSSEYVHS SFSGFLVAPM


75

CGCGATTCTC AGGGATTGAT CCGCCTCTTC AGGTAAGTTA TCTTCCGGCC CCGTACCACT 60 GTGCCACAGG CGCAGCCCGC TTCCTCAGGT GCCCTATCCC GCGCAGAAGA CCACGGCTTC 120 ACAGAGTGTT ATTTAAGGGC GTGGCCAGCG GAACATCCCG CCCCATTCTG TGACGCACGG 180 GGTGGCGCGC GTGGGACCCG AGGGGTGGGG CTGGGTTTAG TAGGAGACCT GGGGCAAGGC 240 CCCCTGTGGA CGACCATCTG CCAGCTTCTC TCGTTCCGTC GATTGGGAGG AGCGGTGGCG 300 5 ACCTCGGCCT TCAGTGTTTC CGACGGAGTG AATGGCGGCG GCGGCTGGGA TGCTGCTGCT 360
GGGCTTGCTG CAGCGGTTG GGTCGGTGCT GGGCAGGCG ATGGAGAAAG TGACAGCGG 420
CAACCTCTTG TCCATGCTGC TGATCGCCTG CGCCTTCACC CTCAGCCTGG TCTACCTGAT 480
CCGTCTGGCC GCCGGCCACC TGGTCCAGCT GCCCGCAGGG GTGAAAAGTC CTCCATACAT 540 10 TTTCTCCCCA ATTCCATTCC TTGGGCATGC CATAGCATTT GGGAAAAGTC CAATTGAATT 600 TCTAGAAAAT GCATATGAGA AGTATGGACC TGTATTTAGT TTTACCATG TAGGCAAGAC 600
ATTTACTTAC CTTCTGGGGA GTGATGCTGC TGCACTGCTT TTTAACTAGTA AAAATGAAGA 720
CCTGAATGCA GAAGATGTCT ACAGTCGCCT GACAACACCT GTGTTTGGA AGGGAGTTGC 780
ATACGATGTG CCTAATCCAG TTTTCTTGGA GCAGAAGAAA ATGTTAAAAA GTGGCCTTAA 840
CATAGCCCAC TTTAAACAGC ATGTTTCTAT AATTGAAAAA GAAACAAAGG AATACTTTGA 900 15 GAGTIGGGGA GAAAGTGGAG AAAAAAATGT GTTTGAAGCT CTTTCTGAGC TCATAATTTT 960
AACAGCTAGC CATTGTTTGC ATGGAAAGGA AATCAGAAGT CAACTCAATG AAAAGGTAGC 1020
ACAGCTGTAT GCAGATTTGG ATGGAGGTTT CAGCCATGCA GCCTGGCTCT TACCAGGTTG 1080
GCTGCCTTTG CCTAGTTTCA GACGCAGGGA CAGAGCTCAT CGGGAAATCA AGGATATTTT 1140 20 CTATAAGGCA ATCCAGAAAC GCAGACAGTC TCAAGAAAAA ATTGATGACA TTCTCCAAAC 1200
TTTACTAGAT GCTACATACA AGGATGGCG TCCTTTGACT GATGATGACA TACCAGGGGAT 1260
GCTTATTGGA TTACTCTTGG CAGGGCAGCA TACATCCTCA ACTACTAGTG CTTGGATGGG 1320
CTTCTTTTTG GCCAGAGACA AAACACTTCA AAAAAAATGT TATTTAGAAC AGAAAACAGT 1380
CTGTGGAGAG AATCTGCCTC CTTTAACTTA TGACCAGCTC AAGGATCTAA ATTTACTTGA 1440 25 TOGCTGTATA AAAGAAACAT TAAGACTTAG ACCTCCTATA ATGATCAGT TGAGAATGGC 1500
CAGAACTCCT CAGACTGTGG CAGGGTATAC CATTCCTCCA GGACATCAGG TGTGTGTTTC 1560
TCCCACTGTC AATCAAAGAC TTAAAGACTC ATGGGTAGAA CGCCTGGACT TTAATCCTGA 1620
TCGCTACTTA CAGGATAACC CAGCATCAGG GGAAAAGTTT GCCTATGTGC CATTTGGAGC 1680 TGGGCGTCAT CGTTGTATTG GGGAAAATTT TGCCTATGTT CAAATTAGAC CAATTTGGTC 1740
CACTATGCTT CGTTTATATG AATTTGATCT CATTGATGGA TACTTTCCCA CTGTGAATTA 1800
TACAACTATG ATTCACACCC CTGAGAACCC AGTTATCCGT TACAAACGAA GATCAAAAATG 1860
AAAAAGGTTG CAAGGAACGA ATATATGTGA TTATCACTGT AAGCCACAAA GGCATTCGAA 1920
GAGAATGAAG TGTACAAAAC AACTCTTGTA GTTTACTGTT TTTTTAAGTG TGTAATTCTA 1980 30 AAAGCCAGTT TATGATTTAG GATTITGTTA ACTGATGGT TCTATCAAAT ATAATAGCAT 2040
TTGACCACATT TTCTAATAGT TATGATACTT ATACATGTGG TTCTACGAAAG TTCCTTGGTG 2100
AAACAATTGT TGAGGGGGGA TCTAGGTAAT TGGCAGATTC TAAATAATAT AATTTCCAGA 2160
TAGTAATTTT AAGAGTACTC ATCGCTCTTG CCAAATAAGT TCAGGGTATT CAAATCTTGG 2220 35 ACTAGTCCTG CAAGGTATAA AGAATAAAAA TCCCAGTGAG ATACTTGGAA ACCACAGTTT 2280 ACTIONATION CARGGINA ANALYMAN TO CARGINA MAINTANT 2260
ACTIONAL ATTATTATTT ATCTGGGCAA TTATTGTGTGTGTGAGGATG GAAGGGTAGG GAATAATCGA 2340
ACATCTAAAG CCTTGAATAA GAGAATACTA ATTGTTTTGG TATGATGATA CTCAGAAATG 2400
GAGATATTAT AGGAAAAAGA AATCCTTTGG AATTTTAACT AAAATCACTG CATATGGGAA 2460
ATTAAGAGAT CCAGGACCAT ATTTGATAAG AGTTCCTAAA AATAATGTAA TTATTAATGC 2520 40 TAAAGACTGC TCATGTATCT TGATCTAATT ACTAAATAAA TTACATATTT ATTTACCTGA 2580 45 TGCATCCTCT GCCTCCCGGG TTCAAGCAAT TCTCTGCCTC AGCCTCCCAA GTAGTTGGGA 2820 TTACAGGCAC CTGCCACCAT GCCTGGCTAA TTTTTTGTAT TTTTAGTAGA GACGGGGGTT 2880
TCACTATGTT GGCTAGGCTG GTCTTGAACT CCTGAGCCTC GTGAGTCCAC CCGCCTTGGC 2940
CTCCCAAAGT GCTGGGATTA CAGGCATGAG CCACCGCACC TGGCCTTCCC TGCTTCCTCT 3000
CTAGAATCCA ATTAGGGATG TTTGTTACTA CTCATATTGA TTAAAACAGT TAACAAACTT 3060
TTTTCTTTTT AAAATGTGAG ATCAGTGAAC TCTGGTTTTA AGATAATCTG AAACAAGGTC 3120 50 CTTGGGAGTA ATAAAATTGG TCACATTCTG TAAAGCACAT TCTGTTTAGG AATCAACTTA 3180 TCTCAAATTG TAACTCGGGG CCTAACTATA TGAGATGGCT GAAAAAATAC CACATCGTCT 3240 GTTTTCACTA GGTGATGCCA AAATATTTTG CTTTATGTAT ATTACAGTTC TTTTTAAAAC 3300 55 ACTGGAAGAC TCATGTTAAA CTCTAATTGT GAAGGCAGAA TCTCTGCTAA TTTTTCAGAT 3360 TAAAATTCTC TTTGAAAAAA T Seq ID NO: 82 <u>Protein sequence</u>: Protein Accession #: NP_000777 60 31 41 51 65 MAAAAGMLLL GLLQAGGSVL GQAMEKVTGG NLLSMLLIAC AFTLSLVYLI RLAAGHLVOL 60 PAGVKSPPYI FSPIPFLGHA IAFGKSPIEF LENAYEKYGP VFSPTMVGKT FTYLLGSDAA 120 ALLFNSKNED LNAEDVYSRL TTPVFGKGVA YDVPNPVFLE QKKMLKSGLN IAHFKQHVSI 180 IEKETKEYFE SWGESGEKNV FEALSELIIL TASHCLHGKE IRSQLNEKVA QLYADLDGGF 240 SHAAWLLPGW LPLPSFRRRD RAHREIKDIF YKAIQKRRQS QEKIDDILQT LLDATYKDGR 300 70 PLTDDEVAGM LIGLLLAGQH TSSTTSAWMG FFLARDKTLQ KKCYLEQKTV CGENLPPLTY 360 DQLKDLNLLD RCIKETLRLR PPIMIMMRMA RTPQTVAGYT IPPGHQVCVS PTVNQRLKDS 420 WVERLDFNPD RYLQDNPASG EKFAYVPFGA GRHRCIGENF AYVQIKTIWS TMLRLYEFDL 480 IDGYFPTVNY TTMIHTPENP VIRYKRRSK 75 Seq ID NO: 83 DNA sequence NM 006551.2 Nucleic Acid Accession #:

Coding sequence: 64-336 (underlined sequences correspond to start and stop codons)



	GCTCAAGTCT GAACTCTACC TCCAGACAGA <u>ATG</u> AAGTTCA TCTCGACATC TCTGCTTCTC 120 ATGCTGCTGG TCAGCAGCCT CTCTCCAGTC CAAGGTGTTC TGGAGGTCTA TTACACAAGC 180
	TTGAGGTGTA GATGTGTCCA AGAGAGCTCA GTCTTTATCC CTAGACGCTT CATTGATCGA 240
•	ATTCAAATCT TGCCCCGTGG GAATGGTTGT CCAAGAAAAG AAATCATAGT CTGGAAGAAG 300
5	AACAAGTCAA TTGTGTGTGT GGACCCTCAA GCTGAATGGA TACAAAGAAT GATGGAAGTA 360 TTGAGAAAAA GAAGTTCTTC AACTCTACCA GTTCCAGTGT TTAAGAGAAA GATTCCC <u>TGA</u> 420
	TGCTGATATT TCCACTAAGA ACACCTGCAT TCTTCCCTTA TCCCTGCTCT GGATTTTAGT 480
	TTTGTGCTTA GTTAAATCTT TTCCAGGGAG AAAGAACTTC CCCATACAAA TAAGGCATGA 540
10	GGACTATGTG AAAAATAACC TTGCAGGAGC TGATGGGGCA AACTCAAGCT TCTTCACTCA 600
10	CAGCACCCTA TATACACTTG GAGTTTGCAT TCTTATTCAT CAGGGAGGAA AGTTTCTTTG 660
	AAAATAGTTA TTCAGTTATA AGTAATACAG GATTATTTTG ATTATATACT TGTTGTTTAA 720 TGTTTAAAAT TTCTTAGAAA ACAATGGAAT GAGAATTTAA GCCTCAAATT TGAACATGTG 780
	GCTTGAATTA AGAAGAAAAT TATGGCATAT ATTAAAAGCA GGCTTCTATG AAAGACTCAA 840
	AAAGCTGCCT GGGAGGCAGA TGGAACTTGA GCCTGTCAAG AGGCAAAGGA ATCCATGTAG 900
15	TAGATATCCT CTGCTTAAAA ACTCACTACG GAGGAGAATT AAGTCCTACT TTTAAAGAAT 960
	TTCTTTATAA AATTTACTGT CTAAGATTAA TAGCATTCGA AGATCCCCAG ACTTCATAGA 1020
	ATACTCAGGG AAAGCATTTA AAGGGTGATG TACACATGTA TCCTTTCACA CATTTGCCTT 1080 GACAAACTTC TTTCACTCAC ATCTTTTTCA CTGACTTTTT TTGTGGGGGC GGGGCCGGGG 1140
	GGACTCTGGT ATCTAATTCT TTAATGATTC CTATAAATCT AATGACATTC AATAAAGTTG 1200
20	AGCAAACATT TTACTT
	Seq ID NO: 88 Protein sequence:
	Protein Accession #: NP_006410.1
25	l 11 21 31 41 51
	MKFISTSLLL MLLVSSLSPV QGVLEVYYTS LRCRCVQESS VFIPRRFIDR IQILPRGNGC 60 PRKEIIVWKK NKSIVCVDPQ AEWIQRMMEV LRKRSSSTLP VPVFKRKIP
	PROMIT WAS INCOME A SHARWARD A SHARWARD AND A SHARW
30	Seq ID NO: 89 DNA sequence
	Nucleic Acid Accession #: NM_002652
	Coding sequence: 37-477 (underlined sequences correspond to start and stop codons)
	1 11 21 31 41 51
35	
	CTTCTCTGGG ACACATTGCC TTCTGTTTTC TCCAGCATGC GCTTGCTCCA GCTCCTGTTC 60
	AGGGCCAGCC CTGCCACCCT GCTCCTGGTT CTCTGCCTGC AGTTGGGGGC CAACAAAGCT 120 CAGGACAACA CTCGGAAGAT CATAATAAAG AATTTTGACA TTCCCAAGTC AGTACGTCCA 180
	AATGACGAAG TCACTGCAGT GCTTGCAGTT CAAACAGAAT TGAAAGAATG CATGGTGGTT 240
40	AAAACTTACC TCATTAGCAG CATCCCTCTA CAAGGTGCAT TTAACTATAA GTATACTGCC 300
	TGCCTATGTG ACGACAATCC AAAAACCTTC TACTGGGACT TTTACACCAA CAGAACTGTG 360
	CAAATTGCAG CCGTCGTTGA TGTTATTCGG GAATTAGGCA TCTGCCCTGA TGATGCTGCT 420
	GTAATCCCCA TCAAAAACAA CCGGTTTTAT ACTATTGAAA TCCTAAAGGT AGAA <u>TAA</u> TGG 480 AAGCCCTGTC TGTTTGCCAC ACCCAGGTGA TTTCCTCTAA AGAAACTTGG CTGGAATTTC 540
45	TGCTGTGGTC TATAAAATAA ACTTCTTAAC ATGCTT
	Seq ID NO: 90 Protein sequence:
	Protein Accession #: NP_002643.1
50	1 11 21 31 41 51
	MRLLQLLFRA SPATLLLVLC LQLGANKAQD NTRKIIIKNF DIPKSVRPND EVTAVLAVQT 60
	ELKECMVVKT YLISSIPLOG AFNYKYTACL CDDNPKTFYW DFYTNRTVQI AAVVDVIREL 120 GICPDDAAVI PIKNNRFYTI EILKV
55	GICI DDAA VII RAIMA I II LLLA
	Seq ID NO: 91 DNA sequence
	Nucleic Acid Accession #: AK000341
	Coding sequence: 85-975 (underlined sequences correspond to start and stop codons)
60	1 11 21 31 41 51
	GATAGCGCCG GGCAGAGGGA CCCGGCTACC CTGGACAGCG CATCGCCGCC CGCCCGGGTC 60 GCCGCGCCAC AGCCGCTGCG GATCATGGAA CATCTAAAGG CCTTTGATGA TGAAATCAAT 120
	GCCTTTTTTGG ACAATATGTT TGGACCGCGA GATTCTCGAG TCAGAGGGTG GTTCACGTTG 180
65	GACTETTACE TTECTACETT TTTTETTACT GTCATGTATE TGCTCTCAAT ATGGCTGGGT 240
	AACAAGTATA TGAAGAACAG ACCTGCTCTT TCTCTCAGGG GTATCCTCAC CTTGTATAAT 300
	CTTGGAATCA CACTTCTCTC CGCGTACATG CTGGCAGAGC TCATTCTCTC CACTTGGGAA 360
	GGAGGCTACA ACTTACAGTG TCAAGATCTT ACCAGCGCAG GGGAAGCTGA CATCCGGGTA 420 GCCAAGGTGC TTTGGTGGTA CTATTTCTCC AAATCAGTAG AGTTCCTGGA CACAATTTTC 480
70	TTCGTTTTGC GGAAAAAAC GAGTCAGATT ACTTTTCTTC ATGTATATCA TCATGCTTCT 540
	ATGTTTAACA TCTGGTGGTG TGTCTTGAAC TGGATACCTT GTGGACAAAG TTTCTTTGGA 600
	CCAACACTGA ACAGTTTTGT CCACATTCTT ATGTACTCCT ACTATGGACT TTCTGTGTTT 660
	CCATCTATGC ACAAGTATCT TTGGTGGAAG AAATATCTCA CACAGGCTCA GCTGGTGCAG 720 TTCGTGCTCA CCATCACGCA CACCATGAGC GCCGTCGTGA AACCGTGTGG CTTCCCCTTC 780
75	GGTTGTCTCA TCTTCCAGTC ATCTTATATG CTAACGTTAG TCATCCTCTT CTTAAATTTT 840
. —	TATGTTCAGA CATACCGAAA AAAGCCAATG AAGAAAGATA TGCAAGAGCC ACCTGCAGGG 900







TTGTTGGCAC ACCTTATTAC ATGTCTCCTG AACAAATGAA TCGCATGTCC TACAATGAGA 720 AATCAGATAT CTGGTCATTG GGCTGCTTGC TGTATGAGTT ATGTGCATTA ATGCCTCCAT 780 TTACAGCTTT TAGCCAGAAA GAACTCGCTG GGAAAATCAG AGAAGGCAAA TTCAGGCGAA 840
TTCCATACCG TTACTCTGAT GAATTGAATG AAATTATTAC GAGGATGTTA AACTTAAAGG 900
ATTACCATCG ACCTTCTGTT GAAGAAATTC TTGAGAACCC TTTAATAGCA GATTTGGTTG 960
CAGACGAGCA AAGAAGAAAT CTTGAGAGAA GAGGGCGACA ATTAGGAGAG CCAGAAAAAT 1020 5 CGCAGGATTC CAGCCCTGTA TTGAGTGAGC TGAAACTGAA GGAAATTCAG TTACAGGAGC 1080 GAGAGCGAGC TCTCAAAGCA AGAGAAGAAA GATTGGAGCA GAAAGAACAG GAGCTTTGTG 1140 TTCGTGAGAG ACTAGCAGAG GACAAACTGG CTAGAGCAGA AAATCTGTTG AAGAACTACA 1200 GCTTGCTAAA GGAACGGAAG TTCCTGTCTC TGGCAAGTAA TCCAGAACTT CTTAATCTTC 1260 CATCCTCAGT AATTAAGAAG AAAGTTCATT TCAGTGGGGA AAGTAAAGAG AACATCATGA 1320 10 GGAGTGAGAA TTCTGAGAGT CAGCTCACAT CTAAGTCCAA GTGCAAGGAC CTGAAGAAAA 1380
GGCTTCACGC TGCCCAGCTG CGGGCTCAAG CCCTGTCAGA TATTGAGAAAA AATTACCAAC 1440
TGAAAAGCAG ACAGATCCTG GGCATGCGC<u>T AG</u>CCAGGTAG AGAGACACAG AGCTGTGTAC 1500
AGGATGTAAT ATTACCAACC TTTAAAGACT GATATTCAAA TGCTGTAGTG TTGAATACTT 1560 15 GGCCCCATGA GCCATGCCTT TCTGTATAGT ACACATGATA TTTCGGAATT GGTTTTACTG 1620 TTCTTCAGCA ACTATTGTAC AAAATGTTCA CATTTAATTT TTCTTTCTTC TTTTAAGAAC 1680 ATATTATAAA AAGAATACTT TCTTGGTTGG GCTTTTAATC CTGTGTGTGA TTACTAGTAG 1740 GAACATGAGA TGTGACATTC TAAATCTTGG GAGAAAAAAT AATATTAGGA AAAAAATATT 1800 TATGCAGGAA GAGTAGCACT CACTGAATAG TTTTAAATGA CTGAGTGGTA TGCTTACAAT 1860 20 TGTCATGTCT AGATTTAAAT TTTAAGTCTG AGATTTTAAA TGTTTTTGAG CTTAGAAAAC 1920 CCAGTTAGAT GCAATTTGGT CATTAATACC ATGACATCTT GCTTATAAAT ATTCCATTGC 1980 TCTGTAGTTC AAATCTGTTA GCTTTGTGAA AATTCATCAC TGTGATGTTT GTATTCTTT 2040 TTTTTTTCTG TTTAACAGAA TATGAGCTGT CTGTCATTTA CCTACTTCTT TCCCACTAAA 2100 25 TAAAAGAATT CTTCAGTTA Seq ID NO: 96 Protein sequence:
NP_002488 30 31 GIREFNPNIM ANEVERINMI TOSISGENEA RELATEDKIN ASEHOMOSAP IENSMPSRAE 60 DYEVLYTIGT GSYGRCOKIR RKSDGKILVW KELDYGSMTE AEKOMLVSEV NLLRELKHPN 120 IVRYYDRIID RTNTTLYIVM EYCEGGDLAS VITKGTKERQ YLDEEFVLRV MTQLTLALKE 180 35 CHRRSDGGHT VLHRDLKPAN VFLDGKONVK LGDFGLARIL NHDTSFAKTF VGTPYYMSPE 240 QMNRMSYNEK SDIWSLGCLL YELCALMPPF TAFSQKELAG KIREGKFRRI PYRYSDELNE 300 ITRMLNLKD YHRPSVEEIL ENPLIADLVA DEQRRNLERR GRQLGEPEKS QDSSPVLSEL 360 KLKEIOLOER ERALKAREER LEOKEOELCV RERLAEDKLA RAENLLKNYS LLKERKFLSL 420 ASNPELLNLP SSVIKKKVHF SGESKENIMR SENSESQLTS KSKCKDLKKR LHAAQLRAQA 480 40 LSDIEKNYQL KSRQILGMR Seq ID NO: 97 DNA sequence Nucleic Acid Accession #: NM_007050.2 Coding sequence: 185-4576 (underlined sequences correspond to start and stop codons) 45 31 CCTCCCGCCT CAGTTCGCGC CGCGCCTCGG CTTGGAACGC AGGAGCGCCG GCTCCGGGAG 60 CCTCCCGCCT CAGTTCGCGC CGCGCCTCGG CTTGGAACGC AGGAGCGCCG GCTCCGGGAG 60
CCCGAGCGGA GCCAGCCCGC GCACAGCCA GCGGCCGCGC CGGCATGCG GGCCCCC 120
GCGCCCGCCC CAGTCCCGCGC CCCGGCCCC GCGGGAAGGG GCTGAGCTGC CCCCCGCCGC 180
CCGGATGCC AGCCTCGCCG CGCTCGCCCT CAGCCTGCTC CTGAGGCTGC AGCTGCCGC 240
ACTGCCCGC GCCCGGGGCTC AGAGCGCCCC AGGTGGCTGT TCCTTTTGATG AGCACTACAG 300
CAACTGTGGT TATAGTGTGG CTCTAGGGAC CAATGGGTTC ACCTGGGAGC AGATTAACAC 360
AACGGAGAAA CCAATGCTGG ACCAGGCAGT GCCCACAGGA TCTTTCATGA TGGTGAACAG 420
CTCTGGGAGA GCCTCTGCC AGAAGGCCCA CCTTCTCCTG CCAACCCTGA AGGAGAATGA 480
CACCCACTGC ATCGACTTCC ATTACTACTT CTCCAGCCGT GACAGGTCCA GCCCCAGGGG 540
CTTGAACGTC TACGTGA TGG TGAATGGTGG CCCCAAGGGC AACCTTGTGT GGAATGTTCC 600 50 55 CATCACGTC TACGTGAAGG TGAATGGTGG CCCCCAAGGG AACCCTGTGT GGAATGTGTC 600
CGGGGTCGTC ACTGAGGGCT GGGTGAAGGC AGAGCTCGCC ATCAGCACTT TCTGGCCACA 660
TTTCTATCAG GTGATATTTG AATCCGTCTC ATTGAAGGGT CATCCTGGCT ACATCGCCGT 720
GGACGAGGTC CGGGTCCTTG CTCATCCATG CAGAAAAGCA CCTCATTTTC TGCGACTCCA 780
AAACGTGGAG GTGAATGTGG GGCAGAATGC CACATTTCAG TGCATTGCTG GTGGGAAGTG 840 60 GTCTCAGCAT GACAAGCTTT GGCTCCAGCA ATGGAATGGC AGGGACACGG CCCTGATGGT 900
CACCCGTGTG GTCAACCACA GGCGCTTCTC AGCCACAGTC AGTGTGGCAG ACACTGCCCA 960
GCGGAGCGTC AGCAAGTACC GCTGTGTGAT CCGCTCTGAT GGTGGGTCTG GTGTGTCCAA 1020 CTACCCGAG CTGATCGTGA AAGAGCCTCC CACGCCCATT GCTCCCCCAG AGCTGCTGGC 1080
TGTGGGGGCC ACATACCTGT GGATCAAGCC AAATGCCAAC TCCATCATCG GGGATGGCCC 1140
CATCATCCTG AAGGAAGTGG AATATCGCAC CACCACAGGC ACGTGGGCAG AGACCCACAT 1200
AGTCGACTCT CCCAACTATA AGCTGTGGCA TCTGGACCCC GATGTTGAGT ATGAGATCCG 1260 65 AGTGCTCCTC ACACGACCAG GTGAGGGGGG TACGGGACCG CCAGGGGCTC CCCTCACCAC 1320 CAGGACCAAG TGTGCAGATC CGGTACATGG CCCACAGAAC GTGGAAATCG TAGACATCAG 1380
AGCCCGGCAG CTGACCCTGC AGTGGGAGCC CTTCGGCTAC GCGGTGACCC GCTGCCATAG 1440
CTACAACCTC ACCGTGCAGT ACCAGTATGT GTTCAACCAG CAGCAGTACG AGGCCGAGGA 1500
GGTCATCCAG ACCTCCTCCC ACTACACCCT GCGAGGCCTG CGCCCCTTCA TGACCATCCG 1560 70 GCTGCGACTC TTGCTGTCTA ACCCCGAGGG CCGAATGGAG AGCGAGGAGC TGGTGGTGCA 1620 75 GACTGAGGAA GACGTTCCAG GAGCTGTTCC TCTAGAATCC ATCCAAGGGG GGCCCTTTGA 1680
GGAGAAGATC TACATCCAGT GGAAACCTCC CAATGAGACC AATGGGGTCA TCACGCTCTA 1740 CGAGATCAAC TACAAGGCTG TCGGCTCGCT GGACCCAAGT GCTGACCTCT CGAGCCAGAG 1800


GGGGAAAGTG TTCAAGCTCC GGAATGAAAC CCACCACCTC TTTGTGGGTC TGTACCCAGG 1860 GACCACCTAT TCCTTCACCA TCAAGGCCAG CACAGCAAAG GGCTTTGGGC CCCCTGTCAC 1920 CACTCGGATT GCCACCAAAA TTTCAGCTCC ATCCATGCCT GAGTACGACA CAGACACCCC 1980 ATTGAATGAG ACAGACACGA CCATCACAGT GATGCTGAAA CCCGCTCAGT CCCGGGGAGC 2040 TCCTGTCAGT GTTTATCAGC TGGTTGTCAA GGAGGAGCGA CTTCAGAAGT CACGGAGGGC 2100 AGCTGACATT ATTGAGTGCT TTTCGGTGCC CGTGAGCTAT CGGAATGCCT CCAGCCTCGA 2160 5 TTCTCTACAC TACTTTGCTG CTGAGTTGAA GCCTGCCAAC CTGCCTGTCA CCCAGCCATT 2220 TACAGTGGGT GACAATAAGA CATACAATGG CTACTGGAAC CCTCCTCTCT CTCCCCTGAA 2280 AAGCTACAGC ATCTACTTCC AGGCACTCAG CAAAGCCAAT GGAGAGACCA AAATCAACTG 2340 TGTTCGTCTG GCTACAAAAG CACCAATGGG CAGCGCCCAG GTGACCCCGG GGACTCCACT 2400 10 CTGCCTCCTC ACCACAGGTG CCTCCACCCA GAATTCTAAC ACTGTGGAGC CAGAGAAGCA 2460 GGTGGACAAC ACCGTGAAGA TGGCTGGCGT GATCGCTGGC CTCCTCATGT TCATCATCAT 2520 TCTCCTGGGC GTGATGCTCA CCATCAAAAG GAGAAGAAAT GCTTATTCCT ACTCCTATTA 2580 CTTGTCCCAA AGGAAGCTGG CCAAGAAGCA GAAGGAGACC CAGAGTGGAG CCCAGAGGGA 2640 GATGGGGCCT GTGGCCTCTG CCGACAAACC CACCACCAAG CTCAGCGCCA GCCGCAATGA 2700 15 GATGAGGCTTC TCTTCTAGTT CTCAGGACGAC CACCACCAGG CTCAGCGCA GCCGCGGGGA 2760
GCTTTCCCAG CCCACCCTCA CGATCCAGAC TCATCCCTAC CGCACCTGTG ACCCTTGTGGA 2820
GATGAGCTAC CCCCGGGACC AGTTCCAACT CGCCATCCGG GTGGCTGACT TGCTGCAGCA 2880
CATCACGCAG ATGAAGAGAG GCCAGGGCTA CGGGTTCAAG GAGGAATACG AGGCCTTACC 2940
AGAGGGGCAG ACAGCTTCGT GGGACACAGC CAAGGAGGAT GAAAACCGCA ATAAGAATCG 3000 20 ATATGGGAAC ATCATATCCT ACGACCATTC CCGGGTGAGG CTGCTGGTGC TGGATGGAGA 3060 CCCGCACTCT GACTACATCA ATGCCAACTA CATTGACGGA TACCATCGAC CTCGGCACTA 3120 CATTGCGACT CAAGGTCCGA TGCAGGAGAC TGTAAAGGAC TTTTGGAGAA TGATCTGGCA 3180 GGAGAACTCC GCCAGCATCG TCATGGTCAC AAACCTGGTG GAAGTGGGCA GGGTGAAATG 3240 25 TGTGCGATAC TGGCCAGATG ACACGGAGGT CTACGGAGAC ATTAAAGTCA CCCTGATTGA 3300 AACAGAGCCC CTGGCAGAAT ACGTCATACG CACCTTCACA GTCCAGAAGA AAGGCTACCA 3360 TGAGATCCGG GAGCTCCGCC TCTTCCACTT CACCAGCTGG CCTGACCACG GCGTTCCCTG 3420 CTATGCCACT GGCCTCTGG GCTTCGTCCG CCAGGTCAAG TTCCTCAACC CCCCGGAAGC 3480 TGGGCCCATA GTGGTCCACT GCAGTGCTGG GGCTGGGCGG ACTGGCTGCT TCATTGCCAT 3540 TGACACCATG CTTGACATG CCGAGAATGA AGGGGTGGTG GACATCTTCA ACTGCGTGCG 3600
TGAGCTCCGG GCCCAAAGGG TCAACCTGGT ACAGACAGAG GAGCAATATG TGTTTGTGCA 3660
CGATGCCATC CTGGAAGCGT GCCTCTGTGG CAACACTGCC ATCCCTGTGT GTGAGTTCCG 3720
TTCTCTCTAC TACAATATCA GCAGGCTGGA CCCCCAGACA AACTCCAGCC AAATCAAAGA 3780
TGAATTTCAG ACCCTCAACA TTGTGACACC CCGTGTGCGG CCCGAGGACT GCAGCATTGG 3840 30 35 GCTCCTGCCC CGGAACCATG ATAAGAATCG AAGTATGGAC GTGCTGCCTC TGGACCGCTG 3900 CCTGCCCTTC CTTATCTCAG TGGACGGAGA ATCCAGCAAT TACATCAACG CAGCACTGAT 3960 GGATAGCCAC AAGCAGCCTG CCGCCTTCGT GGTCACCCAG CACCCTCTAC CCAACACCGT 4020 GGCAGACTTC TGGAGGCTGG TGTTCGATTA CAACTGCTCC TCTGTGGTGA TGCTGAATGA 4080 GATGGACACT GCCCAGTTCT GTATGCAGTA CTGGCCTGAG AAGACCTCCG GGTGCTATGG 4140 40 GCCCATCCAG GTGGAGTTCG TCTCCGCAGA CATCGACGAG GACATCATCC ACAGAATATT 4200 CCGCATCTGT AACATGGCCC GGCCACAGGA TGGTTATCGT ATAGTCCAGC ACCTCCAGTA 4260 CATTGGCTGG CCTGCCTACC GGGACACGCC CCCCTCCAAG CGCTCTCTGC TCAAAGTGGT 4320 CCGACGACTG GAGAAGTGGC AGGAGCAGTA TGACGGGAGG GAGGGACGTA CTGTGGTCCA 4380 CTGCCTAAAT GGGGGAGGCC GTAGTGGAAC CTTCTGTGCC ATCTGCAGTG TGTGTGAGAT 4440 GATCCAGCAG CAAAACATCA TTGACGTGTT CCACATCGTG AAAACACTGC GTAACAACAA 4500 ATCCAACATG GTGGAGACCC TGGAACAGTA TAAATTTGTA TACGAGGTGG CACTGGAATA 4560 TTTAAGCTCC TTT<u>TAG</u>CTCA ATGGGATGGG GAACTGCCGG AGTCCAGAGG CTGCTGTGAC 4620 45 CAAGCCCCCT TTTGTGTGAA TGGCAGTAAC TGGGCTCAGG AGCTCTGAGG TGGCACCCTG 4680 CCTGACTCCA AGGAGAAGAC TGGTGGCCCT GTGTTCCACG GGGGGCTCTG CACCTTCTGA 4740 50 GGGGTCTCCT GTTGCCGTGG GAGATGCTGC TCCAAAAGGC CCAGGCTTCC TTTTCAACCT 4800 AACCAGCCAC AGCCAAGGGC CCAAGCAGAA GTACACCCAC AAGCAAGGCC TTGGATTTCT 4860 GGCTCCCAGA CCACCTGCTT TTGTTCTGAG TTTGTGGATC TCTTGGCAAG CCAACTGTGC 4920 AGGTGCTGGG GAGTGGGAGG CTCCCCTGCC CTCCTTCTCC TTAGGAGTGG AGGAGATGTG 4980 TGTTCTGCTC CTCTACGTCA TGGAAAAGAT TGAGGCTCTT GGGGGTCACT GCTCTGCTGC 5040 CCCCTGCAAC CTCCTTCAGG GGCCTCTGGC ACCAGACATT TGCAGTCTGG ACCAGTGTGA 5100 CCTTACGATG TTCCCTAGGC CACAAGAGAG GCCCCCCATC CTCACACCTA ACCTGCATGG 5160 55 GGCTTCGCCC ACAACCATTC TGTACCCCTT CCCCAGCCTG GGCCTTGACC GTCCAGCATT 5220 CACTGGCCGG CCAGCTGTGT CCACAGCAGT TTTTGATAAA GGTGTTCTTT GCTTTTTTTGT 5280 GTGGTCAGTG GGAGGGGGTG GAACTGCAGG GAACTTCTCT GCTCCTCCTT GTCTTTGTAA 5340 60 AAAGGGACCA CCTCCCTGGG GCAGGGCTTG GGCTGACCTG TAGGATGTAA CCCCTGTGTT 5400 TCTTTGGTGG TAGCTTTCTT TGGAAGAGAC AAACAAGATA AGATTTGATT ATTTTCCAAA 5460 GTGTATGTGA AAAGAAACTT TCTTTTGGAG GGTGTAAAAT CTTAGTCTCT TATGTCAAAA 5520 AGAAGGGGGC GGGGAGTTT GAGTATGTAC CTCTAAGACA AATCTCTCGG GCCTTTTATT 5580 TTTTCCTGGC AATGTCCTTA AAAGCTCCCA CCCTGGGACA GCATGCCACT GAGCAAGGAG 5640 AGATGGTGA GCCTGAAGAT GGTCCCTTTG GTTTCTGGGG CAAATAGAGC ACCAGCTTG 5700
TGCATAATTT GGATGTCCAA ATTTGAACTC CTTCCTAAAG AAACCCAGCA GCCACCTTGA 5760
AAAAGGCCAT TGTGGAGCCC ATTATACTTT GATTTAAAAT AGGCCAAGAG AATCAGGCCT 5820
GGAGATCTAG GGTCTTGTCC AAAGTGTGAG TGAGTCAATG AGAGGGAACC AACATTTGCT 5880
AAGTCTCTAC TGTATGCCAG GGATCATGCT TGGCACTTTC CATAGGACAT TTCACACAGT 5940 65 70 CCTTAGAACC CCCAGGAGAG AGCTACTGAC TTGTTATCAT CTCCATTTGA TCATCTCCTC 6000 CAATGAGGAA ACCCACGCAC CTTCCTTAGT AATGAAATCC TGGGTTCCAA AGGGGCAGGT 6060 AATGGCAATG AGACTTCTCC GTGCTGTTTT CTTCATCTTC TCTAAGCCAA GCAATTATTT 6120 TATGGAGGGA AAATAAGGCC AGAAACTTCT GAGCAGATAA CTCCACAAAT GGAAATTTAG 6180 TACTITICTIC CTIGATGCCAG TICTICTIGGG AAGCGCAGAA TITCAGAAAT ATTATAGTAA 6240
CACATTOCCA GCTCCCCAGG AAAGCCAGTC TCATCTAATT TCTTAGTCAG TAAAAACAAT 6300
TCCCTGTTCC TTCAGGCTAT GAATGGACCA GCCAGGGAAA CTCTCGACCT TGATCTCTAG 6360
CCAGTGCTTA GGCCCAATAT CTGACAGCCT CAGGTGGGCT GGGACCTAGG AAGCTCCATC 6420 75


TTGAAGGCTG GTCTAGCCCC AGACAGGGCA TGAGGGGCAG AGAATTCAAG AAGGTACAGC 6480 TTTGGCCCTC AAGAGCCCAC TGTATGCTGG GGAAATGGAA CCATGGTGCA GTAGTGTGGA 6540 GTGGATGAGT GTTCCATGAG CCTAGGAGCA AGAAAGTCTC TTCGGCCTCG GGCTTCCTGG 6600
AGAAGGGGAC GTCCATTCCT GCTGGGTCTT AACAAGCATA AAAAGGAAAA AAAGGAAACT 6660 5 CAGGCAAAGG GATCCATATG TGCAATGGCA AAGAAATGTG AAAAGGCATT GGGAGAAGCA 6720 GTCTGGGGGA GGCCAGCCCA GTGCGGGCAC AGCACAACAC GGGGAGCAGC AAGAGATGAG 6780 CCAGGGTCCA GGAGACAGAT GCCCATCGCG AGTACAGACT TTGTCCTATT GGCAACAAGG 6840 AGTOCATGGA GCTTTAGAGA GATGCACTCA GCTTCGTGTT GGCCAAGACT CCTTCTGGGC 6900 AGICLAIGGA GCTITAGAGA GATGCACICA GCTICATGTI GGCCAAGACT CCTICIGGGC 5960
CAATGGGGCT GCCTCTTTCC CTTTCATCAG ACACTGTGAA AACATTCCCT TAAGCGTGCA 6960
CTTTTTAATA TCACATCTAT TTGTCTGTCT GCTCATTGTT TTGTTGCTGG AACTAAATAT 7020
GCAATGGATC ATGAGACTCA GATTCTATGA GAAACCCAGG GTCTCTGCTT TACCACGGAG 7080
CAGGGTCACC AACCCAGATC TCCAGGCCCA TGAGGATGGA ACATGAAAGG AGCCGACAAA 7140 10 AGTTGCTTCC ATTGGCATGG GCTCTGGAGC TGTCCAGAAG TCCAGGGACA CCAGACTTGA 7200 TCAAGGAAGG GCTGTCACTT TAGAGGTTCA AAAGGAAGTG CCTCAAAGCA AAGGCAAGCA 7260 AAGGAACCC ACGATGAACT TGCTCTTTTC CTTTGATGAG CCTCTCCCCA GGTGTATTTC 7320 AGCAGACCCC GGGGACCCAC CCCCACTGGG CCTGCTGGCC TCCCTCGGCT CCAGCCCAAT 7380 15 GCCCCAGCTG GCCTTCCCCA GCCTGCAAGG AGCCTGTAGC ATGGCAAATC TGCCTGCTGT 7440 ATGCTATTTT CTTAGATCTT GGTACATCCA GACAGGATGA GGGTGGAGGG AGAGCTATTT 7500 AACACAAATC CTAAGATTTT TTTCTGCTCA GGAAGGGGTG AAATAGCTGG CAGATACAAA 7560 AGACAGTGGC TTTTATCATT TTAAATGGTA GGAATTTAAG GTGTGACTTC AGGGAGAAAC 7620 AAACTTGCAA AAAAAAAAA TCTCAGGCCA TGTTGGGGTA ACCCAGCAAG GGCCAGTGAT 7680 .20 GATTTCCCCC AGCTCATCCC CTTATTTTCC CACAACCCAA CCATTCTCTA AAGCAGGACA 7740 GTGAATAGGT CTTAGGCCAG TGCACACAGG AAGAAATTGA GGCTTATGGA TGGGGATGAC 7800 TTCCCTAAGA TCCCATGGGA CAAGGATGTG GCAAGGCTTG GATGAGATGG GGCACCAGTG 7860 CCCAGGAATT TGAACATTTT CCTTTACCCA GGAAATCTCC GGAGCCAACA CCACCACCCC 7920 25 CAGGGGGTCT CCCCACCCCA CCCCATTTAC AGGGTGAGCT CAGCCTGTCA TGAGCAGAGG 7980
AAAATATTAT TAATGCTCTC TGAGTCTTTA CAACAGGGC TCTTACCTCA TAGATGTGGG 8040 CTCTGTTTGG GGAAGATGCA AGGAAGTAAT GAGAAGCCCA GGAAATTTCT CCACCTGTGT. 8100 TTATGGCCTA AATAGCTTCA GGATGTATCT TAGCTGCACT CCAACATTGC ATCCTTTCTG 8160' GGGTGAAGAA TCTGGGCCAA CCAGGGGTCC TTGGGCCTCT AGAAGGCCAC AGTAGGCCTC 8220 30 TCTTTGTGGG AATGGAAGGG GACAGTTTGC TTTTAGTGCT GGCCCTCTCT GTGGGTGTGG 8280 CCTGCAAAGG AACCAACAGA CCCTATGCTG GGGACTCTAA CATGTGAGCT CATTAAATTC 8340 TTCCAGCATT CTAAAGGAGG GTTTGTGATT GTCACCATTT ACTGATGAGG AAACTAAGGC 8400 TCCTAGGGGA GAAATCACTT GCCCACAGTT CCACAGCTAG TGAGTGAATG AACCAGGATT 8460 35 TAAACCGGTT TTTTCTCACT ACAGAGACAA TATTTTTCCA CCATTGTATC TCACATTTTT 8520 CCCAGGAGGT TACCCATAAC AGAAGAGACT AGAGTGGAAC AGATACGTCA GTGGATAAAG 8580 CTCAAAGCAA ACAACAGTAA GCTTAAAATT CCTTCATAGT CTCATGTTTT ACGTTCACAA 8640 TTCATGCAAA ATTTGCATTC CACTTTCTGA TTTAGCCTTG TTGGTTTTAA TATGACTCTA 8700 40 TATGACGGAC CCTAGGTCAG CTGGTCTTCA GCTTGACCCT AGAATTGACT CTAGGAGCAG 8820 TGACCCTGCT GCCTCCCAGA GCCAGTTATA GGCTCAAGAT CAAGACCAAC TGACCTTCTC 8880 CTAGGCAGCT CCTTTGGTGT GTGGGTGCTC TGACCTCACT GTTCATGAGG GGACCTCAAC 8940 TAAGGCATCT TCCAGTTGGG TGCTGGAAGG AACCCATTAA CTCACACTAG AATGATGAGG 9000 ATTTGCTCAT CTGGCGTGGA GAAGGATGAG CCCACAAAAC CCTAAAGGGA AAAGAGAAGC 9060 ATTICICAT CIGGOGGG GAAGGATGAG CCACAAAC CCIAAAGGGAAACGGAGC 900
TGGACACAGC TGTACTCAGC AGATTCCTGA ATGCTAGGCT GGAAAGTGGT GCCTGTTGTC 9120
CAAGTGGAGT CACATGGTTG CTAATGTGGG CAAGTCTGAG GACACACTTC ATGAGCAGCT 9180
GGGGTCTGGA AGGCTCCTCA CTTTACCCTA GCCACACATA ATTACTGGGT GCCTACAGCA 9240
CCTAGCACCT TGGAGGGGGC ACTATTAGGA AATCGAGATT ACTATGGCAC AATTAATTCC 9300 45 TGGGTAAGGC ATGGGGTTGT GGTGGACAGA GCTCAGTCTT TAGTTTGAAC GAAAACATAC 9360 50 ATACATGAAA AACATACATG AAAAAAGGAC CCTCATCAAC ATTAGAAGGG GTAGATTTGG 9420 AGCACTTTAG GCAGGAAAAC AGGAACGCAA GGCCAGGAAA CTGGAACCCA GTGAATACTC 9480 AGAACCGAGG ATGCAGATGA CTTATTTAGC AAAATGGTCA CTTCTGTGAC ATAGCTGGAG 9540 AAAGGATGGG TAACAGCTTG CCAGAGCCAC TTGGAACAAG GGCAAATCTC AGTGTCTGGG 9600 AAAGATIGGO TAACAGCTIG CCAGAGCCAC TIGGAACAA GCCAAATCTC AGTICTIGGG 9600
GCAAAAGATG ATGCATTTCC CTCTGACCCA TCATGTTTAT TCATCCTCCA CTCCCCATTG 9660
CCACACTAGC TCTTGCTGTA AGTCCTCACC AGGATCTACA TTTCCTCGTC GCTGGTGGGA 9720
ACCCCTTAGA GTACATAGAG GTATCAGTCC AGTAAGACTG CTCTACACAA CAGAAGTGAG 9780
GCCCAGGGAG TAGCAGCCAG GCCCTTATCC TGTTACCTCT GCAGGAGTGA CTGCCCAACC 9840 55 CAGATCCAGA GACATTGAAG GAAATGATAA TTCCTTGGTAC CCTCACTGCC TTGGCAAAA 9900
ATGAAGAAAG CCACCCTTCC TTAGGCTGCA GCTTGCCACT CCTGGGCTGG GTAAACAGGT 9960
CATCAGCACC AGGCTCAACC AGGAGTAACA TTCTGGAAGA CATGGGTGAG CCCAAGAGGA 10020
AGCATGAACA GGACGCTGTT CCTAAGTCAT GTCAACAGGT TGTGCTGGGC CAGGATCCCC 10080 60 AGGGAAAAAA ATGGTCAACC CAACTGGAGG GTAGGTTAGA AGAAAAAAA CATAAACGTG 10140 GATAGTCATG TCATCTCAAA TCCCTGACTT GGCTTCCCCA TTACTTGACA GTCTGAGCTC 10200 CTTCTTAGCC TGTGACCAGC TTCAAATCAC AGCCAAGTAA AACAAGGAAA TAGGAAAAGT 10260 AAATCCAACT AGAAGAGACA AGCTGAGATT CAGATTTGTT TACTCCTCCC ATGCAAAGTT 10320 65 TCCCTGTTGG AGGTTTTCCA TGTATACATG TCTAGAAGTG ATAGAATGCA AGGCCTTGGC 10380 TTTGTCTTGC AGGGATCTGC CTTTGAGGTC ATAGACTGAA CAGCAGGAG AGAGGTTAGT 10440
GGTGGAGTGT GGGGGGAGCT GTTCTAGCTC CAGTTTCTTC TGACACATTT TTCAGGATCA 10500
TGGATCTGAT CCTCCGAAGC ACAGCAGAGA TATCTAAGCC ATATTTGTGC ACATGAGCAG 10560
ACTCTTCTAG TTTTTTAGTA ACCAGGGATG GGCTTTTGCA TGGCACTGAC TATAGAGATG 10620 70 TCTTGTAGAG ATCAAGCCAG TCTTTTGCAT CCCACCTGCC CACCTCCAGA AGAGATGGGA 10680 AAAGGTCATC AAAGGGCATT CACCAACTGA AATCCACTCA TGAATGTTAG GTCTCTAAAA 10740 GGAGGCATCA ACACTCACAA TGGTAGCCTC CAAACCTAGC ATCCCACCTA TCTAAGAGCT 10800 CAGGGGTGGT CCACTGGGGC AGATACAAGG GAAGTGCAAG GGCTCAGGAT GAAAGAAAAT 10860 75 CTATTGGGAA GAGTTTTAGG GGCTTGATCA TTATGGGGCT TCCTTCTATA TCTGAGAACT 10920
GCTCTGGGTG GTGAGATGT GACTCTGATC CTTAATTGGA ATGTTCGGAG AATGAGTGTC 10980 TGGTGGCCTT GAAGTGTTGG ACAGAAAAGT ATCAGTATAA AAGCCTGGAG CTCAGGGTAA 11040





Seq ID NO: 103 DNA sequence





LARAAAARKP RSPPRALVLP HIASHHQVDP TEPVGGARMR LTQEEKERRR KLNLCLYCGT 300 GGHYADNCPA KASKSSPAGN SPAPL

Seq ID NO: 107 DNA sequence


5

Nucleic Acid Accession # NM_003679.1 Coding sequence: 47-1507(underlined sequences correspond to start and stop codons) 10 GGCACGAGCA GAAGCAACAA TAATTGTGAA AAATACTTCA GCAGTT<u>ATG</u>G ACTCATCTGT 60 CATTCAAAGG AAAAAAGTAG CTGTCATTGG TGGTGGCTTG GTTGGCTCAT TACAAGCATG 120
CTTTCTTGCA AAGAGAAAT TCCAGATTGA TGTATATGAA GCTAGGGAAAG ATACTCGAGT 180
GGCTACCTTC ACACGTGGAA GAAGCATTAA CTTAGCCCTT TCTCATAGAG GACGACAAGC 240
CTTGAAAGCT GTTGGCCTGG AAGATCAGAT TGTATCCCAA GGTATTCCCA TGAGAGCAAG 300 15 AATGATCCAC TCTCTTTCAG GAAAAAAGTC TGCAATTCCC TATGGGACAA AGTCTCAGTA 360 TATTCTTTCT GTAAGCAGAG AAAATCTAAA CAAGGATCTA TTGACTGCTG CTGAGAAATA 420 CCCCAATGTG AAAATGCACT TTAACCACAG GCTGTTGAAA TGTAATCCAG AGGAAGGAAT 480 GATCACAGTG CTTGGATCTG ACAAAGTTCC CAAAGATGTC ACTTGTGACC TCATTGTAGG 540 ATGTGATGGA GCCTATTCAA CTGTCAGATC TCACCTGATG AAGAAACCTC GCTTTGATTA 600 20 CAGTCAGCAG TACATTCCTC ATGGGTACAT GGAGTTGACT ATTCCACCTA AGAACGGAGA 660 TRATGCCATG GAACCTAATT ATCTGCATAT TTGGCCTAGA AATACCTTTA TGATGATTGC 720
ACTTCCTAAC ATGAACAAAT CATTCACATG TACTTTGTTC ATGCCCTTTG AAGAGTTTGA 780
AAAACTTCTA ACCAGTAATG ATGTGGTAGA TTTCTTCCAG AAATACTTTC CGGATGCCAT 840
CCCTCTAATT GGAGAGAAAC TCCTAGTGCA AGATTTCTTC CTGTTGCCTG CCCAGCCCAT 900 25 GATATCTGTA AAGTGCTCTT CATTTCACTT TAAATCTCAC TGTGTACTGC TGGGAGATGC 960 AGCTCATGCT ATAGTGCCGT TTTTTGGGCA AGGAATGAAT GCGGGCTTTG AAGACTGCTT 1020 GGTATTTGAT GAGTTAATGG ATAAATTCAG TAACGACCTT AGTTTGTGTC TTCCTGTGTT 1080 CTCAAGATTG AGAATCCCAG ATGATCACGC GATTTCAGAC CTATCCATGT ACAATTACAT 1140 AGAGATGCGA GCACATGTCA ACTCAAGCTG GTTCATTTTT CAGAAGAACA TGGAGAGATT 1200 30 TCTTCATGCG ATTATGCCAT CGACCTTTAT CCCTCTCTAT ACAATGGTCA CTTTTTCCAG 1260 AATAAGATAC CATGAGGCTG TGCAGCGTTG GCATTGGCAA AAAAAGGTGA TAAACAAAGG 1320 ACTCTTTTTC TTGGGATCAC TGATAGCCAT CAGCAGTACC TACCTACTTA TACACTACAT 1380 GTCACCACGA TCTTTCCTCT GCTTGAGAAG ACCATGGAAC TGGATAGCTC ACTTCCGGAA 1440 TACAACAGH TCTCCCGCAA AGGCCGTGGA CTCCCTAGAA CAAATTTCAA ATCTCATTAG 1500
CAGGTGATAG AAAGGTTTTG TGGTAGCAAA TGCATGATTT CTCTGTGACC AAAATTAAGC 1560
ATGAAAAAAA TGTTTCCATT GCCATATTTG ATTCACTAGT GGAAGATAGT GTTCTGCTTA 1620
TAATTAAACT GAATGTAGAG TATCCTGTA TGTTAATTGC AATTACTGGT TGGGGGGTGC 1680 35 ATTITAAAAG ATGAAACATG CAGCTTCCCT ACATTACACA CACTCAGGIT GAGTCATTCT 1740
AACTATAAAA GTGCAATGAC TAAGATCCTT CACTTCTCTG AAAGTAAGGC CCTAGATGCC 1800
TCAGGGAAGA CAGTAATCAT GCCTTTTCTT TAAAAGACAC AATAGGACTC GCAACAGCAT 1860
TGACTCAACA CCTAGGACTA AAAATCACAA CTTAACTAGC ATGTTAACTG CACTTTTCAT 1920 40 TACGTGAATG GAACTTACCT AACCACAGGG CTCAGACTTA CTAGATAAAA CCAGAAATGG 1980 45 TCTATTTATT TATGTATTTA GAGATCAGGT CTCACTCTGT TGACCAGGCT GGAGTGCAGT 2220 GGTGAGATCT GGGTTCACTG CAACCTCTGC CTCCTGGGCT CAAGCAATCC TCCCACTTCA 2280
GCCTCCCAAA TAGCTGGGGC TACCATGGTA TTTTTCAGTA GAGACCGGGT CTTGCCATGC 2340
TGCCCAGGCC AGTCTCAAAC TCCTGGCCTC ATGTGATCTG CCCACCTCAG CCTCCCAAAG 2400
TACAGGGATT AGAGTTGTGA GCCACCGCTG CCAGCCCAGA GTTACCCTCT AAAGATAAGA 2460 50 AAAAGGCTAT TAATATCATA CTAAGTGAAG GACAGGAAAG GGTTTTATTC ATAAATTAAA 2520 TGTCTACATG TGCCAGAATG GAAAGGAAAC AAGGGGAGAC AACTTTATA GAAATACAAA 2580 GCCATTACTT TATTCAATTT CAGACCCTCA GAAGCAATTT ACTAATTTAT TCTTCGACTA 2640 CATACTGCAG CAGAACCAGC AATACACTTG ATTTTTAAAA GCACATTTAG TGAAATGTTT 2700 55 TCTTTGGTTC ATCCTTCTTT AACAGGCTGC TGAGTCACTC AGAAATCCTT CAAACATGAT 2760 GGGCCCCTAT AACAAAAGAC AGATTGACAA GAGAAAAACA AACATAAATT TATTAGCGGG 3000 TATATGTAAT ATATATGTGG GAAATACAGG GGAATGAGCA AATCTCAAAG AGCTGGCGTC 3060 TTAGAACTCC CTGGCTTATA TAGCATCGAC AAAGAACAGT AAATTTTTAG AGAAACAACA 3120 AAACAAAGAA AAAGAGCTTT GAGTCTGTAG GGGCAGCAAT TTGGGGGAAG CAAATATATG 3180 60 GGAGTTTGCC TTGTAGATTC CTCTGGTGGT GGTCTCCAGG CTGACAAGGA TTCAAAGTTG 3240 GGAGTITICE TITINGATIC CITCLOGIGGI GUICLICAGU CIGACAAGA TICAAAGTIT 2240
TCTCTGAAAAC TCCTCTTTGT CATACTGCAC ATATAAAACG TCTTTTGTTT CCAACAAGAG 3300
GATTTCTTTT TCATTCTAGA ATTATCTCCT TGATAACTTG ATCAGATATA GGACATGACA 3360
CTGAATAGAG TCCAACAGTA CAAAAAAAAT TCAGTATGTT CTAGCTACTT CACACATGTG 3420
TACGCGACAG TTATTTTTAC AGTAAGGTAT TTTCGAGAAA AATGCATTAC GTGTTTTGGA 3480 65 AAATAGAGTA ATITAAAAAA TATATTTGAA ATGAAAATCT CCAACACATT AGAAGATGAT 3540 GATGTTAGAT GCCCATAGTIG TGCCACAAGT GGTTTTTTCA TTATGTAAAG CACCCGTTGA 3600
ATTAAAAGAA TTTGTTTTTG TTCAACCTCT TCCTGAGGCC CAAGAGCATA TGGGCAATTC 3660
GGATTTCCTG CTGGACCACA AGGTTCTGTT GATATTACAT AGAAACGGGT ATTCCAGACA 3720
CTTCTTATGA TGAAAGTCCA AAAGTGGCAT CCAATTTAAG GCCCCATCTT TCGTTGCCAT 3780 70 CTICATTCC TACAAAGGAC GAACTTGGAT TACATCAACT TTGGACCCAT TIGGTTTTGTC 3840
GCTGTCGTCA ACTGACAGTG ATTCACCACT GGTGATTGATA AAAATGATGG AAGAAGAGTT 3900
GAAAGTCACT TITTTCTTTG GCCTGTCCCC ATCTTTCTGT GACATCACAA TGGGTCTGAT 3960
CTGCATTTCA CTTCCAGCTG CTGGTAGGTC TTTAGCAGGC CTCTGGCACC TCAGCAGTCG 4020 75 GAGGCACAGA AGCTGCAAAA GGGATCTTCG AAACTGGGCA GAGAAAAAAT AAAGTGGAAT 4080

ATTAAGTAAA AGTTGGGCAC TAATCTGGAT TAACATTCGA GGAAATCAGT TGAGCTGATT 4140 TAAGTTGTTT TTTGTTTGTT AGCAGGTGTG GATGTGGGGT TATGTGGTCA TGCTCAGATC 4200 TACCTAAATC ACCCCAGAGC TTTATGTCTT TTATTCATTC TAAATCTTAT TAACCGGAAT 4260 ATGTAGGACC ATTTCAATAC CTTGTAATCC TCCAAGCTTC AATCTGCACA CACTTTCTAT 4320 GAGGGCAGGT ACAACTATTA AGAGATTTTG AACATTAAGT TAGTCCACAA ATATTCAGTG 480
GGCATCTACT AGGTGACAGC CACTGTGCTA TAATTAGAGA CTTTTTACTA TAAGCATCAA 4440
AAACAGATAA GGCTCTTCCT GGCAGAGTTT ACAGCCTGGT GTACTTGCTA ATGTCTCTTT 4500
AATTAGGTGA AGAATTTTT TTTTCTATCG AAATTACTAA TCAGTTGGGG AAAAAAATAC 4560
TATAGCAGAC AGCACTAATG TCATCAACAA ACATTGTTCT TCTCCGTGTC CTGGGTACAA 4620 5 CATCGAATAA TATTTCTTGG CCTCCTTTCC GCTTCTCCTC TCTGCTGTTC CTGCGTACAA 4680
GAACCTGGGA GGCCAACGCC TAAAGATCAT AATATCACAA TGGAAGGAAC CTAGATTCCT 4740
AAATGACTGC ATAGGACAGA TCCCATCTCC TCCACCCAAT ACATTATTAG ACTGAACTGT 4800
GACCTGAAAT GAGCAATAAA CTCTGTATTA ATTCACTGAA ATGTTGGGGT TGCTTGTTAT 4860 10 AGTAGTCGGT CCATCATGAC CAGTAAAACA TAAATCAAAA GTTAATGTAA TTGTTATCCC 4920 15 ATTATTTAGA GCGAAATAAA TGTTGAATAT ATGGACTTTC TCAGATTAGG AAATACCAAT 4980 TAAAAATATA ATAAATAGCT Seq ID NO: 108 Protein sequence: Protein Accession #: NP_003670.1 20 11 21 31 41 MDSSVIQRKK VAVIGGGLVG SLQACFLAKR NFQIDVYEAR EDTRVATFTR GRSINLALSH 60 RGRQALKAVG LEDQIVSQGI PMRARMIHSL SGKKSAIPYG TKSQYILSVS RENLNKDLLT 120 AAEKYPNVKM HFNHRLLKCN PEEGMITVLG SDKVPKDVTC DLIVGCDGAY STVRSHLMKK 180 25 PRRDYSQQYI PHGYMELTIP PKNGDYAMEP NYLHWPRNT FMMIALPNMN KSFTCTLFMP 240
FEEFEKLLTS NDVVDFFQKY FPDAIPLIGE KLLVQDFFLL PAQPMISVKC SSFHFKSHCV 300 LLGDAAHAIV PFFGQGMNAG FEDCLVFDEL MDKFSNDLSL CLPVFSRLRI PDDHAISDLS 360 MYNYIEMRAH VNSSWFIFQK NMERFLHAIM PSTFIPLYTM VTFSRIRYHE AVQRWHWQKK 420 VINKGLFFLG SLIAISSTYL LIHYMSPRSF LCLRRPWNWI AHFRNTTCFP AKAVDSLEQI 480 30 Seq ID NO: 109 DNA sequence NM 006115.1 Nucleic Acid Accession #: 35 Coding sequence: 236-1765 (underlined sequences correspond to start and stop codons) GCTTCAGGGT ACAGCTCCCC CGCAGCCAGA AGCCGGGCCT GCAGCCCCTC AGCACCGCTC 60 40 CGGGACACCC CACCCGCTTC CCAGGCGTGA CCTGTCAACA GCAACTTCGC GGTGTGGTGA 120 ACTCTCTGAG GAAAAACCAT TTTGATTATT ACTCTCAGAC GTGCGTGGCA ACAAGTGACT 180 GAGACCTAGA AATCCAAGCG TTGGAGGTCC TGAGGCCAGC CTAAGTCGCT TCAAA<u>ATG</u>GA 240 ACGAAGGCGT TTGTGGGGTT CCATTCAGAG CCGATACATC AGCATGAGTG TGTGGACAAG 300 CCCACGGAGA CTTGTGGAGC TGGCAGGGCA GAGCCTGCTG AAGGATGAGG CCCTGGCCAT 45 TGCCGCCCTG GAGTTGCTGC CCAGGGAGCT CTTCCCGCCA CTCTTCATGG CAGCCTTTGA 420 CGGGAGACAC AGCCAGACCC TGAAGGCAAT GGTGCAGGCC TGGCCCTTCA CCTGCCTCCC 480
TCTGGGAGTG CTGATGAAGG GACAACATCT TCACCTGGAG ACCTTCAAAG CTGTGCTTGA 540
TGGACTTGAT GTGCTCCTTG CCCAGGAGGT TCGCCCCAGG AGGTGGAAAC TTCAAGTGCT 600 GGATTTACGG AAGAACTCTC ATCAGGACTT CTGGACTGTA TGGTCTGGAA ACAGGGCCAG 660 TCTGTACTCA TITICCAGAGC CAGAAGCAGC TCAGCCCATG ACAAAGAAGC GAAAAGTAGA 720
TGGTTTGAGC ACAGAGGCAG AGCAGCCCTT CATTCCAGTA GAGGTGCTCG TAGACCTGTT 780
CCTCAAGGAA GGTGCCTGTG ATGAATTGTT CTCCTACCTC ATTGAGAAAG TGAAGCGAAA 840
GAAAAATGTA CTACGCCTGT GCTGTAAGAA GCTGAAGATT TTTGCAATGC CCATGCAGGA 900 50 TATCAAGATG ATCCTGAAAA TGGTGCAGCT GGACTCTATT GAAGATTTGG AAGTGACTTG 960 55 TACCTGGAAG CTACCCACCT TGGCGAAATT TTCTCCTTAC CTGGGCCAGA TGATTAATCT 1020 GCGTAGACTC CTCCTCTCCC ACATCCATGC ATCTTCCTAC ATTTCCCCGG AGAAGGAAGA 1080 GCAGTATATC GCCCAGTTCA CCTCTCAGTT CCTCAGTCTG CAGTGCCTGC AGGCTCTCA 1140 TGTGGACTCT TTATTTTTCC TTAGAGGCCG CCTGGATCAG TTGCTCAGGC ACGTGATGAA 1200 CCCCTTGGAA ACCCTCTCAA TAACTAACTG CCGGCTTTCG GAAGGGGATG TGATGCATCT 1260 GTCCCAGAGT CCCAGCGTCA GTCAGCTAAG TGTCCTGAGT CTAAGTGGGG TCATGCTGAC 1320 CGATGTAAGT CCCGAGCCCC TCCAAGCTCT GCTGGAGAGA GCCTCTGCCA CCCTCCAGGA 1380 60 CCTGGTCTTT GATGAGTGTG GGATCACGGA TGATCAGCTC CTTGCCCTCC TGCCTTCCCT 1440 GAGCCACTGC TCCCAGCTTA CAACCTTAAG CTTCTACGGG AATTCCATCT CCATATCTGC 1500
CTTGCAGAGT CTCCTGCAGC ACCTCATCGG GCTGAGCAAT CTGACCCACG TGCTGTATCC 1560
TGTCCCCCTG GAGAGTTATG AGGACATCCA TGGTACCCTC CACCTGGAGA GGCTTGCCTA 1620 65 TCTGCATGCC AGGCTCAGGG AGTTGCTGTG TGAGTTGGGG CGGCCCAGCA TGGTCTGGCT 1680 TAGTGCCAAC CCCTGTCCTC ACTGTGGGGA CAGAACCTTC TATGACCCGG AGCCCATCCT 1740
GTGCCCCTGT TTCATGCCTA ACTAGCTGGG TGCACATATC AAATGCTTCA TTCTGCATAC 1800
TTGGACACTA AAGCCAGGAT GTGCATGCAT CTTGAAGCAA CAAAGCAGCC ACAGTTTCAG 1860
ACAAATGTTC AGTGTGAGTG AGGAAAACAT GTTCAGTGAG GAAAAAACAT TCAGACAAAT 1920 70 GTTCAGTGAG GAAAAAAGG GGAAGTTGGG GATAGGCAGA TGTTGACTTG AGGAGTTAAT 1980 GTGATCTTTG GGGAGATACA TCTTATAGAG TTAGAAATAG AATCTGAATT TCTAAAGGGA 2040 GATTCTGGCT TGGGAAGTAC ATGTAGGAGT TAATCCCTGT GTAGACTGTT GTAAAGAAAC 2100 TGTTGAAAAT AAAGAGAAGC AATGTGAAGC AAAAAAAAA AAAAAAA

Seq ID NO: 110 Protein sequence:
Protein Accession #: NP_006106.1

75



PGNSCPCPGP APAKTCIMEA STDFLPGLNF SNCSRRALEK ALLDGMGSCL FERLPSLPPM 420 PANELCIAN AND CONTROL STOPE SINCE SI CHGHGVCDSN RHCYCEEGWA PPDCTTQLKA TSSLTTGLLL SLLVLLVLVM LGAGYWYRAR 720 LHQRLCQLKG PTCQYRAAQS GPSERPGPPQ RALLARGTKS QGPAKPPPPR KPLPADPQGR 780 CPSGDLPGPG AGIPPLVVPS RPAPPPPTVS SLYL 10 Seg ID NO: 113 DNA seguence Nucleic Acid Accession #: NM_002416 Coding sequence: 40-417 (underlined sequences correspond to start and stop codons) 15 31 ATCCAATACA GGAGTGACTT GGAACTCCAT TCTATCACTA TGAAGAAAAG TGGTGTTCTT 60
TTCCTCTTGG GCATCATCTT GCTGGTTCTG ATTGGAGTGC AAGGAACCCC AGTAGTGAGA 120
AAGGGTCGCT GTTCCTGCAT CAGCACCAAC CAAGGGACTA TCCACCTACA ATCCTTGAAA 180 20 GACCTTAAAC AATTTGCCCC AAGCCCTTCC TGCGAGAAAA TTGAAATCAT TGCTACACTG 240 AAGAATGGAG TTCAAACATG TCTAAACCCA GATTCAGCAG ATGTGAAGGA ACTGATTAAA 300 AAGTGGGAGA AACAGGTCAG CCAAAAGAAA AAGCAAAAGA ATGGGAAAAA ACATCAAAAA 360 AAGAAAGTTC TGAAAGTTCG AAAATCTCAA CGTTCTCGTC AAAAGAAGAC TACA<u>TAA</u>GAG 420 ACCACTTCAC CAATAAGTAT TCTGTGTTAA AAATGTTCTA TTTTAATTAT ACCGCTATCA 480 25 TTCCAAAGGA GGATGGCATA TAATACAAAG GCTTATTAAT TTGACTAGAA AATTTAAAAC 540 ATTACTCTGA AATTGTAACT AAAGTTAGAA AGTTGATTTT AAGAATCCAA ACGTTAAGAA 600 TTGTTAAAGG CTATGATTGT CTTTGTTCTT CTACCACCCA CCAGTTGAAT TTCATCATGC 660 TTAAGGCCAT GATTTTAGCA ATACCCATGT CTACACAGAT GTTCACCCAA CCACATCCCA 720 CTCACAACAG CTGCCTGGAA GAGCACCCT AGGCTTCCAC GTACTGCAGC CTCCAGAGAG 780
TATCTGAGGC ACATGTCAGC AAGTCCTAAG CCTGTTAGCA TGCTGGTGAG CCAAGCAGTT 840
TGAAATTGAG CTGGACCTCA CCAAGCTGCT GTGGCCATCA ACCTCTGTAT TTGAATCAGC 900
CTACAGGCCT CACACACAAT GTGTCTGAGA GATTCATGCT GATTGTTATT GGGTATCACC 960 30 ACTGGAGATC ACCAGTGTGT GGCTTTCAGA GCCTCCTTTC TGGCTTTGGA AGCCATGTGA 1020 TTCCATCTTG CCCGCTCAGG CTGACCACTT TATTTCTTTT TGTTCCCCTT TGCTTCATTC 1080 35 AAGTCAGCTC TTCTCCATCC TACCACAATG CAGTGCCTTT CTTCTCTCCA GTGCACCTGT 1140 CATATGCTCT GATTTATCTG AGTCAACTCC TTTCTCATCT TGTCCCCAAC ACCCCACAGA 1200 AGTGCTTTCT TCTCCCAATT CATCCTCACT CAGTCCAGCT TAGTTCAAGT CCTGCCTCTT 1260 AAATAAACCT TTTTGGACAC ACAAATTATC TTAAAACTCC TGTTTCACTT GGTTCAGTAC 1320 AAATAAACCT TITTTGGACAC ACAAATTATC TTAAAACTCC TGTTTCACTT GGTTCAGTAC 1320
CACATGGGTG AACACTCAAT GGTTAACTAA TTCTTGGGTG TTTATCCAT CTCTCCAACC 1380
AGATTGTCAG CTCCTTGAGG GCAAGAGCCA CAGTATATTT CCCTGTTTCT TCCACAGTGC 1440
CTAATAATAC TGTGGAACTA GGTTTTAATA ATTTTTTAAT TGATGTTGTT ATGGGCAGGA 1500
TGGCAACCAG ACCATTGTCT CAGAGCAGGT GCTGGCTCTT TCCTGGCTAC TCCATGTTGG 1560
CTAGCCTCTG GTAACCTCTT ACTTATTATC TTCAGGACAC TCACTACAGG ACAGGAT 1620
GATGCAACCAAC CCACCTTTT TTATGACAGG ATGTTTGCTC AGCTTCTCA ACAATAAGAA 1680
GCACGTGGTA AAACACTTGC GGATATTCTG GACTGTTTTT AAAAAATATA CAGTTTACCG 1740
AAAATCATAT AATCTTACAA TGAAAAGGAC TTTATAGATC AGCCAGTGAC CAACCTTTTC 1800 40 45 CCAACCATAC AAAAATTCCT TTTCCCGAAG GAAAAGGGCT TTCTCAATAA GCCTCAGCTT 1860 TCTAAGATCT AACAAGATAG CCACCGAGAT CCTTATCGAA ACTCATTTTA GGCAAATATG 1920
AGTTTTATTG TCCGTTTACT TGTTTCCAGAG TTTGTATTGT GATTATCAAT TACCACACCA 1980
TCTCCCATGA AGAAAGGGAA CGGTGAAGTA CTAAGCGCTA GAGGAAGCAG CCAAGTCGGT 2040
TAGTGGAAGC ATGATTGGTG CCCAGTTAGC CTCTGCAGGA TGTGGAAACC TCCTTCCAGG 2100 50 GGAGGTTCAG TGAATTGTG AGGAGGGTT GTCTGTGGCC AGAATTTAA CCTATACTCA 2160
CTTTCCCAAA TTGAATCACT GCTCACACTG CTGATGATT AGAGTGCTGT CCGGTGGAGA 2220
TCCCACCCGA ACGTCTTATC TAATCATGAA ACTCCCTAGT TCCTTCATGT AACTTCCCTG 2280
AAAAATCTAA GTGTTTCATA AATTTGAGAG TCTGTGACCC ACITACCTTG CATCTCACAG 2340 55. GTAGACAGTA TATAACTAAC AACCAAAGAC TACATATTGT CACTGACACA CACGTTATAA 2400 TCATTTATCA TATATACA TACATGCATA CACTCTCAAA GCAAATAATT TTTCACTTCA 2460 AAACAGTATT GACTTGTATA CCTTGTAATT TGAAATATTT TCTTTGTTAA AATAGAATGG 2520 TATCAATAAA TAGACCATTA ATCAG 60 Seq ID NO: 114 Protein sequence NP 002407 Protein Accession #: 31 41 51 65 MKKSGVLFLL GILLVLIGV QGTPVVRKGR CSCISTNQGT IHLQSLKDLK QFAPSPSCEK 60
IEIIATLKNG VQTCLNPDSA DVKELIKKWE KQVSQKKKQK NGKKHQKKKV LKVRKSQRSR 120 . OKKTT 70 Seq ID NO: 115 DNA sequence NM_003238.1 Nucleic Acid Accession #: Coding sequence: 182-1426 (underlined sequences correspond to start and stop codons) 75 CAAGCAGGAT ACGTTTTTCT GTTGGGCATT GACTAGATTG TTTGCAAAAG TTTCGCATCA 60 AAAACAAACA ACAACAACAA AAAACCAAAC AACTCTCCTT GATCTATACT TTGAGAATTG 120

AQLVTGTSFS GPTVGMAIQN SICSPDFSGG VNMDHSTSIL GVASSIAHEL GHSLGLDHDL 360

TTGATTTCTT TTTTTTATT CTGACTTTTA AAAACAACTT TTTTTTCCAC TTTTTTAAAA 180 AATGCACTAC TGTGTGCTGA GCGCTTTCT GATCCTGCAT CTGGTCACGG TCGCGCTCAG 240
CCTGTCTACC TGCAGCACAC TCGATATTGA CCAGTTCATG CGCAAGAGGA TCGAGGCGAT 300
CCGCGGGCAG ATCCTGAGCA AGCTGAAGCT CACCAGTCCC CCAGAAGACT ATCCTGAGCC 360
CGAGGAAGTC CCCCCGGAGG TGATTTCCAT CTACAACAGC ACCAGGGACT TGCTCCAGGA 420 GAAGGCGAGC CGGAGGGCGG CCGCCTGCGA GCGCGAGAGG AGCGACGAAG AGTACTACGC 480 CAAGGAGGTT TACAAAATAG ACATGCCGCC CTTCTTCCCC TCCGAAAATG CCATCCGCC 540
CACTTTCTAC AGACCCTACT TCAGAATTGT TCGATTTGAC GTCTCAGCAA TGGAGAAGAA 600
TGCTTCCAAT TTGGTGAAAG CAGAGTTCAG AGTCTTTCGT TTGCAGAACC CAAAAGCCAG 660
AGTGCCTGAA CAACGGATTG AGCTATATCA GATTCTCAAG TCCAAAGATT TAACATCTCC 720 10 AACCCAGCGC TACATCGACA GCAAAGTTGT GAAAACAAGA GCAGAAGGCG AATGGCTCTC 780 CTTCGATGTA ACTGATGCTG TTCATGAATG GCTTCACCAT AAAGACAGGA ACCTGGGATT 840
TAAAATAAGC TTACACTGTC CCTGCTGCAC TTTTGTACCA TCTAATAATT ACATCATCCC 900
AAATAAAGT GAAGAACTAG AAGCAAGATT TGCAGGTATT GATGGCACCT CCACATATAC 960
CAGTGGTGAT CAGAAAACTA TAAAGTCCAC TAGGAAAAAA AACAGTGGGA AGACCCCACA 1020 15 TCTCCTGCTA ATGTTATTGC CCTCCTACAG ACTTGAGTCA CAACAGACCA ACCGGCGGAA 1080 GAAGCGTGCT TTGGATGCGG CCTATTGCTT TAGAAATGTG CAGGATAATT GCTGCCTACG 1140 TCCACTTTAC ATTGATTTCA AGAGGGATCT AGGGTTGGAAA TGGATACACG AACCCAAAGG 1200 GTACAATGCC AACTTCTGTG CTGGAGCATG CCCGTATTTA TGGAGTTCAG ACACTCAGCA 1260 20 CAGCAGGGTC CTGAGCTTAT ATAATACCAT AAATCCAGAA GCATCTGCTT CTCCTTGCTG 1320 CGTGTCCCAA GATTTAGAAC CTCTAACCAT TCTCTACTAC ATTGGCAAAA CACCCAAGAT 1380 TGAACAGCTT TCTAATATGA TTGTAAAGTC TTGCAAATGC AGC<u>TAA</u>AATT CTTGGAAAAG 1440 TGGCAAGACC AAAATGACAA TGATGATGAT AATGATGATG ACGACGACAA CGATGATGCT 1500 TGTAACAAGA AAACATAAGA GAGCCTTGGT TCATCAGTGT TAAAAAAATTT TTGAAAAAGGC 1560 25 GGTACTAGTT CAGACACTTT GGAAGTTTGT GTTCTGTTTG TTAAAACTGG CATCTGACAC 1620 AAAAAAAGTT GAAGGCCTTA TTCTACATTT CACCTACTTT GTAAGTGAGA GAGACAAGAA 1680 GCAAATTTTT TTAAA Seq ID NO: 116 <u>Protein sequence:</u>
Protein Accession #: NP_003229.1 30 41 11 21 31 MHYCVLSAFL ILHLVTVALS LSTCSTLDMD QFMRKRIEAI RGQILSKLKL TSPPEDYPEP 60 35 EEVPPEVISI YNSTROLLQE KASRRAAACE RERSDEEYYA KEVYKIDMPP FFPSENAIPP 120 TFYRPYFRIV RFDVSAMEKN ASNLVKAEFR VFRLQNPKAR VPEQRIELYQ ILKSKDLTSP 180 TQRYIDSKVV KTRAEGEWLS FDVTDAVHEW LHHKDRNLGF KISLHCPCCT FVPSNNYIIP 240 NKSEELEARF AGIOGTSTYT SGDQKTIKST RKKNSGKTPH LLLMLLPSYR LESQQTNRRK 300 KRALDAAYCF RNVQDNCCLR PLYIDFKRDL GWKWIHEPKG YNANFCAGAC PYLWSSDTQH 360 40 SRVLSLYNTI NPEASASPCC VSQDLEPLTI LYYIGKTPKI EQLSNMIVKS CKCS Seq ID NO: 117 DNA sequence Nucleic Acid Accession #: NM_000095.1 Coding sequence: 26-2299 (underlined sequences correspond to start and stop codons) 45 11 21 31 41 51 CAGCACCCAG CTCCCCGCCA CCGCCATGGT CCCCGACACC GCCTGCGTTC TTCTGCTCAC 60 CCTGGCTGCC CTCGGCGCT CCGGACAGGG CCAGAGCCCG TTGGGCTCAG ACCTGGGCCC 120 GCAGATGCTT CGGGAACTGC AGGAAACCAA CGCGGCGCTG CAGGACGTGC GGGACTGGCT 180 GCGGCAGCAG GTCAGGGAGA TCACGTTCCT GAAAAACACG GTGATGGAGT GTGACGCGTG 240 50 GGGCAGCAG CAGTCAGGAGAT C GAACACAC GTGATGAGAC GTGATGAGAC 240
GGGATGCAG CAGTCAGTAC GCACCGGCCT ACCCAGCGTG CGGCCCCTGC TCCACTGCGC 300
GCCCGGCTTC TGCTTCCCCG GCGTGGCCTG CATCCAGACG GAGAGCGGCG GCCGCTGCGG 360
CCCCTGCCC GCGGGCTTCA CGGGCAACGG CTCGCACTGC ACCGACGTCA ACGAGTGCAA 420
CGCCCACCCC TGCTTCCCCC GAGTCCGCTG TATCAACACC AGCCCGGGGT TCCGCTGCGA 480
GGCTTGCCCG CCGGGGTACA GCGGCCCCAC CCACCAGGGG CTGGGGCTGG CTTTCCGCCAA 540 55 GGCCAACAAG CAGGTTTGCA CGGACATCAA CGAGTGTGAG ACCOGGCAAC ATAACTGCGT 600
CCCCAACTCC GTOTGCATCA ACACCCGGGG CTCCTTCCAG TGCGGCCCGT GCCAGCCCGG 660
CTTCGTGGGC GACCAGGCGT CCGGCTGCCA GCGCGGCGCA CAGCGCTTCT GCCCCGACGG 720
CTCGCCCAGC GAGTGCCACG AGCATGCAGA CTGCGTCCTA GAGCGCGATG GCTCCGCGGTC 780 60 GTGCGTGTGT CCGGTGGCT GGGCCGGCAA CGGGATCCTC TGTGGTCGCG ACACTGACCT 840
AGACGGCTTC CCGGACGAGA AGCTGCGCTG CCCGGAGCCG CAGTGCCGTA AGGACAACTG 900
CGTGACTGTG CCCAACTCAG GGCAGGAGGA TGTGGACCGC GATGGCATCG GAGACGCCTG 960
CGATCCGGAT GCCGACGGGG ACGGGGTCCC CAATGAAAAG GACAACTGCC CGCTGGTGCG 1000 GAACCAGAC CAGCGCAACA CGGACGAGGA CAAGTGGGGC GATGCGTGCG ACAACTGCCG 1080
GTCCCAGAAG AACGACGACC AAAAGGACAC AGACCAGGAC GGCCGGGGCG ATGCGTGCGA 1140
CGACGACATC GACGGCGACC GGATCCGCAA CCAGGCCGAC AACTGCCCTA GGGTACCCAA 1200
CTCAGACCAG AAGGACAGTG ATGCGATGG TATAGGGGAT GCCTGTGACA ACTGTCCCCA 1260
GAAGAGCAAC CCGGATCAGG CGGATGTGGA CCACGACTTT GTGGGAGATG CTTGTGACAG 1320 65 GAAGAGCAAC CCGGATCAGG GGATGTGAACACACTACTTT GTGGAAAATGTCACAGTSAC
CGATCAAGAC CAGGATGGAG ACGGACATCA GGACTCTCGG GACAACTGTC CCACGGTGCC 1380
TAACAGTGCC CAGGAGGACT CAGACCACGA TGGCCAGGGT GATGCCTGCG ACGACGACGA
CGACAATGAC GGAGTCCCTG ACAGTCGGGA CAACTGCCGC CTGGTGCCTA ACCCCGGCCA 1500
GGAGGACGCG GACAGGGACG GCGTGGCGA CGTTTGCCAG GACGACTTTG ATGCAGACAA 1560 70 GGTGGTAGAC AAGATCGACG TGTGTCCGGA GAACGCTGAA GTCACGCTCA CCGACTTTCAG 1620
GGCCTTCCAG ACAGTCGTGC TGGACCCGGA GGGTGACGCC CAGATTGAC CCGACTTCAG 1620
GGTGCTCCAAC CAGGGAAGGG AGATCGTGCA GACAATGAAC AGCGACCCAG GCCTGGCTG 1740
GGGTTACACT GCCTTCAATG GCGTGGACTT CGAGGGCACG TTCCATGTGA ACACGGTCAC 1800 75

GGATGACGAC TATGCGGGCT TCATCTTTGG CTACCAGGAC AGCTCCAGCT TCTACGTGGT 1860 CATGTGGAAG CAGATGGAGC AAACGTATTG GCAGGCGAAC CCCTTCCGTG CTGTGGCCGA 1920 GCCTGGCATC CAACTCAAGG CTGTGAAGTC TTCCACAGGC CCCGGGGAAC AGCTGCGGAA 1980 CGCTCTGTGG CATACAGGAG ACACAGAGTC CCAGGTGCGG CTGCTGTGGA AGGACCCGCG 2040
AAACGTGGGT TGGAAGGACA AGAAGTCCTA TCGTTGGTTC CTGCAGCACC GGCCCCAAGT 2100
GGGCTACATC AGGGTGCGAT TCTATGAGGG CCCTGAGCTG GTGGCCGACA GCAACGTGGT 2160 CTTGGACACA ACCATGCGGG GTGGCCGCCT GGGGGTCTTC TGCTTCTCCC AGGAGAACAT 2220 CATCTGGGCC AACCATGUGG GTGCCGCCT GGGGGTCTTCTCCC AGGAGAACTA 2226 CATCTGGGCC AACCTTGCGTT ACCGCTGCAA TGACACCATC CCAGAGGACT ATGAGACCCA 2280 TCAGCTGCGG CAAGCCTAGG GACCAGGGTG AGGACCCGCC GGATGACAGC CACCCTCACC 2340 GCGGCTGGAT GGGGGCTCTG CACCCAGCCC AAGGGGTGGC CGTCCTGAGG GGGAAGTGAG 2400 AAGGGCTCAG AGAGGACAAA ATAAAGTGTG TGTGCAGGG 10

Seq ID NO: 118 Protein sequence:
Protein Accession #: NP_000086.1

15

MVPDTACVLL LTLAALGASG QGOSPLGSDL GPOMLRELQE TNAALQDVRD WLRQQVREIT 60 FLKNTVMECD ACGMQQSVRT GLPSVRPLLH CAPGFCFPGV ACIQTESGGR CGPCPAGFTG 120 20 NGSHCTDVNE CNAHPCFPRV RCINTSPGFR CEACPPGYSG PTHQGVGLAF AKANKQVCTD 180 INECETGOHN CVPNSVCINT RGSFQCGPCQ PGFVGDQASG CQRGAQRFCP DGSPSECHEH 240 ADCVLERDGS RSCVCRVGWA GNGILCGRDT DLDGFPDEKL RCPEPQCRKD NCVTVPNSGQ 300 EDVDRDGIGD ACDPDADGDG VPNEKDNCPL VRNPDQRNTD EDKWGDACDN CRSQKNDDQK 360 DTDQDGRGDA CDDDIDGDRI RNQADNCPRV PNSDQKDSDG DGIGDACDNC PQKSNPDQAD 420 25 VDHDFVGDAC DSDQDQDGDG HQDSRDNCPT VPNSAQEDSD HDGQGDACDD DDDNDGVPDS 480 RDNCRLVPNP GQEDADRDGV GDVCQDDFDA DKVVDKIDVC PENAEVTLTD FRAFQTVVLD 540 PEGDAQIDPN WVVLNQGREI VQTMNSDPGL AVGYTAFNGV DFEGTFHVNT VTDDDYAGFI 600 FGYQDSSSFY VVMWKQMEQT YWQANPFRAV AEPGIQLKAV KSSTGPGEQL RNALWHTGDT 660 ESQVRLLWKD PRNVGWKDKK SYRWFLQHRP QVGYIRVRFY EGPELVADSN VVLDTTMRGG 720 30 RLGVFCFSQE NIIWANLRYR CNDTIPEDYE THQLRQA

Seq ID NO: 119 DNA sequence NM_014211 Nucleic Acid Accession #: Coding sequence: 157-1479 (underlined sequences correspond to start and stop codons)

35 51 GGGACAGGGC TGAGGATGAG GAGAACCCTG GGGACCCAGA AGACCGTGCC TTGCCCGGAA 60 GTCCTGCCTG TAGGCCTGAA GGACTTGCCC TAACAGAGCC TCAACAACTA CCTGGTGATT 40 CCTACTTCAG CCCCTTGGTG TGAGCAGCTT CTCAACATGA ACTACAGCCT CCACTTGGCC 180
TTCGTGTGTC TGAGTCTCTT CACTGAGAGG ATGTGCATCC AGGGGAGTCA GTTCAACGTC 240
GAGGTCGGCA GAAGTGACAA GCTTTCCCTG CCTGGCTTTG AGAACCTCAC AGCAGGATAT 300 AACAAATTTC TCAGGCCCAA TTTTGGTGGA GAACCCGTAC AGATAGCGCT GACTCTGGAC 360 ATTGCAAGTA TCTCTAGCAT TTCAGAGAGT AACATGGACT ACACAGCCAC CATATACCTC 420 45 CGACAGCGCT GGATGGACCA GCGGCTGGTG TTTGAAGGCA ACAAGAGCTT CACTCTGGAT 480
GCCCGCCTCG TGGAGTTCCT CTGGGTGCCA GATACTTACA TTGTGGAGTC CAAGAAGTCC 540
TTCCTCCATG AAGTCACTGT GGGAAACAGG CTCATCCGCC TCTTCTCCAA TGGCACGGTC 600 CTGTATGCCC TCAGAATCAC GACAACTGTT GCATGTAACA TGGATCTGTC TAAATACCCC 660 ATGGACACAC AGACATGCAA GTTGCAGCTG GAAAGCTGGG GCTATGATGG AAATGATGTG 720 50 GAGTTCACCT GGCTGAGAGG GAACGACTCT GTGCGTGGAC TGGAACACCT GCGGCTTGCT 780 CAGTACACCA TAGAGCGGTA TTTCACCTTA GTCACCAGAT CGCAGCAGGA GACAGGAAAT 840 TACACTAGAT TGGTCTTACA GTTTGAGCTT CGGAGGAATG TTCTGTATTT CATTTTGGAA 900 ACCTACGTTC CTTCCACTTT CCTGGTGGTG TTGTCCTGGG TTTCATTTTG GATCTCTCTC 960 GATTCAGTCC CTGCAAGAAC CTGCATTGGA GTGACGACCG TGTTATCAAT GACCACACTG 1020 ATGATCGGGT CCCGCACTTC TCTTCCCAAC ACCAACTGCT TCATCAAGGC CATCGATGTG 1080 TACCTGGGGA TCTGCTTTAG CTTTGTGTTT GGGGCCTTGC TAGAATATGC AGTTGCTCAC 1140 55 TACAGTTCCT TACAGCAGAT GGCAGCCAAA GATAGGGGGA CAACAAAGGA AGTAGAAGAA 1200 GTCAGTATTA CTAATATCAT CAACAGCTCC ATCTCCAGCT TTAAACGGAA GATCAGCTTT 1260 GCCAGCATTG AAATTTCCAG CGACAACGTT GACTACAGTG ACTTGACAAT GAAAACCAGC 1320 GACAAGTTCA AGTTTGTCTT CCGAGAAAAG ATGGGCAGGA TTGTTGATTA TTTCACAATT 1380 60 CAAAACCCCA GTAATGTTGA TCACTATTCC AAACTACTGT TTCCTTTGAT TTTTATGCTA 1440 GCCAATGTAT TITACTGGGC ATACTACATG TATTTTTGAG TCAATGTTAA ATTTCTTGCA 1500 TGCCATAGGT CTTCAACAGG ACAAGATAAT GATGTAAATG GTATTTTAGG CCAAGTGTGC 1560 ACCCACATCC AATGGTGCTA CAAGTGACTG AAATAATATT TGAGTCTTTC TGCTCAAAGA 1620 ATGAAGCTCC AACCATTGTT CTAAGCTGTG TAGAAGTCCT AGCATTATAG GATCTTGTAA 1680 65 TAGAAACATC AGTCCATTCC TCTTTCATCT TAATCAAGGA CATTCCCATG GAGCCCAAGA 1740 THACAAAATGT ACTCAGGGCT GTTTATTCGG TGGCTCCCTG GTTTGCATTT ACCTCATATA 1800
AAGAATGGGA AGGAGACCAT TGGGTAACCC TCAAGTGTCA GAAGTTGTTT CTTAAAATAAA 1800
TATACATGTT TTTTACTAAA TCTCTGCAGT GCTTATAAAA TACATTGTTG CCTATTTAGG 1920
GAGTAACATT TTCTAGTTTT TGTTTCTGGT TAAAATGAAA TATGGGCTTA TGTCAATTCA 1980 70 THIGHAGHTH TIGHT COMMAN ANALYSIS AND ANALYSIS AND ANALYSIS AND ANALYSIS ANA TTTATTATTA TACACACATC CATOCTAAAC TATACTAAAG COCTTTTCCC ATGCATGGAT 2280
GGAAATGGAA GATTTTTTTG TAACTTGTTC TAGAAGTCTT AATATGGGCT GTTGCCATGA 2340
AGGCTTGCAG AATTGAGTCC ATTTTCTAGC TGCCTTTATT CACATAGTGA TGGGGTACTA 2400 75

AAAGTACTGG GTTGACTCAG AGAGTCGCTG TCATTCTGTC ATTGCTGCTA CTCTAACACT 2460 GAGCAACACT CTCCCAGTGG CAGATCCCCT GTATCATTCC AAGAGGAGCA TTCATCCCTT 2520
TGCTCTAATG ATCAGGAATG ATGCTTATTA GAAAACAAAC TGCTTGACCC AGGAACAAGT 2580
GGCTTAGCTT AAGTAAACTT GGCTTTGCTC AGATCCCTGA TCCTTCCAGC TGGTCTGCTC 2640
TGAGTGGCTT ATCCCGCATG AGCAGGAGCG TGCTGGCCCT GAGTACTGAA CTTTCTGAGT 2700 AACAATGAGA CACGTTACAG AACCTATGTT CAGGTTGCGG GTGAGCTGCC CTCTCCAAAT 2760 CCAGCCAGAG ATGCACATTC CTCGGCCAGT CTCAGCCAAC AGTACCAAAA GTGATTTTTG 2820 AGTGTGCCAG GGTAAAGGCT TCCAGTTCAG CCTCAGTTAT TTTAGACAAT CTCGCCATCT 2880 TTAATTTCTT AGCTTCCTGT TCTAATAAAT GCACGGCTTT ACCTTTCCTG TCAGAAATAA 2940 ACCAAGGCTC TAAAAGATGA TTTCCCTTCT GTAACTCCCT AGAGCCACAG GTTCTCATTC 3000 10 CTITTCCCAT TATACTTCTC ACAATTCAGT TTCTATGAGT TTGATCACCT GATTTTTTA 3060 ACAAAATATT TCTAACGGGA ATGGGTGGGA GTGCTGGTGA AAAGAGATGA AATGTGGTTG 3120 · TATGAGCCAA TCATATTTGT GATTTTTAA AAAAAGTTTA AAAGGAAATA TCTGTTCTGA 3180 AACCCACTT AAGCATTGTT TTTATATAAA AACAATGATA AAGATGTGAA CTGTGAAATA 3240 15 AATATACCAT ATTAGCTACC CACC Seq ID NO: 120 Protein sequence NP_055026.1 Protein Accession #: _____31 ___] 20 41 21 MNYSLHLAFV CLSLFTERMC IQGSQFNVEV GRSDKLSLPG FENLTAGYNK FLRPNFGGEP 60
VQIALTLDIA SISSISESNM DYTATIYLRQ RWMDQRLVFE GNKSFTLDAR LVEFLWVPDT 120
YIVESKKSFL HEVTVGNRLI RLFSNGTVLY ALRITITVAC NMDLSKYPMD TQTCKLQLES 180 WGYDGNDVEF TWLRGNDSVR GLEHLRLAQY TIERYFTLVT RSQQETGNYT RLVLQFELRR 240
NVLYFILETY VPSTFLVVLS WVSFWISLDS VPARTCIGVT TVLSMTTLMI GSRTSLPNTN 300
CFIKAIDVYL GICFSFVFGA LLEYAVAHYS SLQQMAAKDR GTTKEVEEVS ITNIINSSIS 360
SFKRKISFAS IEISSDNVDY SDLTMKTSDK FKFVFREKMG RIVDYFTIQN PSNVDHYSKL 420 25 LFPLIFMLAN VFYWAYYMYF 30 Sea ID NO: 121 DNA sequence NM 001854 Nucleic Acid Accession #: Coding sequence: 163-5582 (underlined sequences correspond to start and stop codons) 35 31 41 51 AACCATCAAA TTTAGAAGAA AAAGCCCTTT GACTTTTTCC CCCTCTCCCT CCCCAATGGC 60 TGTGTAGCAA ACATCCCTGG CGATACCTTG GAAAGGACGA AGTTGGTCTG CAGTCGCAAT 120 TGTGTAGCAA ACATCCCTGG CGATACCTTG GAAAGGACGA AGTTGGTCTG CAGTCGCAAT 120
TTCGTGGGTT GAGTTCACAG TTGTGAGTGC GGGGCTCGGA GATGGAGCCG TGGTCCTCTA 180
GGTGGAAAAC GAAACGGTGG CTCTGGGATT TCACCGTAAC AACCCTCGCA TTGACCTTCC 240
TCTTCCAAGC TAGAGAGGTC AGAGGAGCTG CTCCAGTTGA TGTACTAAAA GCACTAGATT 300
TTCACAATTC TCCAGAGGGA ATATCAAAAA CAACGGGATT TTGCACAAAC AGAAAGAATT 360
CTAAAGGCTC AGATACTGCT TACAGAGTTT CAAAGCAAGC ACAACTCAGT GCCCCAACAA 420
AACAGTTATT TCCAGGTGGA ACTTTCCCAG AAGACTTTTC ACATCAATTT ACAGTAAAAC 480
CAAAAAAAAGG AATTCAGTCT TTCCTTTTAT CTATATATAA TGAGCATGGT ATTCAGCAAA 540
TTGGTGTTGA GGTTGGGAGAA CAACCTGTTT TTCTGTTTGA AGACCACCT GGAAAACCTG 600
CCCCAGAAAGA CTATCCCCTC TTCAGAACTG TTAACATCGC TGACGGT AGGCAATCAG GGCATCGGG 660 40 45 TAGCAATCAG COTGGAGAAG AAAACTGTGA CAATGATTGT TGATTGTAAG AAGAAAACCA 720
CGAAACCACT TGATAGAAGT GAGAGAGCAA TTGTTGATAG TGATGTAAG AAGAAAACCA 720
GAAACCACT TGATAGAAGT GAGAGAGCAA TTGTTGATAC CAATGGAATC ACGGTTTTTTG 780
GAACAAGGAT TTTGGATGAA GAAGTTTTTG AGGGGGACAT TCAGCAGTTT TTGATCACAG 840
GTGATCCCAA GGCAGCATAT GACTACTGTG AGCATTATAG TCCAGACTGT GACTCTTCAG 900 50 CACCCAAGGC TGCTCAAGCT CAGGAACCTC AGATAGATGA GTATGCACCA GAGGATATAA 960 TCGAATATGA CTATGAGTAT GGGGAAGCAG AGTATAAAGA GGCTGAAAGT GTAACAGAGG 1020 GACCCACTGT AACTGAGGAG ACAATAGCAC AGACGGAGGC AAACATCGTT GATGATTTTC 1080 AAGAATACAA CTATGGAACA ATGGAAAGTT ACCAGACAGA AGCTCCTAGG CATGTTTCTG 1140 55 GGACAAATGA GCCAAATCCA GTTGAAGAAA TATTTACTGA AGAATATCTA ACGGGAGAGG 1200 ATTATGATTC CCAGAGGAAA AATTCTGAGG ATACACTATA ATGAAAACAAA GAAATAGACG 1260
GCAGGGATTC TGATCTTCTG GTAGATGGAG ATTTAGGCGA ATATGATTTT TATGAATATA 1320
AAGAATATGA AGATAAACCA ACAAGCCCCC CTAATGAAGA ATTTGGTCCA GGTGTACCAG 1380
CAGAAACTGA TATTACAGAA ACAAGCATAA ATGGCCATGG TGCATATGGA GAGAAAGGAC 1440 60 AGAAAGGAGA ACCAGCAGTG GTTGAGCCTG GTATGCTTGT CGAAGGACCA CCAGGACCAG 1500
CAGGACCTGC AGGTATTATG GGTCCTCCAG GTCTACAAGG CCCCACTGGA CCCCCTGGTG 1560
ACCCTGGCGA TAGGGGCCCC CCAGGACGTC CTGGCTTACC AGGGGCTGAT GGTCTACCTG 1620 GTCCTCCTGG TACTATGTTG ATGTTACCGT TCCGTTATGG TGGTGATGGT TCCAAAGGAC 1680 65 CAACCATCTC TGCTCAGGAA GCTCAGGCTC AAGCTATTCT TCAGCAGGCT CGGATTGCTC 1740 TGAGAGGCCC ACCTGGCCCA ATGGGTCTAA CTGGAAGACC AGGTCCTGTG GGGGGGCCTG 1800 GTTCATCTGG GGCCAAAGGT GAGAGTGGTG ATCCAGGTCC TCAGGGCCCT CGAGGCGTCC 1860 AGGGTCCCCC TGGTCCAACG GGAAAACCTG GAAAAAGGGG TCGTCCAGGT GCAGATGGAG 1920 AGGGTCCCC TGTTCCAACG GGAAAACCTO GAAAAAGGGG TCCAGGTCCAGGT CAACGTCACG 1980
GAAGAGGAAT GCCAGGAGAA CCTGGGGCAA AGGGAGATCG AGGGTTTTGAT GGACTTCCCG 1980
GTCTGCCAGG TGACAAAGGT CACAGGGGTG AACGAGGTCC TCAAGGTCCT CCAGGTCCTC 2040
CTGGTGATGA TGGAATGAGG GGAGAAGATG GAGAAATTGG ACCAAGAGGT CTTCCAGGTG 2100
AAGCTGGCCC ACGAGGTTTG CTGGGTCCAA GGGGAACTCC AGGAGCTCCA GGGCAGCCTG 2160
GTATGGCAGG TGTAGATGGC CCCCCAGGAC CAAAAGGGAA CATGGGTCCC CAAGGGGAGC 2220 70 CTGGGCCTCC AGGTCAACAA GGGAATCCAG GACCTCAGGG TCTTCCTGGT CCACAAGGTC 2280
CAATTGGTCC TCCTGGTGAA AAAGGACCAC AAGGAAAACC AGGACTTGCT GGACTTCCTG 2340
GTGCTGATGG GCCTCCTGGT CATCCTGGGA AAGAAGGCCA GTCTGGAGAA AAGGGGGCTC 2400
TGGGTCCCCC TGGTCCACAA GGTCCTATTG GATNNCCGGG CCCCCGGGGA GTAAAGGGAG 2460 75


CAGATGGTGT CAGAGGTCTC AAGGGATCTA AAGGTGAAAA GGGTGAAGAT GGTTTTCCAG 2520 GATTCAAAGG TGACATGGGT CTAAAAGGTG ACAGAGGAGA AGTTGGTCAA ATTGGCCCAA 2580 GAGGGNAAGA TGGCCCTGAA GGACCCAAAG GTCGAGCAGG CCCAACTGGA GACCCAGGTC 2640 CTTCAGGTCA AGCAGGAGAA AAGGGAAAAC TTGGAGTTCC AGGATTACCA GGATATCCAG 2700 5 GAAGACAAGG TCCAAAGGGT TCCACTGGAT TCCCTGGGTT TCCAGGTGCC AATGGAGAGA 2760 AAGGTGCACG GGGAGTAGCT GGCAAACCAG GCCCTCGGGG TCAGCGTGGT CCAACGGGTC 2820 CTCGAGGTTC AAGAGGTGCA AGAGGTCCCA CTGGGAAACC TGGGCCAAAG GGCACTTCAG 2880 GTGGCGATGG CCCTCCTGGC CCTCCAGGTG AAAGAGGTCC TCAAGGACCT CAGGGTCCAG 2940 TTGGATTCCC TGGACCAAAA GGCCCTCCTG GACCACCAGG AAGGATGGGC TGCCCAGGAC 3000 ACCCTGGGCA ACGTGGGGAG ACTGGATTTC AAGGCAAGAC CGGCCCTCCT GGGCCAGGGG 3060 GAGTGGTTGG ACCACAGGGA CCAACCGGTG AGACTGGTCC AATAGGGGAA CGTGGGTATC 3120 10 CTGGTCCTCC TGGCCCTCCT GGTGAGCAAG GTCTTCCTGG TGCTGCAGGA AAAGAAGGTG 3180 CAAAGGTGA TCCAGGTCCT CAAGGTATCT CAGGGAAAGA TGGACCAGCA GGATTACGTG 3240 GTTTCCCAGG GGAAAGAGGT CTTCCTGGAG CTCAGGGTGC ACCTGGACTG AAAGGAGGGG 3300 AAGGTCCCCA GGGCCCACCA GGTCCAGTTG GCTCACCAGG AGAACGTGGG TCAGCAGGTA 3360 15 CAGCTGGCCC AATTGGTTTA CGAGGGCGCC CGGGACCTCA GGGTCCTCCT GGTCCAGCTG 3420 GAGAGAAAGG TGCTCCTGGA GAAAAAGGTC CCCAAGGGCC TGCAGGGAGA GATGGAGTTC 3480 AAGGTCCTGT TGGTCTCCCA GGGCCAGCTG GTCCTGCCGG CTCCCCTGGG GAAGACGGAG 3540 ACAAGGGTGA AATTGGTGAG CCGGGACAAA AAGGCAGCAA GGGTGGCAAG GGAGAAAATG 3600 GCCCTCCCGG TCCCCCAGGT CTTCAAGGAC CAGTTGGTGC CCCTGGAATT GCTGGAGGTG 3660 20 ATGGTGAACC AGGTCCTAGA GGACAGCAGG GGATGTTTGG GCAAAAAGGT GATGAGGGTG 3720 CCAGAGGCTT CCCTGGACCT CCTGGTCCAA TAGGTCTTCA GGGTCTGCCA GGCCCACCTG 3780 GTGAAAAAGG TGAAAATGGG GATGTTGGTC CATGGGGGCC ACCTGGTCCT CCAGGCCCAA 3840 GAGGCCCTCA AGGTCCCAAT GGAGCTGATG GACCACAAGG ACCCCCAGGT TCTGTTGGTT 3900 CAGTTGGTGG TGTTGGAGAA AAGGGTGAAC CTGGAGAAGC AGGAAACCCA GGGCCTCCTG 3960 25 GGGAAGCAGG TGTAGGCGGT CCCAAAGGAG AAAGAGGAGA GAAAGGGGAA GCTGGTCCAC 4020 CTGGAGCTGC TGGACCTCCA GGTGCCAAGG GGCCGCCAGG TGATGATGGC CCTAAGGGTA 4080 ACCCGGGTCC TGTTGGTTTT CCTGGAGATC CTGGTCCTCC TGGGGAACTT GGCCCTGCAG 4140 GTCAAGATGG TGTTGGTGGT GACAAGGGTG AAGATGGAGA TCCTGGTCAA CCGGGTCCTC 4200 30 CTGGCCCATC TGGTGAGGCT GGCCCACCAG GTCCTCCTGG AAAACGAGGT CCTCCTGGAG 4260 CTGCAGGTGC AGAGGGAAGA CAAGGTGAAA AAGGTGCTAA GGGGGAAGCA GGTGCAGAAG 4320 GTCCTCCTGG AAAAACCGGC CCAGTCGGTC CTCAGGGACC TGCAGGAAAG CCTGGTCCAG 4380 AAGGTCTTCG GGGCATCCCT GGTCCTGTGG GAGAACAAGG TCTCCCTGGA GCTGCAGGCC 4440 AAGATGGACC ACCTGGTCCT ATGGGACCTC CTGGCTTACC TGGTCTCAAA GGTGACCCTG 4500 35 GCTCCAAGGG TGAAAAGGGA CATCCTGGTT TAATTGGCCT GATTGGTCCT CCAGGAGAAC 4560 AAGGGGAAAA AGGTGACCGA GGGCTCCCTG GAACTCAAGG ATCTCCAGGA GCAAAAGGGG 4620 ATGGGGGAAT TCCTGGTCCT GCTGGTCCCT TAGGTCCACC TGGTCCTCCA GGCTTACCAG 4680 GTCCTCAAGG CCCAAAGGGT AACAAAGGCT CTACTGGACC CGCTGGCCAG AAAGGTGACA 4740 GTGGTCTTCC AGGGCCTCCT GGGCCTCCAG GTCCACCTGG TGAAGTCATT CAGCCTTTAC 4800 40 CAATCTTGTC CTCCAAAAAA ACGAGAAGAC ATACTGAAGG CATGCAAGCA GATGCAGATG 4860 ATAATATTCT TGATTACTCG GATGGAATGG AAGAAATATT TGGTTCCCTC AATTCCCTGA 4920 AACAAGACAT CGAGCATATG AAATTTCCAA TGGGTACTCA GACCAATCCA GCCCGAACTT 4980 GTAAAGACCT GCAACTCAGC CATCCTGACT TCCCAGATGG TGAATATTGG ATTGATCCTA 5040 ACCAAGGTTG CTCAGGAGAT TCCTTCAAAG TTTACTGTAA TTTCACATCT GGTGGTGAGA 5100 45 CTTGCATTTA TCCAGACAAA AAATCTGAGG GAGTAAGAAT TTCATCATGG CCAAAGGAGA 5160 AACCAGGAAG TTGGTTTAGT GAATTTAAGA GGGGAAAACT GCTTTCATAC TTAGATGTTG 5220
AAGGAAATTC CATCAATATG GTGCAAATGA CATTCCTGAA ACTTCTGACT GCCTCTGCTC 5280 GGCAAAATTT CACCTACCAC TGTCATCAGT CAGCAGCCTG GTATGATGTG TCATCAGGAA 5340 GTTATGACAA AGCACTTCGC TTCCTGGGAT CAAATGATGA GGAGATGTCC TATGACAATA 5400 50 ATCCTTTTAT CAAAACACTG TATGATGGTT GTACGTCCAG AAAAGGCTAT GAAAAAACTG 5460
TCATTGAAAT CAATACACCA AAAATTGATC AAGTACCTAT TGTTGATGTC ATGATCAGTG 5520
ACTTTGGTGA TCAGAATCAG AAGTTCGGAT TTGAAGTTGG TCCTGTTTGT TTTCTTGGCT_5580 AAGATTAAGA CAAAGAACAT ATCAAATCAA CAGAAAATGT ACCTTGGTGC CACCAACCCA 5640 THTTGTGCCA CATGCAAGTT TTGAATAAGG ATGTATGGAA AACAACGCTG CATATACAGG 5700
TACCATTTAG GAAATACCGA TGCCTTTGTG GGGGCAGAAT CACAGACAAA AGCTTTGAAA 5760
ATCATAAAGA TATAAGTTGG TGTGGCTAAG ATGGAAACAG GGCTGATTCT TGATTCCCAA 5820
TTCTCAACTC TCCTTTTCCT ATTTGAATTT CTTTGGTGCT GTAGAAAACA AAAAAAGAAA 5880 55 AATATATT CATAAAAAAT ATGGTGCTCA TTCTCATCCA TCCAGGATGT ACTAAAACAG 5940
TGTGTTTAAT AAATTGTAAT TATTTTGTGT ACAGTTCTAT ACTGTTATCT GTGTCCATTT 6000
CCAAAACTTG CACGTGTCCC TGAATTCCGC TGACTCTAAT TTATGAGGAT GCCGAACTCT 6060
GATGGCAATA ATATATGTAT TATGAAAATG AAGTTATGAT TTCCGATGAC CCTAAGTCCC 6120 60 TTTCTTTGGT TAATGATGAA ATTCCTTTGT GTGTGTTT


Seq ID NO: 122 Protein sequence:
Protein Accession #: NP_001845

1 11 21 31 41 51

⁷⁰ MEPWSSRWKT KRWLWDFTVT TLALTFLFQA REVRGAAPVD VLKALDFINS PEGISKTTGF 60 CTNRKNSKGS DTAYRVSKQA QLSAPTKQLF PGGTFPEDFS ILFTVKPKKG IQSFLLSIYN 120 EHGIQQIGVE VGRSPVFLFE DHTGKPAPED YPLFRTVNIA DGKWHRVAIS VEKKTVTIMU 180 DCKKKTTKPL DRSERAIVDT NGITVFGTRI LDEEVFEGDI QQFLITGDPK AAYDYCEHYS 240 PDCDSSAPKA AQAQEPQIDE YAPEDIIEYD YEYGEAEYKE AESVTEGPTV TEETIAQTEA 300 NIVDDFQEYN YGTMESYQTE APRHVSGTNE PNPVEEIFTE EYLTGEDYDS QRKNSEDTLY 360 ENKEIDGRDS DLLVDGDLGE YDFYEYKEYE DKPTSPPNEE FGPGVPAETD ITETSINGHG 420 AYGEKGQKGE PAVVEPGMLV EGPPGPAGPA GIMGPPGLQG PTGPPGDPGD RGPPGRPGLP 480

GADGLPGPPG TMLMLPFRYG GDGSKGPTIS AQEAQAQAIL QQARIALRGP PGPMGLTGRP 540 GPVGGPGSSG AKGESGDPGP QGPRGVQGPP GPTGKPGKRG RPGADGGRGM PGEPGAKGDR 600 GFDGLPGLPG DKGHRGERGP QGPPGPPGDD GMRGEDGEIG PRGLPGEAGP RGLLGPRGTP 660 GAPGQPGMAG VDGPPGPKGN MGPQGEPGPP GQQGNPGPQG LPGPQGPIGP PGEKGPQGKP 720 GLAGLPGADG PPGHPGKEGQ SGEKGALGPP GPQGPIGXPG PRGVKGADGV RGLKGSKGEK 780 GEDGFPGFKG DMGLKGDRGE VGQIGPRGXD GPEGPKGRAG PTGDPGPSGQ AGEKGKLGVP 840 5 GLPGYPGRQQ PKGSTGFPGF PGANGEKGAR GVAGKPGPRG QRGPTGPRGS RGARGPTGKP 900 GPKGTSGGDG PPGPPGERGP QGPQGPVGFP GPKGPPGPPG RMGCPGHPGQ RGETGFQGKT 960 GPPGPGGVVG PQGPTGETGP IGERGYPGPP GPPGEQGLPG AAGKEGAKGD PGPQGISGKD 1020 GPAGLRGFPG ERGLPGAQGA PGLKGGEGPQ GPPGPVGSPG ERGSAGTAGP IGLRGRPGPQ 1080 GPPGPAGEKG APGEKGPQGP AGRDGVQGPV GLPGPAGPAG SPGEDGDKGE IGEPGQKGSK 1140 10 GPKOPAGEKG APGEKGPQGP AGKDGVQGPV GLPGPAGPAG SPOEDDRGE IGEPOQRGSK 1140
GGKGENGPPG PPGLQGPVGA PGIAGGDGEP GPRGQQGMFG QKGDEGARGF PGPPGPIGLQ 1200
GLPGPPGEKG ENGDVGPWGP PGPPGPRGPQ GPNGADGPQG PPGSVGSVGG VGEKGEFGEA 1260
GNPGPPGEAG VGGPKGERGE KGEAGPPGAA GPPGAKGPPG DDGPKGNPGP VGFPGDPGPP 1320
GELGPAGQDG VGGDKGEDGD PGQPGPPGPS GEAGPPGPPG KRGPPGAAGA EGRQGEKGAK 1380
GEAGAEGPPG KTGPVGPQGP AGKPGPEGLR GIPGPVGEQG LPGAAGQDGP PGPMGPPGLP 1440 15 GEKGDPGSKG EKGHPGLIGL IGPPGEQGEK GIRGPVGEQG LPGAAGQDGP PGPMGPGLP 1440
GLKGDPGSKG EKGHPGLIGL IGPPGEQGEK GDRGLPGTQG SPGAKGDGGI PGPAGPLGPP 1500
GPPGLPGPQG PKGNKGSTGP AGQKGDSGLP GPPGPPGPPG EVIQPLPILS SKKTRRHTEG 1560
MQADADDNIL DYSDGMEEIF GSLNSLKQDI EHMKFPMGTQ TNPARTCKDL QLSHPDFPDG 1620
EYWIDPNQGC SGDSFKVYCN FTSGGETCIY PDKKSEGVRI SSWPKEKPGS WFSEFKRGKL 1680
LSYLDVEGNS INMVQMTFLK LLTASARQNF TYHCHQSAAW YDVSSGSYDK ALRFLGSNDE 1740 20 EMSYDNNPFI KTLYDGCTSR KGYEKTVIEI NTPKIDQVPI VDVMISDFGD QNQKFGFEVG 1800 **PVCFLG** 25 Seq ID NO: 123 DNA sequence Nucleic Acid Accession # NM_015886 Coding sequence: 485-1261 (underlined sequences correspond to start and stop codons) 31 41 30 GAATTCCCCC CCCCCCCC TCACTTGGTG TGTCTATATG TCTGGCAGAC ATTATCAGCA 60 CATTCTCTGT TGTTACCTGT GATTCATTTT TTCTTCACTC TCCAGGTGAA TTTCAATTGC 120
TGAAAATTTC CCACTGAAAA TATGCAGTAA TATATTTTTT GGTTCAGACA TTTGAGTGCAA 180
ATGGTTCACA TTCATTTTAG GGTTAGTGGT CATGCTGTTT ATTTTTCTCT GCTATACAAA 240
GTTCCTCTTA GGGGTCTGCC TCATGACACT AAAAAATGAA TAGAGATTCT ACTGTAGGTT 300 35 ATCTCCTAGG CTTGAGTTCA ACATTTGTTT GGATTTTTGA AGAAAGTCAA ATCAAGCAAT 360
GCTCCCAAAT GATGTCTTTG TAAATTCATA CCCTCTGGCC CTATTTTTTT TCATAGACCC 420
TAACTCTACC TTTCTGCTTT AAAGCAAAGT AAACTCGGTG GCCTCTTCTT CTCCACCCCT 480
CAAAATGATA GCAATCTCTG CCGTCAGCAG TGCACTCCTG TTCTCCCTTC TCTGTGAAGC 540 40 AAGTACCGTC GTCCTACTCA ATTCCACTGA CTCATCCCCG CCAACCAATA ATTTCACTGA 600 AAGTACCGTC GTCCTACTCA ATTCCACTGA CTCATCCCC CCAACCATA ATTTCACTGA 600
TATTGAAGCA GCTCTGAAAG CACAATTAGA TTCAGCGGAT ATCCCCAAAG CCAGGCGGAA 660
GCGCTACATT TCGCAGAATG ACATGATCGC CATTCTTGAT TATCATAATC AAGTTCGGGG 720
CAAAGTGTTC CCACCGGCAG CAAATATGGA ATATATGGTT TGGGATGAAA ATCTTGCAAA 780
ATCGGCAGAG GCTTGGGCGG CTACTTGCAT TTGGGACCAT GGACCTTCTT ACTTACTGAG 840 45 ATTTTTGGGC CAAAATCTAT CTGTACGCAC TGGAAGATAT CGCTCTATTC TCCAGTTGGT 900 50 AGTATTCCTT TGTATAAATT AGTGTTTGTC TAGCATGTTT GTTTAATCCT TTGGGAATTC 55 Seq ID NO: 124 <u>Protein sequence:</u>
Protein Accession #: NP_056970.1 31 60 MIAISAVSSA LLFSLLCEAS TVVLLNSTDS SPPTNNFTDI EAALKAQLDS ADIPKARRKR 60 YISQNDMIAI LDYHNQVRGK VFPPAANMEY MVWDENLAKS AEAWAATCIW DHGPSYLLRF 120 LGQNLSVRTG RYRSILQLVK PWYDEVKDYA FPYPQDCNPR CPMRCFGPMC THYTQMVWAT 180 SNRIGCAIHA CQNMNVWGSV WRRAVYLVCN YAPKGNWIGE APYKVGVPCS SCPPSYGGSC 240 TDNLCFPGVT SNYLYWFK 65 Seq ID NO: 125 DNA sequence Nucleic Acid Accession #: NM_001793 Coding sequence: 54-2543 (underlined sequences correspond to start and stop codons) 70 21 31 51 GCGGAACACC GGCCCGCCGT CGCGGCAGCT GCTTCACCCC TCTCTCTGCA GCCATGGGGC 60 75 TCCCTCGTGG ACCTCTCGCG TCTCTCCTCC TTCTCCAGGT TTGCTGGCTG CAGTGCGCGG 120 CCTCCGAGCC GTGCCGGGCG GTCTTCAGGG AGGCTGAAGT GACCTTGGAG GCGGGAGGCG 180 CGGAGCAGGA GCCCGGCCAG GCGCTGGGGA AAGTATTCAT GGGCTGCCCT GGGCAAGAGC 240





MEYNKSHIQG AVHINCADKI SRRRLQQGKI TVLDLISCRE GKDSFKRIFS KEIIVYDENT 240
NEPSRVMPSQ PLHIVLESLK REGKEPLVLK GGLSSFKQNH ENLCDNSLQL QECREVGGGA 300
SAASSLLPQP IPTTPDIENA ELTPILPFLF LGNEQDAQDL DTMQRLNIGY VINVTTHLPL 360
YHYEKGLFNY KRLPATDSNK QNLRQYFEEA FEFIEEAHQC GKGLLIHCQA GVSRSATIVI 420
AYLMKHTRMT MTDAYKFVKG KRPIISPNLN FMGQLLEFEE DLNNGVTPRI LTPKLMGVET 480

Seq ID NO: 131 DNA sequence Nucleic Acid Accession #: NM_005409.3 10 Coding sequence: 94-378 (underlined sequences correspond to start and stop codons) 11 21 TTCCTTTCAT GTTCAGCATT TCTACTCCTT CCAAGAAGAG CAGCAAAGCT GAAGTAGCAG 60 CAACAGCACC AGCAGCAACA GCAAAAAACA AACATGAGTG TGAAGGGCAT GGCTATAGCC 120
TTGGCTGTGA TATTGTGTGC TACAGTTGTT CAAGGCTTCC CCATGTTCAA AAGAGGACGC 180
TGTCTTTGCA TAGGCCCTGG GGTAAAAGCA GTGAAAGTGG CAGATATTGA GAAAGCCTCC 240
ATAATGTACC CAAGTAACAA CTGTGACAAA ATAGAAGTGA TTATTACCCT GAAAGAAAAT 300 15 AAAGGACAAC GATGCCTAAA TCCCAAATCG AAGCAAGCAA GGCTTATACC CAAAAAAGTT 360
GAAAGAAAGA ATTTTTAAA ATATCAAAAC ATÄTGAAGTC CTGGAAAAAGG GCATCTGAAA 420
AACCTAGAAC AAGTTTACT GTGACTACTG AAATGACAAG AATTCTACAG TAGGAAACTG 480
AGACTTTCT ATGGTTTGT GACTTTCAAC TTTTGTACAG TTATGTGAAG GATGAAAGGT 540 20 GGGTGAAAGG ACCAAAAACA GAAATACAGT CTTCCTGAAT GAATGACAAT CAGAATTCCA 600 GGTIGAAAG ACCAAAAACA GAAATACAGT CTICCTGAAT GAATGCAAT CAGAATACAGC CTGCCCAAAAG GAGCCACAAATACAGCAC CTGCCCAAAAG GAGCTACCAT AAGAAAAGGCT 660
GGTTACCATC GGAGTTTACA AAGTGCTTTC ACGTTCTTAC TTGTTGTATT ATACATTCAT 720
GCATTTCTAG GCTAGAGAAC CTTCTAGATT TGATGCTTAC AACTATTCTG TTGTGACTAT 780
GAGAACATTT CTGTCTCTAG AAGTTATCTG TCTGTATTGA TCTTTATGCT ATATTACTAT 840 25 CTGTGGTTAC AGTGGAGACA TTGACATTAT TACTGGAGTC AAGCCCTTAT AAGTCAAAAG 900 CATCTATGTG TCGTAAAGCA TTCCTCAAAC ATTTTTTCAT GCAAATACAC ACTTCTTTCC 960
CCAAATATCA TGTAGCACAT CAATATGTAG GGAAACATC TTATGCATCA TTTGGTTTGT 1020
TTTATAACCA ATTCATTAAA TGTAATTCAT AAAATGTACT ATGAAAAAAA TTATACGCTA 1080
TGGGATACTG GCAACAGTGC ACATATTTCA TAAACCAAATT AGCAGCACCG GTCTTAATTT 1140 30 GATGTTTTTC AACTITTATT CATTGAGATG TTTTGAAGCA ATTAGGATAT GTGTGTTAC 1200
TGTACTTTTT GTTTTGATCC GTTTGTATAA ATGATAGCAA TATCTGGAC ACATTTGAAA 1260
TACAAAATGT TTTTGTCTAC CAAAGAAAAA TGTTGAAAAA TAAGCAAATG TATACCTAGC 1320
AATCACTTTT ACTITTTGTA ATTCTGTCTC TTAGAAAAAT ACATAATCTA ATCAATTTCT 1380
TTGTTCATGC CTATATACTG TAAAATTTAG GTATACTCAA GACTAGTTTA AAGAATCAAA 1440 35 Seq ID NO: 132 Protein sequence:
Protein Accession #: NP_005400.1 40 | | | | | | | | MSVKGMAIAL AVILCATVVQ GFPMFKRGRC LCIGPGVKAV KVADIEKASI MYPSNNCDKI 60 45 EVIITLKENK GORCLNPKSK QARLIIKKVE RKNF Seq ID NO: 133 DNA sequence. NM_012342 Nucleic Acid Accession #: 50 Coding sequence: 373-1155 (underlined sequences correspond to start and stop codons) 31 CTGGCGCGGG CGGGAGCTGC GGCGGATACC CTTGCGTGCT GTGGAGACCC TACTCTCTTC 60 CTGGGGGGG CGGGACCIGC GGGGGTACC CTIGCGTGC GTGCACCC CCGGGGGTAG 120
CGTGCGTCCC TAGAGTCCAG GGGGCAAGG GCGCGACGG GGGACCGGGA 180
AACTTTTCTG GGCTCCTGGA GAGCCCTGTA GCCGCGCCCACGG GGGACCGGA 240
AACCCAGCCC CGCCGCTGAC GGAGCCCGCC GCCGCGACGG GGCCCATGC CCTGCGCGT 300 55 ACCUARCE COCCUTION GRACECUTE GETECOGRAPHIC GETECOGRAPHIC STATE COCCURRENCE STATE COC 60 ACAGACATCT GCCAAGCCAA ACAGGCCCGA AACCACTCTG GCACCACCAT ACCCACATTG 660
GAATGCTGTC ATGAAGACAT GTGCAATTAC AGAGGGCTGC ACGATGTTCT CTCCTCCC 720
AGGGGTGAGG CCTCAGGACA AGGAAACAGG TATCAGCATG ATGGTAGCAG AAACCTTATC 780
ACCAAGGTGC AGGAGCTGAC TTCTTCCAAA GAGTTGTGGT TCCGGGCAGC GGTCATTGCC 840 65 GTGCCCATTG CTGGAGGGCT GATTTTAGTG TTGCTTATTA TGTTGGCCCT GAGGATGCTT 900 CGAAGTGAAA ATAAGAGGCT GCAGGATCAG CGGCAACAGA TGCTCTCCCG TTTGCACTAC 960
AGCTTTCACG GACACCATTC CAAAAAGGGG CAGGTTGCAA AGTTAGACTT GGAATGCAT 1020
GTGCCGGTCA GTGGGCACGA GAACTGCTGT CTGACCTGTG ATAAAATGAG ACAAGCAGAC 1080
CTCAGCAACG ATAAGATCCT CTCGCTTGTT CACTGGGGCA TGTACAGTGG GCACGGGAAG 1140 70 75 TTTGTACACA CTGTCACCAG GGTTATTTGC ATCCAAGGGA GCTGGAATTG AGTACCTAAA 1440

PCT/US02/02242

75

TAAACAAAAA TGTGCCCTAT GTAAGCTTCT ACATCTTGAT TTATTGTAAA GATTTAAAAG 1500 AAATATATAT ATTTTGTCTG A Seq ID NO: 134 <u>Protein sequence:</u>
Protein Accession #: NP_036474.1 5 31 21 MDRHSSYIFI WLQLELCAMA VLLTKGEIRC YCDAAHCVAT GYMCKSELSA CFSRLLDPQN 60 SNSPLTHGCL DSLASTTDIC QAKQARNHSG TTIPTLECCH EDMCNYRGLH DVLSPPRGEA 120 SGQGNRYQHD GSRNLITKVQ ELTSSKELWF RAAVIAVPIA GGLILVILIM LALRMLRSEN 180 10 KRLQDQRQQM LSRLHYSFHG HHSKKGQVAK LDLECMVPVS GHENCCLTCD KMRQADLSND 240 KILSLVHWGM YSGHGKLEFV 15 Seq ID NO: 135 DNA sequence NM 001627.1 Nucleic Acid Accession #: Coding sequence: 64-1815 (underlined sequences correspond to start and stop codons) 20 CGGGACGACG CCCCCTCCTG CGGCGTGGAC TCCGTCAGTG GCCCACCAAG AAGGAGGAGG 60 AATATGGAAT CCAAGGGGGC CAGTTCCTGC CGTCTGCTCT TCTGCCTCTT GATCTCCGCC 120 ACCITCTICA GGCCAGGCCT TGGATGGTAT ACTGTAAATT CAGCATATGG AGATACCATT 180
ATCATACCTT GCCGACTTGA CGTACCTCAG AATCTCATGT TTGGCAAATG GAAATATGAA 240
AAGCCCGATG GCTCCCCAGT ATTTATTGCC TTCAGATCCT CTACAAAGAA AAGTGTGCAG 300
TACGACGATG TACCAGAATA CAAAGACAGA TTGAACCTCT CAGAAAACTA CACTTTGTCT 360 25 30 ACCATGACTT CCACCCTGGA GTACAAGACA ACCAAGGCTG ACATACAAAT GCCATTCACC 720
TGCTCGGTGA CATATTATGG ACCATCTGGC CAGAAAACAA TTCATTCTGA ACAGGCAGTA 780
TTTGATATTT ACTATCCTAC AGAGCAGGTG ACAATACAAG TGCTGCCACC AAAAAATGCC 840 35 ATCAAAGAAG GGGATAACAT CACTCTTAAA TGCTTAGGGA ATGGCAACCC TCCCCCAGAG 900 GAATTTTTGT TTTACTTACC AGGACAGCCC GAAGGAATAA GAAGCTCAAA TACTTACACA 960 CTGATGGATG TGAGGCGCAA TGCAACAGGA GACTACAAGT GTTCCCTGAT AGACAAAAAA 1020 AGCATGATTG CTTCAACAGC CATCACAGTT CACTATTTGG ATTTGTCCTT AAACCCAAGT 1080 GGAGAAGTGA CTAGACAGAT TGGTGATGCC CTACCCGTGT CATGCACAAT ATCTGCTAGC 1140 40 AGGAATGCAA CTGTGGTATG GATGAAAGAT AACATCAGGC TTCGATCTAG CCCGTCATTT 1200 AGGARIGCAA CIGIGGIAIG GATGAAAGAT AACAICAGGC TICATETA CAGGAGGTT 1260
GAAGGACTAA AGAAAAGAGA GTCATTGACT CTCATTGTAG AACGCAAACC TCAAATAAAA 1320
ATGACAAAGA AAACTGATCC CAGTGGACTA TCTAAAACAA TAATCTGCCA TGTGGAAGGT 1380
TTTCCAAAGC CAGCCATTCA GTGGACAATT ACTGGCAGTG GAAGCGTCAT AAACCAAACA 1440 45 GAGGAATCTC CTTATATTAA TGGCAGGTAT TATAGTAAAA TTATCATTTC CCCTGAAGAG 1500 AATGTTACAT TAACTTTGCAC AGCAGAAAAC CAACTGGAGA GAACAGTAAA CTCCTTGAAT 1500
GCTCTCTGCTA TAAGTATTCC AGAACACGAT GAGGCAGACA GATAAGTGA TGAAAACAGA 1620
GAAAAGGTGA ATGACCAGGC AAAACTAATT GTGGGAATCG TTGTTGGTCT CCTCCTTGCT 1680
GCCCTTGTTG CTGGTGTCGT CTACTGGCTG TACATGAAGA AGTCAAAAA CTCAATCAAAA 1740 CATGTAAACA AGGACCTCGG TAATATGGAA GAAAACAAAA AGTTAGAAGA AAACAATCAC 1800
AAAACTGAAG CCTAGGAG AAACTGTCCT AGTTGTCCAG AGATAAAAAT CATATAGACC 1860
AATTGAAGCA TGAACGTGGA TTGTATTTAA GACATAAACA AAGACATTGA CAGCAATTCA 1920
TGGTTCAAGT ATTAAGCAGT TCATTCTACC AAGCTGTCAC AGGTTTTCAG AGAATTATCT 1980 50 55 60 ATGCATATAG ACACACATAC ATAATGGTAC TCCCAAACTG ACAATTTTAC CTATTCTGAA 2520 AAAGACATAA AACAGAATT Seq ID NO: 136 Protein sequence:
Protein Accession #: NP_001618.1 65 Protein Accession #: 70 MESKGASSCR LLFCLLISAT VFRPGLGWYT VNSAYGDTII IPCRLDVPQN LMFGKWKYEK 60 PDGSPVFIAF RSSTKKSVQY DDVPEYKDRL NLSENYTLSI SNARISDEKR FVCMLVTEDN 120 PDGSPVFIAF RSSIKKSVQY DDVPEYKDRL NLSENYTLSI SNARISDEKK FVCMLV IEDN 120 VFEAPTIVKV FKQPSKPEIV SKALFLETEQ LKKLGDCISE DSYPDGNITW YRNGKVLHPL 180 EGAVVIIFKK EMDPVTQLYT MTSTLEYKTT KADIQMPFIC SVTYYGPSGQ KTHISEQAVF 240 DIYYPTEQVT IQVLPPKNAI KEGDNITLKC LGNGNPPPEE FLFYLPGQPE GIRSSNTYTL 300 MDVRRNATGD YKCSLIDKKS MIASTAITVH YLDLSLNPSG EVTRQIGDAL PVSCTISASR 360

VTLTCTAENQ LERTVNSLNV SAISIPEHDE ADEISDENRE KVNDQAKLIV GIVVGLLLAA 540 LVAGVVYWLY MKKSKTASKH VNKDLGNMEE NKKLEENNHK TEA



It is understood that the examples described above in no way serve to limit the true scope of this invention, but rather are presented for illustrative purposes. All publications, sequences of accession numbers, and patent applications cited in this specification are herein incorporated by reference as if each individual publication or patent application were specifically and individually indicated to be incorporated by reference.

WHAT IS CLAIMED IS:

1	1. It memore of detecting a breast cancer associated transcript in a c	-			
2	from a patient, the method comprising contacting a biological sample from the patient v	vith a			
3	polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequ	ence			
4	as shown in Tables 1-25.				
1	2. The method of claim 1, wherein the biological sample comprises				
2	isolated nucleic acids.				
_	Isolated hadiolo acras.				
1	3. The method of claim 2, wherein the nucleic acids are mRNA.				
1	4. The method of claim 2, further comprising the step of amplifying	5			
2	nucleic acids before the step of contacting the biological sample with the polynucleotide	э.			
1	5. The method of claim 1, wherein the polynucleotide comprises a				
2	sequence as shown in Tables 1-25.				
	•				
1	6. The method of claim 1, wherein the polynucleotide is immobilize	ed on			
2	a solid surface.				
1	7. The method of claim 1, wherein the patient is undergoing a thera	peutic			
2	regimen to treat breast cancer.				
1	8. The method of claim 1, wherein the patient is suspected of having	g			
2	breast cancer.	_			
1	9. An isolated nucleic acid molecule consisting of a polynucleotide				
2	sequence as shown in Tables 1-25.				
1	10. The nucleic acid molecule of claim 9, which is labeled.				
1	11. An expression vector comprising the nucleic acid of claim 9.				
1	12. A host cell comprising the expression vector of claim 11.				

1	1:	3.	An isolated polypeptide which is encoded by a nucleic acid molecule		
2	having polynucleotide sequence as shown in Tables 1-25.				
1	14	4.	An antibody that specifically binds a polypeptide of claim 13.		
1	1:	5.	The antibody of claim 14, further conjugated to an effector component		
1	10	6.	The antibody of claim 15, wherein the effector component is a		
2	fluorescent label				
1	1'		The antibody of claim 15, wherein the effector component is a		
2	radioisotope or a	cytot	oxic chemical.		
1	18	8.	The antibody of claim 15, which is an antibody fragment.		
1	19	9.	The antibody of claim 15, which is a humanized antibody		
1	20		A method of detecting a breast cancer cell in a biological sample from		
2	• -	thod c	comprising contacting the biological sample with an antibody of claim		
3	14.				
1	2:	1.	The method of claim 20, wherein the antibody is further conjugated to		
2	an effector component.				
1	2:	2.	The method of claim 21, wherein the effector component is a		
2	fluorescent label.				
1	. 23	3.	A method for identifying a compound that modulates a breast cancer-		
2	associated polypeptide, the method comprising the steps of:				
3	`	•	acting the compound with a breast cancer-associated polypeptide, the		
4	polypeptide encoded by a polynucleotide that selectively hybridizes to a sequence at least				
5	80% identical to a sequence as shown in Tables 1-25; and				
6	(i	i) dete	ermining the functional effect of the compound upon the polypeptide.		
1	2	4.	A drug screening assay comprising the steps of		

2	(i) administering a test compound to a mammal having breast cancer or a cell
3	isolated therefrom;
4	(ii) comparing the level of gene expression of a polynucleotide that selectively
5	hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1-25 in a
6	treated cell or mammal with the level of gene expression of the polynucleotide in a control
7	cell or mammal, wherein a test compound that modulates the level of expression of the
8	polynucleotide is a candidate for the treatment of breast cancer.